511

Section **A** **for the entry of**
AIR MINISTRY
FORM 1090. **REGIST**

511.

HAYWARD HEATH

PADDOCKHALL RD.

1931 – 1940

780111

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
1931 .

Kept at "Oakdene" Paddock
in the County of Hayw

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS **IOUS DAY.**

An observer who does not conform to this rule should insert the *y 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	-	.36	-	.02	- -	.02	.08	tr-	-	-	**1**
2	.19	.04	-	.32	-	-	-	-	.77	-	-	.03	**2**
3	.14	-	.21	.14	.78	-	-	.07	.71	-	.04	.32	**3**
4	-	.01	-	-	.02	-	.03	.19	.10	.05	. 03	-	**4**
5	-	tr-	-	.26	-	.64	.10	.50	.05	-	.01	.25	**5**
6	-	.10	-	.14	-	.08	-	-	-	.23	.33	.43	**6**
7	.01	.01	-	-	.09	.12	-	.20	tr -	.10	.47	tr-	**7**
8	tr-	.18	-	-	.02	.24	-	.02	-	-	.11	.15	**8**
9	-	.15	-	-	-	.01	-	-	-	-	.69	tr-	**9**
10	tr-	.18	.03	-	-	.22	.07	.14	-	-	1.19	-	**10**
11	.13	.49	-	-	-	-	tr-	-	.02	tr-	.32	-	**11**
12	.06	-	-	-	-	-	.06	.01	.21	tr -	-	-	**12**
13	.06	-	-	-	.02	tr-	.02	.08	-	-	-	-	**13**
14	.02	.12	tr-	-	-	.07	.50	.40	-	-	.01	-	**14**
15	tr-	.06	-	.06	.21	-	.06	.36	-	-	-	.03	**15**
16	tr -	.06	-	.21	.41	.03	.03	.26	-	-	-	-	**16**
17	-	.06	-	.37	tr -	-	.57	-	.06	.02	-	-	**17**
18	.05	.09	.01	.23	-	.11	.20	.55	.04	tr-	.57	-	**18**
19	.10	-	-	.25	-	.04	.60	.35	.08	-	-	-	**19**
20	tr-	.11	-	.17	-	-	.02	.26	tr-	-	.01	-	**20**
21	.02	.02	tr-	-	.35	-	-	-	-	-	.02	-	**21**
22	.28	tr-	.25	-	-	-	-	-	.03	-	tr -	-	**22**
23	.46	tr-	tr-	-	.21	.13	-	-	.02	-	.31	.01	**23**
24	-	-	-	.72	.04	.02	.33	.44	tr-	-	-	-	**24**
25	.18	-	-	.21	.02	-	.21	-	-	-	.04	-	**25**
26	-	.07	-	.07	tr-	-	.34	-	-	-	.49	-	**26**
27	.28	.35	-	.09	.25	-	.17	-	-	-	.06	-	**27**
28	.11	S .14	-	.01	-	-	-	-	-	.03	-	.01	**28**
29	.11	×	-	-	.10	-	.12	-	-	.14	tr-	.04	**29**
30	.10	×	-	-	.06	-	tr-	-	-	-	tr-	-	**30**
31	.40	×	-	×	-	×	-	-	×	-	×	-	**31**
TOTAL	2.70	2.35	.50	3.61	2.58	1.73	3.43	3.85	2.17	.57	4.70	1.27	YEAR'S TOTAL 29.46
*Days with ·01 in. or more.	18	19	4	16	14	13	17	16	12	6	17	9	161
*Days with ·04 in. or more.	15	16	2	15	10	9	13	13	9	4	12	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. E. Hervey

[P.T.O.

511

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Oakdene" Paddockhall Rd

in the County of Haywards Heath Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	-	.36	-	.02	- -	.02	.08	tr-	-	-	1
2	.19	.04	-	.32	-	-	-	-	.77	-	-	.03	2
3	.14	-	.21	.14	.78	-	-	.07	.71	-	.04	.32	3
4	-	.01	-	-	.02	-	.03	.19	.10	.05	. 03	-	4
5	-	tr-	-	.26	-	.64	.10	.50	.05	-	.01	.25	5
6	-	.10	-	.14	-	.08	-	-	-	.23	.33	.43	6
7	.01	.01	-	-	.09	.12	-	.20	tr -	.10	.47	tr-	7
8	tr-	.18	-	-	.02	.24	-	.02	-	-	.11	.15	8
9	-	.15	-	-	-	.01	-	-	-	-	.69	tr-	9
10	tr-	.18	.03	-	-	.22	.07	.14	-	-	1.19	-	10
11	.13	.49	-	-	-	-	tr-	-	.02	tr-	.32	-	11
12	.06	-	-	-	-	-	.06	.01	.21	tr -	-	-	12
13	.06	-	-	-	.02	tr-	.02	.08	-	-	-	-	13
14	.02	.12	tr-	-	-	.07	.50	.40	-	-	.01	-	14
15	tr-	.06	-	.06	.21	-	.06	.36	-	-	-	.03	15
16	tr -	.06	-	.21	.41	.03	.03	.26	-	-	-	-	16
17	-	.06	-	.37	tr -	-	.57	-	.06	.02	-	-	17
18	.05	.09	.01	.23	-	.11	.20	.55	.04	tr-	.57	-	18
19	.10	-	-	.25	-	.04	.60	.35	.08	-	-	-	19
20	tr-	.11	-	.17	-	-	.02	.26	tr-	-	.01	-	20
21	.02	.02	tr-	-	.35	-	-	-	-	-	.02	-	21
22	.28	tr-	.25	-	-	-	-	-	.03	-	tr -	-	22
23	.46	tr-	tr-	-	.21	.13	-	-	.02	-	.31	.01	23
24	-	-	-	.72	.04	.02	.33	.44	tr-	-	-	-	24
25	.18	-	-	.21	.02	-	.21	-	-	-	.04	-	25
26	-	.07	-	.07	tr-	-	.34	-	-	-	.49	-	26
27	.28	.35	-	.09	.25	-	.17	-	-	-	.06	-	27
28	.11	S .14	-	.01	-	-	-	-	-	.03	-	.01	28
29	.11	×	-	-	.10	-	.12	-	-	.14	tr-	.04	29
30	.10	×	-	-	.06	-	tr-	-	-	-	tr-	-	30
31	.40	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	2.70	2.35	.50	3.61	2.58	1.73	3.43	3.85	2.17	.57	4.70	1.27	YEAR'S TOTAL 29.46
*Days with ·01 in. or more.	18	19	4	16	14	13	17	16	12	6	17	9	161
*Days with ·04 in. or more.	15	16	2	15	10	9	13	13	9	4	12	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. E. Hervey

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Oakdene" Paddockhall Road

in the County of Haywards Heath Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.01	-	.16	.68	-	.04	-	-	.01	.10	-	1
2	.03	-	-	.23	.04	-	-	.01	.08	.01	.05	.28	2
3	-	-	-	.01	.08	.22	-	.01	.41	.02	-	-	3
4	.03	-	-	-	-	.16	-	-	-	-	.01	-	4
5	.29	.01	.06	-	-	.01	.11	-	.15	-	-	-	5
6	.65	-	-	.12	-	-	-	-	.06	.01	-	-	6
7	.06	-	.08	trace	-	-	.91	-	.02	.04	-	.01	7
8	-	trace	.27	.02	.17	-	-	-	.14	.72	-	-	8
9	.43	.08	-	.20	.40	-	-	-	-	trace	-	-	9
10	.88	.09	.01	.44	.07	-	-	-	.02	.09	-	-	10
11	.12	.05	-	.13	-	trace	-	-	.02	.03	.03	.01	11
12	.45	.01	-	.01	trace	-	-	trace	.09	.22	-	.01	12
13	.08	-	-	.18	.07	-	.05	-	trace	1.11	-	.01	13
14	.17	-	-	.09	.07	-	-	.02	-	.04	-	-	14
15	.08	.01	-	.06	.19	-	-	-	-	.08	-	-	15
16	.07	-	-	.10	trace	-	.12	-	-	-	-	trace	16
17	-	-	-	.14	-	-	.07	-	-	.03	-	-	17
18	.05	-	-	-	-	-	-	-	.02	-	.11	-	18
19	.02	trace	-	.03	.01	.01	-	-	.04	.46	.01	-	19
20	-	-	-	.02	.04	-	trace	.17	-	1.42	.20	-	20
21	.02	trace	-	-	.72	-	.05	-	-	.35	-	.06	21
22	.05	.01	.34	.06	.27	-	.26	.02	.55	.36	.44	-	22
23	-	.05	.01	.06	.07	.11	-	-	.40	1.16	.01	.14	23
24	-	.03	-	-	-	-	.78	-	.25	.07	.02	trace	24
25	-	-	-	-	-	-	.51	-	.14	.69	.07	.01	25
26	-	-	.02	.05	-	-	.63	.03	-	.01	.07	trace	26
27	-	-	.36	.18	.17	.05	.15	-	.01	.68	.04	.01	27
28	-	-	-	.02	.42	-	.23	-	-	.19	trace	-	28
29	-	-	.45	.06	.10	.01	.01	.15	.23	.68	.01	.01	29
30	-	×	.08	trace	trace	1.06	.07	.07	.09	-	.45	.09	30
31	-	×	.01	×	-	×	.21	-	×	-	×	.08	31
TOTAL	3.64	.35	1.69	2.37	3.57	1.63	4.20	.48	2.72	8.48	1.62	.72	YEAR'S TOTAL 31.47
*Days with ·01 in. or more.	18	10	11	22	17	8	16	8	18	24	15	12	179
*Days with .04 in. or more.	14	4	7	16	16	5	15	3	13	17	9	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Z. E. Hervey

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~511~~ 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Oakdene" Paddockhall Road
in the County of Haywards Heath Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	.57	.18	—	—	—	—	—	—	—	.02	—		1
2	.33	—	.54	—	.20	—	—	—	—	tr —	—	—		2
3	.12	.17	.38	—	.02	—	—	—	—	—	—	—		3
4	.21	.06	.02	—	.15	—	—	—	—	—	—	—		4
5	.24	tr —	.29	—	.19	—	—	—	—	—	—	—		5
6	tr —	.18	.04	—	.61	—	—	—	—	.04	.08	—		6
7	.31	.03	.06	—	.13	—	—	—	—	.13	—	.01		7
8	.09	.01	—	—	—	—	.12	—	—	.02	—	—		8
9	—	tr —	—	—	tr —	—	.22	—	—	.02	.23	—		9
10	—	.14	—	—	—	.03	.11	—	—	.20	.04	—		10
11	.17	—	—	—	.07	.10	.01	.06	.03	.01	tr —	—		11
12	—	—	—	.02	—	.14	.28	—	1.23	—	—	—		12
13	.10	—	—	—	.07	.06	.37	.10	.19	.12	.11	—		13
14	—	—	—	—	tr —	—	.05	—	—	.36	.44	.01		14
15	.51	—	.13	—	—	—	.19	.65	—	.05	.04	—		15
16	.01	—	.78	—	—	.29	.06	—	—	.01	—	—		16
17	—	Snow .05	.31	—	—	.18	—	.10	.09	—	.05	—		17
18	.17	—	.06	—	—	.16	—	—	—	—	.01	—		18
19	.02	Snow .05	.03	—	—	.02	—	—	.32	—	.05	.01		19
20	—	.03	.08	.04	—	.49	—	.14	.10	—	tr —	—		20
21	—	Snow .06	—	—	—	—	—	.10	.09	.01	—	.01		21
22	—	—	—	—	—	.06	—	.36	.01	.10	tr —	—		22
23	—	—	—	.08	—	.05	—	—	.42	.07	—	—		23
24	—	Snow .43	—	.17	—	.09	—	—	.42	—	.01	—		24
25	—	.38	—	.34	—	.30	—	—	.22	.01	.07	.10		25
26	—	.77	—	.06	—	.19	—	—	—	.04	.04	.12		26
27	—	.01	—	—	.22	.02	—	—	—	.25	tr —	.24		27
28	—	—	—	—	.03	—	.35	—	—	.23	—	.30		28
29	.07	X	—	—	.27	—	.02	—	.29	.06	—	—		29
30	.09	X	.01	—	—	—	.03	—	—	.04	—	.07		30
31	.10	X	—	X	—	X	—	.03	X	—	X	-		31
TOTAL	2.59	2.94	2.91	.71	1.96	2.18	1.81	1.54	3.41	1.77	1.19	.87	Year's Total 23.88	
*Days with ·01 in. or more.	16	15	14	6	11	15	12	8	12	19	13	9	150	
*Days with ·04 in. or more.	14	11	11	5	9	12	9	7	10	13	10	5	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. E. Hervey

[P.T.O.

511

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Oakdene" Paddockhall Road Haywards Heath

in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	·07	–	·29	·01	·14	·02	·42		1
2	·08	–	·22	·12	–	–	–	–	·65	·43	·01	·56		2
3	·06	·01	–	·08	–	–	–	·02	–	·55	–	·25		3
4	·25	–	·07	·03	·10	–	–	–	–	·22	·09	·69		4
5	tr –	–	·02	–	·03	–	–	·07	–	–	·02	·53		5
6	tr –	–	·33	·02	·12	·11	–	·15	–	·26	–	·61		6
7	·02	–	tr –	–	–	·06	–	tr –	·01	·16	–	·25		7
8	–	–	–	–	·12	–	–	·02	–	–	1·28	·02		8
9	tr –	–	·08	–	·02	–	–	–	tr –	–	1·24	·38		9
10	–	tr –	·16	·28	–	–	–	·11	–	·01	1·35	·01		10
11	·91	–	·44	·06	–	–	tr –	·33	–	–	–	·35		11
12	·10	·01	·02	–	–	–	·29	·14	–	–	·20	·03		12
13	·47	–	·04	·13	–	–	·06	·04	–	·02	·03	·05		13
14	·28	–	·41	·02	–	·01	–	–	–	–	·41	·59		14
15	·01	–	·02	–	·09	–	–	–	–	·03	·08	·35		15
16	·21	–	·30	·05	·14	–	–	–	–	·10	·01	tr –		16
17	·15	–	·20	·04	–	–	–	–	tr –	·06	–	·36		17
18	·26	–	·04	·48	–	–	·48	–	·02	–	tr –	·54		18
19	–	–	·31	tr –	–	–	–	–	·63	·01	tr –	·15		19
20	–	–	·03	·04	–	–	·38	·01	·01	tr –	–	·03		20
21	–	tr –	–	·24	–	·21	–	·02	tr –	·08	–	tr –		21
22	–	·01	–	–	–	–	·05	·08	·36	·02	tr –	·17		22
23	–	·01	–	·32	–	·79	–	·03	·02	·02	–	·08		23
24	–	tr –	·06	·04	–	·03	·71	·13	·17	·02	–	–		24
25	·18	–	–	·16	–	–	–	–	–	·04	–	·61		25
26	·03	–	–	·44	–	·15	–	–	·05	–	–	·02		26
27	·04	–	–	·48	–	tr –	–	–	–	–	–	·39		27
28	–	Snow ·16	–	–	–	·05	–	·72	–	–	tr –	·31		28
29	–	×	–	–	–	–	·02	·08	·11	–	·03	tr –		29
30	·09	×	–	–	–	–	–	·10	·01	–	–	·68		30
31	·02	×	–	×	tr –	×	–	·01	×	·03	×	·08		31
TOTAL	3.19	.20	2.75	3.03	.62	1.48	1.99	2.35	2.05	2.20	4.77	8.51	Year's Total 33.14	
*Days with ·01 in. or more.	18	5	17	18	7	9	7	18	12	18	13	27	169	
*Days with ·04 in. or more.	13	1	13	15	5	7	6	12	6	10	7	22	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. E Hervey

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Oakdene" Paddockhall Road

Haywards Heath

in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·04	·05	·02	·01	·05	·05	-	·49	·10	·18	-		1
2	·04	-	-	·04	-	·01	-	-	·01	·59	·11	-		2
3	Tr -	·03	·18	·04	-	-	-	-	·47	1·45	·12	-		3
4	-	·10	·02	·21	-	·31	-	-	·18	·21	·03	·48		4
5	-	·29	·03	·16	-	·02	-	-	·60	·17	-	-		5
6	·01	·04	·01	·21	-	·71	-	-	-	·01	·31	·02		6
7	·02	Tr -	-	·27	-	·07	-	-	-	-	1·14	·10		7
8	-	-	·03	·29	-	-	-	-	-	·45	·63	·02		8
9	·01	-	-	·22	-	·21	-	-	-	1·12	·26	·02		9
10	·07	-	·18	-	-	·05	-	-	-	-	·30	·06		10
11	·18	·01	-	·18	-	·20	·19	-	-	·02	·68	-		11
12	-	·04	-	-	-	·29	-	·36	·03	-	·94	-		12
13	·11	·20	-	·17	·05	·02	-	-	Tr -	·01	·17	·02		13
14	-	-	-	·04	·12	·46	-	-	·02	·03	·03	·09		14
15	-	·20	-	·57	-	·01	-	-	·30	Tr -	·34	·05		15
16	-	·07	·01	·12	-	·24	-	-	·30	·01	1·03	Tr -		16
17	·03	-	·03	·12	-	·24	·08	·04	·02	-	·52	-		17
18	-	Tr -	-	·32	Tr -	·13	·12	·01	·53	·08	·02	·03		18
19	-	Tr -	-	·08	·70	·06	·22	-	·22	·02	·16	-		19
20	Tr -	·64	-	·14	·08	·09	·05	-	·08	-	·18	-		20
21	·01	·48	-	·01	-	-	-	-	·01	·17	·03	-		21
22	-	·06	·01	Tr -	-	-	-	·58	·05	-	-	-		22
23	-	-	·04	-	-	-	-	·46	-	·06	-	·12		23
24	·03	1·09	-	-	·15	-	-	1·28	·73	-	-	·32		24
25	·09	·43	-	·12	·04	·07	-	-	-	-	·05	·38		25
26	Snow ·06	·27	-	-	-	-	-	·15	·10	·03	-	·39		26
27	Tr -	·66	-	-	-	-	·03	-	·08	-	·11	·34		27
28	-	·08	-	-	·28	-	-	-	·06	·03	·03	·17		28
29	-	X	-	-	-	-	-	·48	·56	·02	-	·45		29
30	·06	X	-	-	·02	-	-	1·60	Tr -	·09	·69	·49		30
31	-	X	-	X	Tr -	X	-	-	X	·30	X	1·00		31
TOTAL	·92	4·73	·59	3·26	1·45	3·24	·74	4·96	4·84	4·97	8·06	4·55	Year's Total. 42.31	
* Days with .01 in. or more.	14	18	11	20	9	19	7	9	20	21	24	19	191	
* Days with .04 in. or more.	8	16	4	18	7	15	6	8	15	12	19	14	142	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) L. E. Hervey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "Oakdene" Paddockhall Road

in the County of Haywards Heath - Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	.18	.02	.48	-	.23	.49	.11	-	-	.12	.05		1
2	-	-	-	-	-	.34	.19	.13	-	-	-	-		2
3	-	-	-	.37	-	tr -	.04	-	.04	-	.24	-		3
4	tr -	-	.17	-	-	.06	.01	-	.48	-	.01	.05		4
5	.26	-	.01	-	-	tr -	-	.06	.17	tr -	.24	.04		5
6	.33	-	-	-	-	.03	-	.05	.21	.01	1.51	.01		6
7	.45	-	.05	-	-	.02	.07	-	-	-	.73	.01		7
8	.50	-	.13	-	-	-	.14	-	-	-	.80	.27		8
9	.39	-	.03	-	-	-	.33	-	.07	.07	tr -	-		9
10	.05	-	-	-	-	-	.14	-	-	-	.01	-		10
11	.02	.03	-	.07	-	-	.29	-	-	-	1.06	tr -		11
12	-	-	-	.01	-	.26	.37	-	.36	.01	.22	.18		12
13	-	-	-	-	-	.02	-	-	.02	-	-	.58		13
14	-	.10	-	-	-	.11	.81	-	-	.02	.17	.54		14
15	-	.12	-	-	-	-	.01	-	-	-	.07	.39		15
16	.16	.11	-	.01	tr -	-	.08	-	-	-	.20	.11		16
17	.04	.76	-	-	.57	.22	-	.03	.01	.04	.18	.67		17
18	.17	.13	-	-	-	-	.21	-	-	-	.06	.05		18
19	.35	.03	.06	.04	-	1.06	-	.11	-	-	tr -	-		19
20	.24	.04	.07	.44	-	-	.04	-	.49	-	-	-		20
21	-	.06	-	.34	.02	.27	.10	-	.03	-	-	-		21
22	.10	.47	.11	.01	.19	.01	.12	-	tr -	-	-	.05		22
23	.05	.19	.16	.11	-	-	.40	-	-	.06	-	-		23
24	.06	.04	-	-	-	-	.15	-	.04	.22	-	tr -		24
25	.17	-	.20	.27	.02	tr -	-	-	.22	.22	tr -	.01		25
26	tr -	.13	.15	.15	-	-	-	-	.02	.13	-	.05		26
27	.42	-	.01	-	-	-	-	-	.22	.22	-	-		27
28	.48	-	.20	-	-	.33	.39	-	.04	-	-	.09		28
29	.03	Snow .08	.13	-	-	.85	.17	-	-	.05	.09	.02		29
30	.19	✕	tr -	-	.03	.15	.02	-	-	.14	-	-		30
31	.23	✕	.21	✕	-	✕	.25	-	✕	.32	✕	.26		31
TOTAL	5.06	2.47	1.71	2.30	.83	3.96	4.82	.49	2.42	1.51	5.71	3.43	Year's Total 34.71	✓
* Days with .01 in. or more.	22	15	16	12	5	15	23	6	15	13	16	19	177	✓
* Days with .04 in. or more.	20	13	12	9	2	11	20	5	11	10	14	15	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. E. Hervey [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Oakdene" Paddockhall Road

in the County of Haywards Heath, Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.78	tr -	.01	.08	-	-	-	-	-	-	.77	.44		1
2	.01	.48	-	.48	-	-	-	-	.08	-	.01	.61		2
3	.02	.11	tr-	-	-	-	-	-	-	-	-	.19		3
4	.14	1.13	-	-	-	-	-	-	-	-	-	.29		4
5	.20	.05	s .28	-	-	-	.29	-	-	.01	-	-		5
6	.15	.02	s .49	.01	.30	-	-	-	-	.01	.02	-		6
7	-	.88	.02	.12	.03	-	-	-	.01	.02	-	.04		7
8	-	tr-	.10	-	.08	.08	-	-	-	-	.05	.13		8
9	-	-	-	.38	.08	.03	.13	-	.41	-	-	.06		9
10	-	-	.63	.24	.10	.37	.02	tr-	-	-	-	.86		10
11	-	-	.35	-	.06	-	.04	-	-	-	-	.12		11
12	.46	.28	.17	.27	.35	.28	.01	.89	.21	-	-	.20		12
13	.25	.06	.58	.12	-	.08	-	tr-	.17	-	-	s .44		13
14	.01	.04	.01	.10	.15	-	-	.82	.17	-	-	.01		14
15	.20	.14	-	.31	-	-	.42	-	.53	-	-	tr-		15
16	tr-	.04	.31	.20	-	-	-	.69	.49	-	-	.01		16
17	.38	tr-	.05	.09	-	-	-	-	.20	-	.10	-		17
18	.52	.12	.19	.08	.29	.59	-	-	.27	-	.21	.04		18
19	.09	.18	.04	.15	.04	.06	-	-	.02	-	.02	s .17		19
20	.42	-	.16	.31	.85	.04	-	-	.03	-	-	.01		20
21	.44	.46	.22	.12	-	-	.01	-	.01	-	.10	.03		21
22	.53	.02	.01	-	.11	.01	.14	-	-	.94	.54	.08		22
23	.32	.08	tr-	-	-	-	.17	-	-	.75	-	tr-		23
24	.65	.31	.01	-	.03	-	-	-	.02	.43	-	tr-		24
25	.12	.50	.35	-	.01	-	-	-	.16	.10	-	.01		25
26	tr-	.44	.07	-	-	-	-	-	-	.04	-	-		26
27	.01	.10	-	.17	-	-	-	-	.01	.18	-	-		27
28	s .07	.09	-	-	-	tr-	-	-	-	.04	-	.01		28
29	s .03	X	-	-	-	.02	-	-	-	.10	.06	.01		29
30	.26	X	-	-	-	.02	-	-	-	.12	.14	-		30
31	.23	X	-	X	-	X	-	-	X	.29	X	.02		31
													Year's Total	
TOTAL	6.29	5.53	4.05	3.23	2.48	1.58	1.23	2.40	2.79	3.03	2.02	3.78	38.41	✓ ✓
* Days with .01 in. or more.	24	21	20	17	14	11	9	3	16	13	11	22	181	✓ ✓
* Days with .04 in. or more.	19	19	15	16	11	7	6	3	11	10	8	14	139	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. E. Hervey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "Oakdene" Paddockhall Road, Haywards Heath
in the County of Sussex.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.06	-	-	.14	.11	.02	-	.23	.11	.06	.10		1
2	.05	-	-	.03	.06	-	.14	-	-	.54	-	.02		2
3	-	-	-	-	.02	-	.03	-	-	.87	.10	-		3
4	.02	-	-	-	-	.03	.37	.10	-	.09	-	.17		4
5	-	-	-	tr-	-	-	.11	-	tr-	.31	tr-	tr-		5
6	.08	-	-	-	-	-	.11	-	.32	.01	.04	-		6
7	tr-	-	-	-	-	-	.18	.21	-	.30	-	.09		7
8	.19	.02	-	-	-	tr-	.15	.11	-	.30	.04	.08		8
9	.15	.01	-	-	-	tr-	-	-	-	.11	-	.72		9
10	.11	.08	-	-	-	.16	.01	.16	-	tr-	-	.12		10
11	.29	-	-	-	-	-	-	-	-	tr-	.11	.20		11
12	.39	-	-	-	.01	-	.02	-	-	.05	.05	.01		12
13	.46	S .10	-	-	.01	-	-	-	-	.18	.40	.20		13
14	.32	S .16	-	-	.53	-	-	-	.01	-	.01	.07		14
15	.05	S .15	-	-	-	-	.16	-	-	.36	.01	.30		15
16	.50	S .01	.03	-	.06	-	.03	.06	-	.09	.01	.21		16
17	-	S .11	.02	-	.10	-	tr-	-	.01	.68	.05	-		17
18	.08	-	.01	-	.02	-	-	-	.19	.07	.41	-		18
19	.02	-	-	-	-	-	-	.07	.12	-	.43	S.13		19
20	tr-	-	-	-	.01	-	-	.02	.08	-	.59	S.02		20
21	.09	-	-	-	-	-	-	.08	.19	-	.02	S.10		21
22	.01	-	-	-	-	.05	-	.11	-	-	.37	S.13		22
23	-	-	-	-	-	-	-	-	-	-	.05	-		23
24	-	-	.33	-	.01	-	-	-	.84	-	.35	S.04		24
25	.11	-	.28	.03	.09	-	.04	.01	.02	.02	.42	S.01		25
26	.62	.12	.07	-	tr-	tr-	-	tr-	.31	.32	-	S.51		26
27	.10	.08	-	-	.28	.24	.43	-	.93	-	.28	-		27
28	.07	.06	-	-	.34	.12	-	.43	.18	-	-	.04		28
29	.10	×	-	-	.38	-	-	-	.02	-	.07	.19		29
30	.05	×	-	.35	.19	-	-	-	.12	.06	.47	-		30
31	.17	×	-	×	.11	×	-	-	×	.23	×	.29		31
													Year's Total	
TOTAL	4.06	.96	.74	.41	2.36	.71	1.80	1.36	3.57	4.70	4.34	3.75	28.76	
* Days with .01 in. or more.	24	12	6	3	17	6	14	11	15	19	22	23	172	
* Days with .04 in. or more.	20	9	3	1	11	5	9	9	11	17	18	19	132	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. E. Hervey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at "Oakdene", Paddockhall Road

in the County of Sussex. Haywards Heath

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	..02	-	.04	.28	.24	-	.03	.01	.03	-	-	.08		1
2	.05	-	-	.02	tr-	-	tr-	.47	.15	-	.01	-		2
3	.47	-	-	.42	-	-	-	.18	-	-	.26	.47		3
4	.11	-	.38	.12	-	-	.07	.37	-	.36	.16	.01		4
5	--	-	.03	.36	.03	-	.24	.25	-	.11	.57	.06		5
6	.38	-	.03	-	-	-	.18	.38	-	-	.34	-		6
7	.08	.08	-	-	-	-	.04	.11	-	.03	.12	.16		7
8	tr-	.09	.17	-	-	-	.01	-	-	.46	.43	.50		8
9	.11	.10	-	-	-	-	-	.14	-	.55	.63	.29		9
10	.21	-	-	-	-	.18	-	.27	.11	.34	.14	tr-		10
11	.01	.01	.21	-	-	tr-	-	-	-	1.30	.03	tr-		11
12	tr-	.14	-	-	.01	tr-	-	-	.01	tr-	tr-	.01		12
13	-	-	.01	.04	-	-	.06	-	.12	1.37	.01	.05		13
14	.50	-	-	.01	.01	.02	.01	-	tr-	.37	.51	.09		14
15	.59	-	.04	-	.79	.03	.09	-	.23	.24	.59	.01		15
16	.28	-	.06	.13	.16	.27	.12	-	.01	.05	.37	-		16
17	.23	.12	.03	-	.17	-	.01	-	-	-	.09	-		17
18	.24	-	.01	-	.08	.10	.23	-	.01	.07	.41	-		18
19	.24	tr-	-	-	-	-	.41	-	-	.50	-	.04		19
20	.26	-	tr-	-	-	.23	.16	-	.02	-	-	-		20
21	.09	.07	.12	-	-	.03	.35	-	.01	-	-	-		21
22	.23	.22	.08	.02	-	.33	.02	-	-	-	.11	-		22
23	.02	-	tr-	.19	-	-	.18	tr-	-	.05	.89	-		23
24	.16	.20	.03	.07	-	.03	.24	-	-	.11	.01	-		24
25	S 1.42	.20	.09	.15	-	-	.22	.03	-	-	.58	.01		25
26	.01	-	-	.11	-	-	-	-	-	.12	.33	.01		26
27	S .02	.18	.05	.10	-	.01	tr-	-	-	.07	.37	-		27
28	-	.31	.05	-	-	.08	-	-	-	.07	.13	S .18		28
29	-	X	-	.18	-	tr-	tr-	-	-	.02	.02	-		29
30	-	X	-	.66	-	-	-	.08	-	.01	.05	- -		30
31	-	X	-	X	-	X	.07	.31	X	.04	X	-		31
Total	5.73	1.72	1.43	2.86	1.49	1.31	2.74	2.60	.70	6.24	7.16	1.97	Year's Total 35.95	✓
* Days with .01 in. or more.	23	12	17	16	8	11	20	12	10	21	25	15	190	✓
* Days with .04 in. or more.	18	11	11	13	5	6	15	10	4	18	20	10	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. E. Hervey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 511

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at "Oakdene" Paddockhall Rd. Haywards Heath

in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	.08	-		1
2	-	.08	-	.08	-	-	tr-	-	-	.15	.44	.02		2
3	-	.41	-	.05	-	-	.04	-	-	.11	1.23	.16		3
4	.02	.24	-	.03	-	-	.01	-	-	.38	.05	.07		4
5	tr-	.02	-	-	-	-	.07	-	-	.03	.87	.23		5
6	.23	.13	-	-	-	-	.33	-	-	.62	.02	-		6
7	.21	.23	-	-	-	-	.06	-	-	-	-	-		7
8	-	-	-	.02	-	-	.04	-	.03	.48	-	.48		8
9	-	-	-	.01	-	-	-	.01	.01	.15	.46	.18		9
10	-	-	-	-	-	-	.34	.02	tr-	.29	.05	.02		10
11	-	Snow .06	-	.02	-	-	.29	-	-	tr-	1.11	.01		11
12	-	.03	.22	tr-	-	tr-	.16	-	.30	tr-	.04	-		12
13	-	tr-	.71	-	-	.04	-	-	.16	-	1.13	-		13
14	-	-	Snow .44	.03	-	-	.03	-	-	.09	-	.52		14
15	-	-	-	-	.25	-	1.02	-	.03	.05	.55	.03		15
16	Snow .03	Snow .70	.25	.06	-	.03	.13	-	.22	.42	.84	.02		16
17	-	-	.35	-	-	-	.02	-	tr-	-	.56	-		17
18	Snow .01	.30	.32	.35	-	-	.13	.02	.14	.28	.06	.13		18
19	-	.11	.02	.01	-	-	.02	-	.65	-	.32	.06		19
20	-	.01	.06	.03	-	-	tr-	tr-	.04	.05	.06	-		20
21	Snow .05	.01	.01	-	.57	-	-	tr-	.03	.04	.30	-		21
22	tr-	-	.05	tr-	.12	.12	tr-	-	.11	.01	-	-		22
23	-	.22	.07	.29	-	-	-	-	-	-	.05	.02		23
24	-	-	-	.20	-	-	.22	-	-	-	.01	Snow .02		24
25	-	-	.48	-	tr-	-	.12	-	-	.03	tr-	-		25
26	.85	.22	.20	-	.60	.03	.04	-	-	-	.01	-		26
27	.43	.24	-	-	.07	-	.06	-	-	-	-	-		27
28	Snow .46	.02	-	.06	.17	-	-	-	-	-	-	-		28
29	Snow .47	.13	.13	.03	.34	-	-	-	.01	-	-	.28		29
30	.16	✗	-	.07	-	-	-	-	-	.17	-	.03		30
31	.09	✗	-	✗	-	✗	-	-	✗	.62	✗	.14		31
TOTAL	3.01	3.16	3.31	1.34	2.12	.22	3.13	.05	1.73	3.97	8.24	2.42	Year's Total 32.70	✓
* Days with .01 in. or more.	12	18	14	16	7	4	19	3	12	18	21	18	162	✓
* Days with .04 in. or more.	9	13	12	8	7	2	15	-	7	15	18	10	116	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. E. Hervey

[P.T.O.

X MARESFIELD (BUD

511/5

MARESFIELD BUDLETTS

1936 - 1939

780111

Section **A** for the entry of Daily
AIR MINISTRY.—

on No. 511/5
ORGANIZATION

FORM 1090

REGISTE

564666/36

Kept at ~~('Oakdale')~~
in the County of Sussex
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground..
,, Ground ,, Sea Leve

THE MORNING MEASUREMEN AY

An observer who does not conform to this *wing*
year in the space on the right of this par

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.28	0.16	—	0.43	—	0.23	0.21	0.10	—	—	0.15	0.06		1
2	—	0.05	—	—	—	0.35	0.13	0.15	—	—	—	—		2
3	0.01	—	—	0.42	—	—	0.04	—	0.01	—	0.27	—		3
4	—	—	0.13	—	—	0.10	0.02	—	0.37	—	0.01	0.09		4
5	0.18	—	—	—	—	—	—	0.10	0.28	—	0.23	0.03		5
6	0.23	—	—	—	—	0.04	—	0.04	0.26	0.10	0.94	0.02		6
7	0.45	—	0.11	—	—	—	0.03	—	—	—	0.73	—		7
8	0.44	—	0.07	—	—	—	0.03	—	—	—	0.73	0.26		8
9	0.47	—	0.04	—	—	—	0.28	—	0.07	—	0.09	—		9
10	0.09	—	—	—	—	0.02	0.25	—	—	—	—	—		10
11	0.01	—	—	0.08	—	—	0.09	—	—	—	1.00	—		11
12	—	—	—	0.06	—	0.16	0.35	—	0.50	0.01	0.29	0.17		12
13	—	—	—	—	—	0.07	0.05	—	—	—	—	0.61		13
14	—	0.11	—	—	—	0.06	0.84	—	—	0.03	0.15	0.43		14
15	—	0.08	—	—	—	0.03	0.01	—	—	—	0.07	0.58		15
16	0.17	0.08	—	—	0.12	—	0.03	—	—	—	0.17	0.13		16
17	0.08	0.84	—	—	0.02	0.14	—	0.05	—	0.04	0.16	0.53		17
18	0.12	0.19	—	—	—	0.09	0.35	—	—	—	0.12	0.09		18
19	0.26	0.03	0.01	—	—	0.83	—	0.10	0.03	—	0.01	—		19
20	0.18	0.09	0.06	0.47	—	—	0.01	—	0.37	—	—	—		20
21	—	0.03	—	0.30	—	0.42	0.13	—	0.05	—	—	—		21
22	0.09	0.34	0.12	—	0.06	0.04	0.08	—	—	—	—	0.05		22
23	0.08	0.11	0.15	0.13	—	—	0.36	—	—	0.05	—	—		23
24	0.08	0.05	—	—	—	—	0.07	—	0.03	0.19	—	—		24
25	0.27	—	0.22	0.13	0.05	0.03	0.15	—	0.78	0.15	—	0.01		25
26	—	0.10	0.20	0.04	—	0.06	—	—	0.07	0.24	—	0.01		26
27	0.31	—	0.01	0.06	—	—	—	—	0.13	0.16	—	—		27
28	0.60	—	0.16	—	—	0.15	0.20	—	0.04	—	—	0.07		28
29	0.02	0.05	0.16	—	—	0.15	—	—	—	0.05	0.08	—		29
30	0.14	✕	—	—	0.08	0.30	—	—	—	0.10	—	—		30
31	0.18	✕	0.18	✕	—	✕	0.25	—	✕	0.37	✕	0.23		31
TOTAL	4.74	2.31	1.62	2.12	0.33	3.27	3.96	0.54	2.99	1.49	5.20	3.37	Year's Total 31.94	
* Days with .01 in. or more.	23	15	14	10	5	19	23	6	14	12	17	17	175	
* Days with .04 in. or more.	20	13	12	10	4	16	17	6	11	10	15	13	147	

† Spare column, no entries required.

(Signed) T. Hobden Esq [P.T.O.

* See Instruction 3 (f) on other side.

N

X MARESFIELD (BUD

Station No. 511/5

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

564666/36

X

Kept at ~~('Oakdale') Maresfield~~

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.28	0.16	—	0.43	—	0.23	0.21	0.10	—	—	0.15	0.06		1
2	—	0.05	—	—	—	0.35	0.13	0.15	—	—	—	—		2
3	0.01	—	—	0.42	—	—	0.04	—	0.01	—	0.27	—		3
4	—	—	0.15	—	—	0.10	0.02	—	0.37	—	0.01	0.09		4
5	0.18	—	—	—	—	—	—	0.10	0.28	—	0.23	0.03		5
6	0.23	—	—	—	—	0.04	—	0.04	0.26	0.10	0.94	0.02		6
7	0.45	—	0.11	—	—	—	0.03	—	—	—	0.73	—		7
8	0.44	—	0.07	—	—	—	0.03	—	—	—	0.73	0.26		8
9	0.47	—	0.04	—	—	—	0.28	—	0.07	—	0.09	—		9
10	0.09	—	—	—	—	0.02	0.25	—	—	—	—	—		10
11	0.01	—	—	0.08	—	—	0.09	—	—	—	1.00	—		11
12	—	—	—	0.06	—	0.16	0.35	—	0.50	0.01	0.29	0.17		12
13	—	—	—	—	—	0.07	0.05	—	—	—	—	0.61		13
14	—	0.11	—	—	—	0.06	0.84	—	—	0.03	0.15	0.43		14
15	—	0.08	—	—	—	0.03	0.01	—	—	—	0.07	0.58		15
16	0.17	0.08	—	—	0.12	—	0.03	—	—	—	0.17	0.13		16
17	0.08	0.84	—	—	0.02	0.14	—	0.05	—	0.04	0.16	0.53		17
18	0.12	0.19	—	—	—	0.09	0.35	—	—	—	0.12	0.09		18
19	0.26	0.03	0.01	—	—	0.83	—	0.10	0.03	—	0.01	—		19
20	0.18	0.09	0.06	0.47	—	—	0.01	—	0.37	—	—	—		20
21	—	0.03	—	0.30	—	0.42	0.13	—	0.05	—	—	—		21
22	0.09	0.34	0.12	—	0.06	0.04	0.08	—	—	—	—	0.05		22
23	0.08	0.11	0.15	0.13	—	—	0.36	—	—	0.05	—	—		23
24	0.08	0.05	—	—	—	—	0.07	—	0.03	0.19	—	—		24
25	0.27	—	0.22	0.13	0.05	0.03	0.15	—	0.78	0.15	—	0.01		25
26	—	0.10	0.20	0.04	—	0.06	—	—	0.07	0.24	—	0.01		26
27	0.31	—	0.01	0.06	—	—	—	—	0.13	0.16	—	—		27
28	0.60	—	0.16	—	—	0.15	0.20	—	0.04	—	—	0.07		28
29	0.02	0.05	0.16	—	—	0.15	—	—	—	0.05	0.08	—		29
30	0.14	✕	—	—	0.08	0.30	—	—	—	0.10	—	—		30
31	0.18	✕	0.18	✕	—	✕	0.25	—	✕	0.37	✕	0.23		31
TOTAL	4.74	2.31	1.62	2.12	0.33	3.27	3.96	0.54	2.99	1.49	5.20	3.37	Year's Total 31.94	
* Days with .01 in. or more.	23	15	14	10	5	19	23	6	14	12	17	17	175	
* Days with .04 in. or more.	20	13	12	10	4	16	17	6	11	10	15	13	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(Signed) X T. Hobden Esq X

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 511/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Maresfield

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.79	0.13		0.10							0.81	0.31		1
2	0.02	0.39		0.35								0.59		2
3	0.01	0.14	0.03							0.03		0.38		3
4	0.12	0.99										0.26		4
5	0.31	0.02	0.22				0.26			0.31				5
6	0.15	0.03	0.43	0.03	0.37		0.04			0.03	0.02			6
7		0.91	0.32	0.12								0.04		7
8			0.05		0.09	0.11					0.06	0.52		8
9				0.44	0.17		0.17	[illegible]	0.34					9
10			0.80	0.22	0.05	0.44						0.59		10
11			0.45		0.05	0.01	0.02					0.16		11
12	0.53	0.28	0.23	0.12	0.23	0.26		0.62	0.20			0.17		12
13	0.21	0.08	0.53	0.03		0.22			0.13			0.56		13
14	0.02	0.02	0.19	0.16	0.09	0.01		0.21	0.12			0.03		14
15	0.21	0.11	0.27	0.18			0.23		0.11					15
16	0.02	0.09	0.06	0.33		0.17		0.69	0.25			0.02		16
17	0.37			0.08					0.34		0.09			17
18	0.63	0.09	0.07	0.02	0.50	0.48			0.19		0.13	0.05		18
19	0.11	0.15		0.18		0.10			0.09		0.03	0.16		19
20	0.40		0.14	0.25	0.74	0.16			0.02			0.02		20
21	0.41	0.43	0.09	0.10	0.08			0.01				0.04		21
22	0.54	0.06			0.14		0.05			0.79	0.21	0.09		22
23	0.19	0.02					0.29			0.30	0.10			23
24	0.74	0.15			0.01				0.02	0.28				24
25	0.13	0.62	0.32						0.12	0.57				25
26		0.40	0.03		0.04					0.27				26
27		0.07		0.24					0.03	0.12				27
28	0.10	0.09								0.03		0.04		28
29								0.53		0.16	0.11			29
30	0.29	✕								0.13	0.17			30
31	0.20	✕		✕		✕		0.03	✕	0.51	✕	0.03		31
TOTAL	6.50	5.27	4.23	2.95	2.56	1.96	1.06	2.09	1.96	3.53	1.73	4.06	Year's Total 37.90	✓
* Days with .01 in. or more.	24	22	17	17	13	10	7	6	13	13	10	19	171	✓
* Days with .04 in. or more.	20	18	15	14	12	8	6	4	10	10	8	15	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. Hobden [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 514/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at OAKDALE, BUDLETTS, MARESFIELD

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 150 ft.

au Days

snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.03	0.03			0.10	0.26	0.07		0.28	0.05	0.03	0.09		1
2	0.04				0.03		0.37			0.39				2
3					0.01		0.14			0.08	0.08			3
4	0.02					0.03	0.62	0.08		0.16		0.20		4
5							0.16		0.01	0.38				5
6	0.13						0.62		0.22	0.02				6
7	✓						0.10	0.31		0.26	0.03	0.12		7
8	0.23	0.02				0.01	0.10			0.25	0.02	0.06		8
9	0.10									0.11		0.53		9
10	0.14	0.09				0.04		0.08				0.23		10
11	0.22										0.12	0.31		11
12	0.37	0.03						0.73		0.05	0.07	0.01		12
13	0.41	[illegible]								0.15	0.17	0.12		13
14	0.28	0.10			0.46				0.04			0.09		14
15	0.03	0.09				~~0.07~~	0.07			0.28	0.04	0.24		15
16	0.53	0.09	0.01		0.01	~~0.15~~	0.15	0.05		0.08	0.02	0.27		16
17		0.13			0.12					0.42	0.05			17
18	0.09		0.01		0.05				0.14	0.04	0.42			18
19								0.08	0.10		0.22	4		19
20					0.07				0.11		0.33	✓		20
21	0.05							0.24	0.13			4		21
22	0.31					0.03		0.09			0.41	4		22
23				0.01							0.04	✓		23
24			0.18						0.25	—	0.38	4		24
25	0.09		0.30	0.12	0.06		0.05	0.04	0.08	0.01	0.82	✓		25
26	0.58	0.15	0.08		~~0.31~~			0.69	0.39	0.30		4		26
27	0.13	0.08			0.31	0.20	0.39		0.62	0.01	0.22			27
28	0.06	0.05			0.31 ~~0.34~~	0.11		0.32	0.18			1.63 4	✓	28
29	0.22			0.01	0.34				0.05		0.15	0.20		29
30	0.09	✕		0.35	0.48	0.01			0.12	0.04	0.31			30
31	0.23	✕		✕	0.11	✕			✕	0.27	✕	0.25		31
													Year's Total	
TOTAL	4.07	0.86	0.58	0.49	2.46	0.69	2.24	2.71	2.72	4.35	3.93	4.35	29.45	
* Days with .01 in. or more.	24	11 ~~3~~	~~2~~5	~~2~~4	~~3~~14	~~4~~8	12 X	11	15 X	~~35~~ 20	20~~4~~	X 23	28	167
* Days with .04 in. or more.	20	8	3	2	11	4	11	11	14	17	16	~~13~~ 19	~~130~~	136

result of weeks snow which came from home

† Spare column, no entries required.

(Signed) T. Hobden

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 511/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Oakdale, Maresfield
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
,, Ground ,, Sea Level 150 ft.

Days ✓ Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.13		0.05	0.12	0.27									1
2	0.03			0.01				0.64	0.08					2
3	0.44			0.42				0.40			0.28	0.34		3
4	0.13		0.48	0.22			0.06	0.23		0.47	0.07			4
5			0.03	0.13	0.05		0.16	0.16		0.18	0.77	0.04		5
6	0.47		0.06				0.21	0.12			0.56			6
7	0.08	0.09					0.05	0.12			0.17	0.14		7
8		0.09	0.12							0.42	0.04	0.58		8
9	0.04	0.08						0.09		0.42	0.73	0.22		9
10	0.14				0.01	0.26		0.41	0.13	0.35	0.05			10
11	0.03		0.23			0.02				1.80	0.01			11
12		0.12			0.02	0.09						0.02		12
13			0.02	0.01		0.02				1.23		0.12		13
14	0.66			0.07		0.03	0.01			0.26	0.43	0.13		14
15	0.83				0.56	0.11			0.05	0.70	0.17			15
16	0.20		0.11	0.12	0.25	0.17	0.15				0.45			16
17	0.22	0.15	0.62	0.01	0.46		0.24				0.13			17
18	0.24					0.09	0.09			0.04	0.44			18
19	0.30		0.02				0.53			0.98				19
20	0.32					0.94	0.29							20
21	0.14		0.12				0.20							21
22	0.20	0.22	0.13	0.05		0.27					0.05			22
23	0.01		0.02	0.12						0.07	0.80			23
24	0.23	0.10		0.14			0.30			0.08	0.02			24
25	1.42	0.24	0.08	0.25			0.98	0.34			0.68			25
26	0.03									0.11	0.29			26
27	0.04	0.19	0.06	0.09						0.20	0.30			27
28		0.47	0.08	0.02		0.09				0.11	0.15	0.21	Same	28
29				0.14						0.04	0.02			29
30		✕		0.59				0.13		0.03	0.03			30
31		✕		✕		✕	0.05	0.18	✕	0.03	✕			31
													Year's Total	
TOTAL	6.33	1.75	1.63	2.51	1.62	2.09	3.34	2.82	0.26	7.52	6.64	1.80	38.11	✓
* Days with .01 in. or more.	4 23	10	5 16	4 17	2 7	3 11	1 14	11	3	2 19	4 23	1 9	163	✓
* Days with .04 in. or more.	19	10	11	13	5	8	13	11	3	17	19	8	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

512

UCKFIELD

STRAWBERRY HALL

1931 - 1939

Y80111

File Ref 2153/30

Nº ~~512~~ 512

FORM 1090. **B** Mon
Sum

*** **The following register of monthly** … **and also the space for**
&c., is NOT required if daily or
values are given on the other sid … register should be sent:—

m. Uckfield

RAINFALL IN 1931

At Strawberry Hall, U

c …in Summer 9 o/c

In the County of Sussex

e 1 3/4 Direction from gauge S

e 3/4 M. Direction from gauge W

h from Horse

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft.* -
Height of Ground above Sea Level 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·67	·59	23	17	
FEB.	2·19	·43	11	20	
MAR.	·65	·22	22	6	
APRIL	3·49	·58	25	18	
MAY	2·49	·83	3	12	
JUNE	1·98	·90	5	12	
JULY	3·11	·56	19	19	
AUG.	2·66	·45	14 + 19	16	
SEPT.	2·63	·78	3	13	
OCT.	·57	24	6	7	
NOV.	4·91	1·45	10	14	
DEC.	·79	20	3	6	
Total	28·14			160	

Signature C Rintoul 1 Jan 1932

*See Instruction 2 (*f*) below.

nearest to gauge			h from Horse	
Heights of objects	8	5	" small	shrubbery
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move……… Distance……… Direction………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mon[redacted] Summary. **C** Particulars of Station.

File Ref 2153/30
~~No 512~~ 512

** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Strawberry Hall. Uckfield

In the County of Sussex

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* - *in*
Height of Ground above Sea Level 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	267	·59	23	17	
FEB.	2·19	·43	11	20	
MAR.	·65	·22	22	6	
APRIL	3·49	·58	25	18	
MAY	2·49	·83	3	12	
JUNE	1·98	·90	5	12	
JULY	311	·56	19	19	
AUG.	2·66	·45	14 & 19	16	
SEPT.	2·63	·78	3	13	
OCT.	·57	24	6	7	
NOV.	4·91	1·45	10	14	
DEC.	·79	20	3	6	
Total	28·14			160	

Signature C Rintoul

1 Jan 1932

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Rintoul
Strawberry Hall nr. Uckfield

Hour of observation by the clock—in Winter 9 o/c in Summer 9 o/c
Nearest Railway Station Buxted Distance 1 3/4 Direction from gauge S
Nearest Parish Church at Maresfield Distance 3/4 M. Direction from gauge W

Nature of objects nearest to gauge	on lawn	10 yards	from House	
Heights of objects	8	5	" small	shrubbery
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* *9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Station No 512

512.

File Number 2153/30

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Strawberry Hall, Uckfield

In the County of Sussex

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* 4 *in.*
- *Height of Ground above Sea Level* 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3.04	.57	10	18	
FEB.	.37	·11	9	6	
MAR.	1.67	.42	29	12	
APRIL	2.05	·38	10	21	
MAY	3.04	·70	1	19	
JUNE	1.19	·78	30	4	
JULY	3.07	.55	25	13	
AUG.	.62	.34	29	6	
SEPT.	3.67	1.04	22	17	
OCT.	6.93	1.03	20	19	
NOV.	1.32	.45	22	12	
DEC.	.78	.25	2	14	
Total	27.75			161	

Signature C. Rintoul

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Charles Rintoul
Strawberry Hall, Uckfield

Hour of observation by the clock—in Winter 8 in Summer 9

Nearest Railway Station Buxted Distance 1 3/4 miles Direction from gauge S

Nearest Parish Church at Maresfield Distance 3/4 mile Direction from gauge W

Nature of objects nearest to gauge				
Heights of objects				
Distances ..	on lawn	, open space		front of
Directions from gauge ..		House		

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

Station Number 512

File Number 2153/30

512

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Strawberry Hall, Uckfield

In the County of Sussex

Rain Gauge { Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* — *in.*

Height of Ground above Sea Level 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	2·28	·48	15.	16	
FEB.	2·70	·70	26	15	
MAR.	2·69	·79	16	14	
APRIL	1·02	·35	25	8	
MAY	1·46	·48	6	13	
JUNE	2·18	·66	22	15	
JULY	2·39	·52	8	12	
AUG.	1·43	·54	15	8	
SEPT.	3·93	1·02	12	15	
OCT.	2·68	·71	7	19	
NOV.	1·14	·35	14	13	
DEC.	·80	·32	28	6	
Total	24·70	~~154~~		154	

Signature C Rintoul

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

C Rintoul

Strawberry Hall, Uckfield

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Buxted Distance 1 3/4 mls Direction from gauge S

Nearest Parish Church at Maresfield Distance 3/4 mile Direction from gauge —

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

Station N° 512
File N° 2153/30.

512

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1934

At Strawberry Hall, Uckfield

In the County of Sussex

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* . *in.*
- *Height of Ground above Sea Level* 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·83	84	11th	17	
FEB.	·17	7	28	3	
MAR.	3·08	48	11	14	
APRIL	3·10	50	18	18	
MAY	·55	15	5	5	
JUNE	1·51	65	23	8	
JULY	1·76	91	24	7	
AUG.	2·38	69	28	15	
SEPT.	1·72	66	2	9	
OCT.	2·48	58	4	17	
NOV.	3·93	153	8	13	
DEC.	8·47	·84	14	27	
Total	31·98			153	

Signature C Rintoul

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
C. Rintoul
Strawberry Hall, Uckfield

Hour of observation by the clock—in Winter 9 o/c in Summer 9 o/c

Nearest Railway Station Buxted Distance 1 3/4 Direction from gauge S

Nearest Parish Church at Maresfield Distance 3/4 m Direction from gauge W

Nature of objects nearest to gauge	Lawn	in front	of House	
Height of objects	—			
Distances ..				
Directions from gauge ..	—			

If gauge has been moved during the year state— No

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Heaviest fall 1·53 In. on 8 Nov —

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

Station No 512   File No 2153/30

512

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Strawberry Hall

In the County of Sussex

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 180 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	96	.21	1st	15	
FEB.	4.84	·86	24	16	
MAR.	54	·21	10	11	
APRIL	3.37	·64	15	21	
MAY	1.86	.95	19	8	
JUNE	2.56	.40	12	18	
JULY	74	·46	11	6	
AUG.	4.50	1.70	24	12	
SEPT.	6.18	.82	4	20	
OCT.	4.20	.96	3	18	
NOV.	8.06	1.28	16	25	
DEC.	4.45	69	31st	17	
Total	42.26			189	

Signature C Rintoul

Kindly send free copy reprint of General Table CR

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address, to which any inquiry relating to this register should be sent:—

C Rintoul
Uckfield

Hour of observation by the clock—in Winter 8.30 in Summer 8.30

Nearest Railway Station Buxted Distance 1 3/4 mile Direction from gauge S.

Nearest Parish Church at Maresfield Distance 3/4 m. Direction from gauge W

Nature of objects nearest to gauge	Grass Lawn		front of House	
Height of objects	—			
Distances	—			
Directions from gauge	—			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

Mr. Hobden, Oakdale, Budletts, Uckfield

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
9 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

512

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Shawberry Hall, Uckfield

In the County of Sussex

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 180 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·58	.58	18	22	
FEB.	2·13	·72	17	15	
MAR.	1·49	·28	29	13	
APRIL	2·16	·48	20	10	
MAY	.34	·18	16	4	
JUNE	3·19	·78	19	19	
JULY	3·50	·77	14	21	
AUG.	·55	·14	2	9	
SEPT.	2·87	·62	25	13	
OCT.	1·46	·48	31	11	
NOV.	5·01	·94	11	17	
DEC.	3·06	.46	15	16	
TOTAL	30.34 ✓			170	✓

Signature C Rintoul

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Charles Rintoul
Shawberry Hall, Uckfield

Hour of observation by the clock—in Winter 8 o/c in Summer 8 o/c

Nearest Railway Station Buxted Distance 1¾ miles Direction from gauge S

Nearest Parish Church at Maresfield Distance ¾ miles Direction from gauge W

Nature of objects nearest to gauge	Gauge is on lawn in front of			
Height of objects	House quite clear, –			
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move — Distance — Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—
No.

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

512

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Strawberry Hall, Uckfield

In the County of Sussex

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 180 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·42	·68	1st	24	
FEB.	4·81	96	7	20	
MAR.	4·19	1.02	6	16	
APRIL	2·80	·40	2	17	
MAY	2·54	·63	20	14	
JUNE	1·89	·55	18	9	
JULY	99	·28	23rd	7	
AUG.	2·47	·82	12	6	
SEPT.	1·60	·34	17	12	
OCT.	3·32	78	22nd	13	
NOV.	1·67	·80	1st	10	
DEC.	411	·69	13	18	
TOTAL	36 81 ✓			166 ✓	

Signature C Rintoul

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
C Rintoul
Strawberry Hall Uckfield

Hour of observation by the clock—in Winter 8 30 in Summer 8

Nearest Railway Station Buxted Distance 1¾ m. Direction from gauge S

Nearest Parish Church at Maresfield Distance ¾ Direction from gauge W

Nature of objects nearest to gauge	Lawn	front of House		
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move Nil Distance — Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Station No 512 File No 2153/30

M.O. 7
- 3 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005 ; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this* ·005 *mark or between this* ·005 *and the* ·01 *mark are to be entered as* ·01 *even though they may be nearer to the* ·005 *mark than the* ·01 *mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. .512

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Strawberry Hall, Uckfield

In the County of Sussex

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 180 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	370	·54	26	22	
FEB.	84	15	26	14	
MAR.	57	30	25	4	
APRIL	54	41	30	3	
MAY	230	47	14	12	
JUNE	65	29	1	8	
JULY	227	58	2	11	
AUG.	204	33	21	11	
SEPT.	255	59	27	11	
OCT.	410	90	3	19	
NOV.	3·64	80	25	21	
DEC.	398	70	26	19	
TOTAL	27·18 ✓	*		155 ✓	*

Signature C Rintoul

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

C. Rintoul.

Strawberry Hall Uckfield

Hour of observation by the clock—in Winter 830 in Summer 8

Nearest Railway Station Buxted Distance 1¾ miles Direction from gauge S.

Nearest Parish Church at Maresfield Distance ¾ " Direction from gauge W.

Nature of objects nearest to gauge	on lawn	front of House		
Height of objects	—	—		
Distances ...	—	—		
Directions from gauge ...	—	—		

If gauge has been moved during the year state—

Date of move nil Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Strawberry Hall, Uckfield

In the County of Sussex

Rain Gauge:
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* *in.*
Height of Ground above Sea Level 180 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6 08	140	25	23	
FEB.	180	45	28	10	
MAR.	156	46	4	17	
APRIL	263	27	30	17	
MAY	156	50	13	[illegible]	
JUNE	155	40	20	15	
JULY	313	52	25	18	
AUG.	294	53	2	10	
SEPT.	35	11	10	8	
OCT.	747	179	11	19	
NOV.	694	86	25	19	
DEC.	169	57	8	10	
TOTAL	37·70			174	

Signature C Rintoul.

* See Instruction 3 *(f)* below.

C Particulars of Station. No 512.

File No 2153/30.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
C Rintoul Strawberry Hall
Uckfield, Sx

Hour of observation by the clock—in Winter 8 o/c in Summer 8 o/c

Nearest Railway Station Buxted Distance 1¾ mls Direction from gauge South

Nearest Parish Church at Maresfield Distance ¾ mile Direction from gauge West

Nature of objects nearest to gauge	Lawn in front of House			
Height of objects	Shrubs &c			
Distances ...	12 yards			
Directions from gauge ...	South			

If gauge has been moved during the year state— No.

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-3 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

X LINDFIELD (SUN

512/8

LINDFIELD SUNTE AVE

1934-1940

780111

Section **A** for the entry of Daily O
AIR MINISTRY.—MET

No. 512/8

ANIZATION.

FORM 1090.

REGISTER

(2nd half)

11/Sussex/4

c1934

878

Kept at 5 SUNTE AVENU

in the County of Sussex

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule … g *year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							-	·28	-	·13	·03	1.22		1
2							-		·68	·45	-			2
3							-	·02		·54	-			3
4							-	-	-	·22	·08	1.24		4
5							-	·07	-	-	-			5
6							-	·03	-	·42	·02	1.20		6
7							-	·13	-		-			7
8							-	-	-		1.10			8
9							-	·02	·02	-	1.10			9
10							-	·11	-	-	1.48	·01		10
11							-	·41	-	-	-	·26		11
12							·26		-	-	·20	·13		12
13							·09		-	·07	·49			13
14							-	-	-			·54		14
15							-	-	-		·07	·82		15
16							-	-	-	·09	·01			16
17							-	-	-	·05	-			17
18							·53	-	-	-	-	·40		18
19							-	-	·60	-	-	·21		19
20							1.30	-	-	·02	-	-		20
21								·02	-	·05	-	·02		21
22								·08	·41	·05	-	-		22
23								·02		·03	-	-		23
24								·30	·17	·02	-	·26		24
25								-	-	·03	-	·63		25
26								-	·06	-	-	·01		26
27							-	-	-	-	-	·28		27
28							-	·68	-	-	-	·42		28
29							-	·05	·09	-	-	-		29
30		x					-	·10	-	-	·02	·33		30
31		x		x		x	-	-	x	·02	x	·31	HALF Year's Total.	31
TOTAL							2.18	2.32	2.03	2.19	4.60	8.29	21.61	ins
* Days with .01 in. or more.														-
* Days with .04 in. or more.														-

X E.A.W. MADGE ESQ X

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) EAWmadge

[P.T.O.

X LINDFIELD (SUN
C
ED.] 04 32/30

Section **A** for the entry of Daily Observations. Station No. 512/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. (2nd half)

11/Sussex/4
c 1934

Kept at 5 SUNTE AVENUE LINDFIELD
in the County of Sussex ['Haywards Heath.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 153 ft.

Previously maintained stn No 878

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in	in.	in	in	in	in	in.	in.	in.	in.	in	†	
1							-	.28	-	.13	.03	1.22		1
2							-		.68	.45	-			2
3							-	.02		.54	-			3
4							-	-	-	.22	.08	1.24		4
5							-	.07	-	-	-			5
6							-	.03	-	.42	.02	1.20		6
7							-	.13	-		-			7
8							-	-	-		1.10			8
9							-	.02	.02	-	1.10			9
10							-	.11	-	-	1.48	.01		10
11							-	.41	-	-	-	.26		11
12							.26		-	-	.20	.13		12
13							.09		-	.07	.49			13
14							-	-	-			.54		14
15							-	-	-		.07	.82		15
16							-	-	-	.09	.01			16
17							-	-	-	.05	-			17
18							.53	-	-	-	-	.40		18
19							-	-	.60	-	-	.21		19
20							1.30	-	-	.02	-	-		20
21								.02	-	.05	-	.02		21
22								.08	.41	.05	-	-		22
23								.02		.03	-	-		23
24								.30	.17	.02	-	.26		24
25								-	-	.03	-	.63		25
26								-	.06	-	-	.01		26
27							-	-	-	-	-	.28		27
28							-	.68	-	-	-	.42		28
29							-	.05	.09	-	-	-		29
30		×					-	.10	-	-	.02	.33		30
31		×		×		×	-	-	×	.02	×	.31	HALF	31
TOTAL							2.18	2.32	2.03	2.19	4.60	8.29	Year's Total 21.61	imp
* Days with .01 in. or more.														-
* Days with .04 in. or more.														-

X E.A.W. MADGE ESQ X

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) E A W Madge

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 512/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lindfield (1 Sunte Avenue)

~~Haywards Heath~~ in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 153 ft.

8482/30

C imp 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·24	·04	·05	·03	-	-	-	-	·53	·62	·27	-		1
2	·05	·11	·17	·04	-	-	-	-				-		2
3	-			·02	-	-	-	-	·05	-	·13	-		3
4	-			·23	-	-	-	-	·51	1·64	·03	·38		4
5	·03	·20	-	·18	-	-	-	-	·65	·16	·30	·01		5
6		·21	·03	·76	-	-	-	-	-	·02		·03		6
7		-	-		-	-	-	-	-	·38	1·18	·10		7
8	-	-	·02		-	-	·01	-	-		·42	·02		8
9	-	-	·15	·17	-	-	-	-	-	·93	·32	·02		9
10	·09	-		·04	-	1·45	-	-	-	·13	·30	·10		10
11	·14	·03		·13	-	-	·09	-	-	·02	·65	·01		11
12	·15		-	-	-	·52	·08	·36	·01	-	·93	-		12
13		·21	-	·16	-	-	-	-	·02	-	·23	·22		13
14		-	-	·03	-	·49	-	-	·65	·02	·04			14
15	-	·22	-	·55	-	·02	-	-		-	·23			15
16	-	·07	-	·12	-	·11	-	-		-	1·52	·01		16
17	·03		·05	·13	-	·23	·02	·02	·01	·02		-		17
18	-	-	-	·29	-	·18	·13	-	·42	·10	·03	·02		18
19	-	-	-	·10	-	·08	·10	-	·23	·17	·15	-		19
20	-	·61	-	·12	-	·04	·17	-	·15		·17	-		20
21	-	·45	-	·02	-	-	-	-	·06		·03	-		21
22	·10	·07	-	-	1·00	-	-	·24		-	-	-		22
23	-	-	·04	-	-	-	-	·16	-	·04	-	1·18		23
24	·02	·90	-	-	-	-	-	1·56	1·56	-	-			24
25	·01	·56	-	·13	-	·07	-	-		-	-			25
26	·06	·01	-	-	-	-	-	·14		·03	·03			26
27	·01	·94	-	-	-	-	-	-		-	·12	·34		27
28	-	·09	-	-	-	-	-	-		·03	·04	·59		28
29	-	×	-	-	-	-	-	·21		·02	-			29
30	·05	×	-	·01	-	-	-	1·77		·09	·93	·39		30
31	-	×	-	×	·56	×	-	-	×	·30	×	·95		31
TOTAL	·98	4·72	·51	3·26	1·56	3·19	·60	4·46	4·85	4·72	8·05	4·37	Year's Total. 41·27	ok
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. A. W. MADGE ESQ

[P.T.O.

Section **A** for the entry of Daily Observations Station No. 512/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

{FILE NO. 8482/30}

Kept at LINDFIELD {THE OBSERVATORY
in the County of SUSSEX } 5 SUNTE AVENUE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ Ground „ Sea Level 153 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·24	·02	·55	-	{·44}	·68	·08	-	-	·11	-		1
2	-	·01	-	·01	-		-	·11	-	-	·01	·05		2
3	-	-	-	·34	-	·15	-	-	-	-	{·23}	-		3
4	{·16}	-	{·17}	·01	-	·07	·03	-	{·76}	-		-		4
5		-		-	-	-	-	{·12}		·02	·25	·13		5
6	·27	-	-	-	-	·03	-		·21	-	1·43	·01		6
7	·58	-	·05	-	-	·03	·05	-	-	-	·92	-		7
8	·50	-	·10	-	-	-	·22	-	·01	-	·75	·24		8
9	·43	-	·03	-	-	{·02}	·42	-	·05	·07	·01	-		9
10	·14	-	-	-	-		·15	-	-	-	-	-		10
11	·02	·04	-	·08	-	-	·16	-	-	-	1·03	-		11
12	-	-	-	·01	-	{·28}	·40	-	·38	-	·28	·18		12
13	-	-	-	-	-		-	-	-	-	-	·57		13
14	-	·06	-	-	-	·12	·76	-	·01	·03	·22	·57		14
15	-	·13	-	-	-	-	{·12}	-	-	-	·09	·42		15
16	·20	·12	-	·01	-	{·36}		-	-	-	·20	·10		16
17	·05	·71	-	-	·03		·04	-	·01	·04	·19	·65		17
18	·18	·07	-	-	-	{·94}	{·20}	-	-	-	·10	·13		18
19	·30	{·11}	·01	-	-			·14	-	·01	-	·01		19
20	·30		·12	·62	-		·11	-	·52	-	·01	-		20
21	{·21}	-	-	·33	·01	{HOLIDAY 1·10 HOLIDAY}	·07	-	·01	-	-	-		21
22		·49	·10	·01	{·15}		{·53}	-	-	-	-	·05		22
23		·22	·19	·11				-	-	·08	-	-		23
24		·03	-	-	-		·02	-	·16	{·59}	-	-		24
25	·17	·01	·11	·26	·01		·19	-	-		·01	-		25
26	·01	·15	·23	·18	-		-	-	·10		-	·04		26
27	·29	-	·05	·01	{·02}		-	-	·17	·23	-	-		27
28	·60	-	{·32}	-			·45	-	{·06}	-	-	·08		28
29	·04	·06		-	-		·17	-		·05	·08	·03		29
30	·19	✗	-	-	·08		{·21}	-		-	-	-		30
31	·18	✗	·14	✗	-	✗		-	✗	·65	✗	·16	'd'	31
TOTAL	5·12	2·45	1·64	2·53	·30	3·54	4·98	·45	2·45	1·77	5·92	3·42	34·57	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E A madge [P.T.O.

[E. A. W. MADGE]

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 512/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

[File number 8482/30]

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at THE OBSERVATORY LINDFIELD

in the County of SUSSEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 153 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·72	–	–	·07	–	–	·01	–	–	–	1·00	·24		1
2	·02	·42	·01	·40	–	–	–	–	·07	–	·01	·68		2
3	·02	·19	–	·01	–	–	–	–	–	–	·01	·24		3
4	·15	1·08	–	–	–	–	–	–	–	–	–	·32		4
5	·22	·10	·28	–	–	–	·22	–	–	·01	–	–		5
6	·23	–	·36	·01	·30	–	·03	–	–	–	·02	–		6
7	–	·87	·23	·11	·02	–	–	–	–	·01	–	·03		7
8	–	·02	·09	–	·05	·08	–	–	·03	–	·09	·13		8
9	–	–	–	·34	·10	–	·11	–	·37	–	–	·05		9
10	–	–	·61	·27	·01	·33	·01	–	–	–	–	·88		10
11	·01	–	·40	·01	·16	–	·02	–	–	–	–	·15		11
12	·52	·29	·15	·37	·26	·19	·02	·25	·17	–	–	–		12
13	·20	·07	·44	·09	·03	·19	–	·31	·22	–	–	·68		13
14	·02	·03	·15	·12	·17	·01	–	·79	·16	–	–	–		14
15	·14	·14	–	·24	·03	–	·42	–	·49	–	–	–		15
16	·08	·04	·26	·23	–	–	–	·61	·35	–	–	–		16
17	·40	·01	·07	·13	–	–	–	–	·17	–	·10	–		17
18	·50	·10	·19	·01	·30	·49	–	–	·23	–	·21	·05		18
19	·11	·19	·08	·17	·03	·08	–	–	·02	–	·01	·15		19
20	·41	–	·10	·31	·80	·04	–	–	·01	–	–	–		20
21	·37	·44	·17	·12	·04	–	·01	–	·01	·01	·06	·04		21
22	·52	·06	·01	–	·10	·01	–	–	–	·78	·44	·09		22
23	·43	·05	·01	–	–	–	·28	–	–	·86	·01	·01		23
24	·73	·47	·01	–	·03	–	–	–	·02	·40	–	·01		24
25	·13	·21	·32	–	·01	–	–	–	·14	·11	–	–		25
26	·01	·47	·05	–	–	–	–	–	–	·05	–	–		26
27	–	·17	–	·18	–	–	–	–	·01	·17	–	–		27
28	·07	·09	–	–	–	–	–	–	·01	·03	–	·01		28
29	·04	×	–	–	–	·02	–	–	–	·11	·06	·02		29
30	·24	×	–	–	–	·01	–	–	–	·10	·13	–		30
31	·23	×	–	×	–	×	–	–	×	·20	×	·01		31
TOTAL	6·52	5·51	3·99	3·19	2·44	1·45	1·13	1·96	2·48	2·84	2·15	3·79	Year's Total 37·45	
* Days with .01 in. or more.	26	22	21	19	17	11	10	4	17	13	13	19	192	
* Days with .04 in. or more.	21	19	17	15	10	7	4	4	10	9	8	13	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) EAMadge [P.T.O.

[E. A. W. MADGE]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 512|8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File no. 8482|30

Kept at THE OBSERVATORY SUNTE AVENUE LINDFIELD

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 153 ft.

THE OBSERVATORY, SUNTE AVENUE, LINDFIELD, SUSSEX.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·07	–	–	·18	·06	·02	–	·20	·18	·05	·10		1
2	·08	–	–	·03	–	–	·13	–	–	·41	–	·02		2
3	–	–	–	–	·06	–	·06	–	–	·84	·10	–		3
4	·02	–	–	–	–	·02	·19	·03	–	·12	–	·12		4
5	–	–	–	–	–	–	·30	–	–	·29	–	·07		5
6	·08	–	–	–	–	–	·05	–	·31	·01	·04	–		6
7	–	–	–	–	–	–	·30	·26	–	·27	·01	·08		7
8	·19	–	–	–	–	·01	·16	·21	–	·33	·02	·09		8
9	·17	·09	–	–	–	–	–	–	–	·08	–	·70		9
10	·14	·05	–	–	–	·08	·01	·08	–	–	–	·12		10
11	·26	–	–	–	·01	–	–	–	–	–	·10	·20		11
12	·39	–	–	–	–	–	·01	·02	–	·09	·05	–		12
13	·48	·09	–	–	–	–	–	–	–	·13	·36	·19		13
14	·28	·17	–	–	·50	–	–	–	·01	–	·01	·10		14
15	·02	·24	–	–	–	–	·16	–	–	·37	–	·20		15
16	·50	–	·03	–	–	–	·06	·06	–	·09	·02	·28		16
17	–	·10	·02	–	·18	–	–	–	·04	·61	–	–		17
18	·08	·01	–	–	·01	–	–	–	·12	·09	·43	–		18
19	·01	–	–	–	–	–	–	·06	·08	–	·40	·14		19
20	–	–	–	–	·02	–	–	·01	·11	–	·46	–		20
21	·08	–	–	–	–	–	–	·10	·16	–	·02	·08		21
22	·01	–	–	–	–	·04	–	·10	–	–	·35	–		22
23	–	–	–	–	–	–	–	–	–	–	·07	–		23
24	–	–	·15	–	–	–	–	–	·70	–	·36	·13		24
25	·09	–	·48	·04	·08	–	·04	–	·12	·01	·46	·06		25
26	·64	·12	·07	–	–	–	–	·01	·15	·32	–	·59		26
27	·13	·07	–	–	·11	·23	·40	–	·87	–	·27	–		27
28	·08	·06	–	–	·51	·08	–	·42	·14	–	–	·03		28
29	·18	X	–	–	·35	–	–	–	–	–	·13	·18		29
30	·04	✕	–	·33	·21	–	–	–	·14	·07	·37	–		30
31	·22	✕	–	✕	·15	✕	–	–	✕	·22	✕	·20		31
TOTAL	4·19	1·07	·75	·40	2·37	·52	1·89	1·36	3·15	4·53	4·08	3·68	Year's Total 27·99	
* Days with .01 in. or more.	24	11	5	3	13	7	14	12	14	19	21	21	164	
* Days with .04 in. or more.	19	10	3	2	10	5	11	8	13	17	16	19	133	

† Spare column, no entries required.

(Signed) EAmadge

[E. A. W. MADGE]

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** Station No. 512/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

FILE NO
8482/30

Kept at ……
in the County of ……

THE OBSERVATORY,
SUNTE AVENUE,
LINDFIELD, SUSSEX.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 153 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ☒

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	–	·05	·22	·27	–	–	–	·05	–	–	–		1
2	·05	–	–	·05	·01	–	–	·24	·16	–	·01	·05		2
3	·43	–	–	·31	–	–	–	·40	–	–	·25	·45		3
4	·11	–	·37	·31	–	–	·06	·20	–	·40	·19	–		4
5	–	–	·03	·32	·03	–	·16	·43	–	·14	·56	·07		5
6	·43	–	·03	·07	–	–	·19	·44	–	–	·26	–		6
7	·10	·05	–	–	–	–	·07	·14	–	–	·15	·36		7
8	–	·10	·15	–	–	–	·01	·09	–	·30	·19	·30		8
9	·13	·10	–	–	–	–	–	–	–	·66	·93	·28		9
10	·21	–	–	–	–	·20	–	·30	·07	·33	·14	–		10
11	–	·06	·22	–	–	·01	–	–	–	1·40	·02	–		11
12	–	·13	–	–	·02	–	–	–	–	·01	·04	–		12
13	–	–	·02	·05	–	·01	–	–	·06	1·02	–	·06		13
14	·51	–	–	·01	·02	·03	·05	–	–	·42	·51	·09		14
15	·64	–	·02	–	·39	·09	·08	–	·20	·43	·46	–		15
16	·22	–	·06	·13	·53	·22	·13	–	·01	·02	·50	–		16
17	·21	·15	·03	·01	·13	–	–	–	–	–	·14	–		17
18	·23	–	·01	–	·14	·10	·22	–	·01	–	·43	–		18
19	·23	–	–	–	–	–	·41	–	–	·63	–	·05		19
20	·28	–	·01	–	–	·27	·20	–	·03	–	–	–		20
21	·12	–	·13	–	–	·03	·36	–	·02	–	–	–		21
22	·27	·29	·03	·05	–	·34	·03	–	–	–	·03	–		22
23	·02	–	·05	·11	–	–	·14	–	–	·07	·98	–		23
24	·16	·15	·03	·17	–	·02	·31	–	–	·12	–	–		24
25	1·38	·20	·05	·12	–	–	·22	·02	–	–	·64	–		25
26	·02	–	–	·18	–	–	–	–	–	·11	·28	·02		26
27	·02	–	·09	·10	–	–	–	–	–	–	·47	–		27
28	–	·54	·06	–	–	·09	–	–	–	·13	·13	·17		28
29	–	X	–	·17	–	–	–	–	–	·04	·04	–		29
30	–	✕	–	·64	–	–	–	–	–	–	·09	–		30
31	–	✕	–	✕	–	✕	·05	·19	✕	·05	✕	–		31
TOTAL	5·94	1·77	1·44	3·02	1·54	1·41	2·69	2·45	·61	6·28	7·44	1·90	Year's Total 36·49	
* Days with .01 in. or more.	22	10	19	18	9	12	17	10	9	18	24	11	179	
* Days with .04 in. or more.	19	10	10	16	5	7	15	9	5	16	21	10	143	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……

P.T.O.

COPY FOR OFFICIAL USE

5/2/8

Section A for the entry of Daily Observations

Station No. 8482/30

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at .... →
in the County of ....

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 153 ft.

THE OBSERVATORY,
SUNTE AVENUE,
LINDFIELD, SUSSEX.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	·10	-		1
2	-	-	-	·08	-	-	-	-	-	·13	·41	·02		2
3	-	·55	-	·07	-	-	·02	-	-	·11	1·21	·16		3
4	-	·14	-	·04	-	-	-	-	-	·35	·20	·06		4
5	-	-	-	-	-	-	·06	-	-	·03	·87	·25		5
6	·24	·12	-	-	-	-	·31	-	-	·60	·04	-		6
7	·17	·25	-	-	-	-	·07	-	-	-	-	-		7
8	-	-	-	·02	-	-	·01	-	-	·47	-	·48		8
9	-	-	-	·01	-	-	-	-	·03	·18	·46	·18		9
10	-	-	-	·02	-	-	·37	·04	-	·25	·06	·02		10
11	·04	·04	-	·01	-	-	·26	-	-	-	1·06	-		11
12	-	-	·23	·02	-	-	·17	-	·12	-	·06	-		12
13	-	-	·67	-	-	·03	-	-	·30	-	1·28	-		13
14	-	-	·60	·05	-	-	-	-	-	·09	·38	·49		14
15	-	-	-	·01	·24	-	1·00	-	·18	·06	-	·03		15
16	-	·60	·25	·02	-	·03	·10	-	-	·42	·97	·02		16
17	-	-	·32	-	-	-	·02	-	·06	-	·48	-		17
18	-	·42	·29	·34	-	-	·08	·01	·13	·27	·07	·13		18
19	-	·02	·04	·01	-	-	·02	-	·65	-	·26	·13		19
20	-	-	·05	·02	-	-	·02	-	·03	·08	·07	·05		20
21	·05	-	·01	-	·65	-	·01	-	·12	·10	·33	-		21
22	-	-	·05	·30	·02	·12	·02	-	·05	-	-	-		22
23	-	·22	·07	-	-	-	·01	-	-	-	·04	·01		23
24	-	-	-	·17	-	-	·20	-	-	-	-	·02		24
25	-	-	·19	-	·01	-	·11	-	-	·04	-	-		25
26	·68	·20	·47	-	·60	·04	·02	-	-	-	-	-		26
27	·31	·23	-	-	-	-	·16	-	-	-	·01	-		27
28	·20	·04	-	·04	·20	-	-	-	-	-	-	-		28
29	·44	·12	·14	·01	·25	-	-	-	·01	-	-	·31		29
30	·35	×	-	·09	-	-	-	-	-	·16	-	·01		30
31	-	×	-	×	-	×	-	-	×	·63	×	·13		31
TOTAL	2·48	2·95	3·38	1·33	1·97	·22	3·04	·05	1·68	3·97	8·36	2·50	Year's Total 31·93	
* Days with .01 in. or more.	9	13	14	19	7	4	21	2	11	17	20	18	155	
* Days with .04 in. or more.	9	12	13	9	5	2	12	1	8	16	19	11	117	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) EAMadge [P.T.O.

[E. A. W. MADGE]

513

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

513

STONEHURST

FIVE ASHES

1931 - 1936

480111

Kept at Stonehurst F

in the County of Suss

Diameter of Funnel of Gauge 5

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

Y.

An observer who does not conform to
year in the space on the right of thi

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0·09	S 0·01	0·07	-	-	-	0·02	0·23	tr	-	tr	1
2	0·16	0·06	-	0·19	0·01	-			0·55	-	-	0·01	2
3	0·01	RHSt 0·08	0·17	0·06	0·79	-	tr	TS [illegible] 0·11	0·83	-	0·03	0·16	3
4	tr	0·02	-	-	-	-	0·03	dist T tr	0·15	0·05	0·18	0·01	4
5	-	0·01	-	0·25	-	T TS 0·62	0·07	T 0·18	0·04	-	0·01	0·17	5
6	-	0·07	St -	0·05	-	0·01	-	TS 0·03	dist T tr	0·29	0·44	0·17	6
7	St tr	0·03	-	tr	0·17	0·11	-	0·15	dist T tr	0·05	0·42	0·01	7
8	St tr	0·10	St -	-	-	0·18	0·06	0·04	-	-	0·09	0·18	8
9	-	0·13	S -	-	-	0·01	tr	-	-	-	0·92	0·01	9
10	-	0·10	S 0·01	0·01	-	0·14	0·03	0·10	-		1·73	0·01	10
11	0·17	0·50	-	-	-	-	tr	tr	0·01	-	0·34	-	11
12	0·18	-	-	-	-	tr	0·03	tr	0·29	tr	-	-	12
13	0·11	-	-	-	0·13	tr	tr	0·23	-	tr	-	tr	13
14	0·01	SSt-R 0·08	0·01	-	tr	0·10	0·59	T&AF 0·24	-	-	0·01	-	14
15	0·01	0·06	-	0·08	0·06	-	0·17	0·18	-		0·01	0·02	15
16	0·01	SSt-R 0·03	-	b 0·17	0·27	-	0·13	0·04	0·03	-	-	-	16
17	0·01	S 0·05	-	RHS 0·21	tr	-	0·39	dist T	0·02	tr	-	-	17
18	0·01	RSSt 0·10	0·04	RHS 0·26	-	0·10	0·14	0·44	0·01	0·01	-	-	18
19	0·11	0·01	-	RH 0·31	-	tr	0·33	0·41	0·08	-	0·50	0·01	19
20	-	0·14	tr	dist T RH 0·28	-	-	0·11	0·29		tr	0·01	0·31	20
21	0·01	0·01	tr	-	0·45	-	-	tr	tr	0·01	0·02	-	21
22	0·28	0·01	0·25	0·02	-	0·17	-	tr	0·03	-	[illegible]	-	22
23	0·56	0·03	0·01	-	0·13	0·01	-	0·34	0·01	-	0·30	0·01	23
24	0·01	tr	tr	RH 0·93	0·02	-	0·15	0·34	0·01	-	-	tr	24
25	0·03	tr	-	RHT 0·29	-		0·18	-	tr	-	0·01	-	25
26	-	0·07	-	0·12	dist T -		0·34	-		-	0·31	-	26
27	0·23	RHSt 0·24	-	0·03	TS 6-7 am 0·17		dist T 0·10	-		-	0·10	tr	27
28	0·09	RS 0·07	-	0·03	TS [illegible]			-		0·02	-	tr	28
29	RHSt 0·09		-	tr	~~TS ·12~~ ~~0·12~~	-	0·12	-		0·22	-	St tr	29
30	R.S 0·03	✕	-	-	0·01		0·03	tr		-	0·10	-	30
31	RS 0·47	✕	-	✕	0·01	✕	-	-	✕	-	✕	-	31
TOTAL	2·62	2·14	0·50	3·36	2·34	1·45	3·00	3·14	2·29	0·65	5·53	1·08	YEAR'S TOTAL 28·10
*Days with ·01 in. or more.	21	24	7	18	13	10	18	16	14	7	19	13	180
*Days with ·04 in. or more.	12	16	3	14	9	7	14	14	7	4	12	5	117

40-9999

(*Signed*) Emily Aston

P.T.O.

*See Instruction 2 (*f*) on other side.

513

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stonehurst Five Ashes

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.09	S 0.01	0.07	-	-	-	0.02	0.23	tr	-	tr	1
2	0.16	0.06	-	0.19	0.01	-			0.55	-	-	0.01	2
3	0.02	RHSt 0.08	0.17	0.06	0.79	-	tr	TS [illegible] 0.11	0.83	-	0.03	0.16	3
4	tr	0.02	-	-	-	-	0.03	dist T tr	0.15	0.05	0.18	0.01	4
5	-	0.01	-	0.25	-	TS 0.62	0.07	T 0.18	0.04	-	0.01	0.17	5
6	-	0.07	st -	0.05	-	0.01	-	TS 0.03	dist tr	0.29	0.44	0.17	6
7	st tr	0.03	-	tr	0.17	0.11	-	0.15	dist T tr	0.05	0.42	0.01	7
8	st tr	0.10	st -	-	-	0.18	0.06	0.04	-	-	0.09	0.18	8
9	-	0.13	S -	-	-	0.01	tr	-	-	-	0.92	0.01	9
10	-	0.10	S 0.01	0.01	-	0.14	0.03	0.10	-		1.73	0.01	10
11	0.17	0.50	-	-	-	-	tr	tr	0.01	-	0.34	-	11
12	0.18	-	-	-	-	tr	0.03	tr	0.29	tr	-	-	12
13	0.11	-	-	-	0.13	tr	tr	0.23	-	tr	-	tr	13
14	0.01	SSt-R 0.08	0.01	-	tr	0.10	0.59	T&Ar 0.24	-	-	0.01	-	14
15	0.01	0.06	-	0.08	0.06	-	0.17	0.18	-	-	0.01	0.02	15
16	0.01	SSt-R 0.03	-	0.17	0.37	-	0.13	0.06	0.03	-	-	-	16
17	0.01	S 0.05	-	RHS 0.21	tr		0.39	dist T	0.02	tr	-	-	17
18	0.01	RSSt 0.10	0.04	RHS 0.26	-	0.10	0.14	0.44	0.01	0.01	-	-	18
19	0.11	0.01	-	RH 0.31	-	tr	0.33	0.41	0.08	-	0.50	0.01	19
20	-	0.14	tr	dist RH 0.28	-	-	0.11	0.29		tr	0.01	0.31	20
21	0.01	0.01	tr	-	0.45	-	-	tr	tr	0.01	0.02	-	21
22	0.28	0.01	0.25	0.02	-	0.17	-	tr	0.03	-	[illegible]	-	22
23	0.56	0.03	0.01	-	0.13	0.01	-	0.34	0.01	-	0.30	0.01	23
24	0.01	tr	tr	RH 0.93	0.02	-	0.15	0.34	0.01	-	-	tr	24
25	0.03	tr		RH 0.29	-	-	0.18	-	tr	-	0.01	-	25
26	-	0.07	-	0.12	dist T -	-	0.34	-		-	0.31	-	26
27	0.23	RHSt 0.29	-	0.03	TS [illegible] 0.17	-	dist T 0.10	-		-	0.10	tr	27
28	0.09	RS 0.07	-	0.03	TS [illegible]	-	-			0.02	-	tr St	28
29	RHSt 0.09		-	tr	~~TS.12~~ ~~0.12~~	-	0.12	-		0.22	-	tr	29
30	R.S 0.03	×	-	-	0.01		0.03	tr		-	0.10	-	30
31	RS 0.47	×	-	×	0.01	×	-	-	×	-	×	-	31
TOTAL	2.62	2.14	0.50	3.36	2.34	1.45	3.00	3.14	2.29	0.65	5.53	1.08	YEAR'S TOTAL 28.10
*Days with ·01 in. or more.	21	24	7	18	13	10	18	16	14	7	19	13	180
*Days with ·04 in. or more.	12	16	3	14	9	7	14	14	7	4	12	5	117

40-9999

(Signed) Emily Aston [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

513

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stonehurst 5 Ashes
in the County of Sussex (east)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 300 ft.

Year 4" low.
July referred to obs.
Omitted figures sent by obs.
f. 685232/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·16	0·02	-	RH 0·16	TS PM 5·30 0·65	-	0·02	-	-	tr	0·07	0·01	1
2	0·04	-	-	0·19	0·03	-	-	-	0·05	-	0·02	0·29	2
3	0·01	-	-	0·05	0·13	0·29	-	0·01	0·44	-	-	0·01	3
4	0·03	-	-	-	-	0·12	-	-	-	-	0·02	-	4
5	0·24	-	0·03		0·01	0·01	0·17	tr	0·12	-	-	tr	5
6	0·50	-	-	RH 0·16	0·01	-	-	-	0·12	-	-	-	6
7	0·05	tr	0·07	H 0·02	RH tr	-	0·08	-	tr	0·05	-	0·01	7
8	tr	S St 1"	0·20	TRHS St 0·07	0·17	-	-	tr	0·12	0·75	-	-	8
9	0·18	RS St 0·05	-	0·12	0·36	-	-	-	-	0·05	-	-	9
10	0·58	1" S St 0·03	RS tr	RH 0·37	RH 0·09	-	-	-	0·02	0·06	0·03	-	10
11	0·31	-	S 1" 0·03	dy TRHS 0·15	tr	TB 0·01 10·30-11PM	tr	b 1·30-3 AM	0·01	0·03	0·02	tr	11
12	0·36	-	-	-	tr	-	-	0·01	0·03	0·26	0·01	tr	12
13	0·09	-	-	0·16	0·11	-	tr	-	0·01	R S St 1·27	-	0·02	13
14	0·26	-	-	0·08	0·13	-	-	-	-	0·03	-	0·01	14
15	0·06	0·01	-	0·03	0·10	-	-	-	-	0·11	-	tr	15
16	0·17	St	-	0·15	0·01	-	tr	fog tr	-	-	-	-	16
17	0·01	tr	-	0·08	-	-	tr	-	-	0·03	-	0·01	17
18	0·02	-	-	-	-	-	-	-	0·05	-	0·08	-	18
19	0·03	-	-	0·02	2	-	-	-	0·02	0·19	0·03	tr	19
20	0·01	-	-	0·02	0·10	-	dist T 5·30-6 PM 0·01	dist T 12PM-1AM 0·01	-	1·32	0·28	-	20
21	0·01	-	tr	tr	0·32	-	Rain at night ·06	-	-	0·35	tr	0·07	21
22	0·02	tr	0·35	T 12-1 PM 3·30-4·30 0·07	RHS 0·14	RH 0·01	·12	-	0·76	0·22	-	-	22
23	tr	0·07	dist T 0·02	RH 0·11	-	dist TSl tr	~~·01~~	-	0·17	T 0·97	-	0·10	23
24	0·01	0·03	-	-	-	tr	·01	-	0·13	-	0·01	0·01	24
25	tr	0·01	-	-	-	-	·73	-	0·26	-	0·04	0·01	25
26	-	-	0·01	0·10	-	-	·27	TS 2-4 pm 0·19	-	0·68	0·04	0·01	26
27	-	-	0·37	0·16	0·46	dist TS 12-2 AM	·24	-	0·43	RHT& 0·23	0·05	0·05	27
28	-	-	0·01	0·03	0·08	-	·31	-	0·10	0·21	0·01	0·03	28
29	-	-	0·27	0·01	0·05	tr	·15	TS 9-10 AM 0·23	0·27	0·55	0·01	0·04	29
30	-	×	0·16	dist TS 8·15-9 P.M.	dist TS midnight	0·85	·01	-	-	0·01	0·28	0·10	30
31	-	×	0·06	×	-	×	·31		×	-	×	0·08	31 26·72
TOTAL	3·15	0·22	1·68	2·31	~~2·68~~ 2·65	1·32	~~0·31~~ 2·37	0·45	3·11	7·57	1·00	0·86	YEAR'S TOTAL ~~21·66~~
Days with ·01 in. or more.	22	7	12	22	19	6	~~4~~ 13	5	18	20	16	17	~~168~~ 177
Days with ·04 in. or more.	13	2	7	16	14	4	~~8~~ 10	2	13	16	7	7	~~104~~ 111

40-9999

(Signed) Emily Aston

P.T.O.

COPY FOR OFFICIAL USE.

5 1 3

Section **A** **for the entry of Daily Observations.** **Station No** ~~515~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stonehurst 5 Ashes

in the County of East Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	0·47	0·21	–	tr	–	–	–	–	0·01	0·11	0·02	1
2	0·18	0·01	0·68	–	0·03	–	–	–	–	tr	–	–	2
3	0·11	0·15	0·20	–	–	–	–	–	–	–	–	–	3
4	0·12	0·03	0·01	–	0·14	–	–	–	–	–	–	–	4
5	0·27	0·01	0·27	–	0·13	–	–	–	–	–	–	–	5
6	–	0·15	0·08	–	0·46	–	–	–	–	0·03	0·10	–	6
7	0·33	0·05	0·05	–	dist T 0·04	–	–	–	–	0·48	–	–	7
8	0·12	0·01	–	–	–	–	0·41	–	–	0·06	–	–	8
9	–	0·01	–	–	dist T all afternoon 0·02	–	0·20	tr	–	0·06	0·19	–	9
10	0·01	0·28	–	–	–	0·01	0·26		–	dist T 7 pm 0·23	heat lightning 0·02	–	10
11	0·12	–	–	–	0·01	0·02	0·02	dist T 6.30 pm tr	0·12	dist T 1.25 pm 0·01	0·81	–	11
12	–	–	–	0·06	–	0·12	0·24	dist T 6.30 pm 0·05	1·24	–	–	–	12
13	0·03	–	–	–	0·05	–	0·43	T 0·20	0·21	0·43	0·09	–	13
14	–	–	–	–	0·01	–	0·08	–	–	0·02	0·51	–	14
15	0·50	tr S	0·11	–	–	–	0·23	0·55	–	0·03	0·01	St tr	15
16	0·02	–	0·62	–	tr	0·37	dist T aft 0·07	–	tr	tr	–	–	16
17	0·01	tr S	0·25	–	–	dist T pm 0·03	–	0·11	0·25	–	0·03	–	17
18	0·08	tr S	0·11	tr	–	0·08	–	–	–	–	0·01	–	18
19	0·01	S 1" 0·02	RH 0·02	S 0·03	–	0·12	–	–	0·06	–	0·01	tr	19
20	–	R St 0·02	0·10	RHS 0·18	–	0·23	–	0·16	dist T 10-10.30 pm 0·18	–	–	–	20
21	–	0·03	–	–	–	–	–	T 3.30 pm 0·16	0·17	–	–	0·01	21
22	–	S S1" tr	–	–	–	0·26	–	0·27	0·10	0·05	tr	–	22
23	–	S St 0·02	–	0·14	T 8.30 9.30 pm tr	dist T 3.25 pm 0·04	tr	–	0·56	0·02	–	–	23
24	–	R S St S3" 0·43	–	0·16	tr	0·02	fog tr	–	0·69	tr	0·03	–	24
25	–	S St 0·13	–	0·39	–	–	fog tr	–	0·02	–	RHS 0·07	0·05	25
26	–	0·66	–	0·06	–	dist T 6.30 pm 0·03	–	–	tr	0·03	RHS 0·07	0·10	26
27	–	0·01	–	0·01	0·05	–		–	tr	0·21	0·01	0·27	27
28	–	0·01	–	–	0·01	dist T –	0·29	–	–	0·27	–	RS St 0·46	28
29	0·06	X	–	–	T 11.30 AM 0·06	–	0·01	–	–	0·07	–	–	29
30	0·08	X	RHT 0·10	–	0·06	–	0·04	–	1.3 AM 0·14	0·03	–	0·08	30
31	0·07	X	tr	X	–	X		0·04	X	0·02	X	–	31
TOTAL	2·15	2·50	2·81	1·03	1·07	1·33	2·28	1·54	3·74	2·06	1·27	0·99	YEAR'S TOTAL 22·77
*Days with ·01 in. or more.	18	19	14	8	13	12	12	8	12	18	15	7	156
*Days with .04 in. or more.	12	8	12	6	8	8	11	8	11	9	7	5	105

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Emily Aston

P.T.O.

513

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stonehurst Farm Ashurst

in the County of Sussex (East)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	st tr	21 0.01	–	–	dust T 0.01	–	0.13		0.17	–	0.31	1
2	0.05	–	0.16	tr	tr	0.01	–	0.05	0.58	0.35	0.01	0.45	2
3	0.07	0.01	–	0.16	dust T tr	–	–	–	0.02	0.48	tr	0.27	3
4	0.21	tr	0.07	–	0.05	–	–	–	–	0.55	0.18	0.81	4
5	0.01	–	0.03	–	0.05	–	–	0.05	–	–	0.03	0.39	5
6	0.01	–	0.32	–	0.15	0.21	–	0.16	–	0.27	0.02	0.61	6
7	0.02	–	–	tr	–	0.02	–	–	–	0.13	–	0.22	7
8	–	0.01	–	0.03	0.12	tr	–	0.02	tr	–	1.83	0.01	8
9	0.01	–	0.09	–	–	–		–	0.02	–	1.38	0.27	9
10	tr	–	0.25	0.24	–	–	T 7AM 0.07	0.08	–	0.03	0.26	0.02	10
11	gale 0.90	–	0.58	0.04	–	–	T5 0.15	0.24	–	–	–	0.20	11
12	0.10	–	0.12	–	–	–	0.02 0.02	0.07	–	–	0.03	0.12	12
13	0.38	–	RH 0.06	0.12	–	–	0.04	0.01	–	0.01	0.04	RH 0.05	13
14	0.38	–	0.41	0.07	after RH 0.01	dust T6 tr	–	–	–	0.01	0.55	RH 0.66	14
15	0.01	–	0.04	–	0.09	0.02	–	–	–	–	0.10	0.37	15
16	0.20	–	0.33	dust T 0.03	0.06	–	–	–	0.02	0.05	0.01	–	16
17	0.08	–	SR 0.41	0.07	dust T 0.02	–	–	–	–	0.07	0.01	0.31	17
18	–	–	RH 7pm 0.04	0.56	–	–	0.38	–	–	–	–	0.25	18
19	0.08	–	0.34	0.02	–	0.01	–	–	0.32	0.02	0.01	0.25	19
20	–	–	0.16	–	–	–	0.20 0.20	tr	tr	0.01	–	0.01	20
21	–	wet fog tr	0.04	0.18	–	0.17	T 4.5 AM –	0.07	–	0.10	–	tr	21
22	–	wet fog 0.01	–	–	–	–	0.28	0.11 RH	0.17	tr	–	0.09	22
23	–	wet fog 0.01	–	0.42	–	dust T 0.78	0.02	0.03	0.01	0.08	–	0.08	23
24	–	0.01	tr	dust TS –	–	0.09	–	HRT 0.33	0.16	–	–	0.01	24
25	0.11	st 0.01	–	0.12	–	T6AM –	0.71	tr	–	0.03	–	0.59 0.59	25
26	0.10	st –	–	0.24	–	0.12	–	–	0.04	–	–	0.03	26
27	0.03	st –	–	RH 0.16	–	tr	–	–	0.01	tr	–	0.35	27
28	0.01	0.13	–	0.14	–	0.22	tr	0.18	–	–	–	0.34	28
29	–	–	–	–	–	–	0.18 0.18	T 0.09	0.19	0.03	0.03	tr	29
30	0.10	x	–	–	–	–	–	0.05	0.01		–	0.57	30
31	0.01	x	–	x	–	x	–		x	0.10	x	0.12 0.12	31
TOTAL	2.41	0.19	3.43 3.23	2.60	55 0.58	1.66	2.05 ~~2.03~~	1.67	1.55	2.46	4.49	7.98 8.08	YEAR'S TOTAL 31.62
Days with ·01 in. or more.	22	7	18	16	8	11	11	16	12	17	15	28	174
Days with ·04 in. or more.	14	1	13	13	6	6	6	13	6	11	7	23	121

40-9999

(Signed) Emily Aston

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 513

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stonehurst 5 Ashes

in the County of Sussex East

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ~~10~~ 0 in.

,, Ground ,, Sea Level 300 ft.

rated 1860 as in previous years as Aure sent re annual total 5/6/36 KJ

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·21	0·02	0·03	0·04	0·01	0·17	dist T all night 0·03	-	TS 5.30-8 pm 0·27	TS 1.15-1.30 pm 0·07	0·34	—		1
2	0·07	-	0·03	RSt 0·02	-	tr	-	-	0·12	0·60	0·10	—		2
3	0·01	0·02	0·20	RSt 0·01	-	-	-	-	10.30 0·81	TS RH 2.45 pm 1·48	0·19	tr		3
4	-	0·05	-	RHSSt 0·21	-	0·18	-	-	dist T 0·33	RH TS 0·40	0·01	0·27		4
5	-	0·55	0·03	RHSSt 0·10	-	dist TS 8 pm 0·02	-	-	0·50	T 3.40 pm 0·52	tr	0·03		5
6	RSSt 0·03	0·05	0·01	0·22	-	0·40	-	-	-	dist TS 0·09	0·25	0·01		6
7	RSSt 0·03	SSt 0·01	-	0·32	-	0·01	-	-	-	tr	1·23	0·10		7
8	-	SSt -	SSt 0·01	0·26	-	-	-	T 0·04	-	0·28	RH 0·45	0·04		8
9	0·01	-	-	0·19	-	0·13	-	-	-	0·96	RH 0·24	tr		9
10	0·10	tr	R.S.St 0·31	0·01		dist T 0·10	-	-	-	-	RH 0·16	0·17		10
11	SStR 0·07	0·01	-	0·05	-	dist T 0·03	dist T 0·12		-	T 3.15 pm 0·04	0·39	-		11
12	-	0·01	-	-	-	0·39	dist T in am -	dist T 0·39	0·06	-	TS 0·90	-		12
13	0·06	0·21	-	0·17	tr	0·02	-	-	-	drops tr	0·32	0·03		13
14	tr	-	-	RH 0·07	RHSSt 0·23	0·12	-	-	tr	0·01	0·01	0·13		14
15	tr	0·26	-	0·55	-	0·01	-	-	Gale 0·29	tr	0·35	0·05		15
16	-	0·03	0·01	RH 0·19	-	0·08	-	-	0·47	0·04	RH 1·11	0·01		16
17	0·02	-	0·06	0·08	tr	0·21	0·21	0·01	0·04	-	0·41	-		17
18	-	-	-	0·33	-	0·08	TS ·20 0·20	tr	0·47	0·09	0·01	tr		18
19	-	-	-	0·06	0·97	0·04	0·10	-	0·17	tr	0·21	-		19
20	-	0·57	-	0·05	0·03	0·06	dist TS 0·07	-	0·07	-	0·20	-		20
21	0·02	0·32	-	0·01	-	-	-	-	dist TS tr	0·11	0·03	-		21
22	tr	RH 0·15	0·03	0·02	-	-	-	TS 0·60	-	-	0·01	-		22
23	-	-	0·02	-	tr	-	-	TS 0·86	-	-	tr	0·07		23
24	0·03	0·88	-	-	0·25	-	-	1·27	0·96	-	-	0·39		24
25	R.H.SSt 0·11	TS 0·33	-	0·16	0·20	TS 0·10	-	-	-	-	0·03	0·50		25
26	SSt tr	RSSt 0·20	-	-	[illegible]	-	-	0·16	0·11	0·03	0·01	0·25		26
27	SSt tr	0·44	-	-	0·02	-	tr	dist T 0·06	0·13	tr	0·16	0·24		27
28	-	0·06	-	-	0·01	-	-	dist TS 0·06	dist TS 0·03	0·03	0·03	0·19		28
29	tr		-	-	tr	-	-	dist TS 0·43	0·55	0·01	-	RH 0·37		29
30	0·06	×	tr	0·10	0·07	-	-	1·06	-	0·11	RH 0·63	0·17		30
31	-	×	-	×	0·01	×	-	-	×	0·28	×	0·63		31
TOTAL	0·83	4·17	0·74	3·22	1·80	2·15	0·73	4·94	5·58	5·17	7·76	3·65	Year's Total. 40·7	40·74
* Days with .01 in. or more.	14	19	11	23	10	18	6	11	17	18	26	19	192	
* Days with .04 in. or more.	7	13	3	18	5	13	5	10	16	14	18	15	137	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Emily Aston

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 513

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Stonehurst 5 Ashes

in the County of East Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level abt 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·21	0·13	RSS 0·01	0·42	–	dist T 0·29	0·23	0·08	tr	–	0·10	0·07		1
2	tr	R.H.S 0·10	RHSS 0·02	tr	–	0·24	0·11	0·15	–	–	tr	0·01		2
3	–	–	–	0·37	–	–	0·01	–	0·05	–	0·24	–		3
4	0·01	–	0·12	–	–	0·11	0·01	–	0·26	–	0·02	0·06		4
5	0·12	–	0·01	tr	–	–	–	0·07	T about all day 0·20	tr	0·16	RHSS 0·01		5
6	0·36	–	–	–	–	0·03	dist T tr	0·03	0·22	0·12	RH dist TS 0·92	0·03		6
7	0·36	–	0·08	–	–	0·01	dist TR 0·02	–	tr	–	0·87	0·01		7
8	0·25	–	0·02	–	–	–	dist TR 0·02	–	–	–	0·52	0·28		8
9	0·33	–	0·03	–	tr	–	0·30	0·07	0·07	tr	0·08	0·01		9
10	0·06	–	–	–	–	–	T TS 0·08	0·22	–	–	–	–		10
11	–	–	–	RHS 0·06	–	–	0·26	–	–	–	0·96	–		11
12	–	–	–	RHS 0·02	–	0·22	0·43	–	TTS 0·36	tr	0·28	0·13		12
13	–	–	–	–	–	0·13	tr	–	–	–	tr	0·44		13
14	–	0·09	–	–	–	0·08	0·74	–	–	0·02	0·14	0·31		14
15	–	0·10	–	–	–	–	tr	–	–	–	0·06	0·36		15
16	RSS 0·09	0·06	–	–	dist TTS 0·11	0·08	tr	–	tr	–	0·19	0·15		16
17	0·09	0·74	–	–	dist TS –	dist T tr	tr	0·03	tr	0·02	0·18	0·47		17
18	SR 0·08	0·17	–	–	–	3 TS	0·36	–	tr	0·02	0·12	0·06		18
19	0·18	0·04	0·01	–	–	0·59	–	–	–	0·04	0·01	–		19
20	RHS TS dist 0·29	0·05	0·02	0·71	–	dry-TS	0·01	0·08	TS 0·58	0·01	–	–		20
21	–	0·02	0·12	RHSS 0·33	tr	dist TS 0·40	0·03	–	0·03	0·01	–	0·03		21
22	RH 0·13	0·36	–	RHSS tr	0·03	dist T 0·03	0·10	–	–	–	–	–		22
23	0·06	0·09	0·07	0·13	–	–	0·32	–	–	0·08	–	–		23
24	0·06	0·04	–	tr	–	0·30	0·27	–	tr	0·17	–	0·01		24
25	0·16	0·01	0·21	0·15	0·05	0·08	0·01	–	TS 0·35	0·14	tr	0·01		25
26	0·01	0·10	0·15	0·04	–	0·04	–	–	0·03	0·23	–	0·01		26
27	0·26	RH 0·01	0·12	0·03	–	–	0·01	–	0·25	0·11	–	–		27
28	0·46	–	0·13	–	–	TS contd 29th 0·26	0·10	–	tr	0·04	–	0·04		28
29	0·02	R.S 0·06	0·15	–	–	0·14	dist T tr	–	–	–	0·07	0·02		29
30	0·10	×	tr	–	0·02	0·32	dist T –	–	–	0·08	–	0·01		30
31	0·14	×	0·14	×	dist TS 0·05	×	0·21	–	×	0·44	×	0·12		31
TOTAL	3·83	2·19	1·41	2·20	0·29	3·26	3·63	0·73	2·40	1·53 ~~1·54~~	4·92	2·65	Year's Total. 29·05	
* Days with .01 in. or more.	23	17	17	10	5	18	21	8	11	15	17	23	185	
* Days with .04 in. or more.	20	14	10	8	3	15	13	6	9	10	15	12	135	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Emily Aston.

P.T.O.

514

Section **A** for the entry

AIR MINIST

FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGI

931 .

514

LINDFIELD

THE COMMON

1931 - 1940

780111

Kept at The Common

in the County of Sussex

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

DAY.

An observer who does not conform *the following*
year in the space on the right of

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.16		.36					.16				1
2		.05		.35				.02	.57				2
3	.35		.26	.14	.55				.76		.03	.32	3
4					.03		.04	.08	.10	.03	.03		4
5		.02		.26		.79	.13	.28	.05			.24	5
6		.11		.15	.08	.16		.26		.23	.29	.30	6
7		.02				.12		.20		.09	.49		7
8		.18				.22	.02	.02		.01	.08	.17	8
9		.11				.02					.75		9
10		.18	.03				.08	.14			1.18	.01	10
11	.15	.45							.02		.37		11
12	.08						.14		.26				12
13	.07						.05						13
14	.02	.12					.43	1.08					14
15		.08		.05	.19	.08	.09	.36				.03	15
16	.01	.04		.26	.38		.04	.42					16
17		.07		.45		.03	.56	.01	.07	.04			17
18	.04	.12	.01	.23		.13	.18	.50		.01	.64		18
19	.08			.33			.80	.38					19
20		.11		.23			.03	.26	.08				20
21	.02				.33						.04		21
22	.26		.23						.06				22
23	.42	.03	.02		.16	.19			.02		.30	.01	23
24				.51	.03	.03	.51	.45					24
25	.17			.36			.22				.03		25
26		.05		.10			.33		.01		.48		26
27	.28	.36		.16	.32		.18				.05		27
28	.13	.15		.01						.05			28
29	.10				.13		.11			.15		.03	29
30	.20	×			.06		.01						30
31	.30	×		×		×			×		×		31
TOTAL	2.68	2.35	.54	3.83	2.56	1.71	3.75	4.46	1.98	.61	4.76	1.21	YEAR'S TOTAL 30.34
*Days with ·01 in. or more.	17	19	5	16	11	10	19	15	12	8	14	8	154
*Days with ·04 in. or more.	14	16	2	15	9	7	16	12	9	5	11	4	120

40-9999

(Signed) R. H. Robinson

P.T.O.

*See Instruction 2 (*f*) on other side.

514

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at The Common Lindfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.10		.36					.10				1
2		.05		.35				.02	.57				2
3	.35		.25	.14	.85				.70		.03	.32	3
4					.03		.04	.08	.10	.03	.03		4
5		.02		.26		.79	.13	.28	.05			.24	5
6		.11		.15	.08	.10		.26		.23	.29	.30	6
7		.02				.12		.20		.09	.49		7
8		.18				.22	.02	.02		.01	.08	.17	8
9		.11				.02					.75		9
10		.18	.03				.08	.14			1.18	.01	10
11	.15	.45							.02		.37		11
12	.08						.14		.20				12
13	.07						.05						13
14	.02	.12					.43	1.08					14
15		.08		.05	.19	.08	.09	.36				.03	15
16	.01	.04		.20	.38		.04	.42					16
17		.07		.45		.03	.36	.01	.07	.04			17
18	.04	.12	.01	.23		.13	.18	.50		.01	.64		18
19	.08			.33			.80	.38					19
20		.11		.23			.03	.26	.08				20
21	.02				.33						.04		21
22	.26		.23						.06				22
23	.42	.03	.02		.16	.19			.02		.30	.01	23
24				.51	.03	.03	.51	.45					24
25	.17			.36			.22				.03		25
26		.05		.10			.33		.01		.48		26
27	.28	.36		.10	.32		.18				.05		27
28	.13	.15		.01						.05			28
29	.10				.13		.11			.15		.03	29
30	.10	×			.06		.01						30
31	.30	×		×		×			×		×		31
TOTAL	2.68	2.35	.54	3.83	2.56	1.71	3.75	4.46	1.98	.61	4.76	1.11	YEAR'S TOTAL 30.34
*Days with ·01 in. or more.	17	19	5	16	11	10	19	15	12	8	14	8	154
*Days with ·04 in. or more.	14	16	2	15	9	7	16	12	9	5	11	4	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. H. Robertson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Common Lindfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	02		15	50		03			01	08		1
2	04			25	06				02	01	04	23	2
3				02	09	22		03	46	01			3
4						18					01		4
5	28	01	04				12		13				5
6	44			15					06	01			6
7	07		08				97		02				7
8			28	04	19				14	80			8
9	43	12		20	39					02			9
10	75	10		40	10				03	12			10
11	13	06	03	15					02	03	02	02	11
12	40	10							07	21			12
13	07			17	06		03		02	1.19		01	13
14	16			05	09			01		06			14
15	09			09	10					07			15
16	08			14	04		03						16
17				15			02			02			17
18	05								02		13		18
19	01			03	10	01			04	40			19
20				02	02			33		1.40	22		20
21							06			33			21
22	07	03	35	03	75		23	03	43	40	43		22
23		06		09	20	12			50	93			23
24		02			07		65		23	09	03		24
25							55		26	70	07	13	25
26			03	05			51	03			03	01	26
27			30	17		04	25		02	65	05	01	27
28				02	17		23			21		01	28
29			40	03	12		01	20	22	59	02	01	29
30		×	09		34	1.04	06	08	09		40	11	30
31		×	03	×	02	×	19		×	01	×	08	31
TOTAL	3.43	52	163	240	3.41	1.61	3.94	70	2.98	8 8.27	1.53	62	YEAR'S TOTAL 30.84
*Days with ·01 in. or more.	16	9	10	21	19	6	16	7	19	24	13	10	170
*Days with .04 in. or more.	15	5	7	15	17	5	11	3	12	16	8	4	118

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. H. Robertson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Oaklands. The Common Lindfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.48	.39							.01	.03			1
2	.23		.52		.12									2
3	.13		.24		.01									3
4	17	.18	.02		.11									4
5		.04	.25		.27									5
6	28		.04		.69					.04	.09	.01		6
7	.52	.17	.10		.06					.12				7
8	.08	.04					.06			.02				8
9		.01			.01		.18			.02	.27			9
10		.05				.02	15			.20	.03			10
11	.18	.11			.05	.10	.03	.07	.02	.02				11
12						.15	.27		1.22					12
13	.07				.06	.10	.34	.07	.28	.15	.12			13
14							.05			.37	.40			14
15	.55		.12				.20	.62		.05	.03			15
16	.02		70			.37	.36		.01	.05				16
17		.04	29			.15		.10	.10		.06			17
18	.18		.05			.15					.01			18
19	.02	.07	.07			.07			.28		.05	.01		19
20		.02	.09	.05		.57		.08			.01			20
21		.04						.11	.13	.02				21
22						.09		.34	.02	.12	.01			22
23				.08		.05			.49	.10				23
24		.34		.18		.05			.47					24
25		.36		39		.30			.06	.02	.09	.11		25
26		.78		.06		.28			.01	.03	.06	.11		26
27		.02			.16					.27		.25		27
28					.05		29			.19		.28		28
29					.16		09			.05		.02		29
30	15	×	.02				02		32	.05		.09		30
31	08	×		×		×		.04	×	.02	×			31
TOTAL	2.50	2.75	2.90	.76	1.75	2.45	2.04	1.43	3.41	1.92	1.26	.88	Year's Total 24.05	
*Days with ·01 in. or more.	15	16	14	5	12	14	12	8	13	21	14	8	152	
*Days with .04 in. or more.	13	13	12	5	10	13	10	8	9	14	8	5	120	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. H. Robertson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lindfield. The Common

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02					.06		.27		.15		.44		1
2	.08		.20	.18					.66	.50		.48		2
3	.06			.07				.11		.68		.24		3
4	.13		.09	.03	.06				.01	.28	.14	.66		4
5			.02		.07			.08			.02	.49		5
6	.02		.34	.02	.12	.13		.13			.01	.54		6
7	.02					.04		.05		.26		.22		7
8					.12			.02	.01	.15	1.28			8
9	.01		.09					.01			1.29	.35		9
10			.17	.27				.12			1.15	.01		10
11	.85		.46	.07				.31		.01		.32		11
12	.11		.03				.30	.12			.24	.04		12
13	.44		.08	.13			.08	.05			.03	.03		13
14	.34		.38	.04		.02				.02	.45	.55		14
15	.01		.01		.05					.02	.09	.47		15
16	.20		.27	.04	.17					.03	.02	.03		16
17	.11		.21	.03						.11		.34		17
18	.32		.04	.40			.48		.03	.04	.01	.53		18
19			.32	.03		.01			.55		.01	.34		19
20			.03	.04			.40	.01	.01	.02	.01	.03		20
21				.23		.17		.03		.06		.03		21
22							.03	.16	.39	.02	.01	.18		22
23				.35		.75		.01		.03		.09		23
24		.02	.06	.05		.04	.89	.63	.17	.02		.01		24
25	.17			.16						.03		1.05		25
26	.06			.40		.16						.05		26
27				.25		.01						.47		27
28	.02	.17				.08		.70			.01	.30		28
29							.01	.05	.14		.02	.12		29
30	.09	×						.05				.66		30
31	.03	×		×		×			×		×	.09		31
TOTAL	3.19	.19	2.80	2.79	.59	1.47	2.19	2.91	1.97	2.43	4.79	9.16	Year's Total. 34.48	
* Days with .01 in. or more.	20	2	17	19	6	11	7	19	9	18	17	30	175	
* Days with .04 in. or more.	13	1	13	15	6	8	5	15	5	9	7	25	122	

40-9999

† Spare column, no entries required.

(*Signed*) R. H. Robertson

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** **for the entry of Daily Observations.** **Station No.** 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lindfield (The Common
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	23	04	06	04	.01	.05	.03		.47	.09	.18			1
2	03			04		.03			.01	.60	.11			2
3			17	02					.05	1.55	.12			3
4		10		24		.28			.64	.28	.02	.42		4
5		36	05	18		.08			.60	.19	.01			5
6	02	05		.21		.64				.06	.37	.04		6
7	02			.27		.08					1.27	.10		7
8			05	.29						.40	.68	.03		8
9	02			.20		.17				1.16	.10	.01		9
10	07		13			.05					.26	.09		10
11	18	02		.15		.15	.13			.03	.65			11
12		05				.28	.03	.38	.04		1.12			12
13	12	18		.16		.03			.01		.21	.03		13
14				.03	15	.37				.03	.04	.11		14
15		20		.55	01	.03			.31		.28	.11		15
16		05	03	.18		.19			.28		.99	.02		16
17			03	.12		.23	.05	.03	.03		.55			17
18				.29		.21	.16		.51	.12	.03			18
19				.07	.75	.05	.19		.21		.16			19
20		55		15	.05	.09	.15		.10		.20			20
21		44		.03					.02	.18	.03			21
22		04						.35	.06					22
23			04					.20		.04		.15		23
24	08	1.			.18			1.60	.78			.28		24
25	10	37		13	.08	.07					.06	49 .49		25
26	06	28						.15	.12	.03	.02	.38		26
27		69							.09		.13	.37		27
28		08			.23		.03		.06	.02	.04	.20		28
29								.30	.59	.02		45 .45		29
30	07	×			.01			2.	.04	.10	.89	.50		30
31		×		×	.01	×		.01	×	30	×	87 .87	Year's Total.	31
TOTAL	1.	4.50	.56	3.35	1.48	3 05 3.08	.77	5.02	5.62	5.16	8.52	4.65 4.65	43.11	
* Days with .01 in. or more.	12	17	8	20	10	19	8	9	21	18	26	19	187	
* Days with .04 in. or more.	8	16	6	17	6	16	5	7	17	12	21	15	146	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R. H. Robertson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Oaklands The Common Lindfield Sussex

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	18	02	49		29	58	10			14	06		1
2						37	18	13			02			2
3				39			03		03		24			3
4			18			07	01		48		02	05		4
5	.25		02					05	33		.23	06		5
6	.36					04		07	20	02	177 1.77	03		6
7	.49		05			02	05				83			7
8	.48		15				05				87	25		8
9	.40		04				43		05	09	02			9
10	.09						13	02						10
11	.03			08			24				1.06			11
12				02		25	41		40		.24	20		12
13						05					.02	60		13
14		15				12	54			03	.22	53		14
15		11					02				.11	35		15
16	.21	13					13				21	16		16
17	.09	81			01	11		03		04	19	11		17
18	.18	13				07	20				12	07		18
19	.33	03	03			88		10			02			19
20	.37	04	10	60			12	01	54					20
21		07		35			09		02					21
22	.12	46	13			37	11					04		22
23	.06	20	16	10	13	03	50			08				23
24	.07	04					11		04	21				24
25	20	01	20	25					19	13				25
26	.02	15	19	18	02				09	27		06		26
27	.43		03	02					15	23				27
28	.47		21			40	30		06			09		28
29	.03	08	12			54	17			06	10	02		29
30	18	✕			05	13				15		01		30
31	.37	✕	23	✕		✕	25		✕	41	✕	24		31
TOTAL	5.60	2.59	1.86	2.48	.21	3.74	4.95	.51	2.58	1.72	6.43	2.93	Year's Total 35.60	✓
* Days with .01 in. or more.	23	15	16	10	4	16	22	8	13	12	19	18	196	✓
* Days with .04 in. or more.	20	13	12	8	2	14	19	5	11	10	14	15	143	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. H. Roberson [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Common, Lindfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	81	02	02	12							89	27		1
2	02	46	02	39					07		01	64		2
3	02	18									02	21		3
4	18	1.10		04								32		4
5	23	05	38				28							5
6	21	.03	65		55						02			6
7		90	06	10	02				02	05				7
8			12		07	09					08	20		8
9				42	09	02	13		42			22		9
10			83	26	08	33	01					94		10
11			37		11		03					10		11
12	48	31	25	36	31	30	02	77	22			25		12
13	23	08	60	11		13			21			43		13
14	02	03	16	13	21	01		1.14	18			09		14
15	24	16		30			40		54			01		15
16	01	05	32	23				66	41			01		16
17	37		05	10					21		16			17
18	58	10	18	01	32	59			24		21			18
19	11	19	07	17	02	06			04		02	21		19
20	41		18	30	90	07			02					20
21	43	50	16	12			02		01		08	06		21
22	60	03		01	11	01	05			90	48	07		22
23	30	09	02				25			75	01			23
24	77	35			03		01		02	41		02		24
25	15	48	35		02				17	20		01		25
26	02	45	05			01				05				26
27	02	11		21					05	20				27
28	11	08		02		01				03		02		28
29	04					02				12	08			29
30	30	✕				02				12	15			30
31	25	✕		✕		✕			✕	46	✕	05		31
													Year's Total	
TOTAL	6.91	5.75	4.84	3.39	2.64	1.67	1.20	2.57	2.83	3.29	2.21	4.13	41.43	✓
* Days with .01 in. or more.	26	22	20	19	14	14	10	3	16	11	13	20	188	✓
* Days with .04 in. or more.	20	18	17	17	10	7	5	3	12	11	8	15	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. H. Robertson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Common Lindfield
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	07			19		02		25	08	06	19		1
2		01		04	05	13	13			63		03		2
3					03		03			78	09			3
4	08					03	35	02		08		14		4
5	02						15			34	02			5
6	04						13		40		04	01		6
7	08						25	28		28		10		7
8	18	02					18	25		30	03	10		8
9	18									11		76		9
10	15	13				22	01	07			01	15		10
11	29									01	11	21		11
12	37				02		01	08		06	06	03		12
13	49	12			01					16	35	14		13
14	36	23			62				01			15		14
15	05	16					10			34	01	31		15
16	45	03	02				04	07		10	02	27		16
17	01	10	02		17				01	68	05			17
18	07				04				10	10	35			18
19	02							06	12		40	19		19
20	09				01			01	09		54			20
21				01				12	18		03			21
22						04		12			37			22
23											04			23
24			34						65		38	20		24
25	12		30	03	08		04		05	02	46			25
26	74	14	07						30	35		60		26
27	14	08			28	26	40		70	01	25			27
28	09	06			38	13		44	13			06		28
29	20				39				03		12	19		29
30	06			28	23				13	05	31	28		30
31	19				14					25				31
TOTAL	4.51	1.15	.75	.36	2.64	81	1.84	1.52	3.15	4.73	4.10	4.11	Year's Total 29.67	✓
* Days with .01 in. or more.	25	12	5	4	15	6	14	11	15	20	23	20	170	✓
* Days with .04 in. or more.	21	9	3	2	11	5	11	9	12	17	17	17	134	✓

† Spare column, no entries required.

(*Signed*) R. H. Robinson [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 514

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Oakland The Common Lindfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 180 180 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	28		06	30	26			02 07	06			07		1
2	08			03	02			43	15					2
3	05			48				16			32	46		3
4	06		37	14			05	43		48	16			4
5	13		03	35	03		26	24		16	10	09		5
6	48		03				21	55			39			6
7	10	08					05	15		02	18	16		7
8		08	16				01			44	14	51		8
9	12	09						09		53	98	26		9
10	19					20		25	08	38	16			10
11			25			01				1.42	04			11
12		26								01	03	02		12
13			03	05		02	02		05	1.36		04		13
14	49			01	02	03	03			37	53	09		14
15	58		02		85	03	12		20	24	44	03		15
16	31		08 08	15	20	29	09		01	03	49			16
17	20	12	04		18		01				14			17
18	31				10	09	20			03	53	03		18
19	33		02				45			71				19
20	28					29	13		03	01				20
21	10	07	16			01	45		02	01				21
22	22	28	07	05		34	03				10			22
23	02		06	18			20			06	90			23
24	28	15	06	16		03	32			15				24
25	90	20	12	15			27	02			70			25
26	03			02						12	31			26
27		18	06	33		01				07	45			27
28		35	05	02		06				09	15	25		28
29				16						04	03			29
30		✕		75				08 08		02	05			30
31		✕		✕		✕	07 09	14	✕	05	✕			31
TOTAL	5.54	1.86	1.67	3.33	1.66	1.41	2.97	2.56 2.76	.60	6.80	7.32	2.01	Year's Total 37.93 ✓	
* Days with .01 in. or more.	22	11	18	17	8	13	19	12	8	24	23	12	187 ✓	
* Days with .04 in. or more.	22	11	13	14	5	6	14	10	5	19	21	9	147 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R H Robertson

R. H. ROBERTSON

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

FILE N. 830430/38

Kept at Oaklands, The Common, Lindfield
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 150 ft.

Oct part estd from surr stations   Jan & Feb corrd for snow   Rest estd from map & from surr stas

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		~~1.70~~									.08			1
2		.09					01				.45			2
3		.75		06						.14	1.30	.18		3
4		.24		06						.45	10	.08		4
5		.02					05			.03	.87	.28		5
6	27	.15					34			(.60)	.04			6
7	18	.35					10							7
8				02			01		.03	.55		.38		8
9				04						.17	.45	.30		9
10							40	.03		.38	.06	.03		10
11				03			34				1.10	.01		11
12			22				27		.22		.06			12
13			77			02			.25		1.25			13
14			53							.01		.52		14
15					25		1.03			.05	.88	.03		15
16		4	23	09		02	10		.23	.43	.88	.02		16
17			40				03			.02	.88			17
18		.50	31	40			18		4	.28	.06	.14		18
19			03	02			05		964 .96		.27	4		19
20		.02	07						.06	.15	.07	.09		20
21		.03			42		.03	.01		.10	.30			21
22			06		30	12			.17					22
23		.23		29							.03			23
24			07	22			20							24
25			42				.10				.02			25
26	4 ~~92~~	.21	23		83		.03			.03	.01			26
27	4	.26					.19							27
28	4 (2.10)	.03		05	23									28
29	4	.12	15		25							.35		29
30	4	✗		11						.18		.02		30
31	4	✗		✗		✗			✗	60	✗	.15		31
TOTAL	(2.55) ~~1.37~~	(2.90) ~~4.60~~	3.49	1.35	2.28	.16	3.46	.04	1.92	(4.17) ~~3.57~~	8.56	2.58	Year's Total ~~[illegible]~~	33.49 ~~33.61~~
* Days with .01 in. or more.	~~3~~ 8	15	13	12	6	3	18	2	~~7~~ 8	~~16~~ 17	21	15	~~131~~	~~131~~ 139
* Days with .04 in. or more.	~~3~~ 8	11	12	7	6	1	13		~~6~~ 7	~~12~~ 13	18	10	~~99~~	~~99~~ 106

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R.H. Robertson

[P.T.O.

515

515

UCKFIELD

FAIRWARP

1931 - 1940

780111

Section **A** for the entry

AIR MINIST

FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIS

31.

515

Kept at Campfield Roug

in the County of Suss

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

„ Ground „ Sea

THE MORNING MEAS

AY.

An observer who does not conform t

year in the space on the right of t

e following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	—	.18	—	—	—	—	.04	—	—	—	1
2	.19	.04	—	.25	.05	—	—	.04	.88	.03	—	—	2
3	.14	.01	.19	.13	1.15	—	—	.11	1.08	—	.05	.27	3
4	.01	.03	—	—	—	—	—	.17	.27	.05	.12	.01	4
5	—	.01	—	.29	—	.81	.16	.04	.04	—	—	.21	5
6	—	.09	—	—	—	.18	—	—	—	.27	.48	.16	6
7	—	.03	—	.09	.07	.15	—	.26	—	.07	.36	—	7
8	.02	.20	—	—	—	.23	—	.04	—	—	.05	—	8
9	—	.27	—	.03	—	.03	—	—	—	—	.67	—	9
10	—	.13	.03	—	—	.19	.05	.16	—	—	1.23	—	10
11	.04	.43	—	—	—	—	—	—	.02	—	.20	—	11
12	.33	—	—	—	—	—	.02	—	.32	—	—	.01	12
13	.13	—	—	—	.14	—	.01	.07	—	—	.01	—	13
14	.01	.11	—	—	—	.10	.60	.48	—	—	.02	—	14
15	.01	.08	—	.09	.11	—	.18	.13	—	—	.03	.04	15
16	.04	.05	—	.18	.21	.03	.02	.14	—	—	—	—	16
17	—	.12	—	.40	—	—	.41	—	.05	.03	—	—	17
18	.02	.16	.07	.24	—	.17	.15	.50	—	.01	.59	—	18
19	.13	—	—	.70	—	—	.36	.43	.08	—	—	—	19
20	.02	.16	—	.18	—	—	.11	.32	—	—	—	—	20
21	—	.01	.01	.05	.49	—	—	—	.02	—	.04	—	21
22	.33	—	.37	—	—	—	—	—	.03	—	—	—	22
23	.52	.10	—	—	.14	.17	—	—	.06	—	.29	.04	23
24	—	.02	.03	.85	—	.01	.17	.41	.03	—	—	—	24
25	.04	.01	—	.18	—	—	.30	—	—	—	—	—	25
26	—	.09	—	.24	—	—	.35	—	—	—	.40	—	26
27	.30	.38	—	.04	.18	—	.05	—	—	—	.04	—	27
28	.12	.19	—	.04	—	—	—	—	—	.03	—	.02	28
29	.15	×	—	.07	.14	—	.16	—	—	.23	—	—	29
30	.09	×	—	—	.03	—	.01	—	—	—	—	—	30
31	.45	×	—	×	.09	×	—	—	×	—	×	—	31
TOTAL	3.09	2.83	.70	4.23	2.90	2.06	3.11	3.30	2.91	.71	4.58	.76	YEAR'S TOTAL 31.18
*Days with ·01 in. or more.	21	24	6	18	12	11	17	15	13	8	16	8	169
*Days with ·04 in. or more.	15	17	8	17	11	8	13	15	9	2	13	5	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A E Barchard

[P.T.O.

515

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Campfield Rough - Fairwarp - Uckfield

in the County of Sussex

Station No 515

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	—	.18	—	—	—	—	.04	—	—	—	1
2	.19	.04	—	.25	.05	—	—	.04	.88	.02	—	—	2
3	.14	.01	.19	.13	1.15	—	—	.11	1.08	—	.05	.27	3
4	.01	.03	—	—	—	—	—	.17	.27	.05	.12	.01	4
5	—	.01	—	.29	—	.81	.16	.04	.04	—	—	.21	5
6	—	.09	—	—	—	.18	—	—	—	.27	.48	.16	6
7	—	.03	—	.09	.07	.15	—	.26	—	.07	.36	—	7
8	.02	.20	—	—	—	.23	—	.04	—	—	.05	—	8
9	—	.27	—	.03	—	.03	—	—	—	—	.67	—	9
10	—	.13	.03	—	—	.19	.05	.16	—	—	1.23	—	10
11	.04	.43	—	—	—	—	—	—	.02	—	.20	—	11
12	.33	—	—	—	—	—	.02	—	.32	—	—	.01	12
13	.13	—	—	—	.14	—	.01	.07	—	—	.01	—	13
14	.01	.11	—	—	—	.10	.60	.48	—	—	.02	—	14
15	.01	.08	—	.09	.11	—	.18	.13	—	—	.03	.04	15
16	.04	.05	—	.18	.21	.03	.02	.14	—	—	—	—	16
17	—	.12	—	.40	—	—	.41	—	.05	.03	—	—	17
18	.02	.16	.07	.24	—	.17	.15	.50	—	.01	.59	—	18
19	.13	—	—	.70	—	—	.36	.43	.08	—	—	—	19
20	.02	.16	—	.18	—	—	.11	.32	—	—	—	—	20
21	—	.01	.01	.05	.49	—	—	—	.02	—	.04	—	21
22	.33	—	.37	—	—	—	—	—	.03	—	—	—	22
23	.52	.10	—	—	.14	.17	—	—	.06	—	.29	.04	23
24	—	.02	.03	.85	—	.01	.17	.41	.02	—	—	—	24
25	.04	.01	—	.18	—	—	.30	—	—	—	—	—	25
26	—	.09	—	.24	—	—	.35	—	—	—	.40	—	26
27	.30	.38	—	.04	.18	—	.05	—	—	—	.04	—	27
28	.12	.19	—	.04	—	—	—	—	—	.03	—	.02	28
29	.15	X	—	.07	.14	—	.16	—	—	.23	—	—	29
30	.09	X	—	—	.03	—	.01	—	—	—	—	—	30
31	.45	X	—	X	.09	X	—	—	X	—	X	—	31
TOTAL	3.09	2.83	.70	4.23	2.90	2.06	3.11	3.30	2.91	.71	4.58	.76	YEAR'S TOTAL 31.18
*Days with ·01 in. or more.	21	24	6	18	12	11	17	15	13	8	16	8	169
*Days with ·04 in. or more.	15	17	8	17	11	8	13	15	9	2	13	5	135

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A E Barchard [P.T.O.

515

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Campfield Rough - Fairwarp - Uckfield -
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.04	–	.16	.53	–	.03	–	–	.03	.17	.02	1
2	.05	–	–	.22	.06	–	–	.02	–	–	.02	.35	2
3	–	–	–	.06	.18	–	–	–	.45	–	–	–	3
4	.04	–	–	–	–	.22	–	–	–	–	.01	–	4
5	.29	–	.03	–	.03	.15	.31	–	.13	–	–	–	5
6	.57	–	–	.15	–	–	–	–	.10	.01	–	–	6
7	.04	–	.10	.03	–	–	.43	–	–	.10	–	–	7
8	–	–	.21	.04	.20	–	–	–	.16	.52	–	–	8
9	.26	.23	–	.25	.54	–	–	–	–	.06	–	–	9
10	.70	.13	–	.45	.10	–	–	–	.02	.31	.01	–	10
11	.24	.12	–	.16	–	.01	–	–	.05	.04	.03	.05	11
12	.44	.04	–	–	–	–	–	–	.05	.15	–	–	12
13	.08	–	–	.10	.08	–	.02	–	.01	1.57	–	.02	13
14	.18	.01	–	.25	.10	–	–	–	–	.04	–	–	14
15	.09	–	–	.15	.14	–	–	–	–	.11	–	–	15
16	.11	–	–	.30	.06	–	–	–	–	–	–	.02	16
17	.01	–	–	.15	–	–	–	–	–	.04	–	–	17
18	.05	–	–	–	–	–	–	–	.04	–	.10	–	18
19	–	–	–	.04	.03	–	–	–	–	.33	.02	–	19
20	–	–	–	.02	.05	–	.04	.06	–	1.44	.27	–	20
21	–	–	.01	–	.47	–	.03	–	–	.36	–	.08	21
22	.07	.02	.37	.08	.15	–	.40	–	.98	.23	.55	–	22
23	–	.10	.14	.06	.05	–	–	–	.32	1.07	–	.13	23
24	–	.04	–	–	–	–	.93	–	.14	.06	.03	–	24
25	–	–	–	–	–	–	.41	–	.17	.68	.08	–	25
26	–	–	.02	.07	–	–	.29	.09	–	–	.09	.02	26
27	–	–	.28	.17	.17	–	.21	–	.04	.54	.07	.07	27
28	–	–	.45	.04	.19	–	.24	–	–	.22	–	.01	28
29	–	–	.07	–	.08	–	–	.47	.23	.46	–	.02	29
30	.01	×	.04	.07	–	.82	.08	.06	.09	.02	.43	.10	30
31	–	×	–	×	–	×	.14	–	×	–	×	.07	31
TOTAL	3.41	.73	1-72	3.02	3-21	1-20	3.56	.70	2-98	8.39	1.88	.96	YEAR'S TOTAL 31.76
*Days with ·01 in. or more.	18	9	11	21	19	3	14	5	16	23	14	13	166
*Days with .04 in. or more.	16	7	8	19	17	21	13	4	14	20	8	7	134

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) A E Barchard

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Campfield Rough – Fairway – Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.59	.24	—	—	—	—	—	—	.02	.11	—		1
2	.35	—	.74	—	.05	—	—	—	—	.01	—	—		2
3	.15	.16	.24	—	—	—	—	—	—	—	—	—		3
4	.22	.06	.01	—	.11	—	—	—	—	—	—	—		4
5	.25	—	.25	—	.15	—	—	—	—	—	—	—		5
6	—	.24	.07	—	.49	—	—	—	—	.05	.08	—		6
7	.38	.06	.10	—	.05	—	—	—	—	.42	—	.03		7
8	.10	.01	—	—	—	—	.30	—	—	.08	—	—		8
9	—	—	—	—	—	—	.22	—	—	.04	.23	—		9
10	—	.34	—	—	—	.05	.08	—	—	.22	—	—		10
11	.19	—	—	—	.02	.02	—	.05	.04	.04	.01	—		11
12	—	—	—	.04	—	.22	.10	—	1.17	—	—	—		12
13	.05	—	—	—	.06	.02	.42	.19	.23	.23	.15	—		13
14	—	—	—	—	—	—	.07	—	—	.26	.41	—		14
15	.46	—	.14	—	—	—	.18	.58	—	.05	—	—		15
16	.04	—	.72	—	—	.32	—	—	.01	.02	—	—		16
17	—	.03	.19	—	—	.05	—	.13	.18	—	.05	—		17
18	.08	—	.09	—	—	.15	—	—	—	—	—	—		18
19	—	—	.04	.02	—	.22	—	—	.38	—	.04	—		19
20	—	.08	.09	.10	—	.43	AEB .08 ~~.20~~	.20	.22	—	—	—		20
21	—	—	—	—	—	—	AEB — ~~.36~~	.36	.17	—	—	—		21
22	—	—	—	—	—	.53	—	.27	—	.38	—	—		22
23	—	—	—	.17	—	.02	—	—	.52	—	—	—		23
24	—	.37	—	.25	—	.10	—	—	.72	—	.05	—		24
25	—	.20	—	.38	—	—	—	—	.06	.02	.12	.11		25
26	—	.71	—	.09	—	.05	—	—	—	.05	.15	.14		26
27	—	.02	—	—	.07	.01	—	—	—	.18	.01	.23		27
28	—	—	—	—	.01	—	.46	—	—	.28	—	.34		28
29	.13	×	—	—	—	—	.05	—	—	.05	—	—		29
30	.07	×	.09	—	.10	—	.05	—	.20	.06	—	.07		30
31	.10	×	—	×	.48	×	—	.05	×	.03	×	—		31
TOTAL	2.62	2.87	3.01	1.05	1.59	2.19	2.00	1.83	3.90	2.48	1.41	.92	Year's Total 25.87	
*Days with ·01 in. or more.	15	13	14	7	11	14	11	8	12	20	12	6	143	
*Days with .04 in. or more.	15	10	13	6	9	10	11	8	11	15	10	5	123	

† Spare column, no entries required.

(*Signed*) A E Barchard

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Campfield Rough - Fairway, Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	–	–	–	–	.10	–	.15	.59	.22	–	.51		1
2	.07	–	.18	–	–	–	–	–	–	.40	–	.47		2
3	.09	.03	–	.34	–	–	–	–	–	.37	–	.31		3
4	.35	–	.12	–	.11	–	–	.12	–	.31	.18	.96		4
5	–	–	.04	–	.02	–	–	.05	–	–	.17	.49		5
6	.03	–	.34	–	.16	.21	–	.02	–	.35	.04	.61		6
7	.04	–	–	–	–	.02	–	–	–	.15	–	.24		7
8	–	.05	–	–	.15	–	–	.02	.01	–	1.39	–		8
9	–	–	.09	–	–	–	–	–	.01	–	.91	.22		9
10	–	.02	.20	.28	–	–	–	.13	–	.02	.77	.01		10
11	.90	–	.51	.07	–	–	.07	.25	–	–	–	.40		11
12	.09	–	.05	–	–	–	.16	.12	–	–	–	.12		12
13	.39	–	.32	.17	–	–	.05	.01	–	.02	.09	.02		13
14	.33	–	.35	–	–	–	–	–	–	–	.60	.60		14
15	.02	–	.05	–	.06	–	–	–	–	.06	.15	.43		15
16	.29	–	.33	.05	} .12	–	–	–	–	.07	–	.02		16
17	.18	–	.27	.09		–	–	–	–	.07	.02	.39		17
18	.23	–	.06	.63	–	–	.49	–	–	–	.06	.20		18
19	–	–	.33	–	–	–	–	–	.40	–	–	.20		19
20	–	–	.21	.01	–	–	.18	–	–	.03	–	.04		20
21	–	–	–	.19	–	.17	–	.05	–	.07	–	–		21
22	–	–	–	–	–	–	.11	.15	.44	–	–	.17		22
23	–	.04	–	.42	–	.70	–	–	–	.10	–	.10		23
24	–	.02	.02	–	–	.03	.59	.12	.18	–	.01	–		24
25	.14	–	–	.20	–	–	–	–	–	.04	–	.56		25
26	.05	–	–	.31	–	.14	–	–	–	–	–	.04		26
27	.07	–	–	.09	–	–	–	–	–	–	–	.39		27
28	–	.13	–	.11	–	.16	.01	.74	–	–	.02	.43		28
29	–	×	–	–	–	–	.02	.03	.15	–	–	–		29
30	–	×	–	–	–	–	–	.07	.02	–	–	.66		30
31	.02	×	–	×	–	×	–	–	×	.16	×	.16		31
TOTAL	3.31	.29	3.47	2.96	.62	1.53	1.68	2.03	1.80	2.44	4.41	8.69	Year's Total. 33.23 ✓	
* Days with .01 in. or more.	18	6	17	14	6	8	9	15	8	16	13	27	157 ✓	
* Days with .04 in. or more.	14	3	16	13	5	6	7	11	5	13	10	24	127	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) A. E. Barchard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Campfield Rough – Fairwarp – Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 10 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.03	.05	.05	.03	.10	.04	–	.81	.48	.28	–		1
2	.09	–	.06	.07	–	.04	–	–	.03	.15	.07	–		2
3	–	.04	.13	.05	–	–	–	–	.08	.80	.12	–		3
4	–	.08	–	.26	–	.24	–	–	.43	.50	–	.26		4
5	–	.59	.06	.11	–	.06	–	–	.57	.40	.02	.02		5
6	.06	.13	–	.26	–	.57	–	–	–	.04	.26	–		6
7	.04	.04	–	.35	–	.03	–	–	–	–	1.34	.12		7
8	–	–	.03	.40	–	–	–	.06	–	.34	.52	.07		8
9	.03	–	–	.27	–	.10	–	–	–	.97	.39	–		9
10	.07	–	.20	.01	–	.11	–	–	–	–	.27	.29		10
11	.11	.01	–	.11	–	.08	.34	–	–	.01	.42	–		11
12	–	.06	–	–	–	.34	–	.56	.07	–	1.05	–		12
13	.13	.26	–	.19	.05	.02	–	–	–	–	.32	.03		13
14	–	–	–	.03	.22	.16	–	–	–	.05	.06	.14		14
15	–	.32	–	.59	.02	–	–	–	.61	.01	.25	.10		15
16	–	.08	.02	.19	–	.07	–	–	.37	.03	1.47	.02		16
17	.07	–	.14	.09	–	.26	.02	–	–	–	.65	–		17
18	–	–	–	.42	–	.04	.16	.02	.64	.12	.03	–		18
19	–	.01	–	.09	.84	.07	.12	–	.24	.06	.16	.02		19
20	–	.74	–	.15	.05	.06	.17	–	.15	–	.18	–		20
21	.07	.40	–	–	–	–	–	–	.02	.14	.03	–		21
22	.01	.12	.02	.01	–	–	–	.41	.09	–	–	–		22
23	–	–	.05	–	–	–	–	.55	–	–	–	.15		23
24	.09	1.08	–	–	.27	–	–	1.25	.95	.02	–	.41		24
25	.19	.25	–	.22	.16	.22	–	–	–	–	.06	.56		25
26	.03	.24	–	–	–	–	~~.01~~ –	.13	.17	.03	.02	.36		26
27	–	.72	–	–	.19	–	.01	.07	.13	.04	.20	.38		27
28	.02	.11	–	–	.02	–	–	.02	.05	–	.04	.26		28
29	–	✕	–	–	–	–	–	.49	.61	.10	–	.50		29
30	.09	✕	–	.08	–	–	–	1.54	.12	.31	.80	.51		30
31	–	✕	–	✕	.05	✕	–	–	✕	–	✕	.56		31
TOTAL	1.36	5.31	.76	4.00	1.90	2.57	.86	5.10	6.14	4.60	9.01	4.76	Year's Total 46.37	
* Days with .01 in. or more.	16	20	10	22	11	18	7	11	19	20	25	19	198	
* Days with .04 in. or more.	12	17	7	19	8	16	5	9	17	15	21	15	161	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Barchard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Cansfield Rough – Fairway Uckfield
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 475 ft.

Acc

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.19	.02	.44	–	.31	.35	.13	–	–	.16	.11		1
2	–	.10	–	.01	–	.47	.12	.15	–	–	–	–		2
3	–	–	–	.54	–	–	.05	–	.07	–	.24	–		3
4	–	–	.14	–	–	.11	.01	–	.48	–	–	.06		4
5	.21	–	.03	–	–	–	–	.13	.34	.04	.24	–		5
6	.40	–	–	–	–	.05	.09	.08	.22	.02	1.26	–		6
7	.49	–	.08	–	–	.04	– ~~.17~~	–	–	–	.76	–		7
8	.40	–	.16	–	–	–	.17	–	–	–	.77	.43		8
9	.38	–	.04	–	–	–	.38	–	.06 ~~.15~~	.15	.03	–		9
10	.09	–	–	–	–	–	.11	.06	–	–	–	–		10
11	–	–	–	.07	–	–	.16	–	–	–	1.09	–		11
12	–	–	–	.05	–	.19	.53	–	.33	–	.42	.19		12
13	–	–	–	–	–	.04	.03	–	–	.01	–	.59		13
14	–	.09	–	–	–	.09	.91	–	–	.04	.27	.62		14
15	–	.09	–	–	–	–	–	–	–	–	.10	.47		15
16	.29	.08	–	–	.20	–	.04	–	–	–	.24	.19		16
17	.12	.72	–	–	–	.15	–	.04	–	.04	.27	.68		17
18	.13	.11	–	–	–	.05	.26	–	–	.03	.24	.13		18
19	.34	.06	–	–	–	.64	–	.10	–	.05	–	–		19
20	.29	.07	.05	.69	–	–	.04	–	.39	–	–	–		20
21	–	.04	–	.33	–	.45	.03	–	.02	–	–	–		21
22	.06	.41	.13	–	–	.17	.16	–	–	–	–	.07		22
23	.05	.18	.10	.14	.04	–	.36	–	–	.06	–	–		23
24	.04	.07	–	–	–	–	.32	–	.04	.22	–	–		24
25	.28	.02	.22	.17	.13	.02	.07	–	.56	.20	–	–		25
26	–	.17	.17	.16	–	.05	–	–	.07	.30	–	–		26
27	.40	–	.01	.05	–	–	–	–	.13	.23	–	–		27
28	.52	–	.14	–	–	} x .98	.24	–	.04	–	–	.10		28
29	.03	.08	.19	–	–	x	–	–	–	.10	.11	.03		29
30	.16	✕	–	–	–	.30	–	–	–	.19	–	–		30
31	.25	✕	.20	✕	.03	✕	.27	–	✕	.62	✕	.25		31
TOTAL	5.28	2.48	1.68	2.65	.40	4.11	4.70	.69	2.75	2.30	6.20	3.92	Year's Total 37.16	
* Days with .01 in. or more.	21	16	14	10	4	~~17~~ 18	22	7	13	16	15	14	~~171~~	170
* Days with .04 in. or more.	20	15	11	9	3	17	19	7	12	13	14	13	153	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. L. Barchard [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Campfield Rough Fairwarp Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.86	.02	.02	.10	–	–	–	–	–	–	.77	.40		1
2	.02	.57	–	.40	–	–	–	–	.02	–	–	.68		2
3	–	.17	–	–	–	–	–	–	–	.03	–	.45		3
4	.18	1.11	–	–	–	–	–	–	–	–	–	.34		4
5	.40	.07	.34	–	–	–	–	–	–	.19	–	–		5
6	.32	.02	.80	–	.32	–	.30	–	–	.03	.03	–		6
7	–	1.03	–	.12	.02	–	–	–	.03	.02	–	.03		7
8	–	–	.18	–	.06	.07	–	–	–	–	.11	.68		8
9	–	–	–	.46	.13	–	.21	–	.40	–	–	.06		9
10	–	–	.57	.25	–	.44	–	–	–	–	–	.57		10
11	–	–	.49	–	.10	.03	.03	–	–	–	–	.21		11
12	.60	.25	.21	.04	.32	.35	–	.59	.26	–	–	.22		12
13	.23	.08	.56	5 ab .09	–	.21	–	–	.18	–	–	.49		13
14	.05	.05	.06	.10	.12	–	–	.57	.29	–	–	.01		14
15	.19	.14	–	.35	–	–	.23	–	.21	–	–	–		15
16	–	.06	.29	.42	–	.06	–	.72	.39	–	–	.03		16
17	.37	–	.06	.14	–	–	–	–	.27	–	.09	–		17
18	.45	.12	–	.04	1.07	.60	–	–	.11	–	.19	.10		18
19	.40	.25	.06	.29	.01	.10	–	–	–	–	.02	–		19
20	.41	.02	.15	.27	.71	.17	–	–	.03	–	–	–		20
21	.54	.53	.14	.13	.02	–	–	.10	.01	–	–	.02		21
22	.59	.03	.03	–	.09	–	.13	–	–	.78	.29	.32		22
23	.21	.02	.01	–	–	–	.19	–	–	.30	.03	–		23
24	.93	.25	–	–	.03	–	–	–	.05	.26	–	–		24
25	.12	.63	.34	–	–	–	–	–	.16	.48	–	–		25
26	–	.36	.03	–	.06	–	–	–	–	.18	–	–		26
27	–	.12	–	.26	–	–	–	–	–	.15	–	–		27
28	.15	.10	–	–	–	–	–	–	–	.02	–	.05		28
29	.05	×	–	–	–	.02	–	.66	–	.13	.12	.05		29
30	.28	▨	–	–	–	.02	–	.09	–	.16	.22	–		30
31	.18	▨	–	▨	–	▨	– ~~1.09~~ ab	–	▨	.31	▨	.03		31
TOTAL	7.23	6.00	4.34	3.42	3.06	2.07	1.09	2.73	2.41	3.04	1.87	4.74	Year's Total 42.00	✓ ✓
* Days with .01 in. or more.	22	23	18	16	14	11	6	6	14	14	10	19	173	✓ ✓
* Days with .04 in. or more.	21	19	14	16	10	8	5	6	10	10	7	14	140	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. L. Barchard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Campfield Rough, Fairway, Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.07	–	–	.28	.42	.04	–	.23	.11	.04	.13		1
2	.07	–	–	.03	.09	.03	.66	–	–	.25	–	.63		2
3	–	–	–	–	.04	–	.04	–	–	.53	.08	–		3
4	.02	–	–	–	–	–	.41	.08	–	.14	–	.13		4
5	–	–	–	–	–	–	.27	–	.02	.37	.06	–		5
6	.10	–	–	–	–	–	.16	–	.23	–	–	–		6
7	.22	–	–	–	–	–	.07	.32	–	.29	.01	.10		7
8	.15	.02	–	–	–	–	.15	–	–	.26	.04	.10		8
9	–	.01	–	–	–	–	.01	.02	–	.15	–	.41		9
10	.10	.10	–	–	–	.14	–	.21	–	–	–	.18		10
11	.29	.03	–	–	–	–	–	–	–	.02	.11	.28		11
12	.36	–	–	–	–	–	.03	.37	–	.07	.03	.01		12
13	.41	.12	–	–	–	–	–	–	–	.23	.12	.14		13
14	.28	.08	–	–	.53	–	–	–	.04	–	–	.02		14
15	.05	.25	–	–	–	–	.11	–	–	.37	.03	.18		15
16	.48	.04	.02	–	.10	–	.04	.08	–	.11	.03	.29		16
17	–	.14	.02	–	.17	–	–	–	–	.57	.09	–		17
18	.09	–	.01	–	–	–	.02	–	.15	.10	.38	–		18
19	–	–	–	–	–	–	–	.10	.20	–	.28	–		19
20	–	–	–	–	.22	–	–	–	.08	–	.20	.15		20
21	.09	–	–	–	–	–	–	.11	.17	–	–	.10		21
22	.02	–	–	.01	–	.04	–	.09	–	–	.37	–		22
23	–	–	–	.01	–	–	–	–	–	–	.04	.16		23
24	–	–	.24	–	–	–	–	–	.30	–	.32	.15		24
25	.11	–	.35	.07	.07	–	.05	.02	.06	.02	.38	–		25
26	.58	.13	.05	–	–	–	–	.16	.49	.37	–	.53		26
27	.17	.09	–	–	.45	.29	.40	–	.63	.02	.26	–		27
28	.08	.07	–	–	.29	.09	–	.29	.20	–	–	.01		28
29	.35	✕	–	.02	.33	–	–	–	.02	–	.15	.23		29
30	.17	✕	–	.43	.16	.03	–	–	.12	.06	.22	–		30
31	.25	✕	–	✕	.16	✕	–	–	✕	.20	✕	.31		31
TOTAL	4.49	1.15	.69	.57	2.89	1.04	2.46	1.85	2.94	4.24	3.24	3.64	Year's Total 29.20	✓
* Days with .01 in. or more.	23	13	6	6	13	7	15	12	15	20	21	21	172	✓
* Days with .04 in. or more.	21	10	3	2	13	5	12	10	13	17	17	17	140	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Barchard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Campfield Rough - Fairway - Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 475 ft.

T Stiles

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	–	.05	.14	.30	–	–	–	.12	–	–	.07		1
2	.05	–	–	.03	.04	–	.02	.74	.06	.02	–	–		2
3	.36	–	–	.47	–	–	–	.34	–	–	.34	.38		3
4	.13	–	.37	.14	–	–	.06	.53	–	.59	.07	–		4
5	–	–	.03	.24	.05	–	.35	.19	–	.12	.43	.03		5
6	.37	–	.06	–	–	–	.17	.24	–	–	arb 3 .49	–		6
7	.07	.06	–	–	–	–	.06	.08	–	.03	.11	.15		7
8	.11	.08	.12	–	–	–	.02	–	–	.52	.30	.52		8
9	.01	.04	–	–	–	–	–	.14	–	.36	.61	.25		9
10	.15	–	–	–	.01	.28	–	.31	.10	.37	.10	–		10
11	–	.02	.26	–	–	.04	–	–	–	1.55	–	–		11
12	–	.12	–	–	.03	–	–	–	.01	.01	–	.04		12
13	.02	–	.04	.02	–	.03	.02	–	–	1.34	.02	.09		13
14	.52	–	.02	.02	–	.04	.05	–	.02	.34	.50	.10		14
15	.58	–	–	–	.82	.13	.14	–	.06	.57	.49	–		15
16	.25	–	.13	.12	.40	.27	.17	–	.07	–	.38	–		16
17	.23	.15	.04	–	.07	–	.06	–	–	–	.10	–		17
18	.32	–	.02	–	–	.13	.13	–	–	.07	.49	–		18
19	.36	–	–	–	–	–	.43	–	–	.65	–	–		19
20	.37	–	–	–	–	.13	.19	–	.04	–	–	–		20
21	.13	–	.15	–	–	–	.47	–	.05	.02	–	–		21
22	.21	.16	.10	.05	–	.31	.05	–	–	–	.07	–		22
23	.01	–	–	.22	–	–	.27	–	–	.07	.92	–		23
24	.11	.11	–	.09	–	–	.23	–	–	.10	–	–		24
25	.77	.22	.13	.30	–	.35	.71	.37	–	–	.85	–		25
26	.05	–	.02	.02	–	–	–	–	.01	.12	.39	.02		26
27	.04	.11	.09	.19	–	.05	–	–	–	.10	.38	–		27
28	–	.40	.05	–	–	.02	–	–	–	.10	.13	.15		28
29	–	×	–	.43	–	.01	–	–	–	–	.66	–		29
30	–	×	–	.79	–	–	–	–	–	.04	.10	–		30
31	–	×	–	×	–	×	.07	.21	×	.04	×	–		31
TOTAL	5.26	1.47	1.68	3.27	1.72	1.79	3.67	3.15	.54	7.13	7.23	1.80	Year's Total 38.71	
* Days with .01 in. or more.	24	11	17	16	8	13	20	10	10	22	22	11	184	
* Days with .04 in. or more.	21	10	12	12	6	10	17	10	7	18	21	9	153	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. E. Barchard

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 515

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Campfield Rough - Fairway - Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 10 in.

,, Ground ,, Sea Level 475 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read **the** Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	.01	–	–	–	–	–	–	.09	–		1
2	–	.06	–	.09	–	–	–	–	–	.17	.64	.02		2
3	–	.30	–	.11	–	–	–	–	–	.14	1.42	.14		3
4	–	.05	–	.02	–	–	–	–	–	.40	.15	.12		4
5	–	.06	–	–	–	–	.04	–	–	.02	.69	.20		5
6	.26	.17	–	–	–	–	.33	–	–	.54	.02	–		6
7	.24	.21	–	–	–	–	.14	–	–	–	–	–		7
8	–	–	–	–	–	–	–	–	.06	.48	–	.36		8
9	–	–	–	–	–	–	–	–	–	.15	.48	.29		9
10	–	–	–	–	–	–	.50	–	–	.35	.05	–		10
11	–	–	–	.04	–	–	.10	.02	–	–	1.07	–		11
12	–	.05	.33	.01	–	–	.38	–	–	–	.07	–		12
13	–	.07	.71	–	–	–	–	–	.39	–	1.15	–		13
14	–	–	.42	.04	–	–	–	–	–	.07	–	.47		14
15	–	–	–	–	.30	–	.84	–	–	.14	.41	.02		15
16	.05	.21	.26	.03	–	.08	.13	–	.21	.56	.80	–		16
17	–	–	.36	–	–	–	–	–	–	–	.15	–		17
18	–	.30	.23	.30	–	–	.27	–	.10	.27	.11	.20		18
19	–	.09	.02	.01	–	–	.09	–	.72	–	.23	.12		19
20	–	.02	.07	.04	–	–	–	–	.07	.15	.05	–		20
21	.08	–	.02	–	.51	–	.14	–	–	–	.28	–		21
22	.05	–	.04	–	.22	.08	–	–	.17	–	–	.04		22
23	–	.30	.08	.29	–	–	.01	–	–	–	.05	–		23
24	–	–	–	.34	–	–	.20	–	–	.03	–	–		24
25	–	–	.60	–	–	–	.10	–	–	.04	–	–		25
26	.86	.25	.22	–	.31	.03	.04	–	–	.07	.02	–		26
27	.27	.36	–	.19	–	–	.38	–	–	–	–	–		27
28	.36	.05	–	.04	.16	–	–	–	–	–	–	–		28
29	.25	.20	.13	–	.10	–	–	–	–	–	–	.33		29
30	.09	✕	–	.24	–	–	–	–	–	.26	–	.03		30
31	–	✕	–	✕	–	✕	–	–	✕	.60	✕	.11		31
TOTAL	2.51	2.75	3.49	1.80	1.60	.19	3.69	.02	1.72	4.44	7.93	2.45	Year's Total 32.59	
* Days with .01 in. or more.	10	17	14	15	6	3	16	1	7	18	20	14	141	
* Days with .04 in. or more.	10	16	12	11	6	2	15	–	7	16	18	11	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. E. Barchard

[P.T.O.

Copy from Origin

516

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGISTER

516

UCKFIELD

OLDLANDS HALL

1931 - 1940

780111

Kept at Oldlands Hall, Uck

in the County of Sussex

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground 3

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule

year in the space on the right of this paragra

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11	·10	·10		·07		·03	·05				1
2	·17	·05		·26	·12				·85				2
3	·12		18	·10	·54			·14	·26	·02	·03	25	3
4							·03	·29	·35	·04	·14	·02	4
5		·02		·36		·85	·11	·10	·04		·02	·21	5
6	·02	·12		·09		·08		·03		·28	·60	·15	6
7		·04			·06	·16		·20	·02	·06	·33		7
8	·02	·18				·22		·11			·03	·20	8
9		·19		·02		·03					·84		9
10	·01	·18		·01		·20	·05	·17			·50		10
11	·17	45						·01	·02		·28		11
12	·22				·02		·02		·32		·02		12
13	·16				·16			·09		·01			13
14	·01					·12	·60	·55					14
15	·01	·17	·01	·10	·10		·23	·10			·02	·03	15
16	·01	·10		·21	·35	·02		·16					16
17	·05	·04		·35			·50		·06	·01			17
18	·02	·24	·06	·41		·18	·20	·85			·65		18
19	·13	·01		·73		·01	·43	·14	·10	·01			19
20		·15		·24			·17	·35	·11				20
21		·02	·01		·57				·02		·04		21
22	·26		·40	·05					·05				22
23	·53	·08			·16	19			·01		·28		23
24		·01	·02	67	·01	·04	·12	·50					24
25	·04			·43			·40				·01	·02	25
26		·11		·23			·39				·43		26
27	·33	·39		·04	·19		·07			·03	·03		27
28	·15	·12		·04						·23			28
29	·16	·02		·07	·24		·15				·02		29
30	·09	×			·02								30
31	·51	×		×	·01	×	·02		×		×		31
TOTAL	9 3·1~~0~~	2·80	·78	4·51	5 2·~~2~~5	2·17	3·49	2 3·8~~1~~	2·26	·69	4·27	·88	YEAR'S TOTAL 31·41
*Days with ·01 in. or more.	22	22	7	20	14	13	16	17	14	9	18	7	179
*Days with ·04 in. or more.	15	17	4	18	10	10	18	14	10	4	10	4	12[illegible]

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sir B. Eckstein, Bart.

P.T.O.

Copy from origin

516

Section **A** for the entry of Daily … FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Oldlands Hall, Uckfield

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 3 ft 0 in.

,, Ground ,, Sea Level 400 ft.

? Feb 29th

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11	10	·10		·07		·03	05				1
2	·17	·05		·26	·12				·85				2
3	·12		18	·10	·54			·14	·26	·02	·03	·25	3
4							·03	·29	·35	·04	·14	·02	4
5		·02		·36		·85	·11	·10	·04		·02	·21	5
6	·02	·12		·09		·08		·03		·28	·60	·15	6
7		·04			·06	·16		·20	·02	·06	·33		7
8	·02	·18				·22		·11			·03	·20	8
9		·19		·02		·03					·84		9
10	·01	·18		·01		·20	·05	·17			·50		10
11	·17	·45						·01	·02		·28		11
12	·22				·02		·02		·32		·02		12
13	·16				·16			·09		·01			13
14	·01					·12	·60	·55					14
15	·01	·17	·01	·10	·10		·23	·10			·02	·03	15
16	·01	·10		·21	·35	·02		·16					16
17	·05	·04		·35			·50		·06	·01			17
18	·02	·24	·06	·41		·18	·20	·85			·65		18
19	·13	·01		·73		·01	·43	·14	·10	·01			19
20		·15		·24			·17	·35	·11				20
21		·02	·01		·57				·02		·04		21
22	·26		·40	·05					·05				22
23	·53	·08			·16	·19			·01		·28		23
24		·01	·02	·67	·01	·04	·12	·50					24
25	·04			·43			·40				·01	·02	25
26		·11		·23			·39				·43		26
27	·33	·39		·04	·19		·07			·03	·03		27
28	·15	·12		·04						·23			28
29	·16	·02		·07	·24		·15				·02		29
30	·09	×			·02								30
31	·51	×		×	·01	×	·02		×		×		31
TOTAL	3·1~~0~~ 9	2·80	·78	4·51	2·~~2~~5 5	2·17	3·49	3·8~~1~~ 2	2·26	·69	4·27	·88	YEAR'S TOTAL 31·41
*Days with ·01 in. or more.	22	22	7	20	14	13	16	17	14	9	18	7	179
*Days with ·04 in. or more.	15	17	4	18	10	10	18	14	10	4	10	4	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Sir B. Eckstein, Bart

P.T.O.

516

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Uckfield (Oldlands Hall)

in the County of Sussex

Copied from Met. Diagram Register.

Diameter of Funnel of Gauge 8 in. (R)

Height of top of Gauge above Ground 3 ft. 0 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	··	·02		·14	·60					·02	·10	·02	1
2	·05			·20	·06				·04		·01	·37	2
3	-			·05	·20	·26		·02	·50	·02			3
4	·03					·20	·37				·01		4
5	·20		·02		·03			·01	·12			·01	5
6	·70			·15			·40		·13	·01			6
7	·04		·06	·03						·04		·02	7
8	-	·07 (s)	·27	·05	·22				·18	·80			8
9	·24	·03 (s)		·24 (s)	·37					·05			9
10	·75	·08 (s)	·01	·48	·10				·03	·35			10
11	·17	·12 (s)		·17	·01				·05	·02	·02		11
12	·35	·17						·02	·03	·27	·01	·01	12
13	·10	·01		·11	·05					·56		·02	13
14	·21			·12	·11					·12			14
15	·07			·10	·15					·10			15
16	·12			·33	·05		·02					·02	16
17	·01			·15			·01			·05			17
18	·03				·04				·05		·06		18
19	·01				·02		·04		·03	·29	·02		19
20				·04	·07		·06	·04		·66	·24	·08	20
21	·01		·01		·48		·54			·42	·01	~~·12~~	21
22	·05	·02	·39	·15	·14				·12	·45	·57	·12	22
23		·10	·10	·10	·05		·75		·20	·97		~~·00~~	23
24		·03					·64		·35	·07	·02	·01	24
25							·47		·25	·75	·06		25
26				·05			·20	1·04			·09	·05	26
27			·30	·17	·19		·25		·04	·55	·07	·01	27
28				·03	·15					·25	·01	·02	28
29			·50		·06	1.00	·07	·40	·25	·50		·08	29
30		X	·10	·02		·02	·15	·06	·07		·36	·07	30
31		X	·05	X		X			X	·02	X	·10	31
TOTAL	3·14	·65	1·81	2·88	3·34	1·48	3·97	1·59	2·44	7·34	1·66	1·01	YEAR'S TOTAL 31·31
*Days with ·01 in. or more.	18	10	11	21	21	4	14	7	17	24	16	16	179
*Days with ·04 in. or more.	13	5	8	18	18	3	12	4	14	19	8	7	129

40-9999

(Signed) Sir Bernard Eckstein (Bart)

*See Instruction 2 (*f*) on other side.

P.T.O.

Copy from original register.

516

Section A for the entry of Daily Observations. **COPY FOR OFFICIAL USE.** **Station No.** ~~516~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Oldlands Hall

in the County of Sussex

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft ..... in

,, Ground ,, Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·65	·23	·01					·03		·08			1
2	·33		·75		·03									2
3		·16	·28											3
4	·15	·04			·05					·01	·01			4
5	·30		·28		·27									5
6	·02	·25	·07		·55					·03	·07			6
7	·45	·06	·06		·08		·50			·48				7
8	·07						·15			·12		·03		8
9					·02	·02	·16			·05	·22			9
10		·44				·03		·04		·22	·01			10
11	·15					·25	·10			·03				11
12				·05	·01	·02	·47	·20	·02	·15				12
13	·03				·06		·05		·43	·30	·15			13
14							·15	·68	·35	·34	·33			14
15	·50		·83			·35	·03			·04	·02			15
16	·03		·25			·04				·02				16
17			·09			·12		·05			·04			17
18	·10		·03			·22		·15	·23					18
19		·03	·07	·02		·43	·14				·01			19
20				·10					·40		·02			20
21		·03				·42		·35	·36					21
22		·08				·03		·40	·20	·32	·01	·01		22
23				·14		·04								23
24		·30		·25				·45	·55		·01			24
25		·17		·37		·05			·80		·15	·09		25
26		·65		·10	·05				·12	·05	·12	·10		26
27				·01	·01		·30		·38	·25		·22		27
28		·02	·12	·01	·08		·27		·01	·30	·01	·35		28
29	·07				·69		·04			·05				29
30	·06	×							·20	·05		·07		30
31	·06	×		×		×			×	·02	×			31
													Year's Total	
TOTAL	2·32	2·88	3·06	1·06	1·90	2·02	2·36	2·32	4·08	2·83	1·26	·87	26·96	
*Days with ·01 in. or more.	14	13	12	10	12	13	12	8	14	19	16	7	150	
*Days with ·04 in. or more.	11	10	11	6	8	9	11	8	11	14	8	5	112	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) .....

P.T.O.

Copy from original Register.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Oldlands Hall

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·05			·09		·18		·22				1
2	·04		·17						·75	·47		·47		2
3	·07	·04		·30				·02	·03	·37		·44		3
4	·33		·10	·05	·02					·31	·02	·28		4
5			·02		·10			·05			·20	1·00		5
6			·40		·20	·30		·12		·35	·05	·48		6
7	·04					·02		·03		·15	·04	·65		7
8		·05		·02	·15			·01				·20		8
9	·02		·09						·02		·65			9
10			·22	·32			·07	·12		·01	·80	·26		10
11	1·00	·01	·55	·10			·22	·34			·75			11
12	·16		·08				·05	·14				·38		12
13	·47		·25	·15								·10		13
14	·40		·40	·25						·04	·10	·01		14
15			·07		·01			·02		·04	·65	·60		15
16	·30		·40	·05	·17					·08	·17	·50		16
17	·16		·28	·06			·60			·05				17
18	·20		·02	·64								·45		18
19			·40	·03		·02	·20		·43	·02	·03	·21		19
20			·25				·02				·02	·26		20
21				·20		·15	·06	·04		·08		·03		21
22		·01						·15	·45					22
23			·01	·43		·78	·77			·15		·85		23
24		·01				·22		·02	·17			·08		24
25	·10	·01	·01	·17						·03				25
26	·05			·36		·15	·01		·05			·62		26
27	·04			·07								·03		27
28		·05		·20		·20	·02	·85		·01		·38		28
29								·12	·17			·50		29
30	·16	×						·06	·01		·01			30
31		×		×		×			×	·20	×	·60		31
													Year's Total	
TOTAL	3·54	·18	3·77	3·40	·65	1·93	2·02	2·27	2·08	2·58	3·49	9·38	35·29	
*Days with ·01 in. or more.	16	7	19	17	6	9	10	16	9	17	13	24	163	
*Days with .04 in. or more.	15	3	15	15	4	7	7	11	6	13	9	21	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Sir Bernard Eckstein, Bt.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Oldlands Hall, Uckfield

in the County of Sussex.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Compare with surrounding stations

W.D.?

Days Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: -

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							-	-	·87	·17	·23	-		1
2	·27			-	·05	-	·06	-	·06	·57	·15	-		2
3	·27	·02	·05	·12	-	·15	-	-	·08	·78	·12	·25		3
4	-	·01	·12	·05	-	·04	-	-	·50	·60	·02	-		4
5	-	·07	-	·33	-	-	-	-	·60	·46	·25	-		5
6	·02	·60	·02	·15	-	30	-	-	-	·06	1·47	·10		6
7	-	·13	-	·28	-	·08	-	-	-	-	·45	·08		7
8	·04	·06	-	·35	-	·45	-	·07	-	·37	1·35	-		8
9	·06	-	-	·36	-	·10	-	-	-	·95	35 ·35	·25		9
10	-	-	·02	·30	-	-	-	-	-	-	·53	-		10
11	·01	-	·06	-	-	·15	·30	-	-	·06	1·05	-		11
12	·08	-	·17	·16	-	·12	·05	·65	·05	-	·35	·03		12
13	·16	·05	-	-	-	·16	-	-	-	·02	-	·12		13
14	·02	·25	-	·22	-	·36	-	-	-	·04	·32	·08		14
15	·10	-	-	·02	·28	·01	-	-	·68	-	·52	-		15
16	-	·35	-	·65	-	·15	-	-	·42	·04	1·30	-		16
17	-	·07	-	·18	·02	·05	·07	-	·02	-	·02	·02		17
18	·08	-	·17	·08	-	·05	·16	·02	·65	·10	·12	-		18
19	-	-	-	·37	02	·45	·07	-	·20	-	·15	-		19
20	-	-	-	·12	·86	·04	·15	-	·08	-	-	-		20
21	-	·70	-	·16	·05	·07	-	-	·02	·12	-	-		21
22	-	·45	-	-	-	·05	-	·50	·10	-	-	·15		22
23	·06	·12	·02	-	-	-	-	·42	-	-	-	·45		23
24	-	-	·03	-	-	-	-	·60	·98	·01	·06	·40		24
25	-	·18	-	-	·33	-	-	-	-	-	-	·32		25
26	·45	·30	-	·25	·20	-	-	·14	·15	·05	·20	·35		26
27	·22	·20	-	-	-	·25	-	·05	·15	-	·05	·26		27
28	·01	·58	-	-	·02	-	-	·03	·05	·04	-	·48		28
29	-	·11	-	-	·17	-	-	·38	·55	-	1·05	·44		29
30	-	X	-	-	-	-	-	·74	·02	·10	-	·72		30
31	-	X	·01	·05 X	·05	X	-	·10	·12 X	·30	X	~~·40~~		31
TOTAL	1·78	4·25	·66	4·19	2·05	3·02	·85	3·70	6·34	4·83	10 11 ~~11·01~~	4·50	Year's Total. 47·18	
* Days with .01 in. or more.	15	18	10	19	11	19	7	12	21	19	22	17	190	
* Days with .04 in. or more.	11	16	5	18	8	18	7	10	18	17	20	15	163	

40-9999 Copied from observers notebook (since returned)

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Sir Bernard Eckstein.

[P.T.O.

Copy by B.R.O. **COPY FOR OFFICIAL USE**

Section A **for the entry of Daily Observations** **Station No.** 516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Oldlands Hall

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Corrected for part W.D.

Copied from notebook sent by observer.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·20	·07	·19		·04	·65	·10			·20	·08		1
2		·10	·05	·50		·27	·12	·15						2
3	·02					·35	·02		·03		·27			3
4	·02			·40		·04	·01		·50			·06		4
5	·15		·15			·12		·07	·87		·20	·05		5
6	·33		·03	·02			·06	·08	·75	·10	·40			6
7	·60					·04					·60			7
8	·35		·09				·10				·75	·40		8
9	·43		·15				·35		·05	·05	·06			9
10	·06						·10	·05			·01			10
11							·26				·02			11
12				·10			·50		·45		·40	·20		12
13				·10		·15	·02			·02		·48		13
14		·10				·06	1·00			·02	·34	·60		14
15		·08				·05					·06	·42		15
16	·12	·07			·16		·03				·25	·16		16
17	·25	·60						·03		·05	·25	·70		17
18	·16	·12				·15	·50	·03	·02	·04	·20	·09		18
19	·34	·05			·12	·06		·08		·04	·02			19
20	·33	·05	·01			·98	·04		·42					20
21		·03		·66			·02		·03					21
22	·08	·55		·35		·55	·12					·05		22
23	·05	·15	·12		·05	·12	·40			·05				23
24	·04	·05	·14	·10			·06		·04	·24				24
25	·27						·45		·46	·10				25
26		·12	·17	·15	·10	·01			·12	·35				26
27	·40		·20	·12		·04			·12	·25				27
28	·62			·06			·30		·05		·02	·06		28
29	·05	·07	·25			·65				·07		·02		29
30	·10	✕	·05			·22				·15				30
31	·25	✕	·19	✕	·01	✕	·40		✕	·62	✕	·16		31
TOTAL	5·02	2·34 ~~2·27~~	1·60 ~~1·48~~	2·55 ~~2·74~~	·54 ·48 ~~·44~~	3·86 ~~3·90~~	5·50	·59	3·90	2·15	4·05	3·53	Year's Total 35·57	
* Days with .01 in. or more.	22	15 ~~14~~	13	11 ~~12~~	6 ~~5~~	17 ~~18~~	22	8	14	15	17	15	175	
* Days with .04 in. or more.	20	14 ~~13~~	11	10 ~~4~~	5 ~~4~~	16 ~~17~~	17	6	11	13	13	14	150	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Sir B. Eckstein Bart.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Gardens, Oldlands Hall

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

W.D

~~Copied~~ by B. R. O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·15	–	–	–	–	–	–	·20	–	–	–		1
2	·16	·02	–	–	–	–	–	–	–	–	·34	·40		2
3	·90	·40	–	·10	–	–	–	–	–	·01	·80	–		3
4	·02	·15	–	·37	–	–	–	–	–	–	–	·20		4
5	·70	1·10	–	–	–	–	–	–	–	–	–	·35		5
6	·40	·12	·14	–	–	–	–	–	–	·25	–	–		6
7	·35	·15	·30	–	–	–	·30	–	·20	–	–	–		7
8	–	1·20	·35	–	·35	–	·02	–	·02	·02	–	·03		8
9	–	–	–	·10	–	–	–	–	–	–	·10	·75		9
10	–	–	·10	–	·05	·05	–	–	·40	–	–	·03		10
11	–	–	·55	·55	·10	–	·20	–	–	–	–	·40		11
12	–	–	·50	·25	·10	·27	–	–	–	–	–	·15		12
13	·55	·20	·20	–	·05	–	·04	–	·18	–	–	·10		13
14	·25	·05	·50	·04	·26	·42	–	·55	·12	–	–	·50		14
15	·02	·04	·04	·05	–	·22	–	–	·20	–	–	–		15
16	·20	·10	–	·05	·12	–	–	·43	·25	–	–	–		16
17	–	·03	·35	·35	–	–	·25	–	·20	–	–	–		17
18	·47	–	·07	·40	–	·05	–	·75	·35	·01	·09	–		18
19	·55	·12	–	·08	–	–	–	–	·10	–	·15	·15		19
20	·12	·14	·05	·01	·70	·65	–	–	·15	–	·02	·07		20
21	·43	–	·25	·27	–	·05	–	–	·05	·01	–	·01		21
22	·55	·55	·01	·20	·75	·15	–	–	–	·02	–	·05		22
23	·50	–	·04	·10	·03	–	·01	·04	–	·75	·23	·05		23
24	·15	–	–	–	·10	–	·03	–	–	·35	·04	–		24
25	·95	·20	–	–	–	–	·25	–	·04	·30	–	–		25
26	·10	·60	·35	–	–	–	–	–	·12	·52	–	–		26
27	–	·32	·01	–	·90	–	–	–	–	·27	–	–		27
28	–	·10	–	–	–	–	–	–	·04	·15	·03	–		28
29	–	·09	–	·27	–	–	–	–	–	–	–	–		29
30	·03	✕	–	–	–	·02	–	–	–	·15	·12	·02		30
31	·40	✕	–	✕	–	✕	–	·51	✕	·15	·20 ✕	–		31
TOTAL	·15 5·19 7·20	5·68 ~~5·83~~	3·81	3·19	3·51	1·88	1·10	·50 ·20 2·78 ·98	2·42 ~~2·62~~	·34 2·96 3·30	2·22 1·78	3·26	Year's Total 4 40·26 5	✓
* Days with .01 in. or more.	21	2x0	17	16	12	9	8	67	165	145	1x0	16	1676	✓
* Days with .04 in. or more.	18	198	15	15	11	8	5	67	154	910	98	12	1421	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 516

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Oldlands Hall

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copied from Rainfall Register

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·04	-	-	·15	·40	·05	-	-	·10	·05	·12		1
2	·03	-	-	-	·06	-	·85	-	·28	·06	-	·02		2
3	·04	-	-	-	·05	-	·05	-	-	·48	·05	-		3
4	-	-	-	-	-	-	·54	·07	-	·80	-	·15		4
5	-	-	-	-	-	-	·35	·01	-	·16	-	·02		5
6	·08	-	-	-	-	-	·10	-	-	·45	·05	-		6
7	-	-	-	-	-	-	·05	·35	·35	-	·01	·10		7
8	·23	·02	-	-	-	-	·12	-	-	·25	·05	·07		8
9	·15	-	-	-	-	-	-	-	-	·27	-	·55		9
10	·10	·10	-	-	-	·14	·01	·30	-	·10	·10	·20		10
11	·30	-	-	-	-	-	-	-	-	-	·09	·33		11
12	·35	-	-	-	-	-	·01	·40	-	·03	·02	-		12
13	·50	·03	-	-	-	-	-	-	-	·05	·14	·10		13
14	·30	·10	-	-	-	-	-	-	-	·35	·01	-		14
15	·05	·06	-	-	-	-	·10	-	·04	-	·04	·50		15
16	·40	·10	-	-	-	-	·05	·08	-	·45	·01	·38		16
17	-	·14	·02	-	·07	-	-	-	-	·05	·10	-		17
18	·05	-	·01	-	·12	-	·01	-	·02	·55	·45	-		18
19	-	-	·02	-	-	-	-	·05	·10	·09	·28	-		19
20	-	-	-	-	·08	-	-	-	·20	-	·20	-		20
21	·08	-	-	-	-	-	-	·10	·10	-	-	-		21
22	·01	-	-	-	-	·05	-	·08	·15	-	·35	·03		22
23	-	-	-	-	-	-	-	-	-	-	·03	-		23
24	-	·02	-	-	·08	-	-	-	-	·01	·35	-		24
25	·10	-	·17	·05	·08	-	·04	-	·25	-	·50	-		25
26	·65	·12	·45	-	-	-	-	·21	·06	·01	·01	·45		26
27	·17	·05	·06	-	·35	·25	·35	-	·45	·40	·25	·05		27
28	·05	·05	-	-	·40	·08	-	·33	·70	·03	-	-		28
29	·35	-	-	·02	·35	-	-	-	·09	-	·06	·20		29
30	·10	☒	-	·44	·12	·03	-	-	·14	·06	·25	-		30
31	·25	☒	-	☒	·10	☒	-	-	☒	·25	☒	·27		31
TOTAL	4·36	·83	·73	·51	2·01	·95	2·68	1·98	2·93	4·90	3·45	3·54	Year's Total 28·87	✓
* Days with .01 in. or more.	23	12	6	3	13	6	15	11	14	22	24	17	166	✓
* Days with .04 in. or more.	20	9	3	2	13	5	12	10	13	18	18	14	137	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 516.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Oldlands Hall Uckfield

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·	·05	·12	·35	·	·02	·	·25	·03	·	·08		1
2	·02	·	·	·02	·02	·	·	1·05	·07	·	·	·		2
3	·02	·	·	·45	·	·	·	·45	·	·55	·35	·45		3
4	·33	·	·50	·25	·	·	·09	·35	·	·15	·	·		4
5	·17	·01	·02	·20	·05	·	·35	·30	·	·	·70	·02		5
6	·	·	·06	·	·	·	·12	·12	·	·04	·40	·		6
7	·45	·05	·	·	·	·	·04	·14	·	·45	·15	·10		7
8	·06	·10	·15	·	·	·	·02	·	·	·50	·25	·60		8
9	·01	·04	·01	·	·	·	·	·08	·	·30	·80	·22		9
10	·15	·	·	·	·	·34	·	·35	·10	·50	·05	·		10
11	·	·01	·25	·	·	·02	·	·	·	·	·	·		11
12	·	·12	·	·	·05	·10	·	·	·	·55	·	·02		12
13	·02	·	·02	·	·	·04	·	·	·	·40	·	·10		13
14	·50	·01	·	·04	·	·03	·06	·	·	·	·50	·12		14
15	·67	·	·	·	·20	·10	·05	·	·02	·70	·40	·		15
16	·27	·	·15	·12	·45	·25	·16	·	·	·	·55	·		16
17	·20	·15	·03	·	·40	·	·10	·	·	·	·10	·		17
18	·35	·	·	·	·30	·10	·10	·	·	·03	·50	·		18
19	·60	·	·	·	·	·	·40	·	·	·84	·	·		19
20	·40	·	·	·	·	·09	·30	·	·	·	·	·02		20
21	·15	·	·15	·	·	·04	·45	·	·05	·02	·	·		21
22	·23	·23	·10	·04	·	·37	·04	·	·02	·	·05	·		22
23	·02	·	·	·15	·	·	·25	·	·	·07	1·00	·02		23
24	·12	·12	·	·12	·	·	·20	·	·	·10	·02	·		24
25	·55	·27	·12	·30	·	·	·80	·28	·	·	·09	·		25
26	·04	·	·	·03	·	·30	·	·	·	·12	·38	·03		26
27	·05	·20	·10	·20	·	·03	·	·	·	·15	·43	·		27
28	·	·50	·05	·	·	·10	·	·	·	·12	·12	·		28
29	·		·	·50	·	·	·	·	·	·02	·02	·		29
30	·	✕	·	·80	·	·	·	·10	·	·	·15	·05		30
31	·	✕	·	✕	·	✕	·08	·10	✕	·02	✕	·		31
TOTAL	~~5·65~~ 5·38	1·81	1·76	3·34	1·82	1·91	3·62	~~3·22~~ 3·32	·51	5·66	7·01	1·83	Year's Total ~~39·14~~ 37·87	
* Days with .01 in. or more.	~~24~~ 23	13	15	15	8	14	19	11	6	21	21	13	~~180~~ 179	
* Days with .04 in. or more.	~~17~~ 16	10	11	13	7	11	17	11	4	16	19	8	~~144~~ 143	

† Spare column, no entries required.

(*Signed*) J. Marshall

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 516.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Oldlands Hall. Uckfield

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level .... ft.

File Number 7966 2/30

Jan altd for snow.

snow circ sent 30-iv-41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·02	·08			1
2		·04		·07						·15	·60			2
3		·25		·10						·15	·50	·17		3
4		·15								·35	·07	·12		4
5		·03									1·00	·15		5
6	·20	·12	·01				·30			·50	·02			6
7	·25	·17					·10			·01		·38		7
8									·06	·20		·30		8
9										·15	·65			9
10							·40	·09		·38	1·20			10
11				·02			·10							11
12		·03	·35	·04			·55		·14		·20	·45		12
13		·03	·60						·30		·20			13
14		·01	·35	·04						·06		·05		14
15			·20		30		1·10			·12	·45			15
16			·27	·05		·09	·14		·15	·60	·75	·10		16
17		·10	·35				·01		·02		·12	·08		17
18	·03	·40	·25	·35			·27	·02	·07	·30	·10	·02		18
19		·12	·01				·12		·40		·06			19
20		·02	·08	·50					·02	·05	·25			20
21		·01			·43		·10		·03	·12	·30	·02		21
22	·04		·04		·40	·06			·15					22
23	·03	·25	·08	·25							·05			23
24				·40			·23			·01				24
25			·57		·01		·10			·04				25
26	90 ~~20~~	·23	·25		·30	·03				·06				26
27	·04	·30		·20			·40				·02	·35		27
28	~~·80~~ ~~07~~ (1·90)	·02		·04	·15							·10		28
29	·06	·20	·12		·10									29
30	07	✕		·25						·25				30
31		✕		✕		✕			✕	·65	✕			31
TOTAL	2·45 ~~·76~~	2·48	3·53	2·31	1·69	·18	3·92	·11	1·34	4·47	6·62	2·29	Year's Total ~~29·70~~	31·39
* Days with .01 in. or more.	10	19	15	13	7	3	14	2	10	20	19	13	145	
* Days with .04 in. or more.	8	12	13	12	6	2	13	1	7	17	18	11	120	

·41

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Marshall

[P.T.O.

517.

HORSTED KEYNES.
HOLY WELL P.S
1931 - 1940
780111.

517

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

H RAINFALL ORGANIZATION.

FORM 1090.

REGISTER N 1931.

Kept at Holy Well Waterwor

in the County of Sussex.

Diameter of Funnel of Gauge Eight

Height of top of Gauge above Ground 1 ft.

Ground ,, Sea Level 124.06 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.14	-	.34	-	-	-	.02	.13	-	-	-	1
2	.16	.05	-	.29	-	-	-	-	.57	.02	-	-	2
3	.11	-	.15	.10	.95	-	-	.09	.75	-	.04	.23	3
4	-	-	-	-	.03	-	.04	.21	.23	.03	.03	.02	4
5	-	.03	-	.24	-	.92	.16	.07	.09	-	-	.21	5
6	-	.10	-	.10	-	-	-	.03	.02	.21	.37	.20	6
7	-	-	-	.03	.06	.15	-	.21	.03	.05	.43	-	7
8	-	.11	-	-	-	.19	-	.03	-	-	.10	.11	8
9	-	.22	-	-	-	.03	-	-	-	-	.66	-	9
10	-	.09	-	-	-	.16	-	.14	-	-	1.20	-	10
11	.13	.46	-	-	-	-	.07	-	-	-	.39	-	11
12	.12	-	-	-	-	-	.06	-	.20	-	-	-	12
13	.08	-	-	-	.04	-	-	-	-	-	-	-	13
14	-	.12	-	-	-	.07	.44	.81	-	-	-	-	14
15	.03	.10	-	.05	.21	-	.25	.38	-	-	-	.03	15
16	-	.06	-	.15	.34	.02	.04	.26	-	-	-	-	16
17	.03	.06	-	.37	.03	-	.44	-	.03	.02	-	-	17
18	.04	.16	-	.22	-	.14	.20	.55	-	.02	.67	-	18
19	.11	-	-	.41	-	.03	.54	.37	.08	-	-	-	19
20	-	.12	-	.11	-	-	-	.25	-	-	-	-	20
21	.03	-	-	-	.39	-	-	-	-	-	.04	-	21
22	.25	-	.24	.04	-	-	-	-	.06	-	.02	-	22
23	.35	.17	.03	-	.13	.18	-	-	.02	-	.26	-	23
24	-	-	-	.55	.04	.04	.30	.43	-	-	-	-	24
25	.12	-	-	.39	-	-	.18	-	-	-	.03	-	25
26	-	.08	-	.24	-	-	.32	-	.03	-	.40	-	26
27	.26	.34	-	.10	.23	-	.04	-	-	-	.04	-	27
28	.11	.11	-	.02	-	-	-	-	-	.03	-	.02	28
29	.09	-	-	-	.16	-	.12	-	-	.14	-	-	29
30	-	X	-	-	.06	-	.04	-	-	-	-	-	30
31	.44	X	-	X	-	X	-	-	X	-	X	-	31
													YEAR'S TOTAL
TOTAL	2.46	2.52	.42	3.75	2.67	1.93	3.24	3.85	2.24	.52	4.68	.82	29.10
*Days with ·01 in. or more.	17	18	3	18	13	11	16	15	13	8	15	7	154
*Days with ·04 in. or more.	14	17	2	16	11	8	16	12	8	3	12	4	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. Martin

[P.T.O.

517

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Holy Well Waterworks. Horsted Keynes.
in the County of Sussex.
Diameter of Funnel of Gauge Eight in.
Height of top of Gauge above Ground 1 ft 8 in.
Ground ,, Sea Level 124.06 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.14	-	.34	-	-	-	.02	.13	-	-	-	1
2	.16	.05	-	.29	-	-	-	-	.57	.02	-	-	2
3	.11	-	.15	.10	.95	-	-	.09	.75	-	.04	.23	3
4	-	-	-	-	.03	-	.04	.21	.23	.03	.03	.02	4
5	-	.03	-	.24	-	.92	.16	.07	.09	-	-	.21	5
6	-	.10	-	.10	-	-	-	.03	.02	.21	.37	.20	6
7	-	-	-	.03	.06	.15	-	.21	.03	.05	.43	-	7
8	-	.11	-	-	-	.19	-	.03	-	-	.10	.11	8
9	-	.22	-	-	-	.03	-	-	-	-	.66	-	9
10	-	.09	-	-	-	.16	-	.14	-	-	1.20	-	10
11	.13	.46	-	-	-	-	.07	-	-	-	.39	-	11
12	.12	-	-	-	-	-	.06	-	.20	-	-	-	12
13	.08	-	-	-	.04	-	-	-	-	-	-	-	13
14	-	.12	-	-	-	.07	.44	.81	-	-	-	-	14
15	.03	.10	-	.05	.21	-	.25	.38	-	-	-	.03	15
16	-	.06	-	.15	.34	.02	.04	.26	-	-	-	-	16
17	.03	.06	-	.37	.03	-	.44	-	.03	.02	-	-	17
18	.04	.16	-	.22	-	.14	.20	.55	-	.02	.67	-	18
19	.11	-	-	.41	-	.03	.54	.37	.08	-	-	-	19
20	-	.12	-	.11	-	-	-	.25	-	-	-	-	20
21	.03	-	-	-	.39	-	-	-	-	-	.04	-	21
22	.25	-	.24	.04	-	-	-	-	.06	-	.02	-	22
23	.35	.17	.03	-	.13	.18	-	-	.02	-	.26	-	23
24	-	-	-	.55	.04	.04	.30	.43	-	-	-	-	24
25	.12	-	-	.39	-	-	.18	-	-	-	.03	-	25
26	-	.08	-	.24	-	-	.32	-	.03	-	.40	-	26
27	.26	.34	-	.10	.23	-	.04	-	-	-	.04	-	27
28	.11	.11	-	.02	-	-	-	-	-	.03	-	.02	28
29	.09	-	-	-	.16	-	.12	-	-	.14	-	-	29
30	-	X	-	-	.06	-	.04	-	-	-	-	-	30
31	.44	X	-	X		X	-	-	X	-	X	-	31
													YEAR'S TOTAL
TOTAL	2.46	2.52	.42	3.75	2.67	1.93	3.24	3.85	2.24	.52	4.68	.82	29.10
*Days with ·01 in. or more.	17	18	3	18	13	11	16	15	13	8	15	7	154
*Days with ·04 in. or more.	14	17	2	16	11	8	16	12	8	3	12	4	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. Martin

P.T.O.

COPY FOR OFFICIAL USE.

File No. ~~Station No~~ 7[illegible]3/26 517

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Holy Well Waterworks. Horsted Keynes.

in the County of Sussex

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 124.06 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.03	-	.15	.46	-	.03	-	-	.02	.05	-	1
2	.05	-	-	.18	.08	-	-	-	.06	-	.02	.31	2
3	-	-	-	.02	.10	.15	-	-	.44	-	-	-	3
4	-	-	-	-	-	.12	-	-	-	-	-	-	4
5	.25	-	.02	-	-	.03	.10	-	.11	-	-	-	5
6	62 .62	-	-	.12	-	-	-	-	.05	-	-	-	6
7	.04	-	.10	-	-	-	.35	-	.11	-	-	.02	7
8	-	-	.18	-	.18	-	-	-	.16	.80	-	-	8
9	.35	-	-	.24	.53	-	-	-	-	.08	-	-	9
10	.72	.12	-	.39	.10	-	-	-	.03	.07	-	-	10
11	.15	.13	-	.24	.02	-	-	-	.03	.03	.02	-	11
12	.34	.08	-	-	-	-	-	-	.06	.20	-	-	12
13	.05	.08	-	.17	-	-	-	-	.02	1.16	-	.02	13
14	.13	-	-	.13	.15	-	-	-	-	.03	-	-	14
15	.05	-	-	.10	.15	-	-	-	-	.07	-	.02	15
16	.05	-	-	.20	.04	-	-	-	-	-	-	-	16
17	-	-	-	.10	-	-	.06	-	-	.07	-	-	17
18	.04	-	-	-	-	-	-	-	.03	-	.10	-	18
19	.02	-	-	.03	-	-	-	-	.02	.37	.03	-	19
20	-	-	-	.02	.03	-	.04	.46	-	1.29	.19	-	20
21	.02	-	-	-	.68	-	-	-	-	.34	-	.06	21
22	.04	-	.33	-	.08	-	.14	-	.56	.35	.52	-	22
23	-	.06	-	-	.03	.17	-	-	.28	1.10	-	.11	23
24	-	.04	-	-	-	-	.60	-	.22	.08	.03	-	24
25	-	-	-	-	-	-	.48	-	.22	.66	.06	-	25
26	-	-	.02	.04	-	-	.25	-	-	.03	.03	-	26
27	-	-	.30	.17	.17	.03	.16	-	.03	.63	.08	-	27
28	-	-	-	.02	.25	-	.15	-	-	.25	-	-	28
29	-	-	.42	.03	.10	-	-	.38	.20	.55	-	.03	29
30	-	×	.06	-	.04	.99	.06	.07	.07	-	.48	.12	30
31	-	×	.11	×	-	×	.13	-	×	-	×	.11	31
TOTAL	3.06	.54	1.54	2.35	3.19	1.49	2.55	.91	2.70	8.18	1.61	.80	YEAR'S TOTAL 28.92
*Days with ·01 in. or more.	17	7	9	18	18	6	13	3	19	21	12	9	152
*Days with .04 in. or more.	15	6	7	13	15	4	12	3	13	17	7	5	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. Martin

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Holy Well Waterworks. Horsted Keynes.

in the County of Sussex.

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 124.06. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.57	.41	-	-	-	-	-	-	-	.04	-	1
2	.27	-	.58	-	.08	-	-	-	-	.02	-	-	2
3	.12	.16	.25	-	-	-	-	-	-	-	-	-	3
4	-	.04	.05	-	.18	-	-	-	-	-	-	-	4
5	.40	.03	.27	-	.20	-	-	-	-	-	-	-	5
6	-	.20	.05	-	.62	-	-	-	-	-	.08	-	6
7	.27	.03	-	-	.05	-	-	-	-	-	-	.02	7
8	.11	-	-	-	.03	-	.21	-	-	-	-	-	8
9	--	-	-	-	-	-	.21	-	-	.03	.20	-	9
10	--	.12	-	-	-	.02	.07	-	-	.18	-	-	10
11	.15	-	-	-	.04	.10	.02	.08	.02	-	-	-	11
12	-	-	-	-	-	.24	.39	-	1.27	-	-	-	12
13	.05	-	-	-	.05	.04	.33	.08	.18	.15	.08	-	13
14	-	-	-	-	-	-	.09	-	-	.38	.32	-	14
15	.48	-	.18	-	-	-	.25	.48	-	.05	-	-	15
16	.02	-	.70	-	-	.34	.30	-	-	-	-	-	16
17	-	-	.24	-	-	.06	-	.11	.10	-	.05	-	17
18	.12	-	.06	-	-	.16	-	-	-	-	-	-	18
19	-	-	.04	-	-	.27	-	-	.28	-	.04	-	19
20	-	-	.05	.04	-	.52	-	.22	.17	-	-	-	20
21	-	-	-	-	-	-	-	.06	.13	-	-	-	21
22	-	-	-	-	-	.21	-	.37	-	.17	-	-	22
23	-	-	-	.11	-	.04	-	-	.53	.03	-	-	23
24	-	.56	-	.17	-	.05	-	-	.85	-	-	-	24
25	-	.44	-	.38	-	.25	-	-	.06	-	.07	.11	25
26	-	.82	-	.04	-	.07	-	-	-	.04	.06	.09	26
27	-	-	-	-	.08	-	-	-	-	.18	-	.22	27
28	-	-	-	-	.05	-	.36	-	-	.23	-	.30	28
29	.07	-	-	-	.06	-	.04	-	-	.05	-	-	29
30	.06	X	-	-	-	-	.04	-	.29	.06	-	.06	30
31	.16	X	-	X	-	X	-	.03	X	-	X	-	31
TOTAL	2.32	2.97	2.88	.74	1.44	2.37	2.31	1.43	3.88	1.57	.94	.80	YEAR'S TOTAL 23.65
*Days with ·01 in. or more.	14	10	12	5	11	14	12	8	11	13	9	6	125
*Days with .04 in. or more.	13	8	12	5	10	13	11	7	10	10	9	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. Martin

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Holy Well Waterworks. Horsted Keynes.

in the County of Sussex.

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 124.06 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	-	-	.10	-	.20	-	.15	-	.50		1
2	.06	-	.22	.18	-	-	-	-	.63	.46	-	.47		2
3	.05	.04	-	.15	-	-	-	-	-	.65	-	.20		3
4	.22	.03	.08	.03	.06	-	-	-	-	.29	.07	.63		4
5	-	-	.02	-	.05	-	-	.05	-	-	.03	.54		5
6	.03	-	.30	-	.07	.19	-	.16	-	.26	.03	.55		6
7	.03	-	-	.02	-	.02	-	-	-	.14	-	.20		7
8	-	-	-	-	.15	-	-	.03	-	-	1.29	-		8
9	-	-	.10	-	-	-	-	-	-	-	1.41	.30		9
10	-	-	.18	.28	-	-	-	.09	-	-	1.11	-		10
11	.84	-	.46	.05	-	-	-	.22	-	-	-	.37		11
12	.09	-	.04	-	-	-	.20	.11	-	-	.24	.05		12
13	.43	-	.15	.05	-	-	.09	-	-	-	.04	.05		13
14	.30	-	.41	.03	-	.09	-	-	-	-	.47	.58		14
15	-	-	.03	-	.04	-	-	-	-	.01	.12	.44		15
16	.24	-	.25	.03	.25	-	-	-	-	.11	-	-		16
17	.10	-	.16	-	.04	-	-	-	-	.02	-	.36		17
18	.24	-	.03	.45	-	-	.64	-	-	-	-	.53		18
19	-	-	.37	-	-	-	-	-	.47	.02	-	.11		19
20	-	-	.09	.02	-	-	.34	-	-	-	-	-		20
21	-	-	-	.20	-	.13	-	.02	-	.07	-	-		21
22	-	-	-	-	-	-	.11	.08	.37	-	-	.20		22
23	-	-	-	.40	-	.65	-	-	-	.03	-	.10		23
24	-	.02	.03	-	-	.04	.99	.10	.16	.03	.02	-		24
25	.23	-	-	.16	-	-	-	-	-	-	-	.65		25
26	.03	-	-	.35	-	.12	-	-	.04	-	-	.02		26
27	-	-	-	.23	-	-	-	-	-	-	-	.45		27
28	-	.18	-	.03	-	.12	-	.68	-	-	-	.26		28
29	-	-	-	-	-	-	-	.14	.08	-	-	-		29
30	.12	×	-	-	-	-	-	.11	-	-	-	.56		30
31	-	×	-	×	-	×	-	-	×	.03	×	.08		31
TOTAL	3.03	.27	2.92	2.66	.66	1.46	2.37	1.99	1.75	2.27	4.83	8.20	Year's Total. 32.41	
* Days with .01 in. or more.	16	4	17	17	7	9	6	13	6	14	11	24	144	
* Days with .04 in. or more.	12	2	13	11	7	8	6	11	6	8	8	23	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Martin

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Holy Well Waterworks. Horsted Keynes.

in the County of Sussex.

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 124.06 ft.

MID-SUSSEX
JOINT WATER BOARD.
Received 3 DEC 1935
Ans. 19

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.04	.04	-	-	-	.02	-	.41	.06	.18	-		1
2	.03	-	-	.10	-	.02	-	-	-	.52	.08	-		2
3	-	.02	.11	.02	-	-	-	-	.09	1.88	.14	-		3
4	-	.10	-	.20	-	.30	-	-	.52	.23	-	.47		4
5	-	.46	.05	.14	-	.05	-	-	.58	.16	-	-		5
6	-	.05	-	.23	-	.58	-	-	-	.02	.28	-		6
7	.05	-	-	.26	-	.11	-	-	-	-	1.14	.12		7
8	-	-	-	.28	-	-	-	-	-	.29	.42	.04		8
9	.03	-	-	.16	-	.07	-	-	.02	.89	.16	.03		9
10	.09	-	.17	-	-	.05	-	-	-	-	.27	.15		10
11	.24	-	-	.15	-	.21	.11	-	-	.03	.53	-		11
12	-	.08	-	-	-	.29	-	.44	.04	-	1.10	.03		12
13	.11	.20	-	.15	.02	.04	-	-	.02	-	.15	-		13
14	-	-	-	.02	.13	.23	-	-	-	.04	.03	.11		14
15	-	.26	-	.54	-	-	-	-	.34	-	.23	.08		15
16	-	.05	-	.15	-	.14	-	-	.37	.01	.96	.02		16
17	.06	-	.07	.08	-	.23	-	-	-	-	.41	-		17
18	-	-	-	.26	-	.05	.12	-	.55	.10	.02	-		18
19	-	-	-	.08	.79	.04	.16	-	.16	-	.13	-		19
20	-	.56	-	.12	.06	.07	.22	-	.06	-	.15	-		20
21	.03	.44	-	.04	-	-	-	-	.02	.16	.03	-		21
22	-	.06	-	-	-	-	-	.24	.06	-	-	-		22
23	-	-	.03	-	-	-	-	.60	-	.02	-	.16		23
24	.07	1.11	-	-	.19	-	-	1.25	.73	-	-	.26		24
25	.05	.24	-	.17	.13	.10	-	-	-	-	.04	.45		25
26	.09	.31	-	-	-	-	-	.14	.11	.03	-	.39		26
27	.02	.71	-	-	-	-	-	-	.09	-	.16	.32		27
28	-	.06	-	-	.47	-	-	.23	.04	.03	-	.18		28
29	-	-	-	-	-	-	-	.20	.55	-	-	.39		29
30	.06	✕	-	-	-	-	-	1.64	-	.08	.85	.47		30
31	-	✕	-	✕	-	✕	-	-	✕	.26	✕	.63	Year's Total	31
TOTAL	1.14	4.75	.47	3.15	1.79	2.58	.63	4.74	4.76	4.81	~~7.36~~ 7.46	4.30	40.48	
* Days with .01 in. or more.	14	17	6	19	7	17	5	8	19	18	22	18	170	
* Days with .04 in. or more.	10	16	5	17	6	16	4	8	16	12	19	15	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Martin [T.O.

Travelling forms. mid Sussex Joint Water Bd.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Holy Well Waterworks. Horsted Keynes.

in the County of Sussex.

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 124.06 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.31	.13	.03	.42	-	.43	.47	.06	-	-	.11	.04		1
2	-	-	-	-	-	.45	.17	.12	-	-	-	-		2
3	-	-	-	.40	-	-	.03	-	.06	-	.21	-		3
4	-	-	.13	-	-	.08	.01	-	.44	-	-	.06		4
5	.23	-	.02	.01	-	-	-	.05	.30	.03	.24	.04		5
6	.43	-	-	-	-	.04	-	.07	.20	.12	1.66	-		6
7	.41	-	.07	-	-	.02	.03	-	-	-	.63	.04		7
8	.43	-	.10	-	-	-	.20	-	-	-	.77	.22		8
9	.37	-	.03	-	-	-	.38	-	.04	.11	-	-		9
10	.11	-	-	-	-	-	.12	.06	-	-	-	-		10
11	-	.06	-	.10	-	-	.08	-	-	-	1.02	-		11
12	-	-	-	-	-	.20	.45	-	.34	-	.24	.16		12
13	-	-	-	-	-	.04	.05	-	-	.01	-	.54		13
14	-	.08	-	-	-	.11	.78	-	-	.02	.25	.47		14
15	-	.09	-	-	-	-	-	-	-	-	.06	.36		15
16	.26	.08	-	-	-	-	.10	-	-	-	.21	.17		16
17	.08	.71	-	-	.55	.18	-	.03	-	.03	.18	.59		17
18	.12	.14	-	-	-	-	.17	-	-	.01	.13	.06		18
19	.31	.02	.04	-	-	.47	-	.12	-	.02	-	.04		19
20	.24	.04	.04	.68	-	-	.02	-	.57	-	.02	-		20
21	-	.07	-	.34	-	.43	.04	-	-	-	-	-		21
22	.11	.39	.20	.02	.17	.04	.11	-	-	-	-	.05		22
23	-	.26	.17	.11	-	-	.48	-	-	.07	-	-		23
24	.10	.06	-	-	-	.15	.16	-	.06	.21	-	-		24
25	.17	.01	.21	.21	-	-	.06	-	.91	.18	-	-		25
26	-	.16	.15	.11	-	.01	-	-	.03	.32	-	.02		26
27	.42	-	.03	.05	-	-	-	-	.12	.19	-	-		27
28	.48	-	.22	-	-	.10	.19	-	.05	-	-	.10		28
29	.04	.07	.05	-	-	.35	.03	-	-	.06	.09	.01		29
30	.12	✕	-	-	.08	.17	-	-	-	.14	-	.01		30
31	.25	✕	.22	✕	-	✕	.20	-	✕	.42	✕	.23		31
TOTAL	4.99 ✓	2.37 ✓	1.71 ✓	2.45 ✓	.80 ✓	3.27 ✓	4.33 ✓	.51 ✓	3.12 ✓	1.94	5.82	3.21	Year's Total 34.52	✓
* Days with .01 in. or more.	20	16	16	11	3	17	23	7	12	16	15	19	175 ✓	✓
* Days with .04 in. or more.	20	14	12	9	3	15	18	6	11	10	14	16	148 ✓	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required. ✓

(*Signed*) .... [P.T.O.

2

-Travelling from [illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Horsted Keynes (Holy Well P.S.)

in the County of Sussex

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 124.06 ft.

TRAVELLING T
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.77	.01	-	.14	-	-	-	-	-	-	1.05	.25		1
2	.02	.43	-	.33	-	-	-	-	.06	-	-	.66		2
3	.01	.15	-	-	-	-	-	-	-	-	-	.24		3
4	.11	.96	-	.20	-	-	-	-	-	-	-	.35		4
5	.30	.04	.24	-	-	-	.24	-	-	.02	-	-		5
6	.27	.03	.80	-	.40	-	-	-	-	-	.02	-		6
7	-	.81	.08	.09	-	-	-	-	-	.04	-	.03		7
8	-	.01	.13	-	.07	.10	-	-	-	-	.17	.17		8
9	-	-	-	.44	.11	.02	.09	-	.43	-	-	.07		9
10	-	-	.73	.14	.05	.34	-	-	-	-	-	.89		10
11	-	-	.38	-	.08	-	.03	-	-	-	-	.11		11
12	.53	.25	.15	.11	.15	.38	.02	.49	.18	-	-	.25		12
13	.19	.07	.55	.07	-	.11	-	-	.25	-	-	.48		13
14	.02	.04	.17	.11	.17	-	-	.84	.17	-	-	.06		14
15	.25	.13	-	.28	-	-	.30	-	.50	-	-	-		15
16	-	.04	-	.28	-	.10	-	.61	.56	-	-	.02		16
17	.35	-	.27	.10	-	-	-	-	.12	-	.09	-		17
18	.55	.09	.05	.01	.31	.37	-	-	.24	-	.19	.05		18
19	.06	.15	.10	.21	.02	.07	-	-	.05	-	.02	.08		19
20	.40	-	.16	.28	.86	.05	-	-	-	-	-	.10		20
21	.40	.43	.05	.09	-	-	-	-	.03	-	.02	.03		21
22	.58	.07	-	-	.09	.01	.08	-	-	.80	.46	.10		22
23	.22	-	-	-	-	-	.13	-	-	.56	.01	-		23
24	.92	.35	-	-	-	-	-	-	.03	.37	-	-		24
25	.13	.44	.31	-	.04	-	-	-	.13	.20	-	-		25
26	-	.39	-	-	-	-	-	-	-	.05	-	.12		26
27	-	.10	-	.21	-	-	-	-	.05	.17	-	.05		27
28	-	.07	.02	-	-	-	-	-	-	.03	-	.02		28
29	-	-	-	-	-	-	-	-	-	.09	.09	-		29
30	.43	✕	-	-	-	.03	-	-	-	.07	.10	-		30
31	.21	✕	-	✕	-	✕	-	-	✕	.27	✕	.02		31
TOTAL	6.72	5.06	4.19	3.09	2.35	1.58	.89	1.94	2.80	2.67	2.22	4.15	Year's Total 37.66	✓
* Days with .01 in. or more.	21	22	16	17	12	11	7	3	14	12	11	22	168	✓
* Days with .04 in. or more.	18	19	15	16	11	8	5	3	12	10	7	17	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) F. Martin

[P.T.O.

2

Travelling Form [illegible]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Horsted Keynes, Holy Well P.S.

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 124.06 ft.

Dec days estd from Surr. Stns

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	.16	.20	-	-	.22	.07	.04	.05		1
2	.06	-	-	.04	.06	-	.33	-	-	.49	-	-		2
3	-	-	-	-	.01	-	.04	-	-	.76	.07	-		3
4	-	-	-	-	-	-	.22	.02	-	.14	-	.15		4
5	-	-	-	-	-	-	.36	-	-	.32	-	.02		5
6	.09	-	-	-	-	-	.07	-	.20	-	.03	-		6
7	-	-	-	-	-	-	.20 .2	.33	-	.22	-	.09		7
8	.21	-	-	-	-	-	.17	.15	-	.28	.03	.09		8
9	.15	.02	-	-	-	-	-	-	-	.08	-	.65		9
10	.11	.21	-	-	-	.27	-	-	-	-	-	.15		10
11	.26	-	-	-	-	-	-	-	-	-	.11	.25		11
12	.36	.01	-	-	-	-	.03	.19	-	.06	.05	-		12
13	.37	-	-	-	-	-	-	-	-	.14	.32	.23		13
14	.32	.35	-	-	.61	-	-	-	.04	-	-	.04		14
15	.03	.14	-	-	-	-	.12	-	-	.32	-	.32		15
16	.33	.02	.02	-	-	-	.07	.07	-	.09	-	.29		16
17	-	.13	-	-	.17	-	-	-	.01	.63	.06	-		17
18	.06	-	-	-	.03	-	-	-	.10	.08	.37	-		18
19	.01	-	-	-	-	-	-	-	.10	-	.32	-		19
20	-	-	-	-	.03	-	-	.05	.07	-	.40	-		20
21	.08	-	-	-	-	-	-	.16	.17	-	-	-		21
22	.01	-	-	-	-	.04	-	.06	-	-	.36	-		22
23	-	-	-	-	-	-	-	-	-	-	.04	-		23
24	-	-	.31	-	-	-	-	-	.53	-	.40	-		24
25	.10	-	.29	.04	.04	-	.05	-	.03	-	.63	-		25
26	.57	-	.05	-	-	-	.39	-	.32	.36	-	.99	✓	26
27	.18	.05	-	-	.31	.23	-	-	.58	-	.25	-		27
28	.06	.06	-	-	.32	.09	-	.39	.13	-	-	.04		28
29	.21	-	-	-	.31	-	-	-	-	-	.12	.16		29
30	.08	✗	-	.35	.19	-	-	-	.11	.05	.26	-		30
31	.18	✗	-	✗	.09	✗	-	-	✗	.23	✗	.32		31
TOTAL	3.83	.99	.67	.43	2.33	.83	2.05	1.42	2.61	4.32	3.86	3.84	Year's Total 27.18	
* Days with .01 in. or more.	22	9	4	3	13	5	12	9	14	17	18	~~16~~ 21	~~148~~	147
* Days with .04 in. or more.	19	6	3	3	10	5	11	8	12	17	16	~~15~~ 20	~~135~~	130

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

2

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Horsted Keynes, Holy Well P.S.

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 124.06 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.04	.23	.26	-	-	-	.08	-	-	.06		1
2	-	-	-	.02	.01	-	-	.38	.10	-	-	-		2
3	.55	-	-	.45	-	-	-	.33	-	-	.25	.45		3
4	-	-	.35	.15	-	-	-	.56	-	.60	.15	-		4
5	-	-	.03	.32	.03	-	.10	.20	-	.12	.55	.05		5
6	.55	-	-	-	-	-	.18	.20	-	-	.24	-		6
7	.07	-	-	-	-	-	.03	.18	-	-	.12	.20		7
8	-	-	.16	-	-	-	.02	-	-	.39	.11	.43		8
9	.03	.15	-	-	-	-	-	.12	-	.49	1.04	.23		9
10	.25	.08	-	-	-	.25	-	.26	.05	.24	.06	-		10
11	-	-	.26	-	-	.17	-	-	-	1.52	.03	-		11
12	-	-	-	-	-	.10	-	-	-	-	-	-		12
13	-	.17	.02	.04	-	.03	.03	-	-	1.22	-	.07		13
14	.48	-	-	-	-	.02	.04	-	-	.32	.46	.05		14
15	.66	-	-	-	.77	.04	.06	-	.15	.24	.26	-		15
16	.18	-	.05	.13	.26	.27	.16	-	.03	-	.59	-		16
17	.18	-	-	,03	.30	-	-	-	-	-	.13	-		17
18	.29	.15	.02	-	.05	.09	.20	-	-	.06	.43	-		18
19	.35	-	-	-	-	-	.35	-	-	.68	-	-		19
20	.33	-	-	-	-	.81	.28	-	.04	-	-	-		20
21	.06	-	.13	-	-	.05	.47	-	.04	-	-	-		21
22	.32	.03	.09	.06	-	.38	.02	-	-	-	.08	-		22
23	.03	.25	-	.14	-	-	.20	-	-	.07	.88	-		23
24	.24	-	.03	.08	-	.02	.05	-	-	.09	.03	-		24
25	1.21	.11	.12	.16	-	-	.34	-	-	-	.79	-		25
26	.03	.16	-	.19	-	-	-	-	-	.12	.32	.04		26
27	.04	-	.06	.11	-	-	-	-	-	.08	.28	-		27
28	-	.21	.05	.01	-	.08	-	-	-	.08	.12	-		28
29	-	.34	-	.18	-	-	-	-	-	.02	.02	-		29
30	-	✕	-	.62	-	-	-	.07	-	.02	.06	-		30
31	-	✕	-	✕	-	✕	.06	.08	✕	.04	✕	-		31
TOTAL	5.87	1.65	1.41	2.92	1.68	2.31	2.59	2.38	.49	6.40	7.00	1.58	Year's Total 36.28	
* Days with .01 in. or more.	20	10	14	17	7	13	17	10	7	19	23	9	166	
* Days with .04 in. or more.	16	9	10	14	5	10	13	10	6	17	20	9	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) MID-SUSSEX JOINT WATER BOARD.
W. H. ASHMOLE, M.I.M. & Cy.E.,
ENGINEER & MANAGER.

[P.T.O.

2

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Horsted Keynes, Holy Well P.S.

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 124.06 ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-		.08	-		1
2	-	.24	-	.06	-	-	-	-	-	-	.47	-		2
3	.06	.42	-	.09	-	-	.08	-	-	.II	1.28	.15		3
4	.09	-	-	.03	-	-	.01	-	-	.I0	.11	.69		4
5	-	.17	-	-	-	-	.02	-	-	.30	.91	-		5
6	.22	.14	-	-	-	-	.30	-	-	.02	-	-		6
7	.18	.23	-	-	-	-	.10	-	-	.53	-	-		7
8	-	-	-	-	-	-	-	-	.03	-	.03	.40		8
9	-	-	-	-	-	-	-	-	-	.47	.48	.24		9
10	-	-	-	-	-	-	.39	.05	-	.I2	-	.02		10
11	-	-	-	-	-	-	.19	-	-	.38	1.08	-		11
12	-	-	.20	.08	-	-	.23	-	.22	-	.10	-		12
13	-	-	.69	-	-	-	-	-	.13	-	1.17	-		13
14	-	-	.55	.04	-	-	-	-	-	-	-	.50		14
15	-	-	-	-	.25	-	.92	-	-	.06	.66	.03		15
16	-	-	.19	-	-	.03	.08	-	.22	.07	.71	-		16
17	-	-	.37	-	-	-	.06	-	-	.47	.35	-		17
18	-	.65	.30	.26	-	-	.13	-	.22	-	-	.09		18
19	-	.15	.02	-	-	-	.02	-	.60	.2I	.26	.14		19
20	-	.01	-	-	-	-	-	.06	.06	-	-	-		20
21	-	-	-	-	.31	-	.04	-	-	.II	.40	-		21
22	-	-	.09	-	.37	.10	-	-	.16	.06	-	-		22
23	-	.25	.07	.18	-	-	-	-	-	-	.05	.03		23
24	-	-	-	.25	-	-	.18	-	-	-	-	-		24
25	-	-	.37	-	-	-	.08	-	-	-	-	-		25
26	.91	.21	.24	-	1.08	-	.03	-	-	-	.02	-		26
27	.13	.22	-	-	-	-	.06	-	-	-	-	-		27
1·9a 28	.26	.02	.12	.07	.20	-	-	-	-	-	-	-		28
29	.20	.24	-	-	.05	-	-	-	-	-	-	.35		29
30	-	✕	-	.08	-	-	-	-	-	.20	-	.65		30
31	.40	✕	-	✕	-	✕	-	-	✕	.57	✕	.03		31
TOTAL	2.45	2.95	3.21	1.14	2.26	.13	2.92	.11	1.64	3.78	8.16	2.12	Year's Total 3087	
* Days with .01 in. or more.	9	13	12	10	6	2	18	2	8	I6	17	13	126	
* Days with .04 in. or more.	9	11	11	9	6	1	14	2	8	I5	15	9	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

518

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

1.

Kept at Lywood House

in the County of Sus

Diameter of Funnel of Gauge 5

Height of top of Gauge above Groun

,, Ground ,, Sea L

—

518

ARDINGLY

LYWOOD HOUSE

1931 - 1940

780111

THE MORNING MEASU

Y.

An observer who does not conform to *following*

year in the space on the right of thi

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.15	·02	.35	—	·02	—	·01	.24	—	—	—	1
2	.16	·04	—	·29	—	—	—	—	.54	—	—	.04	2
3	.12	—	.16	.12	·92	—	—	·12	.65	—	·04	·22	3
4	—	·03	·01	—	·02	—	·03	·10	·19	·03	.03	·01	4
5	—	—	—	·28	—	·90	·10	·17	.06	—	·01	·22	5
6	—	·09	—	·10	—	·01	—	—	·03	.25	·40	.42	6
7	·01	·01	—	—	·05	.16	—	.21	·01	.04	·49	·01	7
8	·01	·23	—	—	·01	.19	—	·03	—	—	·09	·09	8
9	—	.16	—	·01	—	.02	—	—	—	—	.60	·01	9
10	.01	·16	·03	—	—	.18	·05	.15	—	·01	1.36	-	10
11	.10	.45	—	—	—	—	·01	—	·01	—	.44	—	11
12	·09	—	—	—	—	—	·04	—	·25	—	—	—	12
13	.10	—	—	—	·02	—	·02	·01	—	—	—	—	13
14	·01	·10	—	—	—	·05	·58	·71	—	—	—	—	14
15	·01	·07	—	·06	·25	—	·21	.40	—	—	—	—	15
16	·01	·06	—	·15	·38	·02	.01	·11	—	—	—	—	16
17	.01	·07	—	.35	—	—	·42	—	·05	·02	—	—	17
18	·03	·12	·01	·28	—	·12	·12	·57	·06	·01	·67	—	18
19	·09	—	—	·40	—	·10	·59	·35	·05	—	—	—	19
20	·01	.11	—	·10	—	—	·04	·39	·01	—	·01	—	20
21	·01	·01	—	—	·39	—	—	—	·04	—	·02	—	21
22	.27	—	·29	.06	—	—	—	—	·02	—	—	—	22
23	·38	·03	·01	—	·15	·17	—	—	·01	—	·28	·01	23
24	—	·01	·01	·54	·03	·02	·30	.50	—	—	—	—	24
25	·11	—	—	·67	·02	—	·24	—	—	—	·01	—	25
26	—	·07	—	·20	—	—	.36	—	·01	—	.45	—	26
27	·25	.36	—	13	·22	—	·04	—	—	—	·05	—	27
28	.10	·12	—	·01	—	—	·01	—	—	·03	—	—	28
29	·08	×	—	—	·12	—	·15	—	—	·15	·01	·02	29
30	·13	×	—	—	·05	—	·02	—	—	—	—	—	30
31	·44	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2.55	2.45	.54	3.94	2.63	1.96	3.34	3.83	2.23	.54	4.96	1.05	YEAR'S TOTAL 30.02
*Days with ·01 in. or more.	25	21	8	18	14	13	20	15	17	8	17	10	186
*Days with ·04 in. or more.	14	16	2	16	9	8	14	12	10	3	4	4	119

40-9999

(*Signed*) G. Forrester Scott

P.T.O.

*See Instruction 2 (*f*) on other side.

518

Section **A** for the entry o vations. 150 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lywood House Ardingly
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.15	.02	.35	—	.02	—	.01	.24	—	—	—	1
2	.16	.04	—	.29	—	—	—	—	.54	—	—	.04	2
3	.12	—	.16	.12	.92	—	—	.12	.65	—	.04	.22	3
4	—	.03	.01	—	.02	—	.03	.10	.19	.03	.03	.01	4
5	—	—	—	.28	—	.90	.10	.17	.06	—	.01	.22	5
6	—	.09	—	.10	—	.01	—	—	.03	.25	.40	.42	6
7	.01	.01	—	—	.05	.16	—	.21	.01	.04	.49	.01	7
8	.01	.23	—	—	.01	.19	—	.03	—	—	.09	.09	8
9	—	.16	—	.01	—	.02	—	—	—	—	.60	.01	9
10	.01	.16	.03	—	—	.18	.05	.15	—	.01	1.36	—	10
11	.10	.45	—	—	—	—	.01	—	.01	—	.44	—	11
12	.09	—	—	—	—	—	.04	—	.25	—	—	—	12
13	.10	—	—	—	.02	—	.02	.01	—	—	—	—	13
14	.01	.10	—	—	—	.05	.58	.71	—	—	—	—	14
15	.01	.07	—	.06	.25	—	.21	.40	—	—	—	—	15
16	.01	.06	—	.15	.38	.02	.01	.11	—	—	—	—	16
17	.01	.07	—	.35	—	—	.42	—	.05	.02	—	—	17
18	.03	.12	.01	.28	—	.12	.12	.57	.06	.01	.67	—	18
19	.09	—	—	.40	—	.10	.59	.35	.05	—	—	—	19
20	.01	.11	—	.10	—	—	.04	.39	.01	—	.01	—	20
21	.01	.01	—	—	.39	—	—	—	.04	—	.02	—	21
22	.27	—	.29	.06	—	—	—	—	.02	—	—	—	22
23	.38	.03	.01	—	.15	.17	—	—	.01	—	.28	.01	23
24	—	.01	.01	.54	.03	.02	.30	.50	—	—	—	—	24
25	.11	—	—	.67	.02	—	.24	—	—	—	.01	—	25
26	—	.07	—	.20	—	—	.36	—	.01	—	.45	—	26
27	.25	.36	—	13	.22	—	.04	—	—	—	.05	—	27
28	.10	.12	—	.01	—	—	.01	—	—	.03	—	—	28
29	.08	×	—	—	.12	—	.15	—	—	.15	.01	.02	29
30	.13	×	—	—	.05	—	.02	—	—	—	—	—	30
31	.44	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2.55	2.45	.54	3.94	2.63	1.96	3.34	3.83	2.23	.54	4.96	1.05	YEAR'S TOTAL 30.02
*Days with ·01 in. or more.	25	21	8	18	14	13	20	15	17	8	17	10	186
*Days with ·04 in. or more.	14	16	2	16	9	8	14	12	10	3	11	4	119

40-9999

(Signed) G. Forrester Scott

P.T.O.

*See Instruction 2 (*f*) on other side.

518

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 5/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lywood House, Ardingly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 8 in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·01	—	·17	·46	—	·02	·01	—	·05	·05	—	1
2	·03	—	—	·22	·10	—	—	—	·07	—	·01	·30	2
3	—	—	—	·01	·11	·16	—	—	·36	·01	—	·01	3
4	·02	—	—	—	·01	·12	—	—	—	—	·01	—	4
5	·27	—	·01	—	—	·02	·10	—	·13	—	—	—	5
6	·58	—	—	·15	—	—	—	—	·04	·01	—	—	6
7	·01	—	·10	·02	—	—	·48	—	·06	·07	—	·01	7
8	—	<	—	·08	·18	—	—	—	·16	·72	—	—	8
9	·30	·10	·01	·23	·47	—	—	—	—	·06	—	—	9
10	·78	·13	·01	·40	·11	—	—	—	·01	·05	—	—	10
11	·18	·06	—	·26	—	—	—	—	·04	·02	·01	·02	11
12	·39	·02	—	·01	—	—	—	—	·06	·28	—	—	12
13	·05	—	—	·21	·05	—	·01	·01	·01	1.21	—	·01	13
14	·11	·01	—	·22	·09	—	—	—	—	·02	—	—	14
15	·07	·01	—	·10	·14	—	—	—	—	·07	—	—	15
16	·10	—	—	·18	·05	—	·01	—	—	—	—	—	16
17	·01	—	—	·09	—	—	·01	—	—	·05	—	—	17
18	·04	—	—	—	—	—	—	—	·05	—	·09	—	18
19	·02	·01	—	·01	·02	—	·06	—	·02	·38	·01	—	19
20	—	—	—	·02	·03	—	·01	·32	·01	1.22	·17	—	20
21	·02	—	—	·01	·62	—	—	—	—	·36	—	·07	21
22	·04	·01	·34	·02	·08	—	·10	·03	·53	·36	·45	·01	22
23	—	·08	·01	·08	·07	·21	—	—	·19	1.16	—	·13	23
24	·01	·08	—	—	—	—	·63	—	·27	·08	·02	·01	24
25	—	—	—	—	—	—	·50	—	·15	·64	·05	·01	25
26	—	—	·02	·04	—	—	·66	·01	—	—	·04	—	26
27	—	—	·37	·20	·26	·05	·20	—	—	·60	·08	·01	27
28	—	—	·45	·03	·30	—	·20	—	—	·24	—	—	28
29	—	—	·01	·04	·11	—	·01	·28	·18	·64	·01	·02	29
30	—	×	·08	·04	·02	1.10	·06	·05	·10	·01	·55	·12	30
31	—	×	·05	×	—	×	·11	—	×	—	×	·08	31
TOTAL	3.15	·52	1.46	2.64	3.28	1.66	3.17	·71	2.44	8.31	1.55	·81	YEAR'S TOTAL 29.94
*Days with ·01 in. or more.	20	11	12	25	20	6	17	7	19	24	14	14	189
*Days with .04 in. or more.	13	5	6	17	16	5	12	3	15	19	8	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. Forrester Scott

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~518~~ 518

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at LYWOOD HOUSE ARDINGLY

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 8 in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·52	·42	—	—	—	—	—	—	·01	·03	—		1
2	·29	—	·59	—	·09	—	—	—	—	·01	—	—		2
3	·10	·15	·30	—	·01	—	—	—	—	—	—	—		3
4	·21	·04	·01	—	·20	—	—	—	—	—	—	—		4
5	·19	·01	·28	—	·20	—	—	—	—	—	—	—		5
6	—	·17	·03	—	·69	—	—	—	—	·04	·08	—		6
7	·26	·04	·07	—	·03	—	—	—	—	·12	—	·01		7
8	·09	—	—	—	—	—	·06	—	—	·01	—	—		8
9	—	—	—	—	·02	—	·19	—	—	·03	·20	—		9
10	·01	·15	—	—	·01	·02	·10	—	—	·21	·01	—		10
11	·18	—	—	—	·04	·09	·03	·12	·01	·03	—	—		11
12	—	—	—	·01	—	·25	·25	—	1·16	—	—	—		12
13	·06	—	—	—	·05	·01	·35	·08	·24	·07	·10	—		13
14	—	—	—	—	—	—	·12	—	—	·64	·43	·01		14
15	·52	—	·15	—	—	—	·31	·34	—	·05	·01	—		15
16	·02	—	·72	—	—	·26	·42	—	—	·05	—	—		16
17	—	·02	·28	—	—	·06	—	·08	·12	—	·08	—		17
18	·14	—	·06	—	—	·18	—	—	—	—	·01	—		18
19	·01	·05	·08	—	—	·24	—	—	·30	—	·04	·01		19
20	—	·02	·03	·02	—	·38	—	·11	·15	—	—	·01		20
21	—	·05	—	—		—	—	·06	·12	·01	—	—		21
22	—	—	—	—	—	·18	—	·36	—	·17	—	—		22
23	—	—	—	·10	·02	·04	—	—	·46	·03	—	—		23
24	—	·60	—	·20	—	·11	—	—	·58	—	·01	—		24
25	—	·39	—	·40	—	·20	—	—	·07	·02	·08	·10		25
26	—	·85	—	·08	—	·08	—	—	·01	·03	·10	·08		26
27	—	—	—	—	·14	—	—	—	—	·18	—	·19		27
28	—	—	—	·01	·06	—	·36	—	—	·20	—	·25		28
29	·08	×	—	—	·04	—	·08	—	—	·06	—	—		29
30	·07	×	·04	—	—	—	·05	—	·29	·08	—	·06		30
31	·10	×	—	×	—	×	—	·03	×	·01	×	—		31
TOTAL	2·38	3·06	3·06	·82	1·60	2·10	2·32	1·18	3·51	1·93	1·18	·72	Year's Total 23·86	
*Days with ·01 in. or more.	17	14	14	7	14	14	12	8	12	22	13	9	156	
*Days with .04 in. or more.	14	11	11	4	9	12	11	7	10	12	8	5	114	

† Spare column, no entries required.

(*Signed*) G. Forrester Scott

[P.T.O.

40-9999

D

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 518

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lywood House, Ardingly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 8 in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	—	—	·21	—	·30	—	·14	—	·49		1
2	·04	—	·24	·16	—	·01	—	—	·80	·44	—	·44		2
3	·05	·01	·01	·07	—	—	—	·01	—	·46	—	·15		3
4	·22	—	·10	·02	·05	—	—	—	—	·29	·08	·63		4
5	·01	—	·01	—	·09	—	—	·07	—	—	·03	·67		5
6	·01	—	·34	·01	·13	·18	—	·07	—	·26	·05	·62		6
7	·03	—	—	—	—	·04	—	·02	—	·18	—	·24		7
8	—	—	—	—	·14	—	—	·03	·01	—	1·29	·02		8
9	·01	—	·11	—	·01	—	—	—	·04	—	1·45	·34		9
10	—	—	·21	·30	—	—	—	·10	—	—	1·10	·01		10
11	·88	—	·62	·07	—	—	—	·13	—	—	·01	·35		11
12	·09	—	·02	—	—	—	·18	·08	—	—	·19	·01		12
13	·43	—	·18	·17	—	—	·15	·05	—	—	·03	·04		13
14	·26	—	·44	·03	—	·08	—	—	—	·01	·47	·64		14
15	·01	—	·03	—	·04	—	—	—	—	·02	·12	·51		15
16	·27	—	·25	·05	·25	—	—	—	—	·11	—	·01		16
17	·11	—	·14	·05	·05	—	—	—	—	·03	—	·39		17
18	·20	—	·05	·53	—	—	·84	—	·02	—	—	·69		18
19	—	—	·22	·01	—	·01	—	—	·50	·01	—	·13		19
20	—	—	·10	·02	—	—	·35	·01	—	—	—	·02		20
21	—	—	·01	·21	—	·15	—	—	—	·07	—	—		21
22	—	·01	—	—	—	—	·08	·09	·34	·03	—	·20		22
23	—	·01	—	·40	—	·62	—	—	·01	·04	—	·09		23
24	—	·01	·03	·01	—	·03	·88	·02	·14	·02	—	—		24
25	·22	—	—	·12	—	—	—	—	—	—	—	·78		25
26	·05	—	—	·31	—	·12	—	—	·05	—	—	·01		26
27	·01		—	·23	—	·02	—	—	—	—	—	·44		27
28	—	·20	—	·03	—	·13	—	·67	—	—	—	·26		28
29	—	X	—	—	—	—	—	·14	·08	—	·01	·01		29
30	·10	X	—	—	—	—	—	·02	·01	—	—	·56		30
31	·02	X	—	X	—	X	—	—	X	·07	X	·09		31
TOTAL	3·04	·24	3·11	2·80	·76	1·60	2·48	1·81	2·00	2·18	4·83	8·74	Year's Total 33·59	
*Days with ·01 in. or more.	21	5	19	20	8	12	6	16	11	16	12	29	173	
*Days with ·04 in. or more.	13	1	11	13	7	8	6	10	7	10	8	22	126	

† Spare column, no entries required.

(*Signed*) G. Forrester Scott

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 518

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at LYWOOD HOUSE

in the County of ARDINGLY SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 8 in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.04	.04	.03	.01	.07	.04	—	.38	.08	.19	—		1
2	.03	—	—	.07	—	.04	—	—	.02	.55	.07	—		2
3	—	.02	.12	.03	—	—	—	—	.01	1.53	.12	—		3
4	—	.09	—	.20	—	.28	—	—	.43	.30	.01	.42		4
5	—	.40	.05	.12	—	.06	—	—	.51	.14	.01	.01		5
6	.03	.06	.01	.24	—	.66	—	—	—	.01	.23	.01		6
7	.02	.01	—	.26	—	.09	—	—	—	.01	1.05	.09		7
8	—	—	.09	.43	—	.01	—	—	—	.29	1.04	.03		8
9	.03	—	—	.18	—	.21	—	—	—	.81	.10	.03		9
10	.06	—	.06	—	—	.06	—	—	—	—	.24	.07		10
11	.16	.01	—	.18	—	.17	.13	—	—	.04	.70	—		11
12	—	.04	—	—	—	.29	—	.45	.05	—	1.03	—		12
13	.11	.20	—	.15	.02	.03	—	—	.02	—	.13	.02		13
14	—	—	—	.02	.17	.46	—	—	—	.01	.03	.11		14
15	—	.26	—	.58	.01	.01	—	—	.38	—	.23	.07		15
16	—	.07	—	.18	—	.26	—	—	.57	.01	.99	.01		16
17	.04	—	.04	.07	—	.25	—	.01	.01	—	.42	[illegible]		17
18	—	—	.01	.27	—	.06	.06	—	.54	.06	.02	.01		18
19	—	.01	—	.08	.75	.05	.18	—	.11	—	.12	—		19
20	—	.52	—	.12	.04	.07	.27	—	.07	—	.13	—		20
21	.01	.45	—	.05	—	—	—	—	.01	.16	.02	—		21
22	—	.06	—	—	—	—	—	.30	.06	—	—	—		22
23	—	—	.04	—	—	—	—	.45	—	.02	—	.12		23
24	.06	1.03	—	—	.19	—	—	1.38	.66	—	—	.31		24
25	.09	.24	—	.19	.10	.09	—	—	—	—	.01	.50		25
26	.06	.35	—	—	—	—	—	.15	.11	.02	—	.38		26
27	.02	.65	—	—	—	—	.02	—	.10	—	.14	.30		27
28	—	.05	—	—	.34	—	.01	.46	.04	.02	.02	.18		28
29	.01	✕	—	—	—	—	—	.11	.73	.01	—	.40		29
30	.06	✕	—	—	.01	—	—	1.71	.01	.09	.76	.47		30
31	—	✕	—	✕	—	✕	—	—	✕	.26	✕	.80		31
TOTAL	1.00	4.56	.46	3.45	1.64	3.22 ~~3.32~~	.71	5.02	4.82	4.42	7.81	4.34	Year's Total. 41.55	
* Days with .01 in. or more.	16	20	9	20	10	20	7	9	21	20	25	21	198	
* Days with .04 in. or more.	8	16	7	17	6	17	5	8	15	12	18	14	143	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Forrester Scott

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 518

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at LYWOOD HOUSE ARDINGLY

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

,, Ground ,, Sea Level 240 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·11	·02	·52	—	·33	·54	·07	—	—	·10	·04		1
2	—	·04	—	—	—	·35	·17	·12	—	—	·01	—		2
3	—	·01	—	·36	—	·01	·02	—	·06	—	·21	—		3
4	—	—	·13	—	—	·09	—	—	·49	—	·08	·04		4
5	·23	—	·02	—	—	—	—	·06	·35	·01	·10	·03		5
6	·41	—	—	—	—	·04	—	·05	·20	·01	1·41	·02		6
7	·43	—	·07	—	—	·03	·03	—	—	—	·61	·06		7
8	·47	—	·09	—	—	—	·02	—	—	—	·66	·14		8
9	·41	—	·03	—	—	—	·39	—	·05	·13	·01	—		9
10	·08	—	—	—	—	—	·23	·06	—	—	·01	—		10
11	·01	·04	—	·11	—	—	·06	—	—	—	1·22	—		11
12	—	—	—	—	—	·25	·45	—	·34	·01	·23	·15		12
13	—	—	—	—	—	·03	·02	—	—	·01	·01	·52		13
14	—	·08	—	—	—	·10	·71	—	·01	·02	·14	·53		14
15	—	·09	—	—	—	·01	·02	—	—	—	·05	·35		15
16	·18	·09	—	—	—	—	·11	—	—	—	·19	·19		16
17	·08	·70	—	—	·15	·24	·15	·04	·01	·02	·28	·58		17
18	·09	·13	—	—	—	—	—	—	—	·01	·13	·09		18
19	·35	·03	·04	—	—	·49	·01	·13	—	—	·02	—		19
20	·25	·03	·11	·67	—	·01	·05	—	·49	—	—	—		20
21	—	·07	—	·33	·01	·40	·15	—	·02	—	—	—		21
22	·15	·39	·13	·01	·14	·05	·43	—	—	—	—	·05		22
23	·03	·24	·12	·11	·01	—	·25	—	—	·07	—	·01		23
24	·05	·06	—	—	—	·10	·09	—	·03	·21	—	—		24
25	·16	—	·21	·24	·01	—	—	—	·46	·20	·01	·01		25
26	—	·10	·15	·12	—	·01	—	—	·02	·19	—	·03		26
27	·42	—	·07	—	—	—	—	—	·10	·20	—	—		27
28	·55	—	·22	·01	—	·14	·25	—	·02	—	—	·09		28
29	·03	·08	·15	—	—	·55	·16	—	—	·06	·07	·01		29
30	·13	✕	—	—	·06	·18	—	—	—	·26	—	—		30
31	·22	✕	·25	✕	—	✕	·20	—	✕	·39	✕	·29		31
TOTAL	5·06	2·29	1·81	2·48	·38	3·41	4·51	·53	2·64	1·80	5·55	3·21	Year's Total 33·67	✓
* Days with ·01 in. or more.	22	17	16	10	6	20	23	7	15	16	21	20	193	✓
* Days with ·04 in. or more.	19	14	13	8	3	14	17	7	9	9	15	14	142	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

518

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

Lywood House

At ARDINGLY, Sussex

In the County of "

Rain Gauge
Diameter of Funnel......................in.
Height of Top above Ground........*ft*.........*in*.
Height of Ground above Sea Level...............*ft*.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·91				
FEB.	5·28				
MAR.	4·13				
APRIL	3·36				
MAY	2·35				
JUNE	1·64				
JULY	1·24				
AUG.	1·43				
SEPT.	2·58				
OCT.	3·04				
NOV.	2·34				
DEC.	4·37				
TOTAL	38·67 ✓				

Signature (Rev.) Harold T. Scott

Note. G. Forrester Scott Esq: who has kept the rainfall at the above address died in April /37. I have carried on his observations. The gauge, position of &c remain as before.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.............................. Distance............ Direction from gauge............

Nearest Parish Church at.............................. Distance............ Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M O 7
–7 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

Total corrected for arith. notified 2/39. W.B.R. Observer agrees. 24/2/39.

518

BB

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At ARDINGLEY, LYWOOD HOUSE

In the County of SUSSEX

Rain Gauge
Diameter of Funnel..........in.
Height of Top above Ground.......ft.........in.
Height of Ground above Sea Level..........ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·43	·54	26th	23	22
FEB.	1·22	·22	10th	14	9
MAR.	·66	·33	24th	5	3
APRIL	·36	·29	30th	3	2
MAY	2·49	·57	14th	10	9
JUNE	·71	·27	27th	5	4
JULY	2·08	·43	27th	12	10
AUG.	1·38	·46	28th	9	8
SEPT.	3·11	·70	27th	15	12
OCT.	4·54	·86	3rd	20	19
NOV.	3·97	·55	20th	20	18
DEC.	4·87	·75	9th	22	21
TOTAL	29·82 ~~28·75~~ ✓			158 ✓	137 ~~135~~ ✓

Signature Harold J. Scott

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Revd. H. J. Scott Lywood House,
Ardingly Haywards Heath, Sussex

Hour of observation by the clock—in Winter 9.30 a.m. in Summer ditto Summer time.

Nearest Railway Station Ardingly Distance 1½ miles Direction from gauge..........

Nearest Parish Church at Ardingly Distance 1½ miles Direction from gauge..........

Nature of objects nearest to gauge	Trees			
Height of objects	approx: 60 feet	} open	S.S.W. & W.	
Distances ...	approx:ly 25 yards			
Directions from gauge ...	N.E.			

If gauge has been moved during the year state— no

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
9 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 518

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at LYWOOD ARDINGLY

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ 0 ft. ~~8~~ 9 in.

,, Ground ,, Sea Level 240 ft.

~~BA~~

File No 38826/30

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	6·32	1·87	1·73	3·31	1·89	2·26	3·36	2·56	·72	7·04	7·26	2·06	Year's Total 40·38	
* Days with .01 in. or more.	186													
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold J. Scott

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 518

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at LYWOOD HO: ARDINGLY, SUSSEX.
in the County of ...
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29		3·29												29
30		×		1·48		·22			1·52		8·59			30
31	2·26	×	3·73	×	2·00	×	2·96	·11	×	4·26	×	2·52		31
TOTAL	2·26	3·29	3·73	1·48	2·00	·22	2·96	·11	1·52	4·26	8·59	2·52	Year's Total 32·94	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Harold J. Scott (Rev.)

P.T.O.

518/5.

HORSTED KEYNES.

CINDER HILL

1940.

780111

CO

Section **A** for the entry of Daily C

AIR MINISTRY.—ME

Station No. 518/5

H RAINFALL ORGANIZATION

FORM 1090

REGISTE N 19~~3~~40

Kept at HORSTED KEYNES (CINDER HILL) ~~SHARPTHO~~

in the County of SUSSEX

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level 300 ft.

back years 1936-9

td from orr. dis.

f 20132/40

Letter [illegible] 1-41 of low catch

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	.08	–		1
2	–	.05	–	.07	–	–	–	–	–	.10	.48	.02		2
3	–	.51	–	.03	–	–	.02	–	–	.06	1.33	.10		3
4	.02	.08	–	.08	–	–	–	–	–	.33	.07	.10		4
5	.01	.02	–	–	–	–	–	–	–	.02	.83	.16		5
6	+ 43	.16	–	–	–	–	.42	–	–	.64	TR.	–		6
7	+	.22	–	–	–	–	.06	–	–	–	TR.	–		7
8	–	TR.	–	–	–	–	–	–	TR.	.48	–	.33		8
9	–	–	–	–	–	–	–	–	–	.10	.47	.28		9
10	–	–	–	–	–	–	.62	.03	–	.21	.09	.02		10
11	–	.05	–	.05	–	–	.08	–	–	–	1.03	–		11
12	–	+ .05	.24	.07	–	–	.18	–	.24	–	.08	–		12
13	–	✓	.72	–	–	–	–	–	.08	–	1.22	–		13
14	–	–	.18	.04	–	–	–	–	–	.05	–	.50		14
15	–	–	.02	–	.27	–	.97	–	–	.06	.62	.03		15
16	–	.36	.24	.02	–	.05	.10	–	(·20)	.43	.66	.02		16
17	TR.	–	.34	–	–	–	.02	–	–	–	.35	–		17
18	–	.27	.29	.25	–	–	.08	.03	.14	.22	.03	.14		18
19	–	.10	.01	–	–	–	.02	–	.53	–	.27	.07		19
20	–	.01	.05	.02	–	–	TR.	–	.06	.03	.06	.03		20
21	+ .05	.01	.02	–	.64	–	.09	–	–	.10	.31	–		21
22	✓	TR.	.04	–	.07	.10	TR.	–	.13	TR.	.01	–		22
23	–	.21	.08	.23	–	–	.20	–	–	.01	.04	.02		23
24	–	–	–	.24	–	–	.08	–	–	–	.01	.02		24
25	–	–	.45	–	–	–	TR.	–	–	–	TR.	–		25
26	.80	.27	.09	.01	1.00	–	.04	–	–	–	.02	TR.		26
27	+ .68	.22	–	.18	.07	–	.09	–	–	.04	–	TR.		27
28	+	.02	–	.01	.20	–	–	–	–	–	–	.01		28
29	+	.47	.13	–	.07	–	–	–	–	–	–	.33		29
30	+ .36	X	–	.12	–	–	–	–	–	.20	–	.02		30
31	✓	X	–	X	–	X	–	–	X	.53	X	.10		31
TOTAL	2.35	3.08	2.90	1.42	2.32	.15	3.07	.06	(1.38) ~~1.18~~	3.61	8.06	2.30	Year's Total 30.~~5~~70	
* Days with .01 in. or more.	12	19	15	15	7	2	16	2	~~6~~ 7	18	21	19	15~~2~~3	
* Days with .04 in. or more.	8	13	12	10	7	2	13	0	~~6~~ 7	15	17	10	11~~3~~4	

up lws

UH

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) L. A. Wood

[P.T.O.

CO

Section **A** **for the entry of Daily** Obs

Station No. 518/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

HORSTED KEYNES

Kept at (CINDER HILL) ~~SHARPTHORNE~~,

in the County of SUSSEX

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

up. back years 1936-9

Sept part estd from own. diss.

f 20132/40

Letter dated 8.1.41 of low estd

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	.08	–		1
2	–	.05	–	.07	–	–	–	–	–	.10	.48	.02		2
3	–	.51	–	.03	–	–	.02	–	–	.06	1.33	.10		3
4	.02	.08	–	.08	–	–	–	–	–	.33	.07	.10		4
5	.01	.02	–	–	–	–	–	–	–	.02	.83	.16		5
6	+ .43	.16	–	–	–	–	.42	–	–	.64	TR.	–		6
7	+	.22	–	–	–	–	.06	–	–	–	TR.	–		7
8	–	TR.	–	–	–	–	–	–	TR.	.48	–	.33		8
9	–	–	–	–	–	–	–	–	–	.10	.47	.28		9
10	–	–	–	–	–	–	.62	.03	–	.21	.09	.02		10
11	–	.05	–	.05	–	–	.08	–	–	–	1.03	–		11
12	–	+ .05	.24	.07	–	–	.18	–	.24	–	.08	–		12
13	–	✓	.72	–	–	–	–	–	.08	–	1.22	–		13
14	–	–	.18	.04	–	–	–	–	–	.05	–	.50		14
15	–	–	.02	–	.27	–	.97	–	–	.06	.62	.03		15
16	–	.36	.24	.02	–	.05	.10	–	(·20) –	.43	.66	.02		16
17	TR.	–	.34	–	–	–	.02	–	–	–	.35	–		17
18	–	.27	.29	.25	–	–	.08	.03	.14	.22	.03	.14		18
19	–	.10	.01	–	–	–	.02	–	.53	–	.27	.07		19
20	–	.01	.05	.02	–	–	TR.	–	.06	.03	.06	.03		20
21	+ .05	.01	.02	–	.64	–	.09	–	–	.10	.31	–		21
22	✓	TR.	.04	–	.07	.10	TR.	–	.13	TR.	.01	–		22
23	–	.21	.08	.23	–	–	.20	–	–	.01	.04	.02		23
24	–	–	–	.24	–	–	.08	–	–	–	.01	.02		24
25	–	–	.45	–	–	–	TR.	–	–	–	TR.	–		25
26	.80	.27	.09	.01	1.00	–	.04	–	–	–	.02	TR.		26
27	+ .68	.22	–	.18	.07	–	.09	–	–	.04	–	TR.		27
28	+	.02	–	.01	.20	–	–	–	–	–	–	.01		28
29	+	.47	.13	–	.07	–	–	–	–	–	–	.33		29
30	+ .36	✕	–	.12	–	–	–	–	–	.20	–	.02		30
31	✓	✕	–	✕	–	✕	–	–	✕	.53	✕	.10		31
TOTAL	2.35	3.08	2.90	1.42	2.32	.15	3.07	.06	(1.38) ~~1.18~~	3.61	8.06	2.30	Year's Total 30.~~50~~ 70	up bws UH
* Days with .01 in. or more.	12	19	15	15	7	2	16	2	7 ~~6~~	18	21	19	15~~2~~3	
* Days with .04 in. or more.	8	13	12	10	7	2	13	0	7 ~~6~~	15	17	10	11~~3~~4	

† Spare column, no entries required.

(Signed) L. a. Wood [P.T.O.

* See Instruction 3 (f) on other side.

519

Section **A** for the entry of

AIR MINISTR

FORM 1090.

REGIS

31.

FOR OFFICIAL USE.

ALL ORGANIZATION.

195

Kept at *Ardingly*

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea

519

ARDINGLY

WAKEHURST PLACE

1931 - 1940

780111

THE MORNING MEAS **AY.**

An observer who does not conform to *e following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					1·02				·58			·30	3
4													4
5						·54							5
6										·30			6
7													7
8													8
9													9
10											1·40		10
11		·60											11
12													12
13													13
14							·65	·75					14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22			·30										22
23	·56												23
24				·70									24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·84	2·91	0·59	4·14	2·95	2·09	3·85	4·21	2·30	0·60	4·74	1·02	YEAR'S TOTAL 32·24
*Days with ·01 in. or more.	20	20	8	19	17	14	17	15	19	10	17	8	184
*Days with ·04 in. or more.	15	17	4	16	11	10	13	11	12	4	12	6	131
40-9999	72·1	73·9	15·0	105·2	74·9	53·1	97·8	106·9	58·4	15·2	120·4	[illegible]9	86·8

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

519

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ardingly Wakehurst Place

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 437 ft.

195

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3					1·02				·58			·30	3
4													4
5						·54							5
6										·30			6
7													7
8													8
9													9
10											1·40		10
11		·60											11
12													12
13													13
14							·65	·75					14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22			·30										22
23	·56												23
24				·70									24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·84	2·91	0·59	4·14	2·95	2·09	3·85	4·21	2·30	0·60	4·74	1·02	YEAR'S TOTAL 32·24
*Days with ·01 in. or more.	20	20	8	19	17	14	17	15	19	10	17	8	184
*Days with ·04 in. or more.	15	17	4	16	11	10	13	11	12	4	12	6	131
40-9999	72·1	73·9	15·0	105·2	74·9	53·1	97·8	106·9	58·4	15·2	120·4	[illegible]·9	86·8

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

519

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wakehurst Place
in the County of Sussex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 9 in.
,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.20	.01	.31	—	.28	—	.03	.30	.01	—	—	1
2	.19	.05	—	.29	.01	—	—	—	.57	—	—	.02	2
3	.14	—	.15	.13	1.02	—	—	.30	.58	—	.05	.30	3
4	—	.03	—	.02	.04	—	.01	.02	.15	.01	.07	.02	4
5	—	—	—	.25	—	.54	.10	.28	.05	.01	.01	.25	5
6	—	.09	—	.11	—	.03	—	—	.01	.30	.30	.26	6
7	—	.01	—	—	.03	.20	—	.21	.05	.04	.47	—	7
8	—	.17	.01	—	.02	.20	.03	.05	—	—	.07	.09	8
9	Trace	.20	—	.02	—	.01	—	—	—	—	.76	—	9
10	Trace	.22	.05	—	—	.19	.08	.16	—	.01	1.40	—	10
11	.16	.60	—	—	—	—	—	—	.01	—	.23	—	11
12	.09	—	—	—	—	—	—	—	.26	—	—	—	12
13	.11	—	—	—	.04	Trace	.02	.02	—	—	—	—	13
14	.01	.11	—	—	—	.03	.65	.75	—	—	.01	—	14
15	.01	.05	—	.08	.27	—	.30	.30	—	—	—	.04	15
16	.01	.08	—	.17	.33	.05	Trace	.03	.04	—	—	—	16
17	.04	.08	—	.38	.01	.07	.44	—	.05	.04	—	—	17
18	.03	.14	.01	.29	—	.17	.12	.74	.05	.02	.71	—	18
19	.08	—	—	.49	—	.11	.59	.38	.04	—	—	—	19
20	—	.13	—	.06	—	—	.06	.33	.01	Trace	.01	—	20
21	.01	.03	Trace	—	.41	—	—	—	—	—	.02	—	21
22	.33	—	.30	.04	Trace	—	—	—	.07	—	—	—	22
23	.56	.09	.05	—	.21	.18	—	—	.02	—	.33	—	23
24	—	—	.01	.70	.04	.03	.35	.61	.02	—	—	—	24
25	.07	—	—	.42	.02	—	.54	—	.01	—	.04	Trace	25
26	—	.08	—	.27	—	—	32	—	.01	—	.23	—	26
27	.25	.39	—	.08	.31	—	.06	—	—	—	.03	—	27
28	.07	.16	—	.03	—	—	—	—	—	.02	—	Trace	28
29	.12		—	—	.12	—	.17	—	—	.14	—	.04	29
30	.10	×	—	—	.06	—	.01	—	—	—	—	—	30
31	.46	×	—	×	.01	×	—	—	×	—	×	—	31
TOTAL	2.84	2.91	.59	4.14	2.95	2.09	3.85	4.21	2.30	.60	4.74	1.02	YEAR'S TOTAL 32.24
*Days with ·01 in. or more.	20	20	8	19	17	14	17	15	19	10	17	8	184
*Days with ·04 in. or more.	15	16	4	16	11	10	13	11	12	4	12	6	130

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) A. W. Coates

[P.T.O.

519

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM No.

REGISTER OF RAINFALL IN 1932.

195

Kept at Ardingly Wakehurst Place

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												·34	2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10	·80	·35											10
11													11
12													12
13													13
14				·42									14
15													15
16													16
17													17
18													18
19													19
20										1.25			20
21					·62								21
22									·55				22
23													23
24													24
25													25
26							1.28						26
27													27
28													28
29			·63					·26					29
30		×				1.12					0.69		30
31		×		×		×			×		×		31
TOTAL	3.86	0.80	1.85	3.24	3.38	1.72	3.80	0.73	2.66	8.72	1.81	0.92	YEAR'S TOTAL 33.49
*Days with ·01 in. or more.	19	10	12	24	22	7	18	9	20	25	15	11	192
*Days with ·04 in. or more.	16	5	6	16	15	5	13	4	15	19	8	6	128
40-9999	98.0	20.3	47.0	82.3	85.9	43.7	96.5	18.5	67.6	221.5	46.0	23.4	

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 519

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wakehurst Place

in the County of Sussex

Diameter of Funnel of Gauge ~~21~~ 8 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 437 ft.

day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.03	—	.20	.40	—	.01	.03	trace	.10	.08	—	1
2	.04	—	—	.21	.12	—	—	.01	.11	.01	.01	.34	2
3	—	—	—	.02	.12	.13	—	.01	.45	.03	—	—	3
4	.04	—	—	—	—	.13	—	—	—	—	.01	—	4
5	.32	.02	.03	—	.01	.02	.14	—	.15	—	—	—	5
6	.74	—	trace	.16	—	—	trace	—	.04	.01	—	—	6
7	.04	—	.06	.02	—	—	.09	—	.02	.05	—	—	7
8	—	—	.22	.03	.18	—	—	—	.20	.71	trace	—	8
9	.34	.12	—	.25	.53	—	—	—	—	.11	—	—	9
10	.50	.35	.02	.38	.10	—	—	—	.03	.11	—	—	10
11	.25	.02	.01	.22	.01	trace	trace	trace	.08	.03	.02	.01	11
12	.47	.11	—	.01	.01	—	—	—	.06	.43	.01	trace	12
13	.08	—	—	.19	.04	—	.02	—	.02	1.22	—	.03	13
14	.20	.01	—	.42	.08	—	—	trace	—	.05	—	—	14
15	.10	—	—	.09	.18	—	—	—	—	.10	—	.01	15
16	.18	—	—	.25	.02	—	.16	—	—	—	—	.01	16
17	.01	—	—	.11	—	—	.05	—	—	.03	—	—	17
18	.04	—	—	—	.02	—	.01	—	.11	—	.10	—	18
19	.02	—	—	.02	.02	—	—	—	.04	.42	.01	—	19
20	—	—	—	.13	.03	—	.27	.21	.01	1.25	.15	—	20
21	.01	—	—	trace	.62	—	.01	.12	—	.45	—	.06	21
22	.05	.02	.35	.08	.05	—	.19	.05	.55	.32	.51	.03	22
23	—	.08	—	.13	.24	.24	—	—	.16	1.13	—	.16	23
24	—	.04	—	trace	—	—	.71	—	.24	.05	.03	—	24
25	—	—	—	—	—	—	.52	—	.10	.70	.05	—	25
26	—	—	.03	.05	—	—	1.28	.03	—	—	.05	—	26
27	—	—	.42	.21	.21	.06	.13	—	.01	.51	.06	—	27
28	—	—	.01	.03	.30	.02	.20	—	—	.27	—	—	28
29	—	—	.63	.02	.09		.01	.26	.20	.52	.03	.05	29
30	—	×	.04	.01	—	1.12	.09	.01	.08	.01	.69	.13	30
31	—	×	.03	×	—	×	.11	—	×	~~—~~	×	.09	31
TOTAL	3.87	.80	1.85	3.24	3.38	1.72	4.00 ~~3.80~~	.73	2.66	8.62 ~~8.72~~	1.81	.92	YEAR'S TOTAL 33.50
*Days with ·01 in. or more.	19	10	12	24	22	7	18	9	20	25	15	11	192
*Days with .04 in. or more.	16	5	6	16	15	5	13	4	15	19	8	6	127

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) C. W. Coates

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. 519

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ardingly Wakehurst Place

in the County of Sussex

Diameter of Funnel of Gauge.......... in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 437 ft.

~~Duplicate~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6					·74								6
7													7
8													8
9													9
10													10
11													11
12									1·34				12
13													13
14										·47	·44		14
15	0·57							·35					15
16			0·89										16
17													17
18													18
19													19
20						·36							20
21													21
22													22
23													23
24													24
25				0·38									25
26		·77											26
27													27
28							·47					·28	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·63 ✓	3·28 ✓	3·85 ✓	0·81 ✓	1·72 ✓	2·29 ✓	2·67 ✓	1·30 ✓	3·69 ✓	2·11 ✓	1·23 ✓	0·81 ✓	YEAR'S TOTAL 26·39 ✓
*Days with ·01 in. or more.	16	17	14	6	14	13	12	8	12	22	14	8	156 ✓
*Days with ·04 in. or more.	14	10	12	4	9	12	10	7	9.	14	8	6	115 ✓
40-9999	66·8		97·8	20·6		58·2	67·8						

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 519

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Compare with M. W. Return for March / June / September

Dup

Kept at Oakehurst Place

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.67	.35	—	—	—	—	—	—	.01	.03	—		1
2	.37	—	.63	—	.10	—	—	—	—	.01	—	—		2
3	.11	.16	.33	—	.02	—	—	—	—	—	.02	—		3
4	.16	.05	.02	—	.29	—	—	—	—	—	—	—		4
5	.25	.01	.36	—	.08	—	—	—	—	—	—	—		5
6	—	.21	.07	—	.74	—	—	—	—	.05	.09	—		6
7	.28	.05	.10	—	.09	—	—	—	—	.13	—	.04		7
8	.11	.01	—	—	.01	—	.08	—	—	.04	—	—		8
9	—	.02	—	—	.02	—	.38	—	—	.06	.23	—		9
10	—	.24	—	—	—	.02	.07	—	—	.24	—	—		10
11	.22	—	—	—	.04	.14	.02	.14	.01	.09	.02	—		11
12	—	—	—	.02	Trace	.24	.12	—	1.24	—	—	—		12
13	.06	—	—	—	.05	—	.42	.15	.18	.12	.13	—		13
14	—	—	—	—	—	—	.22	—	—	.47	.44	.01		14
15	.57	—	.19	—	—	—	.37	.35	—	.04	.02	—		15
16	.02	—	.59	—	—	.26	.42	—	.01	.03	—	—		16
17	Trace	.03	.37	—	—	.04	—	.11	.16	—	.08	—		17
18	.15	.01	.05	—	—	.30	—	—	—	—	.01	—		18
19	.01	.02	.15	Trace	—	.10	—	.01	.32	—	.04	.03		19
20	—	—	.03	.02	—	.36	—	Trace	.10	—	—	—		20
21	—	.05	—	—	—	—	—	.16	.16	.01	—	—		21
22	—	—	—	—	—	.10	—	.34	—	.13	—	—		22
23	—	—	—	.12	.03	.31	—	—	.39	.03	—	—		23
24	—	.59	—	.17	—	.06	—	—	.71	—	.03	—		24
25	—	.38	—	.38	—	.31	—	—	.03	.02	.05	.08		25
26	—	.77	—	.10	—	.05	—	—	—	.02	.04	.11		26
27	—	—	—	—	.17	—	—	—	—	.22	—	.18		27
28	—	.01	—	—	.05	—	.47	—	—	.26	—	.28		28
29	.08		—	—	Trace	—	.02	—	—	.04	—	—		29
30	.10	×	.06	—	.03	—	.08	—	.28	.08	—	.08		30
31	.10	×	—	×	—	×	—	.04	×	.01	×	—		31
TOTAL	2.63	3.28	~~3.55~~ 3.80	.81	1.72	~~1.29~~ 2.29	2.67	1.30	3.59	2.11	1.23	.81	Year's Total 24.99	
*Days with ·01 in. or more.	16	17	14	6	14	13	12	8	12	22	14	8	156	
*Days with .04 in. or more.	14	10	12	4	8	12	10	7	9	14	8	6	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Coutes

[P.T.O.

519

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ardingly Wakehurst Place
in the County of Sussex
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft 9 in.
,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2									·87					2
3										·67				3
4														4
5														5
6														6
7														7
8														8
9											1·33			9
10														10
11	·94		·56											11
12														12
13														13
14														14
15														15
16					·19									16
17														17
18				·54										18
19														19
20							·51							20
21														21
22														22
23						·84								23
24														24
25												·84		25
26														26
27														27
28		·23						·72						28
29		×												29
30		×												30
31		×		×		×			×		×			31
TOTAL	3·33	0·40	3·59	2·88	0·82	1·91	2·12	2·40	2·22	2·64	4·75	9·76	Year's Total 36·82	
*Days with ·01 in. or more.	19	5	18	19	8	12	8	15	11	17	14	26	172	
*Days with ·04 in. or more.	14	3	15	13	7	8	7	12	8	12	8	24	131	

40-9999
*See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*)

P.T.O.

519

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 519

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wakehurst Place

in the County of Sussex

Diameter of Funnel of Gauge ~~2~~ 9 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 437 ft.

See Ardingly MS R form A

Duplicate (Days)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.01	—	—	—	.17		.36	.04	.16	—	.46		1
2	.04	—	.23	.02	—	.01	—	—	.87	.57	.01	.55		2
3	.04	.04	—	.09	—	—	—	.07	—	.67	—	.13		3
4	.27	—	.09	—	.14	—	—	—	—	.16	.08	.78		4
5	—	—	.03	—	.05	—	—	.07	—	—	.03	.63		5
6	.02	—	.33	.01	.15	.20	—	.17	—	.30	.04	.73		6
7	.05	—	—	—	—	.04	—	—	—	.23	—	.29		7
8	—	—	—	—	.16	—	—	.02	.10	—	1.32	trace		8
9	—	—	.08	—	—	—	—	—	.02	—	1.33	.45		9
10	—	—	.20	.35	—	—	—	.13	—	.01	1.20	—		10
11	.94	—	.56	.08	—	—	—	.10	—	—	.01	.37		11
12	.11	—	.01	—	—	—	.19	.09	—	—	.18	.06		12
13	.46	—	.44	.16	—	—	.22	.02	—	—	.03	.11		13
14	.31	—	.54	.05	.01	.16	—	—	—	—	.39	.76		14
15	.01	—	.05	—	.05	—	—	—	—	.05	.09	.80		15
16	.33	—	.30	.06	.19	—	—	—	—	.13	.01	.03		16
17	.16	—	.24	.02	.07	—	—	—	.50	.03	—	.41		17
18	.16	—	.06	.54	—	—	.42	—	—	—	—	.47		18
19	—	—	.34	.01	—	.02	—	—	—	.01	—	.20		19
20	—	—	.04	.03	—	—	.51	.03	—	—	—	.02		20
21	—	—	.01	.25	—	.18	—	—	—	.13	—	—		21
22	—	—	—	—	—	—	.27	.06	.32	.04	—	.17		22
23	—	—	—	.49	—	.84	—	—	.01	.03	—	.09		23
24	—	.11	.04	.03	—	.02	.46	.12	.18	.02	—	—		24
25	.20	.01	—	.24	—	—	—	—	—	.04	—	.84		25
26	.07	—	—	.09	—	.12	—	—	.06	—	—	.04		26
27	.01	—	—	.31	—	.01	—	—	—	—	—	.37		27
28	—	—	—	.05	—	.14	trace	.72	—	—	—	.36		28
29	—	.23	—	—	—	—	.04	.10	.10	—	.03	—		29
30	.11	×	—	—	—	—	—	.34	.02	—	—	.55		30
31	.03	×	—	×	—	×	.01	—	×	.06	×	.09		31
TOTAL	3.34 ~~3.33~~	.40	3.59	2.88	.82	1.91	2.12	2.40	2.22	2.64	4.75	9.76	Year's Total. 36.82	
* Days with .01 in. or more.	19 ~~18~~	5	18	19	8	12	8	15	11	17	14	26	172	
* Days with .04 in. or more.	14	3	15	13	7	8	7	12	8	12	8	24	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Coates

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. ✓ Station No. 519

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wakehurst Place

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 437 ft.

Days cord for B.A. GR.

~~Days~~ Nov R

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.04	.04	.04	.01	.06	.08	—	.38	.17	.19	—		1
2	.06	—	.01	.06	—	.02	—	—	—	.55	.13	—		2
3	—	.02	.11	.03	—	—	—	—	.30	1.67	.14	—		3
4	—	.10	—	.19	—	.29	—	—	.31	.26	trace	.41		4
5	—	.39	.03	.08	—	.06	.02	—	.05	.19	—	.01		5
6	.04	.10	.02	.27	—	.88	—	—	—	—	.30	.01		6
7	.05	.04	—	.30	—	.09	—	—	—	—	.93	.13		7
8	—	—	.05	.39	—	—	—	—	—	.51	.53	.03		8
9	.03	—	—	.31	—	.31	—	—	.01	1.11	.18	.02		9
10	.09	—	.13	.02	—	.09	—	—	—	.01	.29	.16		10
11	.17	.01	—	.20	—	.09	.14	—	—	.20	.75	.01		11
12	.01	.05	—	—	—	.31	—	.39	.09	—	1.01	—		12
13	.15	.24	—	.15	.06	.02	—	—	trace	.01	.19	.02		13
14	—	—	—	.01	.23	.43	—	—	.01	.02	.05	.12		14
15	—	.31	—	.59	.01	—	—	—	.32	—	.30	.05		15
16	—	.06	—	.42	trace	.30	—	—	.53	—	1.06	.01		16
17	.04	—	.08	.07	—	.23	.01	trace	.05	—	.42	—		17
18	—	—	—	.43	.01	.12	.04	.02	.63	.09	.02	—		18
19	—	.01	—	.09	.86	.05	.33	—	.10	.01	.12	—		19
20	—	.71	—	.14	.01	.06	.17	—	.07	.01	.16	—		20
21	.04	.45	—	.02	—	—	—	—	.03	.16	.02	—		21
22	—	.08	.01	.01	—	—	—	.44	.10	—	—	—		22
23	—	—	.06	—	—	—	—	.63	trace	.03	—	.08		23
24	.05	1.13	—	—	.22	—	—	1.24	.76	—	—	.36		24
25	.10	.27	—	.22	.11	.09	—	—	—	—	.04	.49		25
26	.08	.17	—	—	—	—	—	.20	.17	.03	.01	.41		26
27	.02	.73	—	—	—	—	.01	—	.13	—	.18	.33		27
28	—	.03	—	—	.47	—	trace	.01	.07	.04	.01	.41		28
29	.01		—	—	—	—	—	.09	.51	trace	—	.40		29
30	.08	×	—	.01	.01	—	—	1.63	—	.14	.82	.68		30
31	—	×	—	×	.01	×	—	—	×	.35	×	1.22	Year's Total.	31
TOTAL	1.26	4.94	.54	4.05	2.01	3.50	.50	4.65	5.52	5.56	7.85	5.39	46.07	
* Days with .01 in. or more.	17	20	10	2~~4~~3	12	18	8	9	20	20	24	21	202 ~~219~~	
* Days with .04 in. or more.	13	16	6	17	6	16	5	7	17	13	20	14	150	

40-9999 The late Lord Wakehurst

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(for 1935 BR)

(*Signed*) A. E. Coates

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 519

195

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ardingly

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 437 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·64										1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11											1·21			11
12														12
13														13
14														14
15														15
16														16
17		·83			·50							·81		17
18														18
19								·19						19
20									·52					20
21														21
22														22
23			·24											23
24														24
25														25
26														26
27														27
28	·64		·24				·71							28
29						·76								29
30		X												30
31		X		X		X			X	·39	X			31
													Year's Total.	
TOTAL	5·90 ✓	2·41 ✓	2·00 ✓	2·79 ✓	0·80 ✓	4·11 ✓	5·21 ✓	0·68 ✓	2·37 ✓	2·15	5·47	3·87	37·76	✓
* Days with .01 in. or more.	23	15	16	13	7	17	25	7	16	16	19	19	193	✓
* Days with .04 in. or more.	20	13	12	10	5	12	17	6	10	11	14	14	144	✓

40-9999

† Spare column, no entries required.

(Signed) Lady Wakehurst

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~519~~ 195

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Ardingly (Wakehurst Place).

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·97										1·24			1
2				·51								·87		2
3														3
4		1·25												4
5														5
6			·84											6
7														7
8														8
9									·42					9
10						·39								10
11														11
12														12
13														13
14														14
15							·48							15
16								·56	·42					16
17														17
18						·39								18
19														19
20					·85									20
21														21
22										·96				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	7·30	6·10	4·45	3·50	2·40	1·59	1·06	1·78	2·37	2·91	2·35	4·43	Year's Total 40·24	✓
* Days with .01 in. or more.	25	23	19	18	14	13	8	5	16	13	10	21	185	✓
* Days with .04 in. or more.	21	18	16	15	9	8	6	4	11	9	8	14	139	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

195

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 519

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Ardingly (Wakhurst Place)
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 9 in.
,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3										·82				3
4														4
5														5
6														6
7														7
8														8
9												·77		9
10														10
11														11
12								·46						12
13														13
14		·27												14
15														15
16	·48													16
17														17
18														18
19											·56			19
20														20
21														21
22														22
23														23
24														24
25			·32											25
26														26
27						·28	·49		·93					27
28					·54									28
29														29
30		✕		·23										30
31		✕		✕		✕			✕		✕			31
TOTAL	4·24	1·25	·69	·31	2·70	·72	2·06	1·91	3·57	4·42	4·41	4·81	Year's Total 31·09	
* Days with .01 in. or more.	24	10	5	5	15	7	10	11	16	19	21	22	165	
* Days with .04 in. or more.	20	9	3	1	12	5	9	8	11	18	15	18	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ……………………………… [P.T.O.

COPY FOR OFFICIAL USE

~~495~~

Section **A** for the entry of Daily Observations

Station No. 519

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ardingly (Wakehurst Place)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4			.39					·94						4
5														5
6														6
7														7
8												·61		8
9														9
10														10
11														11
12														12
13										1.42				13
14														14
15					1.05				·32					15
16														16
17														17
18														18
19														19
20						·65	.84							20
21														21
22														22
23											·94			23
24														24
25	1.23													25
26														26
27														27
28		.35												28
29														29
30		✕		·55										30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	6·30	1·95	1·47	3·14	2·13	2·16	3·32	3·07	1·07	6·76	7·46	2·17	41·00	
* Days with .01 in. or more.	22	12	17	17	9	14	20	12	11	22	2~~5~~6	15	1967	
* Days with .04 in. or more.	19	10	9	14	7	10	15	10	7	18	20	8	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

195

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** ·519 1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Ardingly (Wakehurst place)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 437 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10								·04						10
11														11
12														12
13			·92											13
14											1·44	·52		14
15							1·02							15
16		·56												16
17														17
18				·30				·04						18
19									·55					19
20														20
21														21
22						·16								22
23														23
24														24
25														25
26	·80				·51									26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕	·86	✕			31
TOTAL	2·73	3·51	3·99	1·48	1·85	·30	2·74	·12	1·74	3·84	8·96	2·45	Year's Total 33·71	
* Days with ·01 in. or more.	9	18	15	18	7	5	19	4	12	18	19	18	162	
* Days with ·04 in. or more.	9	14	13	11	6	3	11	2	7	14	15	10	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

520

Section **A** **for the entry of**
AIR MINISTRY

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGIST

520

BIRCH GROVE

1931 - 1940

480111

81

BA

is nothing missing by
nding stations. ~~Birch~~ 22/2/32.
allocated.

Kept at Birch Grove
in the County of Sussex
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th … *llowing*
year in the space on the right of this

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·10 x	·01	·21	—	—	tr	·02	·31	—	—	—	1
2	·07	~~·50~~ x		·21	·84	—	tr	—	·54	—	—	·08	2
3		—		x	·02	—	tr	·16	·71	·01	·03	—	3
4	?	·17		·09	—	—	·05	tr	·22	·02	·04	·26	4
5	?	tr		·29	—	·78	·25	·14	·05	·01	tr	·29	5
6	?	·09		·09	·04	·08	tr	tr	—	·24	·44	·19	6
7	?	·01		·01	tr	·19	—	·31	—	·04	·45	—	7
8	tr	·19		tr	·04	·20	—	·04	—	tr	·33	~~·30~~	8
9	tr	x		—	—	·02	—	—	—	tr	·68	?	9
10	tr	x·42		—	·01	·21	·07	x·12	—	·01	1·37	?	10
11	·18	·55		—	tr	·01	tr	—	·01	tr	·56	?	11
12	·14	·01		—	·06	tr	·03	tr	·26	tr	·01	?	12
13	—	—		—	·03	·18	·04	·14	tr	—	—	?	13
14	·09	·12		·02	tr	·08	·60	·72	—	·01	—	?	14
15	·02	·04	—	·05	—	—	·18	·34	tr	·01	—	?	15
16	tr	·05	—	·13	—	·03	·01	·24	·04	tr	—	?	16
17	—	·03	—	·25	—	—	·41	tr	·03	tr	—	?	17
18	tr	·11	·01	x	—	tr	·01	·57	tr	—	·66	—	18
19	·01	·03	—	x·70	—	tr	·10	·37	·05	—	·01	·02	19
20	·11	·11	tr	·10	—	—	·37	·35	tr	—	—	tr	20
21	·01	—	tr	·04	·40	tr	—	tr	—	—	·03	?	21
22	·01	·02	·23	tr	tr	tr	—	—	·09	—	·01	?	22
23	·30	·03	·03	—	·16	·18	—	—	·04	—	·33	?	23
24	·52	·01	·02	·64	·02	—	·23	·48	·02	—	—	?	24
25	tr	·01	·01	·32	·01	—	—	tr	tr	—	—	?	25
26	·03	x	—	·17	tr	—	·39	—	·01	—	·38	?	26
27	·27	·40	—	·03	·18	—	·02	—	tr	—	—	?	27
28	·09	·11	—	·02	tr	—	—	—	tr	·02	—	?	28
29	·10	x		·01	·36	—	·16	—	tr	·13	—	?	29
30	·05	✕		—	·05	—	·01	—	—	—	—	?	30
31	·40 ~~part of~~ ~~·80~~	✕		✕	·02	✕	—	—	✕	—	✕	/	31
TOTAL	2.41✓ ~~2.181~~	2.61 ~~3.01~~	·31?✓	3.38✓	2.24✓	1.96✓	2.93✓	4.00✓	2.38✓	.50✓	5.33✓	·84✓	YEAR'S TOTAL 28.89✓
*Days with ·01 in. or more.	18	28	6✓	20✓	15	11✓	17✓	14✓	14✓	10✓	15✓	5	169✓
*Days with ·04 in. or more.	12	16.	1	15	9	8	12✓	13.	10.	3✓	10✓	4	113✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. Price-Davies [P.T.O.

520

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~2~~1

BA

Kept at Birch Grove

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

Obs. says Perhaps small entries missing early in January and December.

There is nothing missing by surrounding stations. Jan & February allocated. ~~[illegible]~~ 22/2/32.

Cf with neighbouring stns

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·10 x	·01	·21	–	–	tr	·02	·31	–	–	–	1
2	·07	~~·50~~ x		·21	·84	–	tr	–	·54	–	–	·08	2
3		–		x	·02	–	tr	·16	·71	·01	·03	–	3
4	?	·17		·09	–	–	·05	tr	·22	·02	·04	·26	4
5	?	tr		·29	–	·78	·25	·14	·05	·01	tr	·29	5
6	?	·09		·09	·04	·08	tr	tr	–	·24	·44	·19	6
7	?	·01		·01	tr	·19	–	·31	–	·04	·45	–	7
8	tr	·19		tr	·04	·20	–	·04	–	tr	·33	~~·30~~	8
9	tr	x		–	–	·02	–	–	–	tr	·68	?	9
10	tr	·42		–	·01	·21	·07	x ·12	–	·01	1·37	?	10
11	·18	·55		–	tr	·01	tr	–	·01	tr	·56	?	11
12	·14	·01		–	·06	tr	·03	tr	·26	tr	·01	?	12
13	–	–		–	·03	·18	·04	·14	tr	–	–	?	13
14	·09	·12		·02	tr	·08	·60	·72	–	·01	–	?	14
15	·02	·04	–	·05	–	–	·18	·34	tr	·01	–	?	15
16	tr	·05	–	·13	–	·03	·01	·24	·04	tr	–	?	16
17	–	·03	–	·25	–	–	·41	tr	·03	tr	–	?	17
18	tr	·11	·01	x	–	tr	·01	·57	tr	–	·66	–	18
19	·01	·03	–	x ·70	–	tr	·10	·37	·05	–	·01	·02	19
20	·11	·11	tr	·10	–	–	·37	·35	tr	–	–	tr	20
21	·01	–	tr	·04	·40	tr	–	tr	–	–	·03	?	21
22	·01	·02	·23	tr	tr	tr	–	–	·09	–	·01	?	22
23	·30	·03	·03	–	·16	·18	–	–	·04	–	·33	?	23
24	·52	·01	·02	·64	·02	–	·23	·48	·02	–	–	?	24
25	tr	·01	·01	·32	·01	–	–	tr	tr	–	–	?	25
26	·03	x	–	·17	tr	–	·39	–	·01	–	·38	?	26
27	·27	·40	–	·03	·18	–	·02	–	tr	–	–	?	27
28	·09	·11	–	·02	tr	–	–	–	tr	·02	–	?	28
29	·10	x		·01	·36	–	·16	–	tr	·13	–	?	29
30	·05	✕		–	·05	–	·01	–	–	–	–	?	30
31	·40 ~~part of ·80~~	✕		✕	·02	✕	–	–	✕	–	✕	/	31
TOTAL	2·41 ~~2·18~~	2·61 ~~3·01~~	·31?	3·38	2·24	1·96	2·93	4·00	2·38	·50	5·33	·84	YEAR'S TOTAL 28·89
*Days with ·01 in. or more.	18	24	6	20	15	11	17	14	14	10	15	5	169
*Days with ·04 in. or more.	12	16.	1	15	9	8	12	13.	10.	3	10	4	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G Price-Davies

[P.T.O.

520

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at Birch grove

in the County of Sussex

Station No. 520

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·02	–	·21	·45	–	·02	·01	tr	·03	·06	·01	1
2	·03	–	–	·18	·11	tr	tr	·01	·03	tr	·02	·40	2
3	–	–	–	·03	·13	·20	–	·01	·49	·01	tr	·01	3
4	tr	tr	–	–	·01	·17	–	tr	–	–	·01	tr	4
5	·48	·01	·02	–	·02	·03	·18	tr	·16	–	tr	tr	5
6	·67	–	tr	·11	·01	–	tr	–	·05	·01	–	·02	6
7	·01	–	·08	·03	–	–	·21	–	·09	·03	–	tr	7
8	–	–	·18	·03	·20	–	–	–	·22	·70	–	tr	8
9	·35	·16	tr	·29	·47	–	–	–	·01	·07	–	tr	9
10	·71	·17	tr	·35	·13	tr	–	–	·03	·06	·01	tr	10
11	·21	·05	·01	·17	·01	tr	·04	–	·04	·03	·02	·01	11
12	·45	·05	–	tr	·01	–	–	·01	·04	·19	tr	tr	12
13	·09	–	–	·19	·06	–	·02	–	·02	1.35	tr	·01	13
14	·15	tr	–	·18	·10	–	tr	tr	–	·08	·01	tr	14
15	·10	–	–	·12	·11	–	tr	tr	–	·08	–	tr	15
16	·12	–	–	·26	·11	–	tr	tr	–	tr	–	·01	16
17	·05	–	–	·22	tr	–	·02	–	–	·02	tr	tr	17
18	tr	–	–	·01	tr	–	·02	–	·04	–	·09	tr	18
19	·02	–	–	·01	·02	tr	–	–	·03	·41	·02	tr	19
20	–	–	–	·01	·04	–	·02	·17	·01	1.36	·18	tr	20
21	–	·01	·01	·01	·61	–	·01	tr	–	·38	·01	·07	21
22	–	·01	·35	·02	·08	–	·14	·02	·57	·22	·58	·01	22
23	–	·08	tr	·08	·10	·19	tr	–	·21	1.32	·01	·11	23
24	–	·06	–	tr	·01	tr	·75	–	·25	·05	·03	·01	24
25	–	tr	–	tr	tr	tr	·72	tr	·25	·67	·05	·01	25
26	–	–	·03	·05	–	–	·55	·01	·01	·01	·04	·01	26
27	–	–	·39	·18	·19	·03	·22	–	·02	·56	·07	·02	27
28	–	–	·01	·04	·20	–	·20	tr	tr	·22	·01	tr	28
29	–	tr	·55	tr	·20	tr	·02	·53	·20	·63	·01	·03	29
30	–	×	·08	·02	tr	·98	·06	·08	·09	·01	·54	·13	30
31	–	×	·03	×	–	×	·22	tr	×	–	×	·09	31
TOTAL	3.58	·62	1.74	2.80	3.38	1.60	3.42	·85	2.86	8.50	1.77	·96	YEAR'S TOTAL 32.08
*Days with ·01 in. or more.	15	10	12	24	24	6	18	9	22	25	19	17	201
*Days with ·04 in. or more.	12	6	6	15	17	4	11	3	14	17	8	5	118

40-9999

(Signed) G. Price-Davies

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Birch grove

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·64	·27	–	–	–	–	–	–	·02	·06	–	1
2	·36	tr	·64	–	·14	–	–	–	–	·02	tr	–	2
3	·10	·16	·35	–	tr	–	–	–	–	–	·01	–	3
4	·18	·05	·02	–	·08	–	–	–	–	·01	tr	–	4
5	·21	·01	·33	–	·27	–	–	–	–	tr	tr	–	5
6	·01	·20	·07	–	·62	–	–	–	–	·02	·10	tr	6
7	·30	·05	·05	–	·08	–	–	–	–	·18	·01	·03	7
8	·12	·02	tr	–	tr	–	·26	–	–	·03	tr	tr	8
9	·01	·01	–	–	·02	–	·19	tr	–	·02	·21	–	9
10	·01	·50	–	–	tr	·02	·16	tr	–	·21	·01	–	10
11	·18	tr	–	–	·01	·03	·05	·10	·01	·03	tr	tr	11
12	·01	tr	–	·02	tr	·22	·26	–	1.10	–	·01	tr	12
13	·05	–	–	–	·06	·04	·40	·16	·23	·16	·10	tr	13
14	·01	tr	tr	–	tr	–	·22	·01	–	·45	·33	tr	14
15	·49	tr	·14	–	–	–	·25	·50	–	·07	·01	tr	15
16	·03	–	·84	–	tr	·25	·12	–	·01	·01	tr	tr	16
17	tr	·01	·29	tr	tr	·04	–	·13	·15	–	·07	tr	17
18	·09	–	·07	tr	tr	·14	–	–	tr	–	·01	tr	18
19	·01	·06	·06	·01	–	·20	–	–	·44	–	·04	·01	19
20	–	·02	·08	·06	–	·55	–	·05	·26	tr	·01	·01	20
21	–	·03	·01	tr	tr	–	–	·08	·16	·01	tr	·01	21
22	tr	tr	–	–	–	·61	tr	·35	tr	·14	·01	tr	22
23	tr	tr	–	·13	·02	·07	tr	–	·45	·05	·01	tr	23
24	tr	·45	–	·20	–	·08	–	–	·69	·01	·01	tr	24
25	–	·24	–	·44	tr	·11	tr	–	·16	·01	·08	·08	25
26	–	·60	–	·08	tr	·05	–	–	tr	·03	·06	·08	26
27	–	·01	–	·01	·06	–	tr	–	–	·19	·01	·14	27
28	–	tr	–	tr	·02	tr	·32	–	–	·25	tr	·27	28
29	·04	×	tr	tr	·01	–	·19	–	tr	·06	tr	·01	29
30	·08	×	·02	–	·29	–	·07	–	·24	·05	tr	·05	30
31	·12	×	tr	×	tr	×	tr	·04	×	·01	×	tr	31
TOTAL	2.47	3.06	3.24	·95	1.68	2.41	2.49	1.42	3.90	2.04	1.16	·69	YEAR'S TOTAL 25.51
*Days with ·01 in. or more.	21	17	15	8	13	14	12	9	12	24	20	10	175
*Days with ·04 in. or more.	14	10	12	5	8	12	12	8	10	11	9	6	117

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. Price-Davies (miss)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BIRCH GROVE

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	tr	tr	tr	·01	·20	–	·21	tr	·16	tr	·45		1
2	·05	tr	·23	·01	tr	·01	–	tr	·54	·54	·01	·56		2
3	·07	·01	–	·44	tr	–	–	·03	tr	·68	–	·17		3
4	·32	·01	·08	·04	·05	tr	–	–	–	·31	·09	·85		4
5	·01	tr	·03	tr	·12	tr	–	·06	–	tr	·03	·55		5
6	·02	–	·32	·02	·11	·18	–	·12	–	·33	·04	·60		6
7	·03	tr	·01	tr	tr	·04	–	·05	–	·19	tr	·24		7
8	tr	·04	–	–	·15	tr	–	·03	·04	·01	1.27	tr		8
9	·01	tr	·10	–	·01	–	–	·02	·03	–	1.27	·27		9
10	tr	·01	·21	·27	–	–	–	·15	tr	·01	1.31	tr		10
11	·93	tr	·45	·10	–	–	tr	·16	–	–	·01	·39		11
12	·15	·01	·06	tr	–	–	·17	·10	tr	–	·15	·02		12
13	·51	–	·30	·13	–	–	·07	·01	–	tr	·05	·04		13
14	·31	–	·45	·08	tr	·01	–	tr	–	tr	·50	·62		14
15	·01	tr	·04	tr	·01	–	tr	–	tr	·03	·15	·36		15
16	·35	tr	·31	·04	·26	–	–	–	–	·10	·01	·07		16
17	·16	tr	·14	·04	·10	–	–	–	tr	·03	·01	·41		17
18	·24	tr	·04	·40	tr	–	·96	–	tr	tr	·01	·53		18
19	·01	–	·37	·05	–	·02	–	–	·54	·01	tr	·15		19
20	–	–	·13	·03	–	·02	·48	·01	tr	·01	tr	·02		20
21	–	tr	·01	·20	–	·15	–	·01	tr	·09	–	tr		21
22	–	·01	tr	·01	–	–	·12	·10	·38	·01	tr	·16		22
23	–	·01	–	·44	–	·83	–	–	tr	·02	tr	·08		23
24	–	·02	·04	·01	–	·15	·55	·26	·19	·02	–	tr		24
25	·19	·01	tr	·19	tr	tr	–	–	tr	·03	tr	·63	7.17	25
26	·10	·01	–	·28	–	·11	–	–	·06	tr	–	·05		26
27	·03	tr	–	·19	–	·01	–	–	·01	–	–	·47		27
28	tr	·20	tr	·16	–	·18	·01	·76	tr	tr	tr	·32		28
29	–	×	–	·01	–	–	·01	·14	·10	–	·01	tr		29
30	·11	×	–	–	–	–	tr	·03	·02	–	tr	·47		30
31	·02	×	–	×	–	×	–	–	×	·15	×	·09		31
TOTAL	3.64	,34	3.32	3.14	·82	1.91	2.37	2.25	1·91	2.73	4.92	8.57	Year's Total 35.92	
*Days with ·01 in. or more.	22	11	19	22	9	13	8	18	10	19	16	26	193	
*Days with .04 in. or more.	13	2	16	16	6	8	6	11	7	9	9	24	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. Price-Davies

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** **for the entry of Daily Observations.** **Station No.** 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Birch Grove

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	·03	·05	·04	·04	·06	·03	–	·47	·08	·12	tr		1
2	·05	tr	·02	·06	–	·02	tr	–	tr	·55	·19	tr		2
3	tr	·01	·04	·02	–	tr	tr	–	·08	1.56	·13	–		3
4	–	·09	tr	·19	–	·24	tr	–	·49	·35	tr	·32		4
5	tr	·56	·03	·07	–	·10	–	–	·55	·15	tr	·02		5
6	·03	·05	·01	·23	–	·62	–	–	tr	·03	·28	·01		6
7	·02	·01	–	·27	–	·16	–	–	–	tr	1.00	·10		7
8	·01	·01	·05	·46	tr	·01	–	·01	–	·34	·56	·05		8
9	·02	tr	–	·23	–	·08	–	–	tr	·97	·23	·06		9
10	·09	·01	·14	·01	–	·13	–	–	–	tr	·19	·17		10
11	·15	·01	·01	·22	tr	·22	·12	–	–	·05	·54	·01		11
12	tr	·04	tr	·01	–	·35	·06	·66	·07	tr	1.22	tr		12 (·06)
13	·09	·27	tr	·16	tr	·03	–	tr	·03	·02	·15	·03		13
14	·01	tr	–	·01	·19	·17	–	tr	tr	·02	·03	·13		14
15	tr	·30	–	·53	·01	·01	–	tr	·41	·01	·35	·08		15
16	tr	·08	tr	·12	·01	·24	tr	tr	·53	·02	·85	·01		16
17	·03	tr	tr	·07	tr	·23	·02	·01	·01	–	·40	tr		17
18	tr	tr	tr	·31	–	·07	·08	·02	·67	·09	·02	·03		18
19	tr	·01	–	·10	·82	·05	·18	–	·16	·01	·11	·01		19
20	tr	·66	–	·14	·07	·05	·39	–	·09	·15	·16	–		20
21	·02	·43	–	·02	tr	tr	–	–	·02	·01	·02	–		21
22	·01	·09	·01	·01	–	–	tr	·13	·05	tr	·01	–		22
23	tr	tr	·04	tr	tr	–	–	·38	tr	tr	tr	·07		23
24	·03	1.07	–	tr	·25	–	–	1.65	·84	–	tr	·30		24
25	·07	·20	tr	·18	·11	·18	–	·01	tr	·03	·03	·45		25
26	·01	·15	–	tr	–	–	–	·15	·16	tr	·02	·36		26
27	·03	·75	–	tr	·01	tr	tr	tr	·14	tr	·17	·31		27
28	–	·10	–	tr	·17	–	·01	·04	·02	·04	·03	·26		28
29	·01	×	tr	tr	tr	–	–	·01	·66	tr	tr	·42		29
30	·06	×	tr	·03	·04	–	–	1.75	·05	·11	·72	·50		30
31	tr	×	–	×	·01	×	–	tr	×	·32	×	·79		31
TOTAL	·95	4.93	·40	3.49	1.73	3.02	·89	4.82	5.50	4.91	7.53	4.49	Year's Total 42.66	
* Days with .01 in. or more.	19	22	10	24	12	20	8	12	20	21	25	23	216	
* Days with .04 in. or more.	7	15	5	17	8	16	5	7	16	13	18	16	143	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) G. Price-Davies

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Birch Grove

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·14	·04	·60	–	·60	·52	·09	–	tr	·14	·03		1
2	·01	·05	·01	·01	–	·61	·21	·14	–	tr	·01	tr		2
3	tr	tr	·02	·44	–	·01	·04	tr	·12	–	·22	–		3
4	tr	tr	·12	·01	tr	·10	·01	tr	·46	–	·03	·03		4
5	·23	tr	·02	·01	–	tr	–	·06	·20	·02	·22	·02		5
6	·31	–	tr	tr	–	·02	·01	·10	·19	·04	1.38	tr		6
7	·55	–	·12	tr	tr	·02	·03	·01	tr	tr	·74	·03		7
8	·50	–	·10	tr	tr	–	·09	–	tr	tr	·61	·28		8
9	·40	–	·04	tr	tr	–	·44	–	·05	·13	·16	·01		9
10	·08	–	·01	tr	–	tr	·12	·02	tr	tr	·01	tr		10
11	·01	·02	tr	·10	–	tr	·06	tr	–	tr	·93	tr		11
12	tr	–	–	·01	·01	·21	·48	tr	·23	·01	·41	·17		12
13	–	–	–	tr	–	·06	·01	–	tr	·01	·01	·64		13
14	–	·07	–	–	–	·12	·60	–	tr	·03	·17	·55		14
15	tr	·11	–	·01	–	·01	·04	–	tr	tr	·06	·39		15
16	·22	·07	–	tr	·05	–	·11	–	–	–	·20	·16		16
17	·08	·61	–	–	1.25	·16	tr	·04	tr	·03	·20	·72		17
18	·13	·12	–	–	–	·01	·18	tr	–	·01	·15	·09		18
19	·27	·04	·01	tr	–	·90	tr	·15	tr	·01	·04	tr		19
20	·23	·05	·06	·65	tr	tr	·07	·01	·51	·03	·01	tr		20
21	–	·06	tr	·31	tr	·44	·04	–	·02	tr	–	–		21
22	·15	·36	·12	·02	·19	·01	·16	–	tr	tr	–	·07		22
23	·05	·29	·06	·11	tr	–	·54	–	–	·07	tr	·01		23
24	·02	·12	·01	·01	–	·06	·18	–	·03	·22	–	·01		24
25	·22	·01	·16	·18	·06	·01	·05	–	·54	·08	·01	tr		25
26	·01	·16	·20	·16	tr	·05	tr	–	·07	·36	tr	·03		26
27	·46	·01	·02	·02	–	tr	–	–	·12	·21	tr	tr		27
28	·47	tr	·12	–	–	·17	·32	–	·17	·01	tr	·08		28
29	·05	·03	·16	–	–	·29	·02	–	tr	·08	·08	·02		29
30	·18	✕	·01	–	tr	·26	tr	–	tr	·17	tr	·01		30
31	·27	✕	·20	✕	tr	✕	·22	–	✕	·39	✕	·27		31
TOTAL	5.20	2.32	1.61	2.65	1.56	4.12	~~4.56~~ 4.55	·62	2.71	1.91	5.79	3.62	Year's Total 36.67	✓
* Days with .01 in. or more.	24	18	21	16	5	21	25	9	13	19	22	21	214	✓
* Days with .04 in. or more.	20	14	13	8	4	14	20	6	11	10	16	11	147	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Price-Davies

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Birch Grove

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·85	·01	·01	·10	–	–	·01	–	tr	tr	·90	·30		1
2	·01	·61	tr	·35	–	–	tr	–	·09	·02	·02	·75		2
3	·02	·17	·02	tr	–	–	tr	tr	–	tr	tr	·24		3
4	·13	1·11	tr	·48	–	tr	tr	–	–	–	tr	·32		4
5	·34	·07	·19	·01	–	–	·25	tr	–	·02	tr	–		5
6	·21	·01	·89	·01	·41	–	·01	–	–	·02	·01	–		6
7	tr	·80	·05	·13	·01	–	tr	–	~~·04~~	·03	tr	·03		7
8	tr	·01	·16	tr	·05	·08	tr	–	tr	tr	·13	·28		8
9	–	–	–	·40	·09	·01	·09	tr	·39	–	·01	·08		9
10	tr	tr	·63	·20	·09	·37	tr	·02	tr	–	–	·84		10
11	–	tr	·47	·01	·08	·02	·02	tr	–	tr	–	·13		11
12	·64	·26	·19	·04	·21	·31	·02	·49	·15	–	–	·24		12
13	·22	·06	·59	·05	·01	·21	tr	·01	·37	–	–	·55		13
14	·03	·05	·02	·25	·15	tr	–	·62	·41	–	–	·02		14
15	·19	·15	tr	·30	·01	tr	·40	–	·39	–	–	tr		15
16	·01	·04	·28	·38	–	·15	–	·56	·22	–	–	·02		16
17	·37	tr	·07	·11	–	tr	–	–	·13	tr	·10	–		17
18	·49	·08	·09	·01	·36	·56	–	–	·16	–	·16	·08		18
19	·06	·18	·07	·29	·03	·08	·10	–	·05	–	–	·12		19
20	·39	–	·10	·25	·74	·05	–	tr	·02	tr	–	tr		20
21	·47	–	·14	·10	·03	–	·01	·01	·02	tr	·03	·07		21
22	·54	·43	·02	tr	·10	·01	·05	–	tr	·64	·33	·12		22
23	·27	·05	·01	–	tr	–	·19	–	–	·49	·02	·01		23
24	·81	·02	–	–	·02	–	–	–	·02	·36	–	tr		24
25	·09	·48	·32	–	·01	–	–	–	·12	·25	–	·01		25
26	·01	·42	·03	–	tr	–	–	tr	–	·07	·01	tr		26
27	–	·09	–	·25	–	tr	–	–	·08	·18	tr	tr		27
28	·13	·06	tr	·01	–	·01	–	tr	–	·02	tr	·02		28
29	·06	✕	–	–	–	·01	–	·48	–	·07	·10	·04		29
30	·29	✕	tr	–	–	·01	–	·18	–	·10	·13	tr		30
31	·16	✕	–	✕	–	✕	tr	tr	✕	·30	✕	·03		31
TOTAL	6.79	5.16	4.35	3.73	2.40	1.88	1.15	2.37	2.63	2.57	1.95	~~4.40~~ 4.30	Year's Total 39.38	✓
* Days with .01 in. or more.	25	22	21	21	17	14	11	8	16	14	13	22	~~215~~	✓204
* Days with .04 in. or more.	21	18	15	16	10	8	6	5	12	9	7	15	142	✓

40-9999.

† Spare column, no entries required.

(Signed) G. Price-Davies [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Birch Grove

in the County of Sussex

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·05	—	—	·22	·17	·01	—	·24	·07	·08	·05		1
2	·09	·01	—	·02	·05	·01	·17	—	—	·49	·01	·02		2
3	·01	tr	—	—	·09	—	tr	—	tr	·81	·09	·01		3
4	·03	—	—	—	tr	·02	·23	·07	tr	·13	·01	·18		4
5	·01	—	—	·01	—	tr	·18	·01	·01	·31	tr	·02		5
6	·08	—	—	—	—	tr	·02	tr	·18	·01	·03	tr		6
7	·01	tr	—	—	—	tr	·15	·34	tr	·28	·01	·09		7
8	·20	·01	—	—	—	tr	·25	·03	·01	·32	·03	·16		8
9	·17	·01	tr	—	—	·20	tr	·01	—	·14	tr	·65		9
10	·14	·07	—	—	—	—	tr	·15	—	tr	tr	·17		10
11	·30	·01	—	—	—	—	tr	tr	—	tr	·11	·29		11
12	·44	·01	—	—	·01	—	·04	·19	—	·04	·06	·01		12
13	·38	·19	—	—	·02	—	tr	tr	—	·19	·34	·18		13
14	·33	·26	—	—	·41	—	—	—	·05	·01	·01	·09		14
15	·02	·25	—	—	·01	—	·10	tr	tr	·37	tr	·22		15
16	·45	·02	·03	—	·01	—	·07	·08	—	·13	·02	·34		16
17	·01	·09	·02	—	·15	tr	·01	—	·02	·57	·05	—		17
18	·08	·02	·01	tr	·30	—	tr	tr	·11	·10	·41	—		18
19	·01	tr	—	—	tr	—	tr	·10	·18	tr	·37	·19		19
20	·01	tr	—	—	·08	—	tr	—	·12	—	·44	·12		20
21	·08	tr	—	·01	tr	—	—	·08	·19	—	·02	·11		21
22	·02	—	—	tr	—	·04	—	·07	·01	tr	·36	·13		22
23	·01	—	—	·01	tr	tr	—	tr	—	—	·04	·01		23
24	tr	—	·14	tr	tr	tr	—	—	tr	—	·33	·08		24
25	·11	—	·36	·05	·07	tr	·03	tr	·35	·02	·57	tr		25
26	·48	·14	·06	·01	·01	tr	tr	·02	·27	·35	—	·50		26
27	·16	·07	—	—	·26	·28	·39	—	·57	·01	·27	·01		27
28	·07	·07	—	tr	·42	·09	—	·38	·17	tr	·01	·02		28
29	·24	X	—	·01	·32	tr	—	tr	·01	—	·05	·20		29
30	·13		—	·33	·16	tr	tr	—	·13	·04	·36	·01		30
31	·19		—		·15		—	—		·25		·38		31
TOTAL	4.28	1.28	·62	·45	2.74	·81	1.65	1.53	2.62	4.64	4.08	4.24	Year's Total 28.94 ✓	
* Days with .01 in. or more.	30	16	6	8	18	7	13	13	17	21	25	27	201 ✓	
* Days with .04 in. or more.	19	9	3	2	13	5	9	9	12	17	16	19	133 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Price-Davies (Miss)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Birch Grove

in the County of Sussex

Diameter of Funnel of Gauge....4...........in.

Height of top of Gauge above Ground....1....ft.........in.

,, Ground ,, Sea Level ..400.......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	·05	·16	·30	—	·06	tr	·14	—	—	·08		1
2	·03	—	tr	·07	·02	—	·01	·35	·17	—	·01	—		2
3	·47	·01	—	·53	—	—	—	·40	·01	·02	·27	·41		3
4	·14	—	·36	·15	—	—	·05	·63	—	·71	·14	·01		4
5	—	·01	·03	·31	·05	—	·13	·30	—	·16	·53	·04		5
6	·45	·01	·05	·01	·04	—	·19	·10	—	·03	·26	—		6
7	·08	·06	tr	—	—	—	·07	·23	—	—	·17	·16		7
8	·01	·11	·17	—	—	—	·03	tr	—	·29	·13	·68		8
9	·09	·07	tr	—	—	—	—	·13	—	·47	·90	·32		9
10	·17	·01	—	—	—	·33	—	·29	·06	·25	·10	·01		10
11	·01	tr	·24	—	tr	·08	—	—	—	1·50	·02	·01		11
12	tr	·04	·01	—	·02	·09	—	—	—	·01	—	·03		12
13	·01	·01	·02	·03	—	·04	·03	—	—	1·41	·01	·10		13
14	·54	tr	·01	·01	·01	·02	·06	—	·03	·34	·52	·05		14
15	·53	—	tr	tr	·78	·07	·11	—	·11	·38	·23	·01		15
16	·30	—	·07	·11	·38	·30	·19	—	·05	·05	·53	·01		16
17	·23	·15	·03	·01	·21	—	·02	—	·02	·01	·11	—		17
18	·35	tr	·02	—	·02	·09	·20	tr	—	·04	·43	—		18
19	·38	tr	·01	—	—	—	·34	—	·07	·65	·01	·01		19
20	·35	—	·01	—	—	·78	·23	tr	·06	—	—	·03		20
21	·13	·02	·13	—	—	·10	·62	tr	·01	·02	—	—		21
22	·32	·25	·04	·03	—	·35	·04	—	·03	·01	·04	—		22
23	·01	·01	·01	·16	—	·01	·13	·01	—	·07	·85	—		23
24	·14	·12	tr	·10	—	·02	·20	tr	—	·08	·02	—		24
25	1·18	·16	·12	·12	—	—	·40	·03	—	·01	·81	—		25
26	·03	·01	·01	·13	—	·01	·01	—	—	·12	·26	·01		26
27	·03	·17	·08	·12	—	·01	—	tr	—	·05	·32	—		27
28	·01	·40	·03	·03	—	·11	—	—	—	·04	·12	·15		28
29	—	✕	tr	·22	—	tr	tr	—	—	·07	·02	—		29
30	—	✕	—	·80	—	—	tr	·07	—	·02	·12	—		30
31	—	✕	—	✕	—	✕	·09	·11	✕	·03	✕	·02		31
TOTAL	6.06	1.62	1.50	3.10	1.83	2.41	3.21	2.65	·76	6.84	6.93	2.14	Year's Total 39.05	✓
* Days with .01 in. or more.	26	18	21	19	10	16	22	12	12	27	26	19	228	✓
* Days with .04 in. or more.	18	10	10	13	6	11	17	10	7	18	20	9	149	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Price-Davies

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at BIRCH GROVE

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·01	–	–	–	–	–	–	·08	–		1
2	–	·04	–	·10	·01	–	–	–	–	·12	·44	·01		2
3	–	·26	–	·09	–	–	·02	–	–	·13	1·30	·11		3
4	–	·26	–	·03	–	–	–	–	–	·34	·14	·10		4
5	–	·02	–	–	–	–	·03	–	–	·03	·86	·17		5
6	·20	·14	–	–	–	–	·29	–	–	·62	·01	–		6
7	·21	·20	–	–	–	–	·07	–	–	·01	–	–		7
8	·01	·01	–	·01	–	–	–	–	·03	·54	·03	·33		8
9	–	–	–	·01	–	–	–	–	–	·18	·46	·27		9
10	–	–	–	–	–	–	·68	·03	·01	·31	·07	·01		10
11	–	·03	–	·01	–	–	·15	–	–	·01	1.15	·01		11
12	–	·01	·24	·04	–	–	·31	–	·09	–	·06	–		12
13	–	·01	·68	–	–	–	–	–	·21	·01	1.27	–		13
14	–	–	·45	·04	–	–	–	–	–	·05	·01	·49		14
15	–	–	·01	–	·26	–	·96	–	–	·08	·61	·04		15
16	–	·37	·18	·02	–	·05	·16	–	·20	·46	·71	·04		16
17	·01	–	·39	–	–	–	·02	–	·04	·01	·27	–		17
18	–	·29	·30	·29	–	–	·11	·01	·24	·26	·08	·14		18
19	–	·09	·01	·01	–	–	·02	–	·59	·05	·07	·07		19
20	–	·03	·04	·02	–	–	–	·01	·02	·06	·25	–		20
21	·04	–	·04	–	·29	–	·05	–	·02	–	·42	–		21
22	·02	·24	·08	–	·43	·10	–	–	·17	·01	·33	–		22
23	–	–	–	·25	·01	·01	–	–	–	·01	·04	·09		23
24	–	–	·46	·31	–	–	·20	–	–	·01	·01	–		24
25	–	·01	·27	·01	–	·02	·06	–	–	·03	–	·01		25
26	·77	·25	–	·01	·90	–	·02	–	–	·01	–	–		26
27	·37	·29	–	·02	·01	–	·12	–	–	–	·01	·01		27
28	·32	·05	–	·06	·30	–	–	–	–	–	–	–		28
29	·28	·39	·16	·01	·06	–	–	–	·01	–	–	·31		29
30	·12	×	–	·12	–	–	–	–	–	·22	–	·01		30
31	·04	×	–	×	–	×	–	–	×	·58	×	·12		31
TOTAL	2.39	2.99	3.31	1,57	2.27	·18	3.27	·05	1.63	4.14	8.68	2,34	Year's Total 32.82	
* Days with .01 in. or more.	12	20	14	21	9	4	17	3	12	25	24	19	180	
* Days with .04 in. or more.	9	13	12	10	6	2	12	0	7	15	19	13	118	

1·90

now ·33

† Spare column, no entries required.

(*Signed*) G. Price-Davies [P.T.O.

* See Instruction 3 (f) on other side.

521

Section **A** for the entry of Daily

AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER

1931.

521.

Lullings.

Balcombe

1931 - 1940

780111

Kept at Lullings, Balcombe.

in the County of Sussex

Diameter of Funnel of Gauge five

Height of top of Gauge above Ground one

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·16

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·18	·02	·28		·23		·03	·22	·01			1
2	·19	·05		·29	·29				·66			·05	2
3	·13	·02	·17	·12	1,00			·22	·65		·06	·28	3
4		·03		·01	·07		·04	·09	·15		·07	·02	4
5		—		·28		·65	·08	·36	·06	|	·02	·24	5
6		·08		·12		·03			·03	·31	·28	·32	6
7				·01	·05	·21		·12	·03	·05	·48		7
8	·04	·18			·04	·20		·05			·08	·12	8
9		·21	—	·03		·03					·76	·02	9
10	·02	·21	03			·20	·09	·15			1,42		10
11	·14	·62				·01	·02		·02		·22		11
12	·09						·02	—	·23			·01	12
13	·12				·07		·01	·03					13
14	·03	·13				·03	·60	·66			·02		14
15	·02	·08		·06	·31		·24	·31					15
16		·07		·19	·34	·07	·03	·03	·02				16
17	·03	·05		·38		·04	·48	·01	·08	·05			17
18	·05	·11		·22		·18	·13	·67	·04		·72		18
19	·08			·48		·12	·70	·44					19
20	·01	·15		·08			·08	·37			·03		20
21					·38						·03		21
22	·31	·03	·30	·04	·01				·05		·02		22
23	·55		·04		·24	·19			·03		·33		23
24		·05	·01	·64	·05	·05	·34	47	·02		·02	·03	24
25	·12			·66			·63		·01		·05		25
26		·07		·19			·33				·33		26
27	·27	·39		·13	·23		·06				·04		27
28	·09			·02						·02			28
29	·12	·13			·18		·15			·17		·01	29
30	·11	×			·06	—	·03						30
31	·48	×		×		×			×		×		31
TOTAL	3·00	2·84	·57	4·22	3·32	2·24	4·05	4·01	2·30	·61	4·98	1·10	YEAR'S TOTAL 33·24
*Days with ·01 in. or more.	21	20	6	20	15	15	19	16	16	7	19	10	184
*Days with ·04 in. or more.	16	17	3	16	14	11	14	12	9	4	13	5	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Marion Holland.

[P.T.O.

521

Section A for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Lullings, Balcombe.
in the County of Sussex
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft ...... in.
,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·16

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·18	·02	·28		·23		·03	·22	·01			1
2	·19	·05		·29	·29				·66			·05	2
3	·13	·02	·17	·12	1,00			·22	·65		·06	·28	3
4		·03		·01	·07		·04	·09	·15		·07	·02	4
5		—		·28		·65	·08	·36	·06	|	·02	·24	5
6		·08		·12		·03			·03	·31	·28	·32	6
7				·01	·05	·21		·12	·03	·05	·48		7
8	·04	·18			·04	·20		·06			·08	·12	8
9		·21	—	·03		·03					·76	·02	9
10	·02	·21	03			·20	·09	·15			1,42		10
11	·14	·62				·01	·02		·02		·22		11
12	·09						·02	—	·23			·01	12
13	·12				·07		·01	·03					13
14	·03	·13				·03	·60	·66			·02		14
15	·02	·08		·06	·31		·24	·31					15
16		·07		·19	·34	·07	·03	·03	·02				16
17	·03	·05		·38		·04	·48	·01	·08	·05			17
18	·05	·11		·22		·18	·13	·67	·04		·72		18
19	·08			·48		·12	·70	·44					19
20	·01	·15		·08			·08	·37			·03		20
21					·38						·08		21
22	·31	·03	·30	·04	·01				·05		·02		22
23	·55		·04		·24	·19			·03		·33		23
24		·05	·01	·64	·05	·05	·34	47	·02		·02	·03	24
25	·12			·66			·63		·01		·05		25
26		·07		·19			·33				·33		26
27	·27	·39		·13	·23		·06				·04		27
28	·09			·02						·02			28
29	·12	·13			·18		·15			·17		·01	29
30	·11	×			·06	—	·03						30
31	·48	×		×		×			×		×		31
TOTAL	3·00	2·84	·57	4·22	3·32	2·24	4·05	4·01	2·30	·61	4·98	1·10	YEAR'S TOTAL 33·24
*Days with ·01 in. or more.	21	20	6	20	15	15	19	16	16	7	19	10	184
*Days with ·04 in. or more.	16	17	3	16	14	11	14	12	9	4	13	6	134

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Marion Holland. [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lullings, Balcombe
in the County of Sussex.
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft – in.
,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·03		·21	·56		·03	·02		·08	·07	·01	1
2	·04			·25	·13			|	·10		03	30	2
3	·01			·03	·11	·14		·46	·46				3
4	·05					·11							4
5	·30					·03	·14		·18				5
6	·69			·15					·03	·05			6
7	·05		·11	·02			·20		·05	·05			7
8			·20	·08	·17				·18	·76	·01		8
9	·33	·05		·27	·53				·01	·10			9
10	·81	·30	·02	·39	·10	01			·02	08			10
11	·26	·04		·28	·01				·07	·04	·03	·02	11
12	·49				·01			01		·45			12
13	·08			·23	·04		·03			1·16			13
14	·20	·02		·41	·05			02		·04			14
15	·10			·09	·14					·08			15
16	·16			·22	·09		·11			·01		·02	16
17	01			·18			·03		08	·04			17
18	·05				·02		·02		·10		·10		18
19	·02			·03	·02				·05	·43	·02		19
20				·13	·04		·21	·25	01	1·31	·15		20
21	·03			02	·61			06		·48	·01	·06	21
22	·05	·03	·37	·06	·05		·07	·06	·54	·31	·50	·04	22
23		·08		·10	·29	·28			·21	1·19	·01	·19	23
24							·68		·21	·07	·04		24
25							·62		·06	·72			25
26			·03	·06			1·11	02					26
27			·44	·21	|	·08	·10			·57	·15		27
28			·02	·04	·47		·20		·01	·26			28
29			·65	·05	·15	02		·24	·20	·55		·05	29
30		×	·06			1·23	·08	·02	·09		·73	·13	30
31		×	·05	×		×	·11		×		×	·10	31
TOTAL	3·89	55	1·95	3·50	3·59	1·90	3·74	1·16	2·66	8·83	1·85	·92	YEAR'S TOTAL 34·54
*Days with ·01 in. or more.	20	7	10	23	21	8	16	10	20	23	13	10	181
*Days with .04 in. or more.	16	4	7	19	16	5	12	5	15	22	7	7	135

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Marion Holland

P.T.O.

521

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** Station No. ~~521~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lullings, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·03

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·66	·37	—	—	—	—	—	—	·02	—	—		1
2	·39	—	·63	—	·08	—	—	—	—	·02	·03	—		2
3	·12	·18	·54	—	—	—	—	—	—	—	·02	—		3
4	·17	·06	·02	—	·14	—	—	—	—	—	—	—		4
5	·24	—	·32	—	·26	—	—	—	—	—	—	—		5
6	—	·21	·15	—	·65	—	—	—	—	·06	·09	—		6
7	·30	·05	·03	—	·08	—	—	—	—	·15	—	·02		7
8	·09	·01	—	—	—	—	·09	—	—	·03	—	—		8
9	—	·01	—	—	—	—	·23	—	—	·05	·21	—		9
10	—	·18	—	—	—	·02	·13	—	—	·24	·03	—		10
11	·23	—	—	—	·08	·15	·03	·16	—	·06	·01	—		11
12	—	—	—	·02	—	·20	·12	—	1·12	—	—	—		12
13	·09	—	—	—	·05	·08	·45	·09	·21	·13	·10	—		13
14	—	—	—	—	—	—	·22	—	—	·60	·50	·02		14
15	·58	—	·19	—	—	—	·27	·35	·02	—	·04	—		15
16	·02	—	·91	—	—	·27	·77	—	—	·11	—	—		16
17	—	·04	·38	—	—	·04	—	·11	·15	—	·08	—		17
18	·19	—	·08	—	—	·18	—	—	—	—	·01	—		18
19	—	·06	·13	—	—	·14	—	—	·27	—	·04	·03		19
20	—	—	·05	·02	—	·36	—	·06	·09	—	—	—		20
21	—	·06	—	—	—	—	—	·17	·16	·02	—	·01		21
22	—	—	—	—	—	·02	—	·35	—	·14	—	—		22
23	—	—	—	·10	·03	·11	—	—	·40	—	—	—		23
24	—	·55	—	·18	—	·06	—	—	·73	—	·02	—		24
25	—	·47	—	·37	—	·26	·01	—	·06	—	·06	·08		25
26	—	·78	—	·11	—	·09	—	—	·01	05 ·06	·05	·12		26
27	—	·02	—	—	·18	—	—	—	—	·22	—	·20		27
28	—	·02	—	—	·06	—	·32	—	—	·28	—	·30		28
29	·08	·02	—	—	·03	—	·17	—	—	·03	—	—		29
30	·09	×	·06	—	—	—	·07	—	·30	·12	—	·08		30
31	·11	×		×	—	×	—	·05	×	·01	×	—		31
TOTAL	2·75	3·38	3·86	·80	1·63	1·98	2·88	1·34	3·51	2·34 ~~2·38~~	1·29	·86	Year's Total 26·66	
*Days with ·01 in. or more.	15	17	14	6	11	14	13	8	12	19	16	9	153	
*Days with .04 in. or more.	14	12	12	4	9	12	11	8	10	13	9	5	119	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Marion Holland.

[P.T.O.

Section A

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lullings, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·22.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03					·20		·33		·17		·47		1
2	·08		·23	·03					·88	·60	·01	·60		2
3	·06	·01		·13				·09	·01	·73		·18		3
4	·24	·01	·09	·03	·07					·16	·08	·77		4
5					·13			·06			·04	·64		5
6	·02		·34		·15	·13		·11		·29	·05	·70		6
7	·05					·04		·04		·23		·30		7
8		·01			·15			·04	·07		1·43	·01		8
9	·01		·09		·01						1·36	·48		9
10			·22	·30				·12		·01	1.35			10
11	·97		·55	·07				·10			·01	·37		11
12	·11		·01				·16	·09			·17	·11		12
13	·47		·42	·15			·21					·13		13
14	·29		·62	·05							·41	·79		14
15			·05	·08	·03	·04				·04	·14	·66		15
16	·33		·31		·23					·12	·01	·03		16
17	·15		·26	·05	·05					·04		·43		17
18	·12		·03	·46			·47					·52		18
19			·36	·07		·01			·56	·02		·20		19
20			·06	·03			·47	·03		·01		·03		20
21			·01	Summer Time ·27		·18	·03			·11				21
22							·16	·06	·33	·05		·18		22
23				·39		·81				·05	·02	·06		23
24		·05	·04	·02		·03	·80		·20	·03				24
25	·22			·24						·04		·88		25
26	·07			·08		·13			·05			·03		26
27				·27		·01						·38		27
28				·05		·14		·73			·01	·36		28
29		·20					·01	·09	·11					29
30	·13	×						·10	·02			·50		30
31	·04	×		×		×	·01		×	·05	×	·10		31
TOTAL	3·39	·28	3·59	2·77	·82	1·72	2·32	1·99	2·23	2·75	5·09	99·1	Year's Total 36·86	
*Days with ·01 in. or more.	18	5	17	19	8	11	9	14	9	18	14	27	169	
*Days with ·04 in. or more.	15	2	14	15	6	8	6	13	7	14	9	23	132	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Marion Holland

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lullings, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 348 ft.

Acc.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	22	·04	·05	·05	·02	·06	·07		·41	·15	·19			1
2	·05		·02	·05		·01				·54	·12			2
3	·01	·02	·16	·02		·01			·12	1.66	·16			3
4				·21		·20			·41	·23	·03	·48		4
5		·48	·05	× ·39 ×		·11			·66	·18	Trace	·01		5
6	05	·08				·82				·01	·27			6
7	·05	·01		·30		·17					·99	·12		7
8			·05	·44						·48	·59	·04		8
9	·03			·28		·29			·01	1.08	·19	·03		9
10	·09		·09	·01		·09				·13	·21	·13		10
11	·19	·01		·26		·11	·16			⁀	·77	·01		11
12		·04				·31	·06	·31	·09		·94			12
13	·12	·23		·15	·02	·03				·02	·16	·03		13
14	·01			·02	·24	·35			·01	·01	·04	·13		14
15		·29		·61	·01	·04			·32	Trace	·27	·09		15
16		·06		·44	·01	·27			·52	Trace	·96	·01		16
17	·03		·06	·09		·26	Trace	·01	·01		·46			17
18				·41	·03	·14	·07	·01	·64	·07	·02	·02		18
19		·01		·10	·85	·07	·23		·12		·11			19
20		·69		·13	Trace	·09	28		·16		·16			20
21	·03	·47		·02		·01			·12	·19	·02			21
22	·01	·09	·01					·56	·09		·01			22
23			·06					·31		·05		·10		23
24	·04	1.16			·16			1·52	·77			·33		24
25	·10	·24		·22	·09	·07					·03	·47		25
26	·07	·26						·22	·17	·02	·01	·39		26
27	·01	·69							·12		·16	·34		27
28		·03			·47			·01	·06	·04	·02	·45		28
29	·02				·01			·04	·85			·41		29
30		×		·01	·01			1·74	·02	·13	·77	·66		30
31		×		×		×		·01	×	·36	×	1.17		31
TOTAL	~~1·14~~ 1·13	4·90	·55	4·21	1·92	3·51	·87	4·74	5·68	5·35	7·66	5·42	Year's Total. 45·95	
* Days with .01 in. or more.	19	19	9	22	12	·21	6	11	21	18	26	21	~~204~~ 205	
* Days with .04 in. or more.	10	14	7	~~16~~ 17	5	·17	6	7	17	14	19	15	149	

40-9999

† Spare column, no entries required.

(Signed) Marion Holland [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Lullings, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·96

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·14	·02	·63		·56	·49	·06			·12	·04		1
2	·01					·45	·21				·01			2
3				·39		·04	·02		·04		·24			3
4	·01		·15			·14	·01		·54			·03		4
5	·26		·03				—		·15	·01	·20	·03		5
6	·39					·04	—	·10	·19	·02	1·02			6
7	·62		·09			·03	·03	·01	—	—	·57	·06		7
8	·50						·04		—	—	·73	·24		8
9	·49		·03				·46		·06	·13	·01			9
10	·11			—			·20	·03						10
11		·04		·07			·08				1·26			11
12				·07		·22	·47	—	·27	·01	·37	·17		12
13						·06	·01				·01	·57		13
14		·07				·12	·73		·01	·03	·16	·70		14
15		·11					·03				·06	·39		15
16	·19	·11		·06	·01		·11				·22	·17		16
17	·06	·71			·20	·11		·03	·01	·03	·21	·76		17
18	·12	·15				·09	·19				·12	·11		18
19	·35	·05	·02	—		·46		·18			·03			19
20	·39	·06	·15	·66			·02		·42	·01				20
21		·04		·35	—	·41	·05		·03					21
22	·11	·45	·14		·13	·02	·14					·07		22
23	·05	·18	·30	·12			·52			·10				23
24	·05	·10					·12		·03	·33		·01		24
25	·16	·01	·19	·28	·02	—	·02		·31	·16	·01			25
26	·01	·19	·17	·12		·01			·05	·27				26
27	·53	·02							·11	·24				27
28	·58		·32		·02	·11	·51		·03			·18		28
29	·04	·09				·57	·27			·06	·09	·04		29
30	·20	✕	·26		·05	·20				·24		·01		30
31	·28	✕		✕		✕	·23		✕	·29	✕	·28		31
TOTAL	5·86	2·52	1·87	2·75	·43	3·64	4·96	·41	2·25	1·93	5·44	3·86	Year's Total 35·92	✓
* Days with .01 in. or more.	24	17	13	10	6	18	24	6	15	15	19	18	185	✓
* Days with .04 in. or more.	21	15	9	10	3	15	17	3	10	9	14	14	140	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Marion Holland [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Lullings, Balcombe,

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·05

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·96	·01	·01	·08			·01		·01		1·34	·47		1
2	·02	·63	|	·52					·07	—	·01	·91		2
3	·02	·39	·08				—		—			·26		3
4	·15	1·29							—			·34		4
5	·33	·10	·35				·22							5
6	·26	·02	·64	·01	·38					·01	·02			6
7		·77	·12	·16	·01				·01	·04		·02		7
8	·01		·11		·05	·08					·13	·14		8
9			·04	·41	·13	·03	·11		·44			·09		9
10			·70	·24	·07	·44	·01	—			—	·98		10
11			·33	·01	·07	·01	·04	—		—		·13		11
12	·63	·27	·15	·08	·18	·27	·01	·33	·18			·23		12
13	·20	·09	·57	·07	·01	·13		·02	·33			·60		13
14	·02	·02	·01	·15	·10	—		·40	·24			·06		14
15	·22	·13		·35	—	—	·49	·60	·18			·01		15
16	·01	·11	·40	·34		03			·57			·01		16
17	·31	·01	·12	·12		—	—		·31		·11			17
18	·63	·11	·03	—	·26	·38			·08		·17	·08		18
19	·12	·20	·04	·30	·02	·09	·01		·05		·01	·09		19
20	·45		·10	·34	·90	·07						·02		20
21	·56	·54	·05	·14	·04		—	—	·04		·06	·05		21
22	·61	·03	·01	·01	·11	·01	·05		—	·98	·36	·12		22
23	·31	·04			—		·16			·74	·01	·10		23
24	·72	·30			·03				·02	·46		·02		24
25	·12	·49	·30		·04				·09	·13				25
26	·01	·43	·02			·01			—	·03				26
27	·01	·17	—	·23					·01	·15				27
28	·11	·09						—		·04		·02		28
29	·06	✕				—		—		·08	·08	·03		29
30	·26	✕				·01				·04	·15	·01		30
31	·25	✕		✕		✕			✕	·30	✕	·03		31
TOTAL	7·36	6·24	4·18	3·56	2·40	1·56	1·11	1·35	2·63	3·00	2·45	4·82	Year's Total 40·66	✓
* Days with .01 in. or more.	27	23	21	18	16	13	10	4	16	12	12	25	197	✓
* Days with .04 in. or more.	20	16	16	15	12	7	6	3	12	10	8	16	143	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Marion Holland [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at LULLINGS, BALCOMBE

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·06

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	·06			·29	·12	—		·18	·14	·05	·03		1
2	·08			·03	·03		·27			·51		·02		2
3	—	01			·04		·01			·90	·08			3
4	·02				—	·02	·21	·02		·14	·01	·21		4
5	·01			—		—	·13		—	·32	·01	·01		5
6	·09					—	·11		·73	·01	·03	·03		6
7	·01					·01	·13	·33	—	·30		·07		7
8	·24						·34	·23	·01	·33	·01	·15		8
9	·10	·01				—	—	·01	·01	·12		·76		9
10	·14	·20				·16	—	·03				·12		10
11	·26	·01					—				·10	·22		11
12	·44	—			·01		·02	·16		·05	·06	·01		12
13	·39	·11								·13	·45	·25		13
14	·38	·13			·53				·04			·05		14
15	·04	·26			·01		·19			·45	·01	·41		15
16	·48	·03	·02		·01		·04	·06		·10	·02	·22		16
17		·15	·01		·13		·01		·02	·29	·03			17
18	·10				·15				·21	·07	·42	—		18
19	·01							·10	·17		·55	·31		19
20	·01				·01				·10		·49	·01		20
21	·07			—				·06	·18		·01	·11		21
22	·01			—	—	·03		·06	·01		·33	·15		22
23				—	—	·01						·01		23
24			·28		—				·96		·36	·05		24
25	·14		·30	·01	·10		·03	—	·04	·02	·54	·02		25
26	·45	·14	·08		·01	—	—	·01	·36	·35	·05	·46		26
27	·18	·06	·01		·16	·27	·47		·98	·01	·34			27
28	·07	·09			·64	·09		·44	·20			·05		28
29	·21			—	·36				·02		·13	·19		29
30	·12	✕		·19	·20	·01			·14	·07	·31			30
31	·21	✕		✕	·11	✕			✕	·23	✕	·50		31
													Year's Total	
TOTAL	4·31	1·26	·70	·23	2·79	·72	1·96	1·51	3·76	4·54	4·39	4·42	30·59	✓
* Days with .01 in. or more.	27	13	6	3	17	9	13	12	18	20	23	26	187	✓
* Days with .04 in. or more.	21	9	3	1	11	4	9	8	13	17	15	18	129	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Marion Holland

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at LULLINGS

in the County of BALCOMBE, SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06		·06	·32	·26		·02		·12		·01	·07		1
2	·04		·01	·03	·03		·01	·40	·24	—	·02			2
3	·54		·01	·54				·36			·26	·45		3
4	·24	·01	·41	·23			·06	·83		·41	·15	·02		4
5				·25	·06		·28	·19		·24	·57	·10		5
6	·49		·06		—		·26	·10		—	·33			6
7	·08	·07					·06	·14		·02	·16	·24		7
8	·01	·11	·17				·01	—		·36	·22	·64		8
9	·12	·08						·21		·52	1·03	·43		9
10	·18	·01				·28		·38	·08	·20	·06			10
11	·01	·01	·25			·10				1·22	·03	·02		11
12	·02	·04	—		·02	·06	—			·02	·02	·05		12
13		—	·02	·05		·06	·08		·09	1.22	·03	·03		13
14	·61			·05	·13	·04	·04			·46	·61	·06		14
15	·66		·01		·93	·04	·03		·42	·40	·15	·02		15
16	·29		·06	·15	·32	·27	·29		·06	·04	·67			16
17	·21	·16	·02	·04	·28		·02			·01	·14			17
18	·41	·01	·02		·02	·09	·18		—	·08	·49			18
19	·43		·01				·21		—	·58		·02		19
20	·31	—	—			·64	·85		·08					20
21	·12	·05	·16			·10	·28		·13					21
22	·26	·29	·09	·06		·35	·05		—	·01	·11			22
23	·01			·19			·17	·02		·10	·98			23
24	·21	·35	·07	·18		·03	·38			·14				24
25	·91	·21	·11	·08			·13			·12	·78			25
26	·04	·01	·01	·06						·11	·37			26
27	·02	·14	·11	·22						·14	·33			27
28	·01	·36	·04	·02		·12				·10	·17	·20		28
29				·31			·01			·06	·06	—		29
30		✕		·62				·04		·02	·12	—		30
31		✕		✕		✕	·18	·73	✕	·03	✕	·02		31
													Year's Total	
TOTAL	6·18	1·01	1·70	3·40	2·05	2·18	3·59	3·40	1.22 ~~1·12~~	6·61	7·85	2·37	42·36	✓
* Days with .01 in. or more.	26	16	20	18	9	19	22	11	8	24	26	15	208	✓
* Days with .04 in. or more.	20	11	12	16	6	12	16	10	8	19	21	9	160	✓

† Spare column, no entries required.

(*Signed*) Marion Holland [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 521

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Lullings, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 348 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Trace.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					—						·04			1
2		·10			—					·12	·38	·02		2
3		·37		·10			·07			·15	1·40	·15		3
4		·25		·12			—			·29	·12	·13		4
5	·01	·03		·03			·08			·03	·78	·18		5
6	·26	·24		[illegible]	—		·35			·63	·01			6
7	·23	·29			—		·13							7
8	·01	·01		·03			·04		·02	·55		·36		8
9							·03	·07	—	·16	·61	·33		9
10			—				·30			·17	·09	·02		10
11		·06		·05			·02				1·17			11
12		·04	·28	·06		·04	·18		·23		·11			12
13		·02	·90			·04			·17		1·36			13
14			·45	·09			—			·09		·57		14
15	·02	—	·01		·35		1·04		·03	·09	·71	·04		15
16	·06	·70	·26	·03		·08	·14		·28	·45	·76			16
17			·40				·04				·60			17
18	—	·30	·26	·33			·03	·03	·16	·29	·04	·17		18
19		·12	·03	·02			·06		·61		·22	·06		19
20		·02	·07	·03	·36		·03	·02	·07	·09	·25			20
21	·07	·02	·04		·40		·17		·03	·09	·34			21
22	·02		·05		—	·15			·23					22
23		·20	·14	·27			·02	·01		—	·03	·06		23
24				·24			·30			·01		·05		24
25			·48		·02		·05			·06	·02	—		25
26	·78	·26	·43		·52	·65	·05				·01			26
27	·38	·40			—		·06				·03	[illegible]		27
28	·39			·08	·20							·01		28
29	·33	·60	·20	·01					·03			·33		29
30	·12	✕		·09						·23		·02		30
31	·07	✕		✕		✕			✕	·87	✕	·13		31
TOTAL	2·74	4·02	4·00	1·58	1·85	·36	3·18	·13	1·86	4·36	9·08	2·63	Year's Total 35·79	
* Days with .01 in. or more.	14	19	15	16	6	5	21	4	11	18	22	17	168	
* Days with .04 in. or more.	10	14	13	10	5	5	16	1	7	16	17	13	127	

2.07

† Spare column, no entries required.

(*Signed*) Marion Holland

* See Instruction 3 (f) on other side.

[P.T.O.

522

Section **A** for the entry of Dail

AIR MINISTRY.—M

Y FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTE

Kept at The Gables, Ba

in the County of Susse

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM

An observer who does not conform to this *owing*
year in the space on the right of this paragraph.

Jan. 1, following

522

BALCOMBE

THE GABLES

1931 - 1936

780111

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·13	–	·37	–	·36	–	·03	·16	–	–	·02	1
2	·18	·07	–	·31	·07	–	–	–	·64	–	–	–	2
3	·12	–	·18	·11	1·04	–	–	·21	·79	–	·08	·29	3
4	–	·02	–	–	·13	–	·04	·23	·13	–	·09	·02	4
5	–	·02	–	·30	–	·62	·08	·43	·07	·03	·01	·23	5
6	–	·10	–	·14	–	–	–	–	·02	·03	·29	·29	6
7	–	·03	–	–	·05	·39	–	·22	·01	·32	·45	–	7
8	–	·16	–	–	–	·20	–	·05	–	·07	·09	·10	8
9	–	·18	–	–	–	·03	–	–	–	–	·82	·02	9
10	·05	·21	·02	–	–	·20	·09	·17	–	–	1·36	–	10
11	·14	·54	–	–	–	–	–	–	·03	–	·25	–	11
12	·09	–	–	–	–	–	·03	·01	·23	–	–	–	12
13	·11	–	·03	–	·08	–	·04	·04	–	–	·02	–	13
14	·03	·13	–	–	–	·05	·57	·55	–	–	·02	–	14
15	·02	·09	–	·08	·33	–	·21	·24	–	–	·02	·06	15
16	·02	·06	–	·22	·35	·06	·03	·04	–	–	–	–	16
17	–	·06	–	·36	–	·02	·49	–	·09	·07	–	–	17
18	·07	·09	–	·21	–	·21	·13	·72	·06	·03	·71	–	18
19	·10	–	–	·46	–	·06	·64	·42	·02	–	–	–	19
20	–	·15	–	·07	–	–	·07	·33	–	–	·04	–	20
21	·03	·03	–	–	·36	–	–	–	–	–	·04	–	21
22	·30	·02	·32	·02	–	–	–	–	·03	–	·02	–	22
23	·53	·04	·05	–	·28	·18	–	·43	·04	–	·34	–	23
24	–	–	·02	·61	·06	·06	·37	–	·02	–	–	–	24
25	·13	·02	–	·60	·04	–	·61	–	–	–	·06	–	25
26	–	·08	–	·19	–	–	·36	–	·02	–	·37	–	26
27	·26	·49	–	·13	·23	–	·06	–	–	–	·05	–	27
28	·10	–	–	·02	–	–	–	–	–	·04	–	–	28
29	·13	–	–	–	·13	–	·17	–	–	·19	–	–	29
30	·11	×	–	–	·07	–	·02	–	–	–	–	·04	30
31	·46	×	–	×	–	×	–	–	×	–	×	–	31
													YEAR'S TOTAL
TOTAL	2·98	2·72	·62	4·20	3·22	2·44	4·01	4·12	2·36	·78	5·13	1·07	33·65
*Days with ·01 in. or more.	20	22	6	17	14	13	18	16	16	8	20	9	179
*Days with ·04 in. or more.	16	16	3	15	14	11	15	14	9	5	15	6	139

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. J. Warren [P.T.O.

522

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Gables Balcombe
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 360 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·13	–	·37	–	·36	–	·03	·16	–	–	·02	1
2	·18	·07	–	·31	·07	–	–	–	·64	–	–	–	2
3	·12	–	·18	·11	1·04	–	–	·21	·79	–	·08	·29	3
4	–	·02	–	–	·13	–	·04	·23	·13	–	·09	·02	4
5	–	·02	–	·30	–	·62	·08	·43	·07	·03	·01	·23	5
6	–	·10	–	·14	–	–	–	–	·02	·03	·29	·29	6
7	–	·03	–	–	·05	·39	–	·22	·01	·32	·45	–	7
8	–	·16	–	–	–	·20	–	·05	–	·07	·09	·10	8
9	–	·18	–	–	–	·03	–	–	–	–	·82	·02	9
10	·05	·21	·02	–	–	·20	·09	·17	–	–	1·36	–	10
11	·14	·54	–	–	–	–	–	–	·03	–	·25	–	11
12	·09	–	–	–	–	–	·03	·01	·23	–	–	–	12
13	·11	–	·03	–	·08	–	·04	·04	–	–	·02	–	13
14	·03	·13	–	–	–	·05	·57	·55	–	–	·02	–	14
15	·02	·09	–	·08	·33	–	·21	·24	–	–	·02	·06	15
16	·02	·06	–	·22	·35	·06	·03	·04	–	–	–	–	16
17	–	·06	–	·36	–	·02	·49	–	·09	·07	–	–	17
18	·07	·09	–	·21	–	·21	·13	·72	·06	·03	·71	–	18
19	·10	–	–	·46	–	·06	·64	·42	·02	–	–	–	19
20	–	·15	–	·07	–	–	·07	·33	–	–	·04	–	20
21	·03	·03	–	–	·36	–	–	–	–	–	·04	–	21
22	·30	·02	·32	·02	–	–	–	–	·03	–	·02	–	22
23	·53	·04	·05	–	·28	·18	–	·43	·04	–	·34	–	23
24	–	–	·02	·61	·06	·06	·37	–	·02	–	–	–	24
25	·13	·02	–	·60	·04	–	·61	–	–	–	·06	–	25
26	–	·08	–	·19	–	–	·36	–	·02	–	·37	–	26
27	·26	·49	–	·13	·23	–	·06	–	–	–	·05	–	27
28	·10	–	–	·02	–	–	–	–	–	·04	–	–	28
29	·13	–	–	–	·13	–	·17	–	–	·19	–	–	29
30	·11	×	–	–	·07	–	·02	–	–	–	–	·04	30
31	·46	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	2·98	2·72	·62	4·20	3·22	2·44	4·01	4·12	2·36	·78	5·13	1·07	YEAR'S TOTAL 33·65
*Days with ·01 in. or more.	20	22	6	17	14	13	18	16	16	8	20	9	179
*Days with ·04 in. or more.	16	16	3	15	14	11	15	14	9	5	15	6	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. J. Warren [P.T.O.

522

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 522

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Gables, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 360 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·03	-	·21	·59	-	·03	·05	-	·08	·10	-	1
2	·05	-	-	·22	·15	-	-	-	·05	-	·02	·26	2
3	-	-	-	·04	·11	·13	-	-	·49	·04	-	-	3
4	·07	-	-	-	-	·13	-	-	-	-	·02	-	4
5	·27	-	·03	-	-	-	·26	-	·18	-	-	-	5
6	·67	-	-	·17	-	·04	-	-	·05	-	-	-	6
7	·05	·02	·08	·05	-	-	·21	-	·04	·05	-	·03	7
8	-	-	·23	·10	·18	-	-	-	·20	·72	-	-	8
9	·35	-	-	·20	·51	-	-	-	-	·10	-	-	9
10	·74	·25	·03	·40	·09	·02	-	-	·04	·09	-	-	10
11	·26	-	-	-	-	-	-	-	·08	·04	·03	·02	11
12	·49	·25	-	·23	·01	-	-	·02	·09	·53	-	-	12
13	·08	·75	-	·38	·06	-	·05	-	·03	1·12	-	·03	13
14	·17	·08	-	·23	·08	-	-	·02	-	·04	-	-	14
15	·09	·20	-	·09	·11	-	-	-	-	·09	-	-	15
16	·17	·09	-	·21	·13	-	·21	-	-	-	-	·03	16
17	·01	-	-	·11	-	-	·02	-	-	·04	-	-	17
18	·05	-	-	-	-	-	-	-	·13	-	·13	-	18
19	·02	-	-	·02	·03	-	-	-	·05	·38	·02	-	19
20	·01	-	-	·23	·03	-	·24	·21	·01	1·16	·14	-	20
21	·03	-	-	·02	·67	-	-	·07	-	·39	-	·07	21
22	·05	-	·37	·05	·06	-	·08	·07	·54	·33	·46	·05	22
23	-	·02	-	·10	·25	·37	-	-	·16	1·01	-	·17	23
24	-	·03	-	-	-	-	·63	-	·17	·09	·06	-	24
25	·02	·08	-	-	-	-	·64	-	·14	·63	·06	·03	25
26	-	·04	·04	·07	-	-	1·23	·05	-	-	·07	-	26
27	-	-	·40	·21	·19	·13	·12	-	-	·61	·07	·02	27
28	-	-	·02	·04	·19	-	·24	-	-	·26	-	-	28
29	-	-	·70	·09	·25	-	-	·38	·22	·55	·03	·03	29
30	-	✕	·07	-	-	1·23	·07	-	·11	-	·72	·15	30
31	-	✕	·03	✕	-	✕	·16	-	✕	-	✕	·10	31
TOTAL	3·82	1·84	2·00	3·47	3·69	2·05	4·19	·87	2·78	8·35	1·93	·99	YEAR'S TOTAL 35·98
*Days with ·01 in. or more.	21	12	11	23	19	7	15	8	19	22	14	13	184
*Days with .04 in. or more.	16	8	7	21	16	6	13	6	17	22	9	6	147

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) G J Warren

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No** 522

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Gables, Balcombe

in the County of Sussex.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 360 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·57	·24	-	-	-	-	-	-	·01	·06	-	1
2	·36	-	·60	-	·14	-	-	-	-	·03	-	-	2
3	·10	·18	·50	-	-	-	-	-	-	-	·03	-	3
4	·17	·06	·03	-	·13	-	-	-	-	-	-	-	4
5	·25	-	·32	-	·25	-	-	-	-	-	-	-	5
6	-	-	·07	-	·60	-	-	-	-	·08	·10	-	6
7	·31	·20	·04	-	·10	-	-	-	-	·14	-	·04	7
8	·09	·06	-	-	-	-	·13	-	-	·06	-	-	8
9	-	·02	-	-	·04	-	·23	-	-	·08	·22	-	9
10	·02	·11	-	-	-	·04	·16	-	-	·25	·05	-	10
11	·22	-	-	-	·06	·20	·05	·18	·02	·05	·02	-	11
12	-	-	-	·02	-	·16	·15	-	1·11	-	-	-	12
13	·10	-	-	-	·07	·10	·46	·11	·22	·12	·12	-	13
14	-	-	-	-	-	-	·29	-	-	·52	·52	-	14
15	·56	-	·18	-	-	-	·16	·36	-	·06	·05	-	15
16	-	-	·83	-	-	·25	·39	-	-	·08	-	-	16
17	-	-	·37	-	-	·08	-	·11	·17	-	·08	-	17
18	·16	·02	·36	-	-	·22	-	-	-	-	·02	-	18
19	·02	·03	·08	-	-	·15	-	·02	·27	-	·05	·05	19
20	-	·02	·17	-	-	·30	-	·06	·08	-	-	-	20
21	-	·07	·05	-	-	-	-	·16	·16	·03	-	-	21
22	-	·03	-	-	-	-	-	·34	-	·10	·02	-	22
23	-	X	-	·11	-	·10	-	-	·38	·07	-	-	23
24	-	·56	-	·20	·05	·07	-	-	·69	-	·03	-	24
25	-	·56	-	·37	-	·16	-	-	·10	·04	·05	·09	25
26	-	·54	-	·15	-	·11	-	-	-	·04	·05	·12	26
27	-	·89	-	-	·25	-	-	-	-	·21	-	·19	27
28	-	·02	-	-	·07	-	·36	-	-	·26	-	·28	28
29	·09	·03	-	-	·04	-	·17	-	-	·09	-	-	29
30	·10	X	·07	-	-	-	·08	-	·32	·10	-	·08	30
31	·12	X	-	X	-	X	-	·06	X	·02	X	-	31
TOTAL	2·74	3·97	3·91	·85	1·80	1·94	2·63	1·40	3·52	2·44	1·47	·85	YEAR'S TOTAL 27·52 ✓
*Days with ·01 in. or more.	16 ✓	18 ✓	15 ✓	5 ✓	12 ✓	13 ✓	12 ✓	9 ✓	11 ✓	22 ✓	16 ✓	7 ✓	156 ✓
*Days with .04 in. or more.	14 ✓	11 ✓	14 ✓	4 ✓	12 ✓	13 ✓	12 ✓	8 ✓	10 ✓	18 ✓	11 ✓	7 ✓	134 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. J. Warren

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 522

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Gables, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 360 ft.

A00

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	·18	–	·35	–	·16	–	·50		1
2	·06	–	·25	·06	–	–	–	–	·86	·58	–	·52		2
3	·06	·02	–	·12	–	–	–	·12	–	·84	–	·13		3
4	·23	–	·11	·04	–	–	–	–	–	·16	·10	·73		4
5	–	–	·03	–	·09	–	–	·09	–	–	·05	·60		5
6	·03	–	·31	–	·13	·10	–	·14	–	·28	·06	·76		6
7	·06	–	–	·02	·16	·05	–	·06	–	·22	–	·30		7
8	–	–	–	–	·15	–	–	·06	·11	–	1·29	·51		8
9	·02	·02	·09	–	·03	–	–	–	–	–	1·10	·51		9
10	–	–	·19	·34	–	–	–	·11	–	–	1·32	·02		10
11	·92	–	·55	·11	–	–	–	·13	–	–	–	·36		11
12	·14	·02	·02	–	–	–	·21	·12	–	–	·19	·05		12
13	·47	–	·35	·13	–	–	·26	·03	–	–	·05	·21		13
14	·27	–	·51	·06	–	·04	–	–	–	·02	·53	·76		14
15	·02	–	·05	–	·03	–	–	–	–	·05	·15	·77		15
16	·02	–	·31	·11	·26	–	–	–	–	·33	·02	–		16
17	·29	–	·23	·03	·05	–	–	–	–	·06	·02	·42		17
18	·13	–	·03	·50	–	–	·42	–	–	–	–	·37		18
19	·08	–	·38	·03	–	·01	–	–	·54	·02	–	·21		19
20	–	–	·09	·04	–	–	·42	·03	–	·01	·02	·04		20
21	–	–	–	·27	–	·20	·06	–	–	·14	–	–		21
22	–	–	–	–	–	–	·18	·10	·32	·06	–	·18		22
23	–	–	–	·48	–	·73	–	–	–	·07	·02	·05		23
24	–	·06	·06	·03	–	·03	·96	·07	·21	–	–	–		24
25	–	–	–	·26	–	–	–	–	–	·07	–	·80		25
26	·24	–	–	·08	–	·15	–	–	·06	–	–	·08		26
27	·07	–	–	·41	–	·02	–	–	–	–	–	·41		27
28	·02	·25	–	·05	–	·17	–	·70	–	–	–	·47		28
29	–	–	–	–	–	–	·03	·12	·12	–	·02	–		29
30	·12	×	–	–	–	–	–	·23	·02	–	–	·44		30
31	·04	×	–	×	–	×	–	–	×	·07	×	·11		31
TOTAL	3·32	·37	3·56	3·17	·90	1·68	2·54	2·46	2·24	3·14	4·94	10·31	Year's Total. 38·63	
* Days with .01 in. or more.	21	5	17	20	8	11	8	16	8	17	15	27	173	
* Days with .04 in. or more.	15	2	14	16	6	8	7	14	7	14	10	26	139	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) G. J. Warren

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 522

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Gables, Balcombe,
in the County of Sussex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 360 ft.

✓ ✓ ✓ GR.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·24	·06	·05	·04	·02	·06	·09	–	·36	·19	·18	·79		1
2	·06	–	·04	·06	–	–	–	–	–	·56	·12	–		2
3	–	·03	·19	·06	–	–	–	–	·13	1·75	·15	–		3
4	–	·11	–	·22	–	·26	–	–	·43	·27	·02	·47		4
5	–	·34	·05	·15	–	·26	–	–	·62	·17	–	·01		5
6	·05	·09	·03	·29	–	·81	–	–	–	·01	·25	·02		6
7	·05	·03	–	·31	–	·19	–	–	–	–	·97	·11		7
8	·06	–	·04	·44	–	–	–	–	–	·50	·52	·03		8
9	·05	–	–	·26	–	·30	–	–	–	1·00	·15	–		9
10	·11	–	·12	–	–	·10	–	–	–	–	·20	·09		10
11	·19	–	–	·28	–	·11	·12	–	–	·11	·69	–		11
12	·02	·07	–	–	–	·33	·07	·32	·10	·04	·97	–		12
13	·14	·23	–	·15	–	·02	–	–	–	·02	·20	–		13
14	–	–	–	·03	·22	·39	–	–	–	·02	·04	·14		14
15	–	·33	–	·56	–	·09	–	–	–	·02	·27	·11		15
16	–	·09	·02	·36	–	·34	–	–	·33	·02	·92	·01		16
17	–	–	·06	·10	–	·23	–	–	·66	–	·49	–		17
18	·05	–	–	·35	·02	·15	·05	·03	·02	·08	·04	·03		18
19	–	·02	–	·10	·85	·08	·19	–	·59	·02	·15	–		19
20	–	·65	–	·16	·02	·10	·32	–	·12	–	·19	–		20
21	·03	·46	–	·04	–	–	–	–	·10	·21	·03	–		21
22	–	·10	–	·02	–	–	–	·62	·04	–	·02	–		22
23	–	–	·08	–	–	–	–	·31	·10	·08	–	·08		23
24	·05	1·26	–	–	·16	–	–	1·48	–	–	–	·31		24
25	·12	·23	–	·21	·10	·07	–	–	·71	–	·05	·48		25
26	·10	·22	–	–	–	–	–	·21	·15	·03	·02	·38		26
27	·06	·68	–	–	–	–	–	–	·26	–	·17	·36		27
28	–	·05	–	–	·47	–	·03	–	·05	·05	·04	·46		28
29	–	–	–	–	·08	–	–	–	·68	·02	–	·41		29
30	·09	×	–	–	–	–	–	1·62	·02	·14	–	·71		30
31	–	×	–	×	–	×	–	·02	×	·30	×	·94		31
TOTAL	1·47	5·05	·68	4·19	1·94	3·89	·87	4·61	5·47	5·61	6·85	5·94	Year's Total 46·57	
* Days with .01 in. or more.	17	19	10	21	9	18	7	8	19	23	25	20	196	
* Days with .04 in. or more.	15	16	8	19	6	17	6	6	17	15	21	15	161	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) G. J. Warren

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 522

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The Gables, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 360 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·27	·03	·25	–	·70	·42	·08	–	–	·14	·06		1
2	–	·15	–	·61	–	·70	·25	·15	–	–	–	–		2
3	–	·02	–	–	–	·49	·05	–	·06	–	·25	–		3
4	·01	–	·17	·37	–	·05	·01	–	·59	–	–	·05		4
5	·26	–	·01	–		·14	–	·10	·19	·01	·21	·05		5
6	·42	–	–	–	–	–	–	·10	–	·05	·98	·03		6
7	·59	–	–	–	–	·06	·07	–	–	–	·57	·02		7
8	·47	–	·08	–	–	·05	·05	–	·09	–	·71	·28		8
9	·50	–	·07	–	–	–	·44	–	–	·14	·01	–		9
10	·11	–	·03	–	–	–	·20	·03	–	–	–	–		10
11	·01	–	–	–	–	–	·08	–	·26	–	1·22	–		11
12	–	·06	–	·07	·02	·23	·47	–	–	·02	·35	·18		12
13	–	–	–	·05	–	·08	·03	–	·02	–	·01	·55		13
14	–	–	–	·01	–	·11	·62	–	·02	·03	·18	·70		14
15	–	·06	–	–	–	–	·04	–	–	–	·08	·37		15
16	–	·11	–	–	–	–	·10	–	·01	–	·25	·16		16
17	·13	·12	–	·01	·22	·09	–	·04	–	·04	·22	·68		17
18	·07	·67	–	–	–	·23	·19	–	–	–	·10	·10		18
19	·13	·14	–	–	–	·68	–	·17	–	–	·05	–		19
20	·31	·06	·05	·66	–	–	·03	–	·57	–	–	–		20
21	·38	·07	·07	·21	–	·38	·08	–	·06	–	–	·07		21
22	–	·05	–	·01	·20	–	·15	–	–	–	–	–		22
23	·10	·44	·13	–	·02	–	·57	–	–	·11	–	·03		23
24	·06	·16	·38	·12	–	–	·11	–	·05	·28	–	–		24
25	·05	·08	–	–	·03	–	·03	–	·30	·13	·03	·08		25
26	·15	–	·18	·26	–	–	–	–	·05	·32	·33	–		26
27	–	·17	·17	·22	–	–	–	–	·16	·24	–	–		27
28	·51	–	·02	–	–	·13	·63	–	·03	–	–	·12		28
29	·54	·10	·29	–	–	·15	·10	–	–	·08	·11	·05		29
30	·03	✕	·12	–	·09	·30	–	–	–	·24	–	·03		30
31	·16	✕	·25	✕	–	✕	·24	–	✕	·30	✕	·20	Year's Total	31
TOTAL	5·29	2·73	2·05	2·85	·58	4·57	4·96	·67	2·45	1·99	5·80	3·81	37·75	
* Days with .01 in. or more.	22	17	16	13	6	17	24	7	15	14	19	20	190	
* Days with .04 in. or more.	19	16	12	10	3	17	20	6	11	11	16	16	157	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) G. J. Warren

[P.T.O.

523

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

523

BALCOMBE
STOCKCROFT
1931 - 1940

480111

Kept at Stockcroft,

in the County of Su

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS **AY.**

An observer who does not conform t *e following*
year in the space on the right of

Jan. 1, following

Please read the Notes and

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.13		0.35		0.28		0.02	0.23	T2			1
2	0.16	0.04		0.30	0.06				0.54			0.04	2
3	0.10		0.15	0.13	1.08			0.25	0.71		0.07	0.25	3
4		0.02			0.10		0.03	0.22	0.10	0.02	0.07	0.01	4
5				0.30		0.63	0.07	0.46	0.05	0.02	T2	0.24	5
6		0.08		0.12		0.07			0.01	0.30	0.27	0.29	6
7		0.02		T2	0.04	0.18		0.21	T2	0.06	0.45	0.01	7
8		0.15	T2		T2	0.21	T2	0.04		T2	0.06	0.08	8
9	0.03	0.16		T2		0.01					0.85	T2	9
10	0.01	0.20	0.04	T2		0.18	0.06	0.15		0.01	1.34		10
11	0.13	0.55					T2		0.02	T2	0.25		11
12	0.08						T2	T2	0.23	T2		T2	12
13	0.10				0.05		0.03	0.08					13
14	0.02	0.09				0.04	0.60	0.50			0.01		14
15	0.01	0.11		0.07	0.31		0.18	0.28			T2	0.03	15
16	0.01	0.04		0.21	0.35	0.03	0.02	0.02	0.05				16
17	T2	0.04		0.39		0.01	0.47		0.05	0.04			17
18	0.05	0.09	T2	0.25		0.21	0.12	0.77	0.03	0.01	0.72		18
19	0.08			0.43		0.04	0.58	0.39	0.01				19
20	T2	0.14		0.06			0.06	0.34	T2		0.02	0.01	20
21	0.02				0.36						0.02		21
22	0.29		0.27	0.02	T2				0.02		T2		22
23	0.54	0.04	0.03		0.26	0.19			0.02		0.34		23
24			T2	0.79	0.05	0.03	0.36	0.43	0.01				24
25	0.11	T2		0.38	0.01		0.48		T2		0.04		25
26		0.06		0.21			0.30		T2		0.37		26
27	0.27	0.40		0.12	0.24		0.04				0.04		27
28	0.08	0.13		0.02						0.03			28
29	0.12				0.11		0.16			0.17		0.02	29
30	0.12	×			0.05								30
31	0.47	×		×		×			×		×		31
TOTAL	2.81	2.49	0.49	4.15	3.07	2.11	3.56	4.16	2.08	0.66	4.92	0.98	YEAR'S TOTAL 31.48
*Days with ·01 in. or more.	22	19	4	17	14	14	16	15	15	9	16	10	171
*Days with ·04 in. or more.	15	17	3	15	13	10	13	13	8	4	13	5	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R.

[P.T.O.

523

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stockcroft, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.13		0.35		0.28		0.02	0.23	Tr			1
2	0.16	0.04		0.30	0.06				0.54			0.04	2
3	0.10		0.15	0.13	1.08			0.25	0.71		0.07	0.25	3
4		0.02			0.10		0.03	0.22	0.10	0.02	0.07	0.01	4
5				0.30		0.63	0.07	0.46	0.05	0.02	Tr	0.24	5
6		0.08		0.12		0.07			0.01	0.30	0.27	0.29	6
7		0.02		Tr	0.04	0.18		0.21	Tr	0.06	0.45	0.01	7
8		0.15	Tr		Tr	0.21	Tr	0.04		Tr	0.06	0.08	8
9	0.03	0.16		Tr		0.01					0.85	Tr	9
10	0.01	0.20	0.04	Tr		0.18	0.06	0.15		0.01	1.34		10
11	0.13	0.55					Tr		0.02	Tr	0.25		11
12	0.08						Tr	Tr	0.23	Tr		Tr	12
13	0.10				0.05		0.03	0.08					13
14	0.02	0.09				0.04	0.60	0.50			0.01		14
15	0.01	0.11		0.07	0.31		0.18	0.28			Tr	0.03	15
16	0.01	0.04		0.21	0.35	0.03	0.02	0.02	0.05				16
17	Tr	0.04		0.39		0.01	0.47		0.05	0.04			17
18	0.05	0.09	Tr	0.25		0.21	0.12	0.77	0.03	0.01	0.72		18
19	0.08			0.43		0.04	0.58	0.39	0.01				19
20	Tr	0.14		0.06			0.06	0.34	Tr		0.02	0.01	20
21	0.02				0.36						0.02		21
22	0.29		0.27	0.02	Tr				0.02		Tr		22
23	0.54	0.04	0.03		0.26	0.19			0.02		0.34		23
24			Tr	0.79	0.05	0.03	0.36	0.43	0.01				24
25	0.11	Tr		0.38	0.01		0.48		Tr		0.04		25
26		0.06		0.21			0.30		Tr		0.37		26
27	0.27	0.40		0.12	0.24		0.04				0.04		27
28	0.08	0.13		0.02						0.03			28
29	0.12				0.11		0.16			0.17		0.02	29
30	0.12	×			0.05								30
31	0.47	×		×		×			×		×		31
TOTAL	2.81	2.49	0.49	4.15	3.07	2.11	3.56	4.16	2.08	0.66	4.92	0.98	YEAR'S TOTAL 31.48
*Days with ·01 in. or more.	22	19	4	17	14	14	16	15	15	9	16	10	171
*Days with ·04 in. or more.	15	17	3	15	13	10	13	13	8	4	13	5	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. [illegible]

[P.T.O.

523

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stockcroft Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	0.03		0.21	0.64		0.02	0.05	trace	0.10	0.08		1
2	0.04			0.22	0.12			trace	0.10	trace	0.02	0.31	2
3				0.03	0.10	0.12			0.41	0.03			3
4	0.05					0.12					0.01		4
5	0.28	0.01	0.01		trace	0.02	0.16		0.17				5
6	0.70			0.15					0.04				6
7	0.03		0.07	0.01			0.17		0.02	0.04		0.02	7
8			0.22	0.09	0.16				0.20	0.68			8
9	0.37	0.06		0.20	0.49					0.09			9
10	0.76	0.47	0.02	0.40	0.08	trace			0.03	0.11			10
11	0.25	0.02	trace	0.19	trace	trace			0.07	0.03	0.02	0.02	11
12	0.47	0.05		0.01	trace			0.01	0.08	0.42	trace		12
13	0.06			0.22	0.04		0.04		0.01	1.14		0.01	13
14	0.15	0.02		0.39	0.07			0.01		0.03			14
15	0.08			0.06	0.18					0.08		trace	15
16	0.16			0.19	trace		0.19					0.01	16
17	0.01			0.10			0.01			0.03			17
18	0.04				trace		0.01		0.13		0.11	trace	18
19	0.01			0.02	0.01				0.04	0.39	0.01	trace	19
20	trace			0.11	0.03		0.17	0.20	trace	1.19	0.13		20
21	0.02	0.01		0.01	0.67		trace	0.07		0.40		0.05	21
22	0.04	0.01	0.37	0.06	0.05		0.07	0.06	0.52	0.38	0.46	0.03	22
23	trace	0.07		0.08	0.25	0.34			0.19	0.94		0.17	23
24		0.03					0.78		0.12	0.07	0.04	trace	24
25							0.56		0.09	0.66	0.05	0.01	25
26			0.04	0.06			1.32	0.04		trace	0.06	trace	26
27			0.44	0.21	0.18	0.13	0.11			0.55	0.06	trace	27
28			0.01	0.03	0.27		0.21			0.26			28
29			0.67	0.07	0.16	0.04	0.01	0.34	0.21	0.52	0.01	0.03	29
30		×	0.04		0.01	1.18	0.09	trace	0.09	trace	0.70	0.13	30
31		×	0.03	×		×	0.11		×		×	0.09	31
TOTAL	3.67	0.78	1.92	3.11	3.57	1.95	4.03	0.78	2.52	8.14	1.76	0.88	YEAR'S TOTAL 33.05
*Days with ·01 in. or more.	19	11	11	24	18	7	17	8	18	22	14	12	181
*Days with ·04 in. or more.	15	4	7	18	15	6	13	6	15	18	9	5	131

40-9999

(Signed) R. [illegible]

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

September 1½" low

906 sent 30/5/34 suggesting amended values for Sept. Observer agrees 1/6/34

Kept at Stockcroft, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge ~~4~~ 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 341 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.05	0.59	0.24							0.01	0.05			1
2	0.37		0.67		0.15					0.01	~~0.02~~			2
3	0.08	0.18	0.50		trace						0.02			3
4	0.16	0.05	0.02		0.28									4
5	0.26		0.33		0.08									5
6		0.19	0.07		0.62					0.04	0.08			6
7	0.30	0.05	0.03		0.07					0.12	trace	0.03		7
8	0.07				trace		0.11			0.05				8
9					0.02		0.29	trace		0.06	0.20			9
10	0.01	0.11				0.03	0.08			0.27	0.04			10
11	0.23				0.04	0.20	0.02	0.17	trace	0.06				11
12				0.01	0.01	0.24	0.12		1.45 ~~0.45~~		trace			12
13	0.08				0.04	trace	0.48	0.10	0.21	0.09	0.12			13
14							0.27			0.45	0.54	0.02		14
15	0.61		0.17				0.12	0.30		0.04	0.04			15
16	0.02		0.86			0.24	0.35		trace	0.07				16
17	trace	0.05	0.37			0.06		0.10	·15		0.07			17
18	0.13		0.07			0.22					0.01			18
19			0.12			0.12		0.01	·27 ~~trace~~		0.04	0.03		19
20		0.02	0.05	0.01		0.33		0.03	·08					20
21		0.05						0.14	0.12	0.02				21
22								0.33	0.02	0.10	0.01			22
23				0.10	0.03	0.11			0.35	0.06				23
24		0.62		0.19		0.04			0.58		0.01			24
25		0.54		0.33	trace	0.20	0.01		0.10	0.04	0.04	0.09 ~~0.17~~		25
26		0.85		0.15		0.08			trace	0.03		0.12 ~~0.29~~		26
27		0.02			0.26		trace			0.20		0.19		27
28		0.02			0.07		0.51			0.25		0.29		28
29	0.08		trace		0.03		0.02			0.07				29
30	0.09	×	0.07				0.07		0.32	0.08		0.08		30
31	0.10	×	trace	×		×		0.05	×	0.01	×			31
TOTAL	2.64	3.34	3.57	0.79	1.70	1.87	2.45	1.23	3.65 ~~2.15~~	2.13	1.27	0.85	Year's Total ~~25.99~~	25.49
*Days with ·01 in. or more.	16	14	14	6	13	12	13	9	11	22	14	8	~~149~~	152
*Days with ·04 in. or more.	14	11	12	4	9	11	10	7	10	17	10	5	~~117~~	120

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stockcroft, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 341 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01					0.15		0.35		0.12	Tr	0.48		1
2	0.06		0.22	0.04		0.01			0.90	0.55	Tr	0.56		2
3	0.05	0.01		[illegible].10				0.10		0.86		0.13		3
4	0.23	Tr	0.09	0.03	0.19					0.16	0.08	0.76		4
5			0.03		0.03			0.07			0.04	0.60		5
6	0.02		0.32	0.01	0.14	0.10		0.16		0.29	0.05	0.66		6
7	0.05					0.04				0.22		0.32		7
8					0.13	Tr		0.03	0.08		1.30	Tr		8
9	0.01	0.01	0.09		0.02				0.01		1.18	0.57		9
10		Tr	0.18	0.35				0.10		Tr	1.34	0.02		10
11	0.99		0.57	0.09				0.10			0.01	0.38		11
12	0.12		Tr				0.21	0.10			0.18	0.05		12
13	0.48		0.37	0.18			0.26	0.01		Tr	0.04	0.24		13
14	0.28		0.52	0.04	Tr	0.03				0.01	0.45	0.83		14
15	0.01		0.05			Tr				0.04	0.13	0.68		15
16	0.31		0.32	0.11	0.21					0.11	0.01	0.01		16
17	0.13		0.17	0.06	0.05				Tr	0.05	0.01	0.39		17
18	0.13		0.04	0.43			0.43		0.01		Tr	0.36		18
19			0.37	0.07	Tr	0.01			0.53	0.01	Tr	0.21		19
20		0.01	0.06	0.03		Tr	0.42	0.04		0.01	Tr	0.01		20
21		Trace	Tr	0.26		0.18	0.04		Tr	0.12				21
22		0.01					0.19	0.08	0.30	0.03	0.01	0.17		22
23		0.01		0.50		0.73			Tr	0.04		0.05		23
24		0.03	0.04	0.02		0.02	0.89	0.18	0.21	Tr	Tr			24
25	0.23			0.25						0.05		0.81		25
26	0.05			0.09		0.14			0.07	Tr		0.04		26
27	0.02			0.40		0.01				Tr		0.44		27
28		0.19		0.04		0.14	0.01	0.70		0.01		0.37		28
29							0.02	0.14	0.11		0.01	Tr		29
30	0.10	×						0.13	0.04			0.47		30
31	0.01	×		×	Tr	×	Tr		×	0.05	×	0.09		31
TOTAL	3.29	0.27	3.44	3.10	0.77	1.56	2.47	2.29	2.26	2.73	4.84	9.70	Year's Total. 36.72 ✓	
* Days with .01 in. or more.	20	7	16	20	7	12	9	15	10	18	15	27	167 ✓	
* Days with .04 in. or more.	14	1	15	16	5	7	7	13	8	13	10	24	133	

40-9999

† Spare column, no entries required.

(*Signed*) R. Newton

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stockcroft Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 341 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.24	0.05	0.04	0.03	0.01	0.04	0.09		0.39	0.17	0.16			1
2	0.05		0.02	0.04		0.02			0.01	0.55	0.11			2
3		0.03	0.18	0.05					0.29	1.81	0.14			3
4		0.11		0.22		0.32			0.22	0.27	trace	0.50		4
5		0.35	0.04	0.13		0.08			0.64	0.13	trace	0.01		5
6	0.04	0.07	0.01	0.25		0.92					0.27	0.02		6
7	0.05	0.01		0.32		0.11					0.97	0.11		7
8			0.02	0.48						0.51	0.63	0.03		8
9	0.02			0.29		0.28			trace	1.05	0.12			9
10	0.08		0.09	trace		0.09					0.19	0.07		10
11	0.21	trace		0.24		0.10	0.15			0.16	0.71			11
12		0.04				0.31		0.33	0.05		1.02	~~0.04~~		12
13	0.12	0.21		0.21	0.07	0.01			trace	0.02	0.19	0.01 ~~0.12~~		13
14				0.03	0.16	0.35			0.03	0.01	0.04	0.12 ~~0.09~~		14
15		0.25		0.63					0.29	0.01	0.30	0.09 ~~0.01~~		15
16		0.06	0.02	0.30		0.35			0.73	0.01	0.93	0.01		16
17	0.03		0.05	0.09		0.23	trace	0.01	0.01		0.48			17
18				0.44	0.02	0.17	0.06	0.01	0.60	0.07	0.03	0.03		18
19		0.02		0.09	0.85	0.07	0.30		0.11	0.01	0.14			19
20	trace	0.68		0.13	0.01	0.09	0.19		0.07		0.17			20
21	0.02	0.49		0.05					0.04	0.20	0.02	0.61		21
22		0.09	0.01	trace				0.51	0.08		0.01			22
23		trace	0.06					0.52		0.07		0.09		23
24	0.04	1.17			0.15			1.29	0.72	0.01	0.01	0.32		24
25	0.11	0.19		0.21	0.08	0.06					0.02	0.50		25
26	0.08	0.24	trace					0.20	0.15	0.02	0.01	0.40		26
27	trace	0.67					0.02		0.13		0.15	0.38		27
28		0.04			0.47			trace	0.07	0.04	0.02	0.50		28
29	0.01				0.16			0.08	0.63	0.01		0.44		29
30	0.07	×		trace	0.01			1.48		0.14	0.77	[illegible].68		30
31	0.01	×		×		×		trace	×	0.29	×	0.97		31
Total	1.18	4.77	0.54	4.23	1.99	3.60	0.81	4.43	5.26	5.56	7.61	5.29	Year's Total. 45.27	
* Days with .01 in. or more.	16	19	11	20	11	18	6	9	20	22	26	21	199	
* Days with .04 in. or more.	11	16	6	18	7	16	5	7	17	14	19	14	150	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) R.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Stockcroft, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.30	0.15	0.02	0.65		0.79	0.45	0.07			0.13	0.05		1
2	Trace	0.02	Trace	Trace		0.49	0.24	0.14			Trace			2
3			Trace	0.38		0.04	0.02		0.12		0.24			3
4	Trace		0.16			0.14	0.01		0.47		Trace	0.04		4
5	0.29		0.02					0.10	0.13	0.01	0.19	0.04		5
6	0.40					0.04		0.09	0.21	0.03	0.97	0.03		6
7	0.60		0.09			0.04	0.06				0.56	0.03		7
8	0.48		0.07				0.03		Trace		0.68	0.24		8
9	0.55		0.03				0.44		0.07	0.13	0.01			9
10	0.09						0.18	0.01		Trace		0.01		10
11	Trace	0.06		0.07			0.10			Trace	1.23	Trace		11
12				0.06	0.01	0.26	0.49	Trace	0.22	0.01	0.39	0.17		12
13	Trace					0.02	0.01			0.01	0.01	0.60		13
14		0.06				0.12	0.59		0.02	0.02	0.17	0.81		14
15		0.11				0.01	0.04		Trace	0.01	0.07	0.39		15
16	0.13	0.12		0.02	Trace		0.11				0.23	0.17		16
17	0.06	0.69			0.19	0.26		0.02	Trace	0.05	0.23	0.72		17
18	0.13	0.19				Trace	0.21		Trace	0.01	0.08	0.11		18
19	0.33	0.06	0.05	0.03		0.65		0.19	Trace	Trace	0.02			19
20	0.42	0.09	0.09	0.61		Trace	0.02		0.51					20
21		0.05	Trace	0.33	Trace	0.38	0.07		0.04					21
22	0.12	0.44	0.13		0.22		0.20		Trace			0.06		22
23	0.04	0.19	0.36	0.12			0.49			0.08	Trace	0.01		23
24	0.05	0.09					0.11		0.04	0.30				24
25	0.16	0.02	0.17	0.28	0.03		0.02		0.29	0.13	0.01	0.01		25
26	0.01	0.18	0.18	0.17		Trace	Trace		0.02	0.32		0.06		26
27	0.53	0.02	0.04						0.15	0.34				27
28	0.60	Trace	0.30			0.19	0.62		0.02		Trace	0.13		28
29	0.04	0.09	0.15			0.14	0.10			0.06	0.10	0.04		29
30	0.18	✕			0.07	0.26	0.23			0.19		0.01		30
31	0.32	✕	0.25	✕		✕			✕	0.27	✕	0.26		31
TOTAL	5.83 ~~22~~	2.63	2.11	2.72	0.52	3.83	4.84	0.62	2.31	1.97	5.32	3.99	Year's Total 36.69	✓
* Days with .01 in. or more.	22	18	16	11	5	16	24	7	14	17	18	22	190	✓
* Days with .04 in. or more.	21	15	13	9	3	14	18	5	11	10	14	16	149	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Stockcroft, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.87	0.02	0.01	0.06					0.02		1.21	0.71		1
2	0.03	0.59		0.63				trace	0.05		0.01	0.91		2
3	0.03	0.33	0.04								trace	0.19		3
4	0.17	1.25		trace							trace	0.35		4
5	0.31	0.10	0.38				0.21			0.01		trace		5
6	0.25	0.02	0.59	trace	0.33					0.01	0.02			6
7		0.80	0.05	0.16	trace				0.02	0.05		0.03		7
8	0.02	0.01	0.11		0.07	0.08				trace	0.13	0.12		8
9				0.45	0.10	0.03	0.11		0.44			0.10		9
10			0.71	0.27	0.07	0.44	0.01	trace				0.89		10
11			0.34	trace	0.09	trace	0.03				trace	0.12		11
12	0.64	0.26	0.17	0.09	0.19	0.32	0.01	0.28	0.19	trace		0.23		12
13	0.20	0.08	0.55	0.07	trace	0.04		trace	0.42			0.57		13
14	0.02	0.02	0.01	0.17	0.07			0.42	0.24			trace		14
15	0.29	0.12		0.35			0.39		0.25			0.01		15
16	0.01	0.12	0.42	0.36				0.60	0.84			0.01		16
17	0.37		0.10	0.11					0.36	trace	0.12			17
18	0.60	0.11	0.02	trace	0.23	0.31			0.08		0.18	0.05		18
19	0.13	0.21	0.05	0.29	trace	0.10	0.01		0.06		0.01	0.12		19
20	0.48	0.02	0.09	0.35	0.86	0.05			0.01		0.01	trace		20
21	0.59	0.54	0.02	0.15	0.02		trace	trace	0.01	trace	0.08	0.05		21
22	0.56	0.02	0.01		0.13	0.01	0.12			1.08	0.40	0.10		22
23	0.30	0.04					0.10			0.68		0.01		23
24	0.66	0.35	0.01		0.07				0.02	0.47	trace	0.01		24
25	0.11	0.49	0.29		0.03				0.10	0.16		0.01		25
26	trace	0.43	0.02						0.01	0.03	0.02			26
27	0.01	0.25		0.22					0.05	0.16				27
28	0.08	0.09		0.01						0.06		0.01		28
29	0.06					trace				0.11	0.07	0.02		29
30	0.28	✕				0.01		0.02		0.10	0.14	trace		30
31	0.23	✕		✕		✕			✕	0.24	✕	0.02		31
TOTAL	7.30	6.27	3.99	3.74	2.26	1.39	0.99	1.32	3.17	3.16	2.40	4.64	Year's Total 40.63	✓
* Days with .01 in. or more.	26	24	21	16	13	10	9	4	18	13	13	23	190	✓
* Days with .04 in. or more.	20	14	14	15	11	7	5	3	12	10	7	14	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. Newton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

333301/34

Kept at Stockscroft Balcombe
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	0.07			0.23	0.23	Tr		0.18	0.08	0.05	0.06		1
2	0.07	Tr		0.03	0.04		0.18			0.50	Tr	0.01		2
3		Tr			0.02		Tr			0.90	0.08	Tr		3
4	0.04					0.01	0.19	0.02		0.17		0.21		4
5			~~Tr~~	Tr		Tr	0.17	Tr		0.32	Tr	0.01		5
6	0.07						0.15		0.12		0.04	0.01		6
7	0.01					0.01	0.24	0.31	0.01	0.32	Tr	0.08		7
8	0.28						0.23	0.25	0.01	0.35	0.01	0.24		8
9	0.11	0.01				Tr		Tr		0.12		0.82		9
10	0.14	0.20				0.19	Tr	0.01			Tr	0.13		10
11	0.24										0.11 ~~0.14~~	0.22		11
12	0.41	Tr			0.02		0.02	0.11		0.05	0.05	Tr		12
13	0.41	0.07			Tr					0.14	0.45	0.30		13
14	0.36	0.13			0.51				0.04		0.01	0.02		14
15	0.06	0.14			0.01		0.26			0.47	Tr	0.46		15
16	0.42	Tr	0.03		0.06		0.02	0.05		0.09	0.02	0.23		16
17		0.09	0.01		0.08		0.02		0.04	0.27	0.03			17
18	0.09		0.01		0.06	Tr	0.02		0.21	0.02	0.44			18
19	0.01	0.01						0.08	0.17		0.58	0.24		19
20	0.01				0.02				0.09	Tr	0.47	0.01		20
21	0.07			Tr				0.07	0.14		0.01	0.08		21
22	0.01			Tr		0.03		0.08		Tr	0.34	0.14		22
23				Tr						Tr	0.04			23
24			0.24		0.01				0.89	Tr	0.37	0.02		24
25	0.13		0.31	0.02	0.12		0.03		0.02	0.02	0.52	0.01		25
26	0.49	0.13	0.07	Tr	Tr	0.01			0.41	0.34		0.43	✓	26
27	0.15	0.07			0.18	0.27	0.45		0.91	0.01	0.35			27
28	0.07	0.08			0.60	0.08		0.42	0.16			0.05		28
29	0.15			Tr	0.36	0.03		Tr	0.01		0.13	0.19		29
30	0.10	✕		0.25	0.16				0.16	0.08	0.36	Tr		30
31	0.20	✕		✕	0.13	✕			✕	0.19	✕	0.44		31
TOTAL	4.14	1.00	0.67	0.30	2.61	0.86	1.98	1.40	3.57	4.44	4.46	4.41	Year's Total 29.84	
* Days with .01 in. or more.	26	11	6	3	17	9	13	10	17	19	21	24	176	
* Days with .04 in. or more.	22	9	3	1	12	4	8	8	13	16	16	17	129	

† Spare column, no entries required.

(*Signed*) R. Newton [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Stockcroft, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.07		0.06	0.21	0.22		0.02		0.06			0.06		1
2	0.05		Tr	0.02	Tr		Tr	0.41	0.23		0.02	Tr		2
3	0.51	0.01		0.53				0.33			0.25	0.49		3
4	0.22	Tr	0.43	0.21			0.07	0.93		0.37	0.11	0.01		4
5	Tr	Tr	0.01	0.17	0.04		0.23	0.06		0.13	0.57	0.10		5
6	0.47	0.01	0.04		Tr		0.25	0.11		0.01	0.28			6
7	0.08	0.05					0.04	0.07		0.04	0.11	0.22		7
8	Tr	0.10	0.16				0.01	Tr		0.46	0.49	0.59		8
9	0.11	0.08						0.20		0.49	0.64	0.44		9
10	0.22					0.25		0.30	0.06	0.22	0.08			10
11	Tr	0.01	0.24			0.02				1.17	0.02	0.01		11
12	0.02	0.05			Tr	Tr			0.01	Tr	0.01	0.01		12
13			0.02	0.05		0.03	0.15		0.09	1.22	0.02	0.03		13
14	0.64			0.04	0.12	0.04	0.01			0.32	0.54	0.08		14
15	0.55		0.03		1.09	0.04	0.02		0.26	0.31	0.26	0.01		15
16	0.32		0.09	0.13	0.16	0.23	0.21		0.06	0.03	0.48			16
17	0.24	0.16	0.01	0.03	0.24	~~0.04~~	Tr				0.11			17
18	0.43		0.01			0.07	0.17		0.01	0.12	0.50			18
19	0.41	Tr					0.18		Tr	0.42		0.01		19
20	0.31	Tr				0.47	0.78	Tr	0.06		Tr	0.02		20
21	0.12	0.06	0.13			0.07	0.15		0.13	0.01	Tr			21
22	0.28	0.29	0.07	0.05		0.29	0.05				0.10			22
23	0.01			0.23			0.10			0.07	0.91			23
24	0.27	0.29	0.02	0.09		0.01	0.21		Tr	0.10	0.01			24
25	1.04	0.21	0.07	0.09			0.07	0.01			0.63			25
26	0.04	0.01		0.02						0.11	0.36	0.02		26
27	0.01	0.13	0.08	0.20		0.02				0.09	0.33			27
28		0.33	0.03	Tr		0.09				0.10	0.16	0.15		28
29				0.31			0.01			0.04	0.04			29
30		×		0.47				0.02		0.01	0.11			30
31		×		×		×	0.17	0.26	×	0.43	×	0.02		31
TOTAL	6.42	1.79	1.50	2.85	1.87	1.63	2.90	2.70	0.97	5.89	7.14	2.27	Year's Total 37.91	✓
*Days with ·01 in. or more.	23	15	17	17	6	13	20	11	10	23	26	17	198	✓
*Days with .04 in. or more.	20	11	10	14	6	9	15	9	7	21	21	8	151	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) R. Newton

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 523

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

33301/34

Kept at Stockcroft Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 341 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											0.03			1
2		0.07		0.10						0.11	0.45	0.01		2
3		0.33		0.09			0.01			0.13	1.25	0.15		3
4		0.22		0.01			0.01			0.25	0.06			4
5		0.01					0.02			0.03	0.74	0.16		5
6	0.25	0.16					0.31			0.56	0.01			6
7	0.20	0.29					0.19							7
8				0.02			0.03		0.01	0.60	Tr	0.35		8
9				0.01				0.02	Tr	0.17	0.60	0.31		9
10							0.29	0.08	Tr	0.16	0.07	0.02		10
11		0.04		0.04			0.01				1.22	0.01		11
12		0.01	0.26	0.01		0.01	0.23		0.27		0.08			12
13		0.01	0.86			0.04			0.08		1.31			13
14			0.29	0.06			Tr			0.13		0.51		14
15			0.01	Tr	0.31		1.01		0.02	0.06	0.68	0.04		15
16	0.03	0.48	0.28	0.02		0.06	0.14		0.24	0.41	0.78	0.02		16
17			0.39				0.06			Tr	0.64			17
18	0.01	0.29	0.23	0.38			0.02	0.03	0.16	0.24	0.03	0.14		18
19		0.10	0.01	0.02			0.06		0.52		0.37	0.05		19
20		0.02	0.06	0.03			0.25	0.01	0.07	0.07	0.09	0.01		20
21	0.06	0.01	0.03		0.59		0.07	0.01	0.01	0.04	0.34			21
22	Tr		0.05		0.17	0.13	Tr		0.14					22
23		0.16	0.12	0.30							0.03			23
24				0.18			0.20			Tr	Tr	0.02		24
25			0.51		0.01		0.04			0.03	0.01			25
26	0.77	0.26	0.40		0.44	0.04	0.02				0.03	Tr		26
27	0.35	0.49		0.01	0.03		0.16							27
28	0.43	0.04		0.06	0.18									28
29	0.35	0.34	0.18	0.01	0.09				Tr	~~0.23~~		0.31		29
30	0.16	✕		0.06						0.23	0.01	0.02		30
31	0.02	✕		✕		✕			✕	0.97	✕	0.10		31
TOTAL	2.63	3.33	3.68	1.41	1.82	0.28	2.93	0.15	1.52	4.14	8.83	~~2.22~~ 2.23	Year's Total 32.99	
* Days with .01 in. or more.	11	19	15	18	8	5	20	5	10	17	22	17	177	
* Days with .04 in. or more.	8	14	12	8	6	4	12	1	7	15	15	10	112	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Newton

[P.T.O.

1753/26.

524

Section **A** for the entry of D

AIR MINISTRY.- .—BRITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST ALL IN 1931.

524

BALCOMBE W.W.

1931 – 1940

780/11

Kept at Balcombe Wate

in the County of Sussex

Diameter of Funnel of Gauge Eigh

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 467.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.10	-	.28	-	.11	-	.02	-	.02	-	-	1
2	.18	.05	-	.33	-	-	-	-	.80	-	-	-	2
3	.10	-	.20	.14	1.15	-	-	.31	.58	-	-	.24	3
4	-	-	-	-	.05	-	.02	.33	.10	.03	.13	-	4
5	-	-	-	.30	-	.55	.08	.87	.05	-	.07	.21	5
6	-	.10	-	.12	-	-	-	-	-	.40	.28	.27	6
7	-	-	-	-	.04	.14	-	.20	-	.06	.50	-	7
8	-	.12	-	-	-	.21	-	.06	-	-	.08	.07	8
9	-	.10	-	.02	-	.02	-	-	-	-	.82	-	9
10	.04	.20	.04	-	-	.22	.06	.17	-	.02	1.78	-	10
11	.08	.52	-	-	-	-	-	-	.02	-	.27	-	11
12	.09	-	-	-	-	-	-	-	.23	-	-	-	12
13	.09	-	-	-	-	-	.04	-	-	-	-	-	13
14	.02	.12	-	-	-	.03	.61	.44	-	-	-	-	14
15	-	.10	-	.07	.25	-	.17	.60	-	-	-	-	15
16	-	.04	-	.22	.32	.05	-	.04	-	-	-	-	16
17	-	.05	-	.43	-	-	.49	-	.08	.04	-	-	17
18	.05	.08	-	.18	-	.20	.14	81 .81	.06	-	.72	-	18
19	.09	-	-	.46	-	.02	.62	.30	-	-	-	-	19
20	-	.13	-	.04	-	-	.05	.42	-	-	.03	-	20
21	.03	.02	-	-	.32	-	-	-	-	-	.02	-	21
22	.30	-	.28	.04	-	-	-	-	-	-	-	-	22
23	.49	.02	-	-	.24	.21	-	-	.04	-	.31	-	23
24	-	-	-	.60	.04	.02	.37	.43	-	-	.02	-	24
25	.11	.02	-	.66	-	-	.46	-	-	-	.05	.04	25
26	-	.04	-	.31	-	-	.38	-	-	-	.36	-	26
27	.26	.40	-	.14	.37	-	.02	-	-	-	.04	-	27
28	.10	.12	-	.02	-	-	-	-	-	-	-	-	28
29	.11	X	-	-	.10	-	.15	-	-	.20	-	.02	29
30	.12	X	-	-	.04	-	-	-	-	-	-	-	30
31	.50	X	-	X	-	X	-	-	X	-	X	-	31 d
TOTAL	2.76	2.33	.52	4.36	2.92	1.78	3.66	5.00	1.96	.77	5.48	.85	YEAR'S TOTAL 32.39
*Days with ·01 in. or more.	18	19	3	18	11	12	15	14	9	7	16	6	148
*Days with ·04 in. or more.	16	16	3	16	11	8	13	13	8	4	13	5	126

40-9999

(Signed) F. Martin

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of D
AIR MINISTRY.- —BRITISH RAINFALL ORGANIZATION.

1753/26. 524

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Balcombe Waterworks.
in the County of Sussex.
Diameter of Funnel of Gauge Eight in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 467.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.10	-	.28	-	.11	-	.02	-	.02	-	-	1
2	.18	.05	-	.33	-	-	-	-	.80	-	-	-	2
3	.10	-	.20	.14	1.15	-	-	.31	.58	-	-	.24	3
4	-	-	-	-	.05	-	.02	.33	.10	.03	.13	-	4
5	-	-	-	.30	-	.55	.08	.87	.05	-	.07	.21	5
6	-	.10	-	.12	-	-	-	-	-	.40	.28	.27	6
7	-	-	-	-	.04	.14	-	.20	-	.06	.50	-	7
8	-	.12	-	-	-	.21	-	.06	-	-	.08	.07	8
9	-	.10	-	.02	-	.02	-	-	-	-	.82	-	9
10	.04	.20	.04	-	-	.22	.06	.17	-	.02	1.78	-	10
11	.08	.52	-	-	-	-	-	-	.02	-	.27	-	11
12	.09	-	-	-	-	-	-	-	.23	-	-	-	12
13	.09	-	-	-	-	-	.04	-	-	-	-	-	13
14	.02	.12	-	-	-	.03	.61	.44	-	-	-	-	14
15	-	.10	-	.07	.25	-	.17	.60	-	-	-	-	15
16	-	.04	-	.22	.32	.05	-	.04	-	-	-	-	16
17	-	.05	-	.43	-	-	.49	-	.08	.04	-	-	17
18	.05	.08	-	.18	-	.20	.14	81 .81	.06	-	.72	-	18
19	.09	-	-	.46	-	.02	.62	.30	-	-	-	-	19
20	-	.13	-	.04	-	-	.05	.42	-	-	.03	-	20
21	.03	.02	-	-	.32	-	-	-	-	-	.02	-	21
22	.30	-	.28	.04	-	-	-	-	-	-	-	-	22
23	.49	.02	-	-	.24	.21	-	-	.04	-	.31	-	23
24	-	-	-	.60	.04	.02	.37	.43	-	-	.02	-	24
25	.11	.02	-	.66	-	-	.46	-	-	-	.05	.04	25
26	-	.04	-	.31	-	-	.38	-	-	-	.36	-	26
27	.26	.40	-	.14	.37	-	.02	-	-	-	.04	-	27
28	.10	.12	-	.02	-	-	-	-	-	-	-	-	28
29	.11	X	-	-	.10	-	.15	-	-	.20	-	.02	29
30	.12	X	-	-	.04	-	-	-	-	-	-	-	30
31	.50	X	-	X	-	X	-	-	X	-	X	-	31 d
TOTAL	2.76	2.33	.52	4.36	2.92	1.78	3.66	5.00	1.96	.77	5.48	.85	YEAR'S TOTAL 32.39
*Days with ·01 in. or more.	18	19	3	18	11	12	15	14	9	7	16	6	148
*Days with ·04 in. or more.	16	16	5	16	11	8	13	13	8	4	13	5	126

40-9999

(Signed) T. Martin

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 2.

Kept at Balcombe Waterworks.

in the County of Sussex

Diameter of Funnel of Gauge Eight in

Height of top of Gauge above Ground 1 ft 0 in.

" " Ground " Sea Level 467.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.18	.46	-	.02	.04	-	.13	.06	-	1
2	.04	-	-	.24	.15	-	-	-	.04	-	.02	.32	2
3	-	-	-	.04	.10	.15	-	-	.47	.04	-	-	3
4	.03	-	-	-	-	.12	-	-	-	-	.03	-	4
5	.23	.02	.01	-	-	.02	.17	-	.16	-	-	-	5
6	.71	-	-	.16	-	-	-	-	.06	.03	-	-	6
7	.05	-	.08	-	-	-	.16	-	.06	.07	-	-	7
8	-	-	.22	.12	.18	-	-	-	.17	.60	-	-	8
9	.37	.17	-	.14	.41	-	-	-	-	.14	-	-	9
10	.80	.33	-	.41	.06	-	-	-	.03	.10	-	-	10
11	.21	.04	-	.20	.02	-	-	-	.06	.03	.02	-	11
12	.39	.02	-	.02	.01	-	-	.02	.08	.44	-	-	12
13	.03	.02	-	.23	-	-	.05	-	.03	1.19	-	-	13
14	.19	.02	-	.28	.09	-	-	.02	-	.03	-	-	14
15	.06	-	-	.08	.09	-	-	-	-	.08	-	-	15
16	.10	-	-	.20	.09	-	.06	-	-	-	-	.04	16
17	.02	-	-	.11	-	-	.04	-	-	.04	-	-	17
18	.04	-	-	-	.01	-	-	-	.05	-	.12	-	18
19	.02	-	-	.01	-	-	-	-	.04	.09	.02	-	19
20	-	-	-	.12	.03	-	.16	.11	-	1.17	.20	-	20
21	-	-	-	.02	.69	-	-	-	-	.45	-	.07	21
22	.06	-	.31	.05	.07	-	.07	.08	.54	.35	.40	.03	22
23	-	.08	-	.11	.28	.21	-	-	.14	1.16	-	.17	23
24	-	.04	-	-	-	-	.66	-	.07	.09	.05	-	24
25	-	-	-	-	-	-	.78	-	.09	.68	.06	-	25
26	-	-	.03	.04	-	-	1.50	.06	-	-	.03	-	26
27	-	-	.36	.20	.16	.09	.13	-	-	.53	.06	-	27
28	-	-	.02	.03	.30	-	.19	-	-	.23	-	-	28
29	-	-	.58	.05	.20	-	-	.34	.19	.53	.02	.04	29
30	-	X	.05	-	.10	1.25	.09	-	.14	-	.69	.15	30
31	-	X	.06	X	-	X	.17	-	X	-	X	.09	31
TOTAL	3.35	.76	1.72	3.04	3.50	1.84	4.25	.67	2.42	8.20	1.78	.91	YEAR'S TOTAL 32.44
*Days with ·01 in. or more.	17	10	10	23	20	6	15	7	18	23	14	8	171
*Days with .04 in. or more.	13	5	7	19	16	5	14	5	16	20	8	7	135

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) F. Martin

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.**

Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Balcombe Waterworks.

in the County of Sussex.

Diameter of Funnel of Gauge Eight. in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 467.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.50	.25	-	-	-	-	-	-	-	.05	-	1
2	.27	-	.69	-	.28	-	-	-	-	-	-	-	2
3	.07	.17	.41	-	-	-	-	-	-	-	.04	-	3
4	.21	.05	.02	-	.13	-	-	-	-	-	-	-	4
5	.24	-	.34	-	.23	-	-	-	-	-	-	-	5
6	-	.21	.14	-	.61	-	-	-	-	.06	.08	-	6
7	.32	.02	.03	-	.08	-	-	-	-	.14	-	.03	7
8	.07	-	-	-	-	-	.10	-	-	.05	-	-	8
9	-	-	-	-	-	-	.28	-	-	.05	.20	-	9
10	-	.14	-	-	-	.03	.09	-	-	.36	.05	-	10
11	.24	-	-	-	.06	.12	-	.18	-	.08	-	-	11
12	-	-	-	.03	-	.23	.24	-	1.20	-	-	-	12
13	-	-	-	-	.05	-	.49	.06	.21	.09	.13	-	13
14	-	-	-	-	-	-	.12	-	-	.40	.50	-	14
15	.66	-	.19	-	-	-	.07	.31	-	.07	.02	-	15
16	.02	-	.83	-	-	.22	.20	-	-	.10	-	-	16
17	-	.02	.36	-	-	.05	-	.10	.13	-	-	-	17
18	.13	.03	.07	-	-	.32	-	-	-	-	.07	-	18
19	.03	-	.14	-	-	.13	-	.02	.53	-	.07	.04	19
20	-	.10	.07	.02	-	.46	-	-	.06	-	-	-	20
21	-	.04	-	-	-	-	-	.14	.10	.02	-	-	21
22	-	-	-	-	-	-	-	.28	-	.10	.02	-	22
23	-	-	-	.08	.06	.15	-	-	-	.05	-	-	23
24	-	.52	-	.18	-	.07	-	-	.36	-	.03	-	24
25	-	.42	-	.32	-	.12	-	-	.49	.04	.03	.10	25
26	-	.86	-	.10	-	.10	-	-	.13	.04	.03	.08	26
27	-	.02	-	-	.28	-	-	-	-	.18	-	.16	27
28	-	.04	-	-	.07	-	.31	-	-	.23	-	.32	28
29	.09	X	-	-	.04	-	.16	-	-	.12	-	-	29
30	.10	X	.06	-	-	-	.07	-	.33	-	-	.09	30
31	.12	X	-	X	-	X	-	.05	X	-	X	-	31
TOTAL	2.61	3.14	3.60	.73	1.89	2.00	2.13	1.14	3.54	2.18	1.32	.82	YEAR'S TOTAL 25.10
*Days with ·01 in. or more.	15	15	14	6	11	12	11	8	10	18	14	7	141
*Days with .04 in. or more.	13	11	12	4	11	11	11	7	10	17	9	6	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. Martin

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Balcombe Waterworks.

in the County of Sussex.

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 467.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	-	-	-	-	.14	-	.36	-	.16	.05	.48		1
2	.05	-	.21	.03	-	-	-	-	.95	.38	-	.53		2
3	.04	.02	-	.09	-	-	-	.20	-	1.06	-	.10		3
4	.21	-	.08	.05	.11	-	-	-	-	.30	.08	.80		4
5	-	-	-	-	.09	-	-	.06	-	-	.05	.49		5
6	.02	-	.33	-	.15	.08	-	.12	-	.28	.06	.71		6
7	.05	-	-	-	-	.03	-	.06	-	.22	-	.28		7
8	-	-	-	-	.11	-	-	.08	.09	-	1.27	.02		8
9	.02	-	.08	-	.02	-	-	-	-	-	1.03	.47		9
10	-	-	.15	.33	-	-	-	.09	-	-	1.06	.03		10
11	.93	-	.58	.09	-	-	-	.08	-	-	.01	.40		11
12	.05	-	-	-	-	-	.20	.12	-	-	.09	.04		12
13	.40	-	.28	.18	-	-	.18	.04	-	-	.04	.32		13
14	.24	-	.47	.04	-	-	-	-	-	-	.43	.96		14
15	.01	-	.06	-	.04	-	-	-	-	.06	.13	.76		15
16	.25	-	.32	.16	.22	-	-	-	-	.11	.01	-		16
17	.08	-	.10	.06	.08	-	-	-	-	.08	.02	.41		17
18	.19	-	.05	.41	-	-	.36	-	-	-	-	.43		18
19	-	-	.32	-	-	.01	-	-	.55	.02	-	.24		19
20	-	-	.05	.03	-	-	.28	.03	-	-	-	.02		20
21	-	-	-	.26	-	.17	.10	-	-	.12	-	-		21
22	-	-	-	-	-	-	.26	.13	.28	-	-	.16		22
23	-	-	-	.50	-	.56	-	-	-	.05	.02	.05		23
24	-	.05	.04	.03	-	.02	.87	.12	.23	-	.01	-		24
25	.25	-	-	.49	-	-	-	-	-	.07	-	.78		25
26	.05	-	-	.05	-	.14	-	-	.07	-	-	.02		26
27	.03	-	-	.25	-	.01	-	-	-	-	-	.42		27
28	-	.16	-	.02	-	.10	-	.85	-	-	-	.37		28
29	-	×	-	-	-	-	.04	.11	.14	-	.02	-		29
30	.10	×	-	-	-	-	-	.25	-	-	-	.40		30
31	.02	×	-	×	-	×	-	-	×	-	×	.11		31
TOTAL	3.01	.23	3.12	3.07	.82	1.26	2.29	2.70	2.31	2.91	4.38	9.80	Year's Total 35.90	
* Days with .01 in. or more.	20	3	15	18	8	10	8	16	7	13	17	27	162	
* Days with .04 in. or more.	14	2	15	14	7	6	8	15	7	12	11	23	134	

40-9999

† Spare column, no entries required.

(Signed) H. Martin

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Station No. 524

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Balcombe Waterworks.

in the County of Sussex.

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1. ft. 0 in.

,, Ground ,, Sea Level 467.3 ft.

MID-SUSSEX JOINT WATER BOARD. Received 3 DEC 1935 Ans. 10

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.26	.05	.04	.03	.02	-	.11	-	.30	.18	.12	-		1
2	.05	-	.02	.06	-	.02	-	-	.02	.48	.10	-		2
3	-	.03	.16	.06	-	.03	-	-	.15	1.94	-	-		3
4	-	.10	-	.21	-	.27	-	-	.42	.31	.14	.50		4
5	-	.34	.05	.10	-	.12	-	-	.57	.16	.01	.02		5
6	.05	.12	-	.24	-	.82	-	-	-	-	.22	-		6
7	.04	-	-	.28	-	.16	-	-	-	-	.90	.12		7
8	-	-	.02	.33	-	-	-	-	-	.54	.64	.03		8
9	.03	-	-	.27	-	.43	-	-	.02	.97	.12	-		9
10	.07	-	-	-	-	.09	-	-	-	-	.24	.11		10
11	.19	-	-	.19	-	.11	.15	-	-	.05	.67	-		11
12	.02	.06	-	-	-	.33	-	.31	.06	-	.93	-		12
13	.12	.09	-	.15	-	.02	-	-	-	.02	.17	-		13
14	-	-	-	.03	.16	.22	-	-	-	.02	.04	.15		14
15	-	.22	-	.62	-	.01	-	-	.31	.02	.37	.09		15
16	.04	.06	-	.31	-	.33	-	-	.66	-	.98	.01		16
17	-	-	.04	.10	-	.22	-	.01	-	-	.40	-		17
18	-	-	-	.33	.02	.20	.06	.02	.59	.06	.04	.03		18
19	-	.01	-	.14	.81	.06	.18	-	.10	-	.13	-		19
20	.01	.50	-	.16	.02	.09	.45	-	.09	-	.18	-		20
21	.03	.45	-	.02	-	-	-	-	.03	.21	.02	-		21
22	-	.09	-	-	-	-	-	.60	.10	-	.01	-		22
23	-	-	.08	-	-	-	-	.36	-	.09	-	.09		23
24	.05	1.12	-	-	.17	-	-	1.43	.66	-	-	.31		24
25	.11	.19	-	.19	.11	.05	-	-	-	-	.03	.45		25
26	.03	.18	-	-	-	-	-	.21	.18	.03	.01	.36		26
27	-	.63	-	-	-	-	-	-	.18	-	.14	.42		27
28	-	.05	-	-	.39	-	.03	-	.03	.05	.01	.37		28
29	-	×	-	-	.05	-	-	.08	.54	-	-	.44		29
30	.12	×	-	-	.01	-	-	1.38	.02	.11	.73	.67		30
31	-	×	-	×	-	×	-	-	×	.27	×	.88	Year's Total	31
TOTAL	1.22	4.29	.41	3.82	1.76	3.58	.98	4.40	5.03	5.51	7.35	5.05	43.40	
* Days with .01 in. or more.	16	18	7	20	10	19	6	9	20	18	26	18	187	
* Days with .04 in. or more.	11	16	5	17	6	15	5	7	15	14	20	14	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Martin

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Balcombe Waterworks

in the County of Sussex.

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 467.3 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.39	.14	.03	.67	-	1.11	.53	.09	-	-	.12	.06		1
2	-	.02	-	-	-	.53	.26	.17	-	-	-	-		2
3	-	-	-	.33	-	.04	.02	-	.06	-	.26	-		3
4	.02	-	-	-	-	.13	-	-	.46	-	-	-		4
5	.33	-	.15	-	-	-	-	.14	.09	.02	.25	.04		5
6	.51	-	.02	-	-	.04	-	.05	.21	.01	.82	.04		6
7	.55	-	.09	-	-	.05	.08	-	-	-	.53	.06		7
8	.38	-	.05	-	-	-	.03	-	-	-	.77	.24		8
9	.52	-	.03	-	-	-	.34	-	.10	.07	-	-		9
10	.07	-	-	-	-	-	.16	-	-	-	-	-		10
11	-	.04	-	.07	-	-	.17	-	-	-	1.29	-		11
12	-	-	-	.02	.02	.14	.45	-	.23	-	.44	.17		12
13	-	-	-	-	-	.05	.03	-	-	.01	-	.57		13
14	-	.05	-	-	-	.11	.60	-	.02	.03	.18	.56		14
15	-	.06	-	.01	-	-	.04	-	-	-	.06	.29		15
16	.19	.12	-	.05	-	-	.10	-	-	-	.22	.17		16
17	.05	.70	-	-	.10	.05	-	.02	-	.06	.24	.57		17
18	.12	.14	-	-	-	.24	.16	-	-	-	.09	.09		18
19	.26	.05	-	-	-	.57	-	.15	-	-	.04	-		19
20	.35	.08	-	.60	-	-	.04	-	.39	-	-	-		20
21	-	.07	-	.30	.01	.36	.08	-	.03	-	-	-		21
22	-	.38	.14	-	.18	-	.15	-	-	-	-	.08		22
23	.15	.14	.28	.12	.01	-	.54	-	-	.10	-	-		23
24	.05	.09	-	-	-	-	.05	-	.03	.32	-	-		24
25	.15	-	.19	.25	.02	-	.14	-	.26	.14	.03	-		25
26	-	.20	.18	.29	-	-	.03	-	.03	.27	-	.07		26
27	.54	-	.09	-	-	-	.01	-	.12	.25	-	.10		27
28	.62	-	.31	-	-	.12	.86	-	.02	-	-	.04		28
29	.04	.10	.13	-	-	.05	.11	-	-	.07	-	.01		29
30	.15	✕	-	-	.05	.34	-	-	-	.26	.11	-		30
31	.29	✕	.28	✕	.01	✕	.25	-	✕	.37	✕	.27		31
TOTAL	5.73	2.38	1.97	2.71	.40	3.93	5.23	.62	2.05	1.98	5.45	3.43	Year's Total 35.88	✓
* Days with .01 in. or more.	21	16	14	11	8	16	25	6	14	14	16	18	179	✓
* Days with .04 in. or more.	20	15	11	9	3	16	20	5	9	10	15	17	150	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Martin

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Balcombe (waterworks)

in the County of Sussex

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 467.3 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.85	.02	.02	.07	-	-	-	-	.01	-	1.18	.61		1
2	.02	.48	-	.52	-	-	-	-	.03	-	.01	.68		2
3	.02	.33	-	-	-	-	-	-	-	-	-	.22		3
4	.15	1.15	-	-	-	-	-	-	-	-	-	.31		4
5	.31	.10	.37	-	-	-	.20	-	-	-	-	-		5
6	.23	.03	.81	-	.30	-	-	-	-	.02	.03	-		6
7	-	.75	.02	.15	-	-	-	-	.03	.04	-	.03		7
8	-	-	.11	-	.07	.17	-	-	-	-	.14	.16		8
9	-	-	-	.41	.12	.03	.16	-	.45	-	-	.09		9
10	-	-	.70	.30	.08	.36	.02	-	-	-	-	.95		10
11	-	-	.38	-	.11	.01	.03	-	-	-	-	.12		11
12	.64	.26	.13	.09	.26	.25	.02	.23	.19	-	-	.21		12
13	.20	.05	.49	.06	.01	.07	-	.05	.66	-	-	.65		13
14	.03	~~.03~~ .02	.03	.05	.07	.01	-	.44	.27	-	-	-		14
15	.30	.11	-	.31	-	-	.37	-	.37	-	-	-		15
16	-	.14	.50	.36	-	-	-	.58	.27	-	-	.03		16
17	.40	-	.08	.11	-	-	-	-	.52	-	.15	-		17
18	.57	.10	.02	.06	.18	.28	-	-	.06	-	.18	.02		18
19	.14	.20	.05	.28	-	.09	.02	-	.11	-	.01	.14		19
20	.46	-	.08	.34	.86	.04	-	-	.01	-	-	.02		20
21	.56	.56	.02	.15	.05	-	-	-	.01	-	.16	.03		21
22	.55	.02	.02	-	.13	.03	.08	-	-	1.04	.49	.10		22
23	.27	.05	-	-	-	-	.15	-	-	.72	-	.01		23
24	.65	.38	-	-	.06	-	-	-	.04	.51	-	.02		24
25	.11	.43	.29	-	.05	-	-	-	.11	.35	-	.02		25
26	-	.43	.02	-	-	-	-	-	-	.04	-	-		26
27	-	.26	-	.23	-	-	-	-	.04	.16	-	-		27
28	.11	.10	-	.02	-	-	-	-	-	.07	-	.04		28
29	.05	✕	-	-	-	-	-	-	-	.13	.08	.04		29
30	.29	✕	-	-	-	.03	-	.65	-	.02	.15	-		30
31	.23	✕	-	✕	-	✕	-	-	✕	.32	✕	.02		31
TOTAL	7.14	5.97	4.14	3.51	2.35	1.37	1.05	1.95	3.18	3.42	2.58	4.52	Year's Total 41.18	
* Days with .01 in. or more.	23	22	19	17	14	12	9	5	17	12	11	23	184	
* Days with .04 in. or more.	20	18	12	16	13	7	5	5	12	10	8	14	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Martine

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Balcombe Waterworks

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 467.3 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	.28	.17	.01	-	.18	.06	.04	.02		1
2	.09	-	-	.03	.03	-	.12	-	-	.43	.05	-		2
3	-	-	-	-	.05	-	.02	-	-	.77	-	-		3
4	.04	-	-	-	-	-	.21	.03	-	.18	-	.15		4
5	-	-	-	-	-	-	.24	-	-	.32	-	-		5
6	.08	-	-	-	-	-	.43	-	.11	-	.02	.02		6
7	-	-	-	-	-	.03	.07	.27	.01	.27	-	.07		7
8	.32	-	-	-	-	-	.27	.36	-	.33	.01	.12		8
9	.10	.01	-	-	-	-	-	-	-	.13	-	.80		9
10	.14	.14	-	-	-	.13	.01	.01	-	-	-	.14		10
11	.23	-	-	-	-	-	-	-	-	-	.13	.22		11
12	.39	-	-	-	.03	-	.01	.17	-	.07	.05	-		12
13	.44	.10	-	-	-	-	-	-	-	.10	.42	.36		13
14	.35	.17	-	-	.48	-	-	-	.05	-	-	-		14
15	.06	.22	-	-	.01	-	.68	-	-	.48	.02	.52		15
16	.32	.01	.03	-	.03	-	-	.05	-	.10	.02	.31		16
17	-	.10	-	-	.10	-	.03	-	.06	.23	.03	-		17
18	.07	-	-	-	.04	-	.02	-	.32	.02	.45	-		18
19	-	-	-	-	-	-	-	.09	.08	-	.54	.17		19
20	-	-	-	-	.04	-	-	-	.10	-	.49	-		20
21	.07	-	-	-	-	-	-	.10	.16	-	.01	.16		21
22	.01	-	-	-	-	.03	-	.09	-	-	.29	.17		22
23	-	-	-	.02	-	-	-	-	-	-	.03	.04		23
24	-	-	.23	-	-	-	-	-	.71	-	.35	.05		24
25	.14	-	.28	.02	.17	-	.03	-	.03	.06	.38	-		25
26	.49	.14	.07	-	-	-	-	-	.52	.34	-	.45		26
27	.13	.07	-	-	.12	.23	.38	-	.70	.01	.36	-		27
28	.07	.08	-	-	.52	.07	-	.39	.14	-	-	.06		28
29	.21		-	-	.35	-	-	-	-	-	.10	.20		29
30	.08		-	.15	.20	-	-	-	.17	.10	.34	-		30
31	.16		-		.12		-	-		.20		.45		31
TOTAL	3.99	1.08	.61	.22	2.57	.66	2.53	1.56	3.34	4.19	4.13	4.48	Year's Total 29.36	
* Days with .01 in. or more.	22	11	4	4	16	6	15	10	15	19	21	20	163	
* Days with .04 in. or more.	21	9	3	1	12	4	8	8	13	17	14	18	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Balcombe Waterworks

in the County of Sussex II

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. : in.

„ Ground „ Sea Level 467.3 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	-	.06	.27	.25	-	.01	-	.06	-	-	.04		1
2	.05	-	-	.03	.02	-	.03	.40	.38	-	.02	-		2
3	.49	-	-	.45	-	-	-	.27	-	-	.25	.52		3
4	.13	-	.41	.24	-	-	.07	1.02	-	.39	.08	.01		4
5	-	-	.01	.14	.05	-	.28	.14	-	.12	.56	.09		5
6	.43	-	.04	-	-	-	.04	.12	-	-	.32	-		6
7	.07	.09	-	-	-	-	.01	.04	-	.09	.11	.23		7
8	-	.10	.15	-	-	-	-	-	-	.36	.64	.51		8
9	.10	.08	-	-	-	-	-	.19	-	.47	.98	.36		9
10	.21	-	-	-	-	.22	-	.29	.06	.10	.12	-		10
11	-	-	.23	-	-	.01	-	-	-	1.32	.02	.02		11
12	.04	.03	.02	-	-	.01	-	-	-	-	-	.02		12
13	.01	-	-	.05	-	.03	.07	-	.06	1.31	.03	.05		13
14	.59	-	-	.10	.14	.04	.04	-	-	.32	.54	.08		14
15	.49	-	.05	-	.90	.05	.01	-	.23	.33	.17	.01		15
16	.33	-	.07	.12	.34	.21	.19	-	.07	.10	.54	-		16
17	.25	.16	.02	.04	.17	-	.01	-	-	-	.12	-		17
18	.35	-	-	-	.04	.10	.10	-	-	.05	.50	-		18
19	.38	-	-	-	-	-	.18	-	-	.41	-	-		19
20	.32	-	-	-	-	.41	.89	-	.05	-	-	.05		20
21	.09	.08	.15	-	-	.09	.20	-	.21	.01	-	-		21
22	.23	.31	.07	.03	-	.32	.05	-	-	-	-	-		22
23	.02	-	-	.15	-	-	.10	-	-	.08	.86	-		23
24	.28	.22	-	.17	-	.02	.09	-	-	.10	-	-		24
25	.79	.20	.05	.04	-	-	.09	.01	-	-	.60	-		25
26	.05	-	-	.03	-	-	-	-	-	.11	.34	-		26
27	.01	.15	.10	.12	-	.01	-	-	-	.05	.34	-		27
28	-	.31	.03	-	-	.15	-	-	-	.09	.13	.21		28
29	-	X	-	.20	-	.05	.02	-	-	.05	.04	-		29
30	-	X	.11	.64	-	-	-	.02	-	.02	.12	-		30
31	-	X	.03	X	-	X	.18	.20	X	.03	X	-		31
TOTAL	5.76	1.73	1.60	2.82	1.91	1.72	2.66	2.70	1.12	5.91	7.43	2.20	TOTAL 37.56	
* Days with .01 in. or more.	24	12	17	17	8	15	21	11	8	28	23	14	192	
* Days with .04 in. or more.	21	11	12	14	7	10	15	9	8	19	20	10	156	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) MID-SUSSEX JOINT WATER BOARD,
W. H. ASHMOLE, M.I.M. & Cy.E.,
ENGINEER & MANAGER.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 524

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Balcombe Waterworks

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 467.3 ft.

Jan 27th estd from nearby stns

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	.04	-		1
2	-	.10	-	.09	-	-	-	-	-	.12	.43	-		2
3	-	.36	-	.08	-	-	-	-	-	.15	1.23	.18		3
4	-	.16	-	.01	-	-	-	-	-	.24	.03	-		4
5	-	-	-	-	-	-	.04	-	-	.04	.66	.11		5
6	.26	.16	-	-	-	-	.28	-	-	.56	.01	-		6
7	.20	.25	-	-	-	-	.10	-	-	-	-	-		7
8	-	-	-	-	-	-	.05	-	.05	.62	-	.35		8
9	-	-	-	.03	-	-	-	.01	-	.19	.60	.29		9
10	-	-	-	-	-	-	.30	.09	-	.24	.05	.02		10
11	-	.06	-	-	-	-	.01	-	-	-	1.18	-		11
12	-	.01	.26	.04	-	-	.18	-	.22	-	.09	-		12
13	-	-	.91	-	-	.10	-	-	.15	-	1.53	-		13
14	-	-	.44	.06	-	-	-	-	-	-	-	.45		14
15	-	-	.02	-	.30	-	1.70	-	-	.14	.53	-		15
16	.01	.34	.22	-	-	.07	.17	-	.25	.11	.84	.62		16
17	-	-	.37	-	-	-	.03	-	.01	.41	.61	-		17
18	-	.25	.29	.35	-	-	.02	.04	.07	-	.02	.15		18
19	-	.09	.01	.01	-	-	.08	-	.53	.27	.17	-		19
20	-	.01	.07	.03	-	-	-	.01	.08	-	.19	-		20
21	.10	-	.04	-	.37	-	.15	-	-	.04	.30	-		21
22	-	-	.05	-	.34	.14	-	-	.16	.05	-	-		22
23	-	.13	.12	.31	-	-	-	-	-	-	.03	-		23
24	-	-	-	.12	-	-	.24	-	-	.01	.01	-		24
25	-	-	.49	-	- 19.8	-	.04	-	-	-	-	-		25
26	.79	.24	.50	-	.40	.03	.03	-	-	-	.61	-		26
27	.36	.40	-	-	.07	-	.10	-	-		-	-		27
1.51 28	.25	.02	-	.13	.16	-	-	-	-		-	-		28
29	.31	.31	.16	.01	.24	-	-	-	-		-	.34		29
30	.14	✕	-	.07	-	-	-	-	-	.20	-	-		30
31	.02	✕	-	✕	-	✕	-	-	✕	.90	✕	.11		31
TOTAL	2.44	2.89	3.95	1.34	1.88	.34	3.52	.15	1.52	4.29	8.56	2.02	Total 32.90	
* Days with .01 in. or more.	9	16	15	14	7	4	17	4	9	17	21	10	143	
* Days with .04 in. or more.	7	13	13	9	7	3	13	2	8	16	15	8	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of D

AIR MINISTRY.

525.

HIGHLEY MANOR

BALCOMBE.

1931-40

78111

525

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGIST 1931.

Kept at Highley Manor

in the County of Sus

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.14	–	.29	–	.10	–	.04	.31	–	–	–	1
2	.19	.06	–	.34	.09	–	–	–	.41	–	–	–	2
3	.12	.01	.15	.17	1.24	–	–	.33	.56	–	.03	.18	3
4	–	.02	–	–	.07	–	.04	.24	.13	.03	.06	.01	4
5	–	.01	–	.33	–	.57	.09	.20	.07	–	.03	.15	5
6	–	.09	–	.13	–	.04	–	–	.01	.33	.31	.28	6
7	–	.02	–	–	.04	.13	–	.19	.01	.06	.46	–	7
8	–	.12	.01	–	.04	.22	.01	.08	–	–	.10	.07	8
9	.02	.11	–	.02	–	.02	–	–	–	–	.83	.01	9
10	.13	.21	.04	–	–	.12	.04	.18	–	.01	1.42	–	10
11	–	.39	–	–	–	–	.01	–	.03	–	.26	–	11
12	.11	–	–	–	–	–	.03	.01	.22	–	–	–	12
13	.10	–	–	–	.02	–	–	.07	–	–	–	–	13
14	.02	.14	–	–	–	.04	.76	.56	–	–	.02	–	14
15	.02	.11	–	.08	.36	–	.14	.49	–	–	–	.04	15
16	–	.04	–	.21	.34	.03	–	.04	.07	–	–	–	16
17	.03	.10	–	.43	–	–	.45	–	.06	.05	–	–	17
18	.06	.13	.01	.33	–	.16	.27	.89	–	–	.69	–	18
19	.09	–	–	.42	–	.05	.65	.21	–	–	–	–	19
20	–	.14	–	.05	–	–	.08	.32	–	–	.05	–	20
21	.03	–	–	–	.41	–	–	–	–	–	–	–	21
22	.21	.05	.29	.04	–	–	–	–	.04	–	.01	–	22
23	.31	–	.01	–	.27	.21	–	–	.05	–	.26	–	23
24	–	–	.02	.82	.05	.04	.33	.47	.02	–	–	–	24
25	.12	–	–	.29	–	–	.39	–	.01	–	.06	–	25
26	–	.07	–	.28	–	–	.35	–	–	–	.41	–	26
27	.24	.39	–	.13	.23	–	.03	–	–	–	.05	–	27
28	.12	.13	–	.03	–	–	–	–	–	.03	–	–	28
29	.13	×	–	–	.11	–	.12	–	–	.14	.01	.02	29
30	.16	×	–	–	.06	–	–	–	–	–	–	–	30
31	.49	×	–	×	.04	×	–	–	×	–	×	–	31
TOTAL	2.70	2.48	0.53	4.39	~~3.51~~ 3.37	1.73	~~3.82~~ 3.79	4.32	2.00	0.68	5.06	0.76	YEAR'S TOTAL 32.04
*Days with ·01 in. or more.	20	21	7	18	15	13	17	16	15	7	18	8	175
*Days with ·04 in. or more.	15	17	3	14	14	11	13	15	10	4	13	5	139

40-9999

(Signed) B. T. Brooks

for H. Faure-Walker Esq. J.P.

Highley Manor

P.T.O.

*See Instruction 2 (*f*) on other side.

525

Section **A** for the entry of D

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 . .

Kept at Highley Manor & Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·14	–	·29	–	·10	–	·04	·31	–	–	–	1
2	·19	·06	–	·34	·09	–	–	–	·41	–	–	–	2
3	·12	·01	·15	·17	1·24	–	–	·33	·56	–	·03	·18	3
4	–	·02	–	–	·07	–	·04	·24	·13	·03	·06	·01	4
5	–	·01	–	·33	–	·57	·09	·20	·07	–	·03	·15	5
6	–	·09	–	·13	–	·04	–	–	·01	·33	·31	·28	6
7	–	·02	–	–	·04	·13	–	·19	·01	·06	·46	–	7
8	–	·12	·01	–	·04	·22	·01	·08	–	–	·10	·07	8
9	·02	·11	–	·02	–	·02	–	–	–	–	·83	·01	9
10	·13	·21	·04	–	–	·12	·04	·18	–	·01	1·42	–	10
11	–	·39	–	–	–	–	·01	–	·03	–	·26	–	11
12	·11	–	–	–	–	–	·03	·01	·22	–	–	–	12
13	·10	–	–	–	·02	–	–	·07	–	–	–	–	13
14	·02	·14	–	–	–	·04	·76	·56	–	–	·02	–	14
15	·02	·11	–	·08	·36	–	·14	·49	–	–	–	·04	15
16	–	·04	–	·21	·34	·03	–	·04	·07	–	–	–	16
17	·03	·10	–	·43	–	–	·45	–	·06	·05	–	–	17
18	·06	·13	·01	·33	–	·16	·27	·89	–	–	·69	–	18
19	·09	–	–	·42	–	·05	·65	·21	–	–	–	–	19
20	–	·14	–	·05	–	–	·08	·32	–	–	·05	–	20
21	·03	–	–	–	·41	–	–	–	–	–	–	–	21
22	·21	·05	·29	·04	–	–	–	–	·04	–	·01	–	22
23	·31	–	·01	–	·27	·21	–	–	·05	–	·26	–	23
24	–	–	·02	·82	·05	·04	·33	·47	·02	–	–	–	24
25	·12	–	–	·29	–	–	·39	–	·01	–	·06	–	25
26	–	·07	–	·28	–	–	·35	–	–	–	·41	–	26
27	·24	·38	–	·13	·23	–	·03	–	–	–	·05	–	27
28	·12	·13	–	·03	–	–	–	–	–	·03	–	–	28
29	·13	×	–	–	·11	–	·12	–	–	·14	·01	·02	29
30	·16	×	–	–	·06	–	–	–	–	–	–	–	30
31	·49	×	–	×	·04	×	–	–	×	–	×	–	31
TOTAL	2·70	2·48	0·53	4·39	~~3·57~~ 3·37	1·73	~~3·82~~ 3·79	4·32	2·00	0·68	5·06	0·76	YEAR'S TOTAL 32·04
*Days with ·01 in. or more.	20	21	7	18	15	13	17	16	15	7	18	8	175
*Days with ·04 in. or more.	15	17	3	16	14	11	13	15	10	4	13	5	139

40-9999

(Signed) B. T. Brooks

for H. Faure-Walker Esq. J.P.
Highley Manor

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 525

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.03	–	.16	.51	–	.02	.03	–	.15	.09	–	1
2	.04	–	–	.24	.12	–	–	–	.12	.01	.02	.26	2
3	–	–	–	.04	.14	.18	–	–	.34	.06	–	–	3
4	.03	–	–	–	–	.14	–	–	–	–	.03	–	4
5	.17	–	–	–	.01	.04	.17	–	.14	–	–	–	5
6	.54	–	–	.18	–	–	–	–	.04	.02	–	–	6
7	.06	–	.14	.03	–	–	.16	–	.05	.16	–	–	7
8	–	–	.21	.06	.19	–	–	–	.18	.52	–	–	8
9	.24	.12	–	.21	.46	–	–	–	–	.17	–	–	9
10	.64	.36	.03	.34	.09	–	–	–	.04	.09	–	–	10
11	.25	.06	–	.22	–	–	–	–	.86	.03	.03	.04	11
12	.27	.03	–	.02	.01	–	–	.02	.10	.44	–	–	12
13	.04	–	–	.21	.04	–	.05	–	–	1.32	–	.02	13
14	.11	.02	–	.29	.08	–	–	.03	–	–	–	–	14
15	.07	–	–	.09	.20	–	–	–	–	.09	–	.02	15
16	.09	–	–	.23	.03	–	.09	–	–	–	–	.01	16
17	.01	–	–	.17	–	–	.06	–	–	.03	–	–	17
18	.04	–	–	–	.02	–	.01	–	.06	–	.13	–	18
19	.01	–	–	.02	.02	–	–	–	.05	.29	.02	–	19
20	.01	–	–	.14	.03	–	.16	.17	–	1.02	.22	–	20
21	.02	.01	–	.02	.74	–	–	–	–	.43	–	.07	21
22	.04	–	.38	.08	.07	–	.08	.10	.59	.41	.31	.05	22
23	–	.08	–	.15	.29	.31	–	–	.24	.93	–	.18	23
24	–	.05	–	–	–	–	.96	–	.11	.09	.05	–	24
25	–	–	–	–	–	–	.37	–	.02	.58	.06	–	25
26	–	–	.04	.05	.03	–	1.19	.14	–	–	.04	.02	26
27	–	.01	.34	.21	.17	.13	.16	–	–	.63	.07	.02	27
28	–	–	.01	.03	.29	–	.14	–	–	.27	–	–	28
29	–	–	.41	.08	.28	.04	–	.36	.22	.41	.02	.03	29
30	–	×	.06	–	.08	1.03	.12	.01	.11	.02	.54	.16	30
31	–	×	.10	×	–	×	.09	–	×	–	×	.07	31 24
TOTAL	2.80	0.77	1.72	3.27	3.90	1.87	3.83	.86	7 2.48	8.17	6 1.53	0.95	YEAR'S TOTAL 32.~~15~~
*Days with ·01 in. or more.	20	10	10	24	23	7	16	8	17	24	14	13	186
*Days with .04 in. or more.	14	5	8	19	16	7	14	4	16	19	9	7	138

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) B. T. Brooks.

P.T.O.

525

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~525~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.41	.29	–	–	–	–	–	–	.01	.05	–		1
2	.24	–	.61	–	.21	–	–	–	–	–	–	–		2
3	.08	.17	.27	–	–	–	–	–	–	–	.03	–		3
4	.29	.04	.04	–	.47	–	–	–	–	–	–	–		4
5	.21	[illegible]	.31	–	.01	–	–	–	–	–	–	–		5
6	–	.22	.02	–	.68	–	–	–	–	.05	.10	–		6
7	.31	.04	.03	–	.11	–	–	–	–	.17	.01	.02		7
8	.08	.01	–	–	.01	–	.14	–	–	.04	–	–		8
9	.01	.03	–	–	.02	–	.28	–	–	.05	.21	–		9
10	–	.09	–	–	.01	.04	.04	–	–	.26	.06	–		10
11	.26	–	–	–	.08	.17	–	.18	–	.11	–	–		11
12	–	–	–	.03	.02	.27	.32	–	1.36	–	–	–		12
13	.10	–	–	–	.04	.01	.34	.11	.21	.08	.14	–		13
14	–	–	–	–	–	–	.14	–	–	.41	.52	.03		14
15	.67	–	.14	–	–	–	.11	.27	–	.08	–	–		15
16	.04	–	.62	–	–	.20	.43	–	.02	.07	–	–		16
17	–	.07	.32	–	–	.08	–	.08	.12	–	.08	–		17
18	.16	.01	.06	–	–	.31	–	–	–	–	.02	–		18
19	–	.06	.14	–	–	.11	–	.02	.47	–	.08	.03		19
20	–	–	.05	.03	–	.46	–	–	.08	–	–	–		20
21	–	.08	–	–	–	–	–	.14	.18	.02	–	.01		21
22	–	–	–	–	–	–	–	.31	–	.11	.02	–		22
23	–	–	–	.12	.06	.36	–	–	.35	.07	–	–		23
24	–	.49	–	.27	–	.07	–	–	.47	.01	.02	–		24
25	–	.52	–	.32	–	.19	–	–	.13	07 .04	.04	.09		25
26	–	.76	–	.08	–	.12	–	–	.01	.04	.05	.11		26
27	–	.05	–	–	.29	–	.01	–	–	.21	–	.14		27
28	–	.03	–	–	.10	–	.49	–	–	.26	–	.29		28
29	.11	×	–	–	.07	–	–	–	–	.07	–	–		29
30	.12	×	.04	–	–	–	.06	–	.34	.11	–	.09	–	30
31	.08	×	.06	×	–	×	–	.07	×	.02	×	–		31
TOTAL	2.80	3.06	3.00 ~~2.72~~	0.85	2.18	2.39	2.36	1.18	3.74	2.32	1.43	0.81	Year's Total 25.84	
*Days with ·01 in. or more.	16	17	15	6	15	13	11	8	12	22	15	9	159	
*Days with .04 in. or more.	15	13	13	4	10	12	10	7	10	18	10	5	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) B. T. Brooks

for H. Lawrie-Walker, esq. J.P.

[P.T.O.

525

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~525~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 420 ft.

Sent Circ. D.2 21/5/1935.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	–	–	·13	–	·29	–	·09	·02	·48		1
2	·07	–	·23	·04	–	–	–	–	·81	·53	·01	·39		2
3	·04	·02	–	·12	–	–	–	·12	·02	·97	–	·18		3
4	·21	·01	·11	·05	·18	–	–	–	–	·10	·09	·63		4
5	·01	–	·02	–	–	–	–	·07	–	–	·06	·48		5
6	·01	–	·33	–	·19	·10	–	·18	–	·28	·07	·68		6
7	·06	–	–	–	–	·04	–	–	–	·16	–	·24		7
8	–	·01	–	–	·14	–	–	·04	·12	–	1·28	–		8
9	·01	–	·09	–	·03	–	–	–	–	–	1·04	·49		9
10	–	–	·17	·35	–	–	–	·12	–	–	1·12	·03		10
11	·81	–	·54	·12	–	–	–	·04	–	–	·02	·38		11
12	·08	–	·01	–	–	–	·23	·13	–	–	·16	·07		12
13	·37	–	·33	·20	–	–	·24	·02	–	–	·04	·31		13
14	·24	–	·41	·04	–	·03	–	–	–	–	·42	·87		14
15	·02	–	·88	–	·08	–	–	–	–	·06	·16	·82		15
16	·22	–	·27	·16	·23	–	–	–	–	·13	·02	·02		16
17	·09	–	·13	·07	·09	–	–	–	·01	·08	–	·41		17
18	·21	–	·08	·32	–	–	·49	–	–	–	–	·43		18
19	–	–	·36	–	–	·01	–	–	·52	·03	·03	·27		19
20	–	–	·07	·05	–	–	·41	·01	–	·01	–	·02		20
21	–	–	·01	·24	–	·13	–	·13	–	·08	–	·01		21
22	–	–	–	–	–	–	·40	–	·26	·01	·02	·16		22
23	–	·02	–	·41	–	·66	–	·12	–	·05	–	·06		23
24	–	·04	·05	·04	–	·04	·71	–	·16	–	–	–		24
25	·14	–	–	·38	–	–	–	–	–	·04	–	·74		25
26	·12	–	–	·07	–	·16	–	–	·06	–	–	·03		26
27	–	–	–	·24	–	·03	–	[illegible]	–	–	–	·41		27
28	–	·19	–	·04	–	·13	·01	·82	–	–	–	·39		28
29	–	✕	–	–	–	–	·02	·13 ~~[illegible]~~	·12	–	·02	·01		29
30	·13	✕	–	–	–	–	–	·28	·06	·01	–	·43		30
31	·02	✕	–	✕	–	✕	·02	–	✕	·06	✕	·11		31
TOTAL	2·8~~7~~ 8	0·29 ✓	~~3·77~~ 4·09	2·94 ✓	0·94 ✓	1·46 ✓	2·53 ✓	2·50 ✓	2·14 ✓	2·69 ✓	4·58 ✓	9·55 ✓	Year's Total ~~[illegible]~~	36·59
*Days with ·01 in. or more.	20	6	18	18	7	11	9	15	10	17	17	29	177	·74
*Days with ·04 in. or more.	14	2	15	18	6	8	6	13	8	13	10	23	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) B. T. Brooks.

(Gardener to H. Faure-Walker Esq. J.P.)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 525

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·06	·04	·04	·01	·04	·13	–	·28	·17	·18	–		1
2	·06	–	·05	·06	–	·02	–	–	·02	·52	·09	–		2
3	–	·07	·18	·08	–	·02	–	–	·48	1·78	·14	–		3
4	–	·09	–	·23	–	·35	–	–	·16	·32	–	·57		4
5	–	·38	·07	·10	–	·05	–	–	·59	·18	·02	·02		5
6	·07	·11	–	·27	–	·71	–	–	–	·01	·26	·03		6
7	·07	·02	–	·24	–	·02	–	–	–	–	1·03	·13		7
8	–	–	·02	·37	–	–	–	–	–	·51	·58	·03		8
9	·04	–	–	·18	–	·47	–	–	·01	·73	·11	–		9
10	·07	–	·06	·01	–	·10	–	–	–	–	·28	·11		10
11	·17	–	–	·16	–	·16	·18	–	–	·06	·64	–		11
12	–	·05	–	–	–	·23	–	·37	·03	–	1·04	–		12
13	·15	·18	–	·14	·08	–	–	–	–	·03	·13	·01		13
14	–	–	–	·03	·14	·26	–	–	·17	·04	·03	·13		14
15	–	·17	–	·61	·01	–	–	–	·16	·01	·28	·10		15
16	–	·05	·01	·37	–	·33	–	–	·48	·02	·82	–		16
17	·05	–	·09	·09	–	·27	–	–	–	–	·44	–		17
18	–	–	–	·27	·03	·18	·04	·02	37	·06	·04	·04		18
19	–	·01	–	·11	·86	·06	·46	–	·11	·01	·12	·01		19
20	·01	·35	–	·14	·01	·09	·23	–	·06	–	·16	–		20
21	·04	·34	–	·04	–	–	–	–	·04	·21	·03	·01		21
22	–	·09	–	–	–	–	–	·69	·11	–	·01	–		22
23	–	–	·08	–	–	–	–	1·08	–	·09	·01	·09		23
24	·04	·92	–	–	·23	–	–	·87	·61	–	–	·29		24
25	·11	·17	–	·21	·11	·07	–	–	–	–	·02	·42		25
26	·10	·22	–	–	–	–	–	·19	·19	–	·02	·34		26
27	–	·63	–	–	–	–	–	–	·21	–	·12	·38		27
28	–	·06	–	–	·32	–	·02	–	·08	·07	·01	·33		28
29	·01	X	–	–	·09	–	–	·11	·43	–	–	·37		29
30	·13	✕	–	·01	·02	–	–	1·28	–	·10	·72	·57		30
31	–	✕	–	✕	–	✕	–	·01	✕	·21	✕	·71		31
TOTAL	1·39	3·97	0·60	3·76	1·91	3·43 ~~3·44~~	1·06	4·62	4·59	5·13	7·33	4·69	Year's Total 42·49	
* Days with ·01 in. or more.	16	19	9	22	12	18	6	9	20	20	27	21	199	
* Days with ·04 in. or more.	14	17	7	19	7	15	5	7	17	15	19	15	157	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. T. Brooks

(Gardener)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 525

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·17	·04	·51	–	·89	·58	·09	–	–	·11	·06		1
2	–	·02	–	–	–	·49	·21	·12	–	–	·01	–		2
3	–	–	–	·37	–	·06	·03	–	·11	–	·27	–		3
4	–	–	·16	–	–	·16	–	–	·37	–	·01	·04		4
5	·31	–	·03	–	–	–	–	·14	·08	·02	·26	·07		5
6	·52	–	–	–	–	·07	–	·08	·16	·03	·86	–		6
7	·54	–	·09	–	–	·05	·13	–	·01	–	·50	·05		7
8	·37	–	·07	–	–	–	·04	–	·02	–	·64	·21		8
9	·34	–	·04	–	–	–	·39	–	·11	–	·02	–		9
10	·08	–	–	–	–	–	·17	·02	–	·08	–	–		10
11	·02	·06	–	·09	–	–	·16	–	–	–	1·12	–		11
12	–	–	–	·06	–	·28	·38	–	·30	·01	·33	·17		12
13	–	–	–	–	–	·01	·02	–	–	·01	·02	·37		13
14	–	·07	–	–	–	·09	·58	–	·02	·02	·18	·41		14
15	–	·10	–	·01	–	–	·03	–	–	–	·06	·21		15
16	·21	·12	–	·04	·02	–	·13	–	–	–	·21	·19		16
17	·07	·63	–	–	·16	·22	–	·02	·01	·05	·24	·47		17
18	·16	·12	–	–	–	–	·15	–	·01	–	·11	·11		18
19	·27	·06	·11	·04	–	·62	–	·15	–	·02	·05	–		19
20	·36	·07	·08	·51	–	–	·06	–	·49	–	–	–		20
21	–	·04	–	·30	–	·42	·07	–	·04	–	–	–		21
22	·14	·43	·14	·01	·23	–	·27	–	·01	–	·01	·10		22
23	–	·15	·31	·13	–	–	·35	–	–	·09	–	–		23
24	·09	·11	–	–	–	–	·24	–	·04	·31	–	–		24
25	·16	·01	·14	·26	·03	–	·03	–	·24	·12	·02	–		25
26	·02	·21	·21	·27	–	–	·02	–	·03	·23	–	·08		26
27	·52	–	·06	–	–	·01	–	–	·16	·28	–	–		27
28	·59	–	·44	–	–	·17	·53	–	·05	–	·01	·14		28
29	·03	·11	·04	–	–	·03	·11	–	–	·05	·11	·04		29
30	·15	✕	–	–	·07	·32	·02	–	–	·20	–	·01		30
31	·29	✕	·27	✕	·01	✕	·21	–	✕	·48	✕	·28		31
TOTAL	5·57	2·48	2·23	2·60	0·52	3·89	4·91	0·62	2·26	2·00	5·15	3·01	Year's Total 35·24	✓
* Days with .01 in. or more.	22	17	16	13	6	16	25	7	19	16	22	18	197	✓
Days with .04 in. or more.	19	15	15	11	3	13	19	5	12	10	15	17	154	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. T. Brooks.
(Gardener)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 525

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.87	.62	.03	.07	–	–	.01	–	.03	–	1.31	.74		1
2	.04	.61	–	.49	–	–	–	–	.04	–	.02	.96		2
3	.02	.32	.02	–	–	–	–	–	–	–	.01	.23		3
4	.19	1.16	–	.01	–	–	–	–	–	–	–	.34		4
5	.31	.13	.42	–	–	–	.21	–	–	–	–	–		5
6	.24	.02	.56	.18	.34	–	–	–	–	.02	.02	–		6
7	–	.69	.03	–	–	–	–	–	.02	.05	–	.03		7
8	–	.02	.14	–	.14	.09	–	–	–	–	.17	.14		8
9	–	–	–	.41	.04	.04	.16	–	.46	–	–	.16		9
10	–	–	.68	.31	.07	.51	.01	–	–	–	–	.87		10
11	–	–	.41	–	.09	–	.05	–	–	–	–	.16		11
12	.62	.26	.14	.09	.24	.28	–	.31	.21	–	–	.18		12
13	.22	.08	.53	.07	.01	.03	–	.01	.39	–	–	.63		13
14	.03	.02	.04	.14	.08	–	–	.52	.27	–	–	–		14
15	.29	.13	–	.32	–	–	.36	–	.42	–	–	–		15
16	–	.15	.48	.39	–	–	–	.59	.62	–	–	.04		16
17	.38	–	.08	.12	–	–	–	–	.31	–	.11	–		17
18	.52	.11	.03	.0[illegible]	.20	.26	–	–	.06	–	.16	.03		18
19	.16	.23	.06	.29	.01	.12	.03	–	.14	–	.02	.12		19
20	.43	–	.10	.34	.93	.04	–	–	.02	–	–	.01		20
21	.54	.62	.02	.17	–	–	.02	–	–	–	.16	.06		21
22	.56	.03	.02	–	.16	.04	.19	–	–	1.07	.46	.12		22
23	.31	.06	–	–	–	–	.02	–	–	.74	–	.02		23
24	.64	.34	–	–	.06	–	–	–	.05	.46	–	–		24
25	.11	.44	.33	–	.03	–	–	–	.11	.30	–	.02		25
26	–	.38	.03	–	–	.01	–	–	–	.03	–	–		26
27	–	.26	–	.24	–	–	–	–	.07	.18	–	–		27
28	.12	.09	–	.02	–	–	–	–	–	.07	–	.04		28
29	.02	X	–	–	–	.01	–	–	–	.13	.08	.05		29
30	.32	✕	–	–	–	.06	–	.78	–	.04	.18	–		30
31	.23	✕	–	✕	–	✕	–	–	✕	.27	✕	.01		31
TOTAL	7.17	6.14	4.15	~~3.77~~ 3.67	~~2.42~~ 2.40	1.49	1.06	2.21	3.22	3.36	2.70	4.96	Year's Total 42.6~~7~~8	✓
* Days with .01 in. or more.	23	23	20	18	14	12	10	5	16	12	12	22	187	✓
* Days with .04 in. or more.	20	18	13	15	12	9	5	4	13	10	8	16	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. T. Brooks [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 525

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 420 ft.

notified W.J.H.

corr. for Dec 19-26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	·04	–	–	·22	·18	–	–	·17	·07	·04	·11		1
2	·08	–	–	·04	·06	–	·19	–	–	·46	–	·02		2
3	–	–	–	–	·03	–	·02	–	–	·74	·08	–		3
4	·04	–	–	–	–	–	·24	·03	–	·14	–	·21		4
5	–	–	–	·01	–	·01	·31	–	–	·34	–	–		5
6	·08	–	–	–	–	–	·47	–	·14	–	·03	–		6
7	·01	–	–	–	–	·02	·21	·31	·01	·29	·01	·09		7
8	·29	–	–	–	–	–	·22	·29	·01	·34	·01	·17		8
9	·12	·01	–	–	–	–	–	·01	–	·11	–	·79		9
10	·15	·19	–	–	–	·17	·01	·02	–	–	–	·14		10
11	·26	–	–	–	–	–	–	–	–	–	·11	·21		11
12	·38	–	–	–	·03	–	·01	·73	–	·06	·06	·01		12
13	·43	·17	–	–	–	–	–	–	–	·13	·43	·32		13
14	·34	·21	–	–	·54	–	–	–	·06	–	·01	·02		14
15	·09	·23	–	–	·02	–	·49	–	–	·56	·01	·46		15
16	·41	–	·04	–	·07	–	–	·06	–	·05	·02	·31		16
17	–	·11	·01	–	·09	–	·02	–	·05	·24	·03	–		17
18	·10	–	–	–	·03	–	–	–	·23	·02	·52	–		18
19	–	–	–	–	–	–	–	·08	·10	–	·54	(·15) ~~·80~~ snow		19
20	·01	–	–	–	·05	–	–	–	·11	–	·48	·02		20
21	·07	–	–	–	–	–	–	·13	·16	–	·04	·07		21
22	·02	–	–	–	–	·04	–	·09	–	–	·28	·12		22
23	–	–	–	–	–	–	–	–	–	–	·05	–	·99	23
24	–	–	·26	–	–	–	–	–	·82	–	·34	·09		24
25	·14	–	·30	·02	·16	–	·03	–	·02	·04	·39	·05		25
26	·54	·13	·08	·01	–	–	–	–	·39	·34	–	·39		26
27	·16	·07	–	–	·21	·26	·41	–	·89	·01	·39	–		27
28	·07	·09	–	–	·47	·08	–	·42	·17	–	–	·06		28
29	·24	✗	–	–	·34	·01	–	–	·01	–	·09	·22		29
30	·09	✕	–	·26	·26	–	–	–	·22	·11	·36	–		30
31	·19	✕	–	✕	·17	✕	–	–	✕	·21	✕	·49		31
TOTAL	4·36	1·25	0·69	0·34	2·75 ~~2·95~~	0·77	2·63	2·17	3·56	4·26	4·32 ~~4·35~~	(4·62) ~~5·17~~	Year's Total ~~3250~~	3195
* Days with .01 in. or more.	25	10	5	5	16	8	13	11	17	19	23	23	175	✓
* Days with .04 in. or more.	22	9	4	2	12	5	8	8	13	17	16	19	135	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. T. Brooks

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 525

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	·08	·24	·27	–	·06	–	·08	–	–	·05		1
2	·06	–	·01	·03	·03	–	·02	·48	·36	–	·02	–		2
3	·46	–	–	·46	–	–	–	·26	–	–	·24	·49		3
4	·14	–	·41	·24	–	–	·08	1·19	–	·37	·09	·02		4
5	–	·02	·02	·16	·04	–	·27	·08	–	·13	·48	·11		5
6	·43	·01	·04	–	·03	–	·23	·13	–	–	·28	–		6
7	·08	·05	–	–	–	–	·03	·04	–	·06	·12	·27		7
8	·01	·13	·16	–	–	–	·02	–	–	·38	·46	·48		8
9	·09	·09	–	–	–	–	–	·26	–	·35	·73	·43		9
10	·18	–	–	–	–	·24	–	·23	·08	·11	·08	–		10
11	–	·01	·25	–	–	·01	–	–	–	1·24	·03	·02		11
12	·03	·02	–	–	·01	·01	–	–	–	·04	·01	·02		12
13	–	–	·02	·07	–	·03	·15	–	·10	1·28	·03	·05		13
14	·58	–	–	·06	·17	·05	–	–	–	·34	·01	·08		14
15	·49	–	·04	·01	1·17	·03	·02	–	·24	·41	·34	·01		15
16	·34	–	·07	·12	·18	·22	·22	–	·11	·11	·41	–		16
17	·23	·18	·02	·04	·27	–	–	–	–	·01	·11	–		17
18	·42	–	·01	–	–	·09	·17	–	·01	·18	·49	–		18
19	·39	–	·01	–	–	–	·12	–	·01	·37	–	·02		19
20	·27	–	–	–	–	·46	·92	–	·07	–	–	–		20
21	·12	·08	·15	–	–	·11	·09	–	·27	·02	–	–		21
22	·27	·31	·09	·08	–	·32	·05	–	·01	–	·12	–		22
23	·02	–	–	·21	–	–	·11	·01	–	·10	·89	–		23
24	·21	·32	–	·12	–	·02	·17	–	–	·13	·02	–		24
25	·62	·23	·07	·05	–	–	·09	·02	–	–	·62	–		25
26	·07	–	–	·03	–	–	–	–	–	·14	·33	·02		26
27	·01	·12	·11	·15	–	–	–	–	–	·08	·31	–		27
28	–	·34	·04	–	–	·16	–	–	–	·11	·16	·21		28
29	–	✕	–	·38	–	·02	·02	–	–	·05	·08	–		29
30	–	✕	–	·57	–	–	–	·01	–	·01	·12	–		30
31	–	✕	–	✕	–	✕	·19	·33	✕	·03	✕	·02		31
TOTAL	5·56	1·91	1·60	3·02	2·17	1·77	3·03	3·04	1·34	~~5·05~~ 6.05	~~7·05~~ 7.15	2·30	Year's Total 37·84	
* Days with .01 in. or more.	24	14	12	18	9	14	20	12	11	24	26	16	206	
* Days with .04 in. or more.	20	10	12	15	6	8	15	9	8	20	21	9	153	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. T. Brooks

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 525

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Highley Manor, Balcombe

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	.04	—		1
2	—	.11	—	.11	—	—	—	—	—	.14	.59	.01		2
3	—	.37	—	.10	—	—	.01	—	—	.17	1.24	.17		3
4	—	.14	—	.03	—	—	.01	—	—	.28	.04	.12		4
5	—	—	—	—	—	—	.08	—	—	.04	.77	.17		5
6	—	.17	—	—	—	—	.26	—	—	.73	.02	—		6
7	.18	.26	—	—	—	—	.13	—	—	—	—	—		7
8	24	—	—	.03	—	—	.05	—	.06	.82	.02	.39		8
9	—	—	—	—	—	—	—	—	.01	.22	.63	.31		9
10	—	—	—	—	—	—	.29	.12	.01	.21	.08	—		10
11	—	.05	—	.09	—	—	.06	—	—	—	1.34	.02		11
12	—	.03	.31	.02	—	.02	.18	—	.28	—	.09	.01		12
13	—	.03	.92	—	—	.06	—	—	.11	—	1.67	—		13
14	—	—	.53	.08	—	—	—	.01	—	.13	.02	.49		14
15	—	—	.36	—	.33	—	1.08	—	.04	.12	.68	.04		15
16	.06	.42	.34	.01	—	.09	.21	—	.37	.44	.86	.04		16
17	—	—	.24	—	—	—	.07	—	—	.01	.69	.01		17
18	.01	.39	.01	.37	—	—	.03	.04	.09	.26	.04	.14		18
19	—	—	.01	.03	—	—	.11	—	.53	—	.38	.08		19
20	—	.11	.11	.04	—	—	.02	.03	.11	.09	.14	.01		20
21	.09	.01	.04	—	.69	—	.18	.01	—	.04	.38	—		21
22	—	.01	.05	—	.06	.14	—	—	.17	.01	.01	—		22
23	—	.14	.12	.34	—	—	.01	—	—	—	.04	.02		23
24	—	—	—	.28	—	—	.24	—	—	—	.02	.02		24
25	—	—	.59	—	.03	—	.04	—	—	.04	.01	—		25
26	.83	.27	.45	—	.56	.07	.03	—	—	—	.02	—		26
27	.37	.43	—	.06	.06	—	.06	—	—	—	—	—		27
28	.43	.03	—	.09	.18	—	—	—	—	—	—	—		28
29	.34	.37	.21	.02	.11	—	—	—	.01	—	—	.32		29
30	.16	✕	—	.08	—	—	—	—	—	.24	.02	.03		30
31	—	✕	—	✕	—	✕	—	—	✕	1.08	✕	.11		31
TOTAL	2.71	3.34	4.29 ~~4.19~~	1.78 ~~1.72~~	2.02	0.38	3.15	0.21	1.79	5.07	9.84	2.51	Year's Total 36.93	
* Days with .01 in. or more.	10	18	15	17	8	5	21	5	12	19	26	20	176	
* Days with .04 in. or more.	9	13	13	11	7	4	15	2	9	17	18	12	130	

† Spare column, no entries required.

(*Signed*) B. T. Brooks [P.T.O.

* See Instruction 3 (f) on other side.

526

Section **A** for the entry of

AIR MINISTR

Form 1090.

REGIS

31.

FOR OFFICIAL USE.

ALL ORGANIZATION.

526

WEST HOATHLY

STONELANDS

1931 - 1940

780111

Kept at Stonelands, We

in the County of Sussex

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS ... **AY.**

An observer who does not conform t ... *e following*
year in the space on the right of t

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.16	.01	.31		.15		.04	.31	trace			1
2	.18	.05		.28					.61			.04	2
3	.13		.16	.16	1.16			.49	.56		.05	.26	3
4	.01	.03			.06		.04	.01	.20	.03	.07	.01	4
5				.30		.77	.07	.38	.06		trace	.24	5
6		.09		.10		.03				.29	.33	.23	6
7	.01	.01			.03	.21		.22	.01	.03	.51		7
8		.16			trace	.20		.05			.13	.06	8
9	trace	.18		.01		.01					.79	.01	9
10		.22	.04			.20	.07	.15			1.31		10
11	.11	.55							.02	trace	.25		11
12	.08								.21			trace	12
13	.07				.04		.01	.06					13
14	.02	.11				.03	.65	.65					14
15	.01	.07		.08	.26		.32	.33			trace	.03	15
16	.01	.03		.15	.31	.05		.01	.04				16
17	.02	.06		.37			.47		.11	.03			17
18	.04	.14	.01	.28		.16	.22	.80	.03	.01	.73		18
19	.08			.39		.09	.42	.36	.06				19
20		.12		.05			.03	.32			.02		20
21	.01	.01			.46			trace			.01		21
22	.30		.24	.01					.06		trace		22
23	.54	.07	.04		.19	.14			.02		.34		23
24			.01	.68	.03	.02	.37	.61	trace				24
25	.05	trace		.70	.04		.50				.05		25
26		.05		.30			.37		trace		.34		26
27	.25	.43		.02	.19		.05				.03		27
28	.09	.11		.02						.02		trace	28
29	.10	.XX		.0X	.15		.16			.15		.01	29
30	.47	×											30
31		×		×		×			×		×		31
Total	2 59 ~~2.70~~	2.65	.51	4.21 ~~3.91~~	2.92 .97 2.97	2.06	3.75	4.48	2.30	.56	4.96	.89	**Year's Total** 31.74
*Days with ·01 in. or more.	23	20	7	18	13	13	15	15	14	7	15	9	169
*Days with ·04 in. or more.	15	16	4	14	11	10	13	13	10	2	11	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Godwin King

[P.T.O.

526

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stonelands, West Hoathly

in the County of Sussex.

Diameter of Funnel of Gauge 5 inches in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.16	.01	.31		.15		.04	.31	trace			1
2	.18	.05		.28					.61			.04	2
3	.13		.16	.16	1.16			.49	.56		.05	.26	3
4	.01	.03			.06		.04	.01	.20	.03	.07	.01	4
5				.30		.77	.07	.38	.06		trace	.24	5
6		.09		.10		.03				.29	.33	.23	6
7	.01	.01			.03	.21		.22	.01	.03	.51		7
8		.16			trace	.20		.05			.13	.06	8
9	trace	.18		.01		.01					.79	.01	9
10		.22	.04			.20	.07	.15			1.31		10
11	.11	.55							.02	trace	.25		11
12	.08								.21			trace	12
13	.07				.04		.01	.06					13
14	.02	.11				.03	.65	.65					14
15	.01	.07		.08	.26		.32	.33			trace	.03	15
16	.01	.03		.15	.31	.05		.01	.04				16
17	.02	.06		.37			.47		.11	.03			17
18	.04	.14	.01	.28		.16	.22	.80	.03	.01	.73		18
19	.08			.39		.09	.42	.36	.06				19
20		.12		.05			.03	.32			.02		20
21	.01	.01			.46			trace			.01		21
22	.30		.24	.01					.06		trace		22
23	.54	.07	.04		.19	.14			.02		.34		23
24			.01	.68	.03	.02	.37	.61	trace				24
25	.05	trace		.70	.04		.50				.05		25
26		.05		.30			.37		trace		.34		26
27	.25	.43		.02	.19		.05				.03		27
28	.09	.11		.02						.02		trace	28
29	.10	.XX		.XX	.15		.16			.15		.01	29
30	.47	✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	2 59 ~~2.70~~	2.65	.51	4.21 ~~3.91~~	2.92 ·97 2.97	2.06	3.75	4.48	2.30	.56	4.96	.89	YEAR'S TOTAL 31.74
*Days with ·01 in. or more.	23	20	7	18	13	13	15	15	14	7	15	9	169
*Days with ·04 in. or more.	15	16	4	14	11	10	13	13	10	2	11	5	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Godwin King

P.T.O.

Station number 526.

526

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stonelands. West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ✓ ft. in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·02		·13	·42		·01	·02		·09	·08		1
2	·03			·21	·09			·02	·09		·02	·40	2
3				·02	·11	·12			·44	·01			3
4	·05					·10					·01	tr.	4
5	·30	tr.	·01			·01	·16		·16				5
6	·75			·17					·05	·01			6
7	·06		·10	·01			·04		·01	·07			7
8	·01		·21	·02	·17				·23	·75			8
9	·37	·14		·21	·61					·07			9
10	79 ·79	·70	·01	·39	·08	tr.			·02	·08			10
11	·23	·05		·13					·04	·02	·03	tr.	11
12	·49	·04			tr.			·01	·07	·52	tr.		12
13	·05			·19	·04		tr.		·01	1·19		·01	13
14	·18			·40	·09			tr.		·03			14
15	·09			·08	·17					·09			15
16	·12			·22	·02							·01	16
17	tr.			·17			·07			·04			17
18	·04				[illegible]		·01		·11		·10	·01	18
19	·02			·02	·01				·04	·41	·02		19
20				·09	·03		·04	·28		1·26	·12		20
21	·02	tr.	tr.	·01	·62		tr.	·15		·45		·06	21
22	·04	tr.	·22	·03	·05		·17	·03	·61	·30	·50	·03	22
23		·06		·17	·18	·29			·15	1·14		·15	23
24		·04					·75		·19	·04	·03		24
25							·56		·10	·57	·07	·01	25
26			·03	·05			·96	·02			·04	tr.	26
27			·44	·23	·20	·05	·12		tr.	·57	·08		27
28			·01	·04	·30		·19			·25	tr.		28
29			·64	·01	·08	·02	tr.	·30	·18	·57	·01	·03	29
30		×	·03	·02		1·19	·10		·08	tr.	·62	·14	30
31		×	·03	×		×	·09		×		×	·07	31
TOTAL	3·77 3·75	1·05	1·73	2·97	3·27 ~~3·28~~	1·78	3·27	·83	2·58	8·53	1·73	·92	YEAR'S TOTAL 32·42
*Days with ·01 in. or more.	19	7	11	24	19	7	14	8	18	23	14	11	175
*Days with ·04 in. or more.	15	6	5	16	15	5	12	3	15	19	8	5	124

40-9999

(*Signed*) Godwin King.

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stonelands West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·13								·27			1
2	·36	·58	·42						·04	·02	·05		2
3	·10	·09	·64		·13					·02			3
4	·15	·15	·52										4
5	·23	·03	·02		·11								5
6			·38		·29								6
7	·29	·19	·07		·80								7
8	·11	·07			·09					·16		·03	8
9							·08			·03			9
10							·19			·06	·24		10
11	·19	·33					·13	·12		·25			11
12					·03	·17	·03			·10	·01		12
13	·06					·21	·18		1·30				13
14					·04	·01	·46	·12	·22	·09	·14		14
15	·58						·08			·40	·44		15
16	·02		·22			·25	·36	·32		·04	·07		16
17			·82			·22	·18	·03					17
18	·15		·36			·02		·07	·14				18
19		·01	·08			·19					·02		19
20		·03	·13			·13			·40		·04		20
21		·01	·06			·34			·13		·02		21
22		·02				·32		·13	·17	·02			22
23						·36		·30		·18	·02		23
24				·13		·03			·42	·02			24
25		·75		·21		·10			·33		·03		25
26		·36		·41					·02	·01	·05	·11	26
27		·72		·11						·02	·04	·11	27
28		·02			·28					·17		·19	28
29							·33			·30		·29	29
30	·08	×			·62		·16			·05			30
31	·09	×	·09	×		×	·08		×	·07	×	·07	31
TOTAL	2·46	3·49	3·81	·86	2·39	2·35	2·26	1·09	3·17	2·28	1·17	·80	YEAR'S TOTAL 26·13
*Days with ·01 in. or more.	14	16	13	4	9	13	12	7	10	20	13	6	137
*Days with .04 in. or more.	13	10	12	4	8	10	11	6	9	13	8	5	109

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) Hodson King

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stonelands - West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 450 ft.

File no. 75132/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	·11					·40	·06	·15		·50		1
2	·04	·03	·14			·12			·86	·62		·47		2
3	·05		·23							·64		·09		3
4	·03	·02		·17						·14	·11	·79		4
5	·05	·01	·08	·03	·11			·07			·04	·60		5
6	·05		·04		·07			·14		·30	·03	·68		6
7			·33		·14	·15		·05		·19		·31		7
8						·03		·01	·10		1·31			8
9		·04			·15						1·41	·44		9
10	·03		·08					·12			1·20			10
11	·01		·20	·34							·01	·41		11
12	1·01		·59	·11			·14	·06			·22	·05		12
13	·11		·02				·29	·30			·03	·11		13
14	·53		·39	·15							·33	·86		14
15	·27		·53	·09		·05				·03	·12	·87		15
16	·03		·09		·17					·12	·05	·03		16
17	·25		·30	·08	·30					·02	·05	·42		17
18	·12		·18	·09	·12		·43		·48		·01	·43		18
19	·25		·04	·37								·09		19
20			·35	·12			·38	·02				·02		20
21			·05	·04						·14				21
22				·24		·20	·30	·05	·27			·18		22
23										·03		·09		23
24				·45		·66	·37	·04	·19					24
25		·03	·03	·04		·03				·05		·86		25
26				·23					·06	·04		·05		26
27	·24			·06		·12						·42		27
28	·01			·27				·71				·36		28
29				·07		·21		·08	·09			·47		29
30		×						·23				·18		30
31	·10	×		×		×			×		×	·08		31
TOTAL	3·19 ✓	·14 ✓	3·78 ✓	2·95 ✓	1·06 ✓	1·57 ✓	1·91 ✓	2·28 ~~2·11~~	2·11 ✓	2·47 ✓	4·92 ✓	9·86 ✓	Year's Total 36·~~33~~ 24	
*Days with ·01 in. or more.	19	6	19	18	7	9	6	14	8	13	14	27	160	
*Days with .04 in. or more.	13	1	17	17	7	7	6	12	8	10	10	25	133	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Hodwin King.

[P.T.O.

File No.751321/27

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Stonelands, West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 450 ft.

Circ 7 sent 5.6.36 RJ-

Observers correction in Aug. agrees to our correction in Jan. See Exc. 35 A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.03	.03	.02	.03	.09	.08		.41	.17	.07			1
2	.07		.02	.05						.62	.29			2
3		.01	.06						.07	1.83	.13			3
4		.12		.21		.26			.49	.36		.22		4
5		.37	.04	.06		.11			.59	.22	.02			5
6	.04	.09		.30		.84					.25			6
7	.06			.26		.11					.97	.12		7
8	.02			.38						.48	.69	.03		8
9			.03	.32		.36				1.09	.17	.02		9
10	.10		.12	.10		.09			.01		.27	.14		10
11	.14					.11				.04	.79			11
12		.05				.31	.10	.43	.09	.02	.91			12
13	.13	.27		.15			.03				.25			13
14					.22	.41					.06	.13		14
15		.31		.64	.02	.11			.32	.02	.31	.12		15
16		.05		.39		.36			.66		1.12			16
17	.02			.05		.22					.39			17
18				.41		.13	.06		.70	.08	.02			18
19				.10	.76	.04	.22				.14			19
20		.71		.12		.05	.42		.11		.19			20
21	.03	.45		.02					.03	.14	.02			21
22		.06						.36	.07					22
23			.06					.67				.10		23
24	.05	1.12			.30			1.26	.82			.34		24
25	.05	.36		.21	.16	.11					.02	.61		25
26	.04	.16						.21	.18	.04		.44		26
27		.81							.14		.18	.33		27
28		.03			.40			.01	.06	.06		.44		28
29	.02							.08	.79			.40		29
30	.09	×						1.57		.14	.78	.63		30
31		×		×		×			×	.32	×	1.12		31
TOTAL	1.$\overset{0}{\wedge}$9	5.00	.36	3.79	1.89	3.71	.91	4.5~~[illegible]~~ 9	5.54	5.63	8.04	5.19	Year's Total. ~~45.[illegible]9~~ 5.8	45.74 ~~45.64~~
* Days with .01 in. or more.	15	17	7	19	7	17	6	8	17	16	23	16	168	
* Days with .04 in. or more.	11	14	4	16	5	17	5	7	15	14	19	14	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Godwin King

[P.T.O.

File No. 751321/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Stonelands. West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·12	·04	·65		·46	·52	·12			·09	·03		1
2		·02				·47	·24	·12			·02			2
3				·44			·04		·02		·22			3
4			·11			·17	·		·52			·04		4
5	·28		·04					·08	·10	·01	·18	·03		5
6	·42					·03		·08	·21	·03	1·09	·03		6
7	·62		·09			·02					·58			7
8	·49		·09								·58	·29		8
9	·52		·04				64		·05	·15	·02			9
10	·10							16						10
11				·06			·17				1.26			11
12				·07		·27	·46		·23		·40	·17		12
13						·07	·04					·61		13
14		·11				·10	·64		·02	·04	·13	·76		14
15		·09					·01				·07	·36		15
16	·22	·09					·24				·10	·15		16
17	·08	·84			1.83	·18		·03			·28	·81		17
18	·14	·20					·17				·15	·13		18
19	·37	·03	·02			·81		·13		·08				19
20	·36	·06	·16	·58					·56					20
21		·09		·34		·49	·07		·05					21
22	·10	·47	·12			·02	·13							22
23	·04	·18	·16	·13			·59			·10		·08		23
24	·06	·08					·09		·03	·41	·02			24
25	·17		·16	·25	·22		·02		·35	·08				25
26		·22	·20	·12		·04			·10	·32				26
27	·49		·05							·26				27
28	·75		·34				·56					·19		28
29	·06	·11	·11			·92	·26			·08	·08	·03		29
30	·14	✕				·26				·22				30
31	·29	✕	·25	✕	·02	✕	·22		✕	·49	✕	·29		31
TOTAL	6·02	2·71	1·98	2·64	2·07	4·31	5·11	·72	2·24	2·27	5·27	4·00	Year's Total 39·34	✓
* Days with .01 in. or more.	21	15	16	9	3	15	19	7	12	13	17	16	163	✓
* Days with .04 in. or more.	21	13	15	9	2	12	17	6	9	11	14	12	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Stonelands, West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·99	·02	·03	·10					·01		1·11	·30		1
2	·02	·72		·48					·05			·80		2
3	·03	·32	·05									·30		3
4	·15	1·27										·30		4
5	·38	·22	·10				·20							5
6	·11	·02	·48		·42					·02	·02			6
7		·85	·81	·15						·06		·02		7
8			·15		·05	·07					·13	·10		8
9				·38	·11	·02	·09		·44			·10		9
10			·67	·29	·06	·47						·80		10
11			·37		·08							·13		11
12	·63	·24	·12	·03	·22	·32	·03	·56	·19			·20		12
13	·22	·09	·52	·06	·10	·16		·05	·22			·44		13
14	·02	·02	·26	·04				·58	·21			·19		14
15	·23	·12		·30			·46		·27					15
16		·15	·40			·11		·48	·53					16
17	·38		·12	·13					·28		·12			17
18	·63		·02	·01	·30	·37			·03		·19	·09		18
19	·09	·09	·04	·39	·01	·10			·10			·09		19
20	·46	·17	·10	·30	·82	·02			·02		·03			20
21	·59	·51	·04	·11										21
22	·61	·07	·03		·12					1·13	·40	·12		22
23	·38				·02		·22			·65	·02			23
24	·81	·32			·01				·03	·54				24
25	·09	·38	·32		·03				·11	·03		·03		25
26		·48	·03							·20				26
27		·21		·25					·01	·14				27
28		·09		·02								·02		28
29	·13							·14		·13	·06			29
30	·33	✕				·02		·04		·04	·13			30
31	·22	✕		✕		✕			✕	·23	✕	·02		31
TOTAL	7·50	6·36	4·66	3·04	2·35	1·66	1·00	1·85	2·50	3·17	2·21 ~~4·05~~	4·05	Year's Total 3 40·~~8~~5	✓
* Days with .01 in. or more.	22	21	20	16	14	10	5	6	15	11	10 ~~18~~	18	168	✓
* Days with .04 in. or more.	19	18	16	13	10	7	4	6	10	9	7 ~~14~~	14	~~124~~ 133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Godwin King

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stonelands, West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 450 ft.

Ann. Total Corr. for Arith. EMF. 21.2.39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·02			·26	·12				·08	·05	·08		1
2	·06			·04			·25		·18	·45				2
3					·13					·83	·07			3
4	·02					·02	·16	·15		·18		·21		4
5							·26			·34		·03		5
6	·08						·22		·11		·03	·12		6
7							·26	·37		·31		·06		7
8	·26						·37	·14	·01	·39		·08		8
9	·07									·18		·81		9
10	·12	·09				·10						·13		10
11	·23							·03			·11	·22		11
12	·45									·02		·27		12
13	·36	·05 snow								·17	·51	·11		13
14	·40	·13 "			·50							·02		14
15		·20 "					·18			·45		·41		15
16	·49	·22 "	·03		·02			·07		·08	·03	·28		16
17		·12 "			·17				·03	·25	·04			17
18	·10						·02		·18		·43			18
19								·07	·14		·50	·48 snow		19
20									·12		·48	·24 "		20
21	·08							·02				·12 "		21
22	·02					·04		·08	·10		·35	·17 "		22
23											·02			23
24			·25					·01	·82		·32	·11 "		24
25	·13		·29		·08		·03	·03	·03	·02	·62	·03 " snow rain		25
26	·46	·12	·05	·02					·16	·32		·45		26
27	·16	·05			·17	·27	·48		·88		·38			27
28	·10	·08			·70	·09		·42	·19			·05		28
29	·26				·34				·01		·05	·22		29
30	·12	✕		·22	·14				·16	·04	·32	·52		30
31	·20	✕		✕	·10	✕			✕	·24	✕			31
TOTAL	4·20	1·08	·62	·28	2·61	·64	2·23	1·39	3·12	4·35	4·31	5·22	Year's Total 30·05 ~~29·65~~	✓
* Days with ·01 in. or more.	22	10	4	3	11	6	10	11	15	17	17	24	150	✓
* Days with ·04 in. or more.	19	9	3	2	10	5	8	7	11	15	14	21	124	✓

† Spare column, no entries required.

(*Signed*) Godwin King

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stonelands West [illegible]

in the County of Salop

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04		·07	·20	·28		·01					·06		1
2	·04			·01	·02			·35	·20		·02			2
3	·54			·53				·34	·12		·17	·48		3
4	·22		·38	·18	·07		·02	·74		·64	·15			4
5			·01	·16	·47		·26	·25		·15	·58	·09		5
6	·42		·02				·23	·08			·06			6
7	·12	·07					·06	~~[illegible]~~ ·12			·22	·38		7
8	·10	·11	·12				·02			·41	·20	·57		8
9		·07						·20		·68	·18	·45		9
10	·20					·29		·32	·10	·28	1·01			10
11			·25			·24				1·36	·06			11
12			·03			·07				·09	·01	·03		12
13			·03	·03		·03	·05			1·55	·02	·05		13
14	·64			·04	·13	·06				·41	·59	·04		14
15	·55				·79		·10		·32	·78	·12	·01		15
16	·32		·07	·10	·34	·28	·25		·03		·51			16
17	·28	·15			·22						·12			17
18	·38				·01	·08	·21			·11	·42			18
19	·40						·20			·56		·01		19
20	·26					·76	·83		·09			·02		20
21	·11					·15	·29		·13					21
22	·27	·34	·17	·02		·30	·04				·09			22
23			·03	·11		·01	·08			·08	·88			23
24	·27	·14		·11		·01	·10			·11	·01			24
25	·44	·21	·08	·01			·11				·81			25
26			·03	·08			·01			·12	·32	·03		26
27	·09	·14	·08	·20						·06	·38			27
28		·34								·20		·13		28
29				·24		·11	·01			·04	·13			29
30		✕		·64							·13			30
31		✕		✕		✕	·14	·50	✕	·03	✕			31
TOTAL	6·24	1·57	~~1·17~~ 1·37	2·66	2·33	2·39	3·02	2·90	0·99	7·66	7·19	2·35	Year's Total 40·47	✓
* Days with .01 in. or more.	20	9	14	16	9	13	20	9	7	19	25	14	175	✓
* Days with .04 in. or more.	20	9	7	12	7	10	15	9	5	18	21	9	142	✓

† Spare column, no entries required.

(*Signed*) Godwin King

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 526

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

File No 75132/27

W.D.

Kept at Stonelands, West Hoathly

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" Ground " Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05										.05			1
2		.06		.11						4 4	.43			2
3		.09		.09						.29	1.22	.15		3
4	.03	.17		.03						.27	.04	.10		4
5							.04				.74	.18		5
6	.06	.20					.28			.62	.01			6
7	.04	.24					.27							7
8	.01			.03			.02		.10	.65		.38		8
9										.12	.58			9
10							.26	.10	.02	.18	.06			10
11		.05		.04			.02				1.28	.02		11
12		.07	.27	.07			.22				.06	.01		12
13		.02	.90		.28				.18		1.68			13
14			.48	.08					.17	.08		.50		14
15				.02			1.00			.06	.60	.04		15
16	.06	.43	.24			.08	.03		.24	.45	.68	.04		16
17			.37				.23		.14	.31	.53			17
18	.02	.37	.23	.30			.03	.04	.01		.03	.16		18
19		.12	.05	.01					.51		.21	.08		19
20			.12	.03			.04	.02	.09	.11	.24	.01		20
21	.11				.33	.15	.26		.19	.10	.33			21
22			.05		.38						.03			22
23		.28	.12	.20							.02	.01		23
24							.21					.03		24
25			.62	.25	.01									25
26	.78	.28	.32	.24	.51		.19							26
27	.33	.43		.01	.04									27
28	.41	.05		.09	.21									28
29	.38	.28	.20		.05	.05			.05			.34		29
30	.10	×		.13						.25		.01		30
31	.03	×		×		×			×	.92	×			31
TOTAL	2.41	3.14	3.97	1.73	1.81	.28	3.10	.16	1.70	4.43	8.82	2.06	Year's Total ~~33.51~~	33.61
* Days with .01 in. or more.	14	16	13	17	8	3	15	3	11	~~14~~ 15	20	16	15~~0~~1	
* Days with .04 in. or more.	10	15	13	11	7	3	11	2	9	~~14~~ 15	16	10	12~~1~~2	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Godwin King

[P.T.O.

WORTH PRIORY

526/2

Station No. ~~585/1~~

Section **A** for the entry of
AIR MINISTR
ALL ORGANIZATION

FORM 1090

REGIS

7

Sussex | 8

Kept at WORTH PRIORY,
in the County of SUS
Diameter of Funnel of Gauge
Height of top of Gauge above Gr
" Ground " Se

THE MORNING MEASUR **US DAY**

An observer who does not conform *e following*
year in the space on the right of this parag

Jan. 1, following ✓

526|2

WORTH PRIORY

1937 - 1940

780111

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·81	·02	·01	·07	—	—	·01	—	·01	—	1·27	·67		1
2	·01	·61	—	·45	—	—	—	—	·02	TR	·01	1·16		2
3	·01	·18	·02	—	—	—	—	—	TR	—	TR	·21		3
4	·11	1·26	—	TR	—	—	—	—	—	—	—	·27		4
5	·30	·13	·35	—	—	—	·19	—	—	TR	—	—		5
6	·09	·01	·70	TR	·44	—	—	—	TR	·02	·01	—		6
7	—	·68	·15	·16	—	—	—	—	·03	·05	—	·02		7
8	—	TR	·12	—	·04	·06	—	—	—	—	·13	·10		8
9	—	—	—	·37	·10	·02	·15	—	·37	—	—	·12		9
10	—	—	·65	·33	·04	·46	TR	—	—	—	—	·83		10
11	—	—	·32	—	·10	TR	TR	—	—	—	—	·16		11
12	·53	·19	·10	·04	·22	·25	·02	·53	·18	—	—	·13		12
13	·22	·05	·53	·06	TR	·10	—	·12	·24	—	—	·68		13
14	·03	·03	·17	·03	·06	TR	—	·59	·23	—	—	—		14
15	·24	·10	TR	·29	TR	TR	·39	—	·25	—	—	·01		15
16	TR	·16	·43	·43	—	·03	—	·43	·66	—	—	·01		16
17	·35	TR	·06	·08	—	TR	—	—	·35	—	·11	—		17
18	·53	·06	·02	·02	·23	·20	—	—	·02	—	·15	·04		18
19	·13	·16	·05	·23	·01	·08	·23	—	·05	—	TR	—		19
20	·44	—	·06	·27	·82	·05	—	—	TR	TR	—	·12		20
21	·53	·50	·04	·10	·05	—	·01	—	TR	TR	·11	06 ·05		21
22	·56	·06	TR	—	·11	06 ·06	·02	—	—	·86	·41	·10		22
23	·34	·03	—	—	—	—	·16	—	—	·80	·01	·01		23
24	·63	·30	—	—	·06	—	—	—	·01	·48	—	·01		24
25	·09	·33	·30	—	·05	—	—	—	·08	·21	—	·01		25
26	—	·44	·02	—	—	—	—	—	—	·02	—	TR		26
27	·01	·29	—	·22	—	—	—	—	·03	·17	—	—		27
28	·12	·09	—	·02	—	—	—	—	—	·04	·12	—		28
29	·05	×	—	—	—	TR	—	—	—	·08	·06	·04		29
30	·28	×	—	—	—	TR	—	·12	—	·04	·12	—		30
31	·23	×	—	×	—	×	—	—	×	·25	×	·01	39.03	31
TOTAL	6·64	5·68	4·10	3·17	2·33	1·31	1·18	1·79	2·53	3·02	51 2·~~37~~	7 4·7~~8~~	Year's Total ~~38.92~~	✓ ✓ print
* Days with .01 in. or more.	24	22	19	17	14	10	9	5	15	12	11	23	181	✓ ✓
* Days with .04 in. or more.	20	18	15	14	13	8	5	5	9	10	8	15	140	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(Signed) Rev. R. J. Stonor [P.T.O.

WORTH PRIORY

526/2

Section **A** for the entry of Daily Observations

Station No. ~~585/1~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at WORTH PRIORY, TURNER'S HILL

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 500 ft.

Previously in Sussex | 8

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·81	·02	·01	·07	—	—	·01	—	·01	—	1·27	·67		1
2	·01	·61	—	·45	—	—	—	—	·02	TR	·01	1·16		2
3	·01	·18	·02	—	—	—	—	—	TR	—	TR	·21		3
4	·11	1·26	—	TR	—	—	—	—	—	—	—	·27		4
5	·30	·13	·35	—	—	—	·19	—	—	TR	—	—		5
6	·09	·01	·70	TR	·44	—	—	—	TR	·02	·01	—		6
7	—	·68	·15	·16	—	—	—	—	·03	·05	—	·02		7
8	—	TR	·12	—	·04	·06	—	—	—	—	·13	·10		8
9	—	—	—	·37	·10	·02	·15	—	·37	—	—	·12		9
10	—	—	·65	·33	·04	·46	TR	—	—	—	—	·83		10
11	—	—	·32	—	·10	TR	TR	—	—	—	—	·16		11
12	·53	·19	·10	·04	·22	·25	·02	·53	·18	—	—	·13		12
13	·22	·05	·53	·06	TR	·10	—	·12	·24	—	—	·68		13
14	·03	·03	·17	·03	·06	TR	—	·59	·23	—	—	—		14
15	·24	·10	TR	·29	TR	TR	·39	—	·25	—	—	·01		15
16	TR	·16	·43	·43	—	·03	—	·43	·66	—	—	·01		16
17	·35	TR	·06	·08	—	TR	—	—	·35	—	·11	—		17
18	·53	·06	·02	·02	·23	·20	—	—	·02	—	·15	·04		18
19	·13	·16	·05	·23	·01	·08	·23	—	·05	—	TR	—		19
20	·44	—	·06	·27	·82	·05	—	—	TR	TR	—	·12		20
21	·53	·50	·04	·10	·05	—	·01	—	TR	TR	·11	06 ·05		21
22	·56	·06	TR	—	·11	06 ·06	·02	—	—	·86	·41	·10		22
23	·34	·03	—	—	—	—	·16	—	—	·80	·01	·01		23
24	·63	·30	—	—	·06	—	—	—	·01	·48	—	·01		24
25	·09	·33	·30	—	·05	—	—	—	·08	·21	—	·01		25
26	—	·44	·02	—	—	—	—	—	—	·02	—	TR		26
27	·01	·29	—	·22	—	—	—	—	·03	·17	—	—		27
28	·12	·09	—	·02	—	—	—	—	—	·04	·12	—		28
29	·05	✕	—	—	—	TR	—	—	—	·08	·06	·04		29
30	·28	✕	—	—	—	TR	—	·12	—	·04	·12	—		30
31	·23	✕	—	✕	—	✕	—	—	✕	·25	✕	·01	39.03	31
TOTAL	6·64	5·68	4·10	3·17	2·33	1·31	1·18	1·79	2·53	3·02	51 2·~~37~~	7 4·78	Year's Total ~~38·92~~	✓ ✓
* Days with .01 in. or more.	24	22	19	17	14	10	9	5	15	12	11	23	181	✓ ✓
* Days with .04 in. or more.	20	18	15	14	13	8	5	5	9	10	8	15	140	✓ ✓

print

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Rev R. J. Stonor [P.T.O.

COPY FOR OFFICIAL USE

Station No. ~~585/1~~ 526/2

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WORTH PRIORY, TURNER'S HILL

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 500 ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·04	—	—	·44	·21	TR	—	·17	·05	·07	·08		1
2	·05	—	—	·05	·02	—	·33	—	—	·42	—	·01		2
3	TR	—	—	—	·10	—	TR	—	—	·78	·06	—		3
4	·02	—	—	—	—	—	·17	·08	—	·04	—	·18		4
5	—	—	—	TR	—	—	·28	—	TR	·47	TR	·05		5
6	·06	—	—	—	—	TR	·35	—	·08	—	·01	·02		6
7	·01	TR	—	—	—	·01	·16	·30	TR	·33	—	·05		7
8	·31	—	—	—	—	TR	·34	·36	TR	·34	TR	·14		8
9	·11	TR	—	—	—	—	—	TR	—	·11	—	·83		9
10	·11	·10	—	—	—	·09	TR	·09	—	TR	TR	·15		10
11	·19	—	—	—	—	—	TR	—	—	—	·11	·19		11
12	·42	TR	—	—	·01	—	TR	TR	—	·02	·04	·01		12
13	·36	·08	—	—	—	—	—	—	—	·09	·42	·24		13
14	·36	·15	—	—	·46	—	—	—	·04	—	·01	·05		14
15	·04	·21	—	—	·02	—	·48	—	—	·38	·01	·33		15
16	·57	·02	·02	—	—	—	—	·03	—	·09	·02	·29		16
17	—	·09	TR	—	·15	—	·01	—	·04	·19	·05	—		17
18	·08	·01	—	—	TR	TR	TR	—	·18	TR	·52	—		18
19	—	—	—	—	TR	—	TR	·10	·03	—	·47	·75		19
20	TR	TR	—	—	·01	—	—	—	·11	—	·41	TR		20
21	·05	TR	—	—	—	—	—	·06	·15	—	·02	·10		21
22	·01	—	—	TR	—	·03	—	·03	—	—	·33	·10		22
23	—	—	—	TR	—	TR	—	—	—	—	·02	TR		23
24	TR	·01	·15	—	—	—	—	—	·94	—	·34	·02		24
25	·15	—	·33	·02	·10	—	TR	—	·03	·02	·42	—		25
26	·42	·11	·05	TR	TR	TR	—	—	·26	·29	—	·40		26
27	·16	·04	TR	—	·07	·25	·42	—	1·10	TR	·40	—		27
28	·08	·07	—	TR	·55	·10	—	·40	·16	—	TR	—		28
29	·21	✕	—	TR	·30	—	—	TR	·01	—	·04	·21		29
30	·08	✕	—	·03	·22	—	—	—	·12	·06	·43	—		30
31	·21	✕	—	✕	·12	✕	—	—	✕	·12	✕	·43		31
TOTAL	4·09	·93	·55	·10	2·57	·69	2·54	1·45	3·42	3·80	4·20	4·63	Year's Total 28·97	✓
* Days with .01 in. or more.	24	12	4	3	14	6	9	9	15	17	21	22	156	✓
* Days with .04 in. or more.	20	9	3	1	10	4	8	7	~~11~~ 12	15	15	~~16~~ 18	~~119~~ 122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. J. Stonor (Rev.)

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 526/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Sept. estd from nearby stns. W.G.H.

Totals Agree

Kept at WORTH PRIORY, TURNER'S HILL

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	·07	·19	·26	—	TR	—	✗	—	TR	·04		1
2	·03	—	TR	·02	·02	—	·02	·34	0·50 S ✗	TR	·01	—		2
3	·43	·01	—	·47	—	—	—	·39	G L	—	·25	·45		3
4	·20	TR	·39	·22	—	—	·05	1·04	N A	·37	·11	·02		4
5	—	·01	·01	·11	·05	—	·27	·11	I T	·08	·61	·08		5
6	·39	·02	·02	TR	1·20	—	·24	·03	D O	TR	·23	—		6
7	·06	·03	—	—	—	—	·04	·05	A T	·02	·11	·34		7
8	—	·11	·15	—	—	—	TR	—	E	·44	·20	·35		8
9	·12	·07	—	—	—	—	—	·20	R R	·41	·93	·44		9
10	·20	—	—	—	—	·22	—	·30	✗ O	·08	·05	—		10
11	TR	TR	·24	—	—	·07	—	—	O F	1·21	·01	·01		11
12	·01	—	TR	—	TR	·06	—	—	N	·03	·02	·02		12
13	TR	—	·02	·04	—	·02	·05	—	✓	1·49	·02	·04		13
14	·64	—	TR	·05	·23	·02	·07	—	—	·31	·56	·04		14
15	·47	—	TR	TR	·87	·04	·03	—	✗	·51	·10	TR		15
16	·33	—	·05	·10	·40	·21	·21	—	✗	·06	·49	—		16
17	·29	·13	·01	·01	·04	—	TR	—	—	TR	·08	—		17
18	·39	—	·01	—	·16	·10	·13	—	—	·08	·36	—		18
19	·39	—	—	—	—	—	·11	—	—	·45	—	·03		19
20	·21	—	TR	—	—	·50	·65	—	✗	TR	TR	—		20
21	·16	·03	·13	—	—	·16	·23	—	✗ ·55	TR	—	—		21
22	·27	·33	·01	·02	—	·33	·03	—	—	—	·08	—		22
23	·01	—	·01	·07	—	TR	·06	TR	—	·08	·85	—		23
24	·15	·48	TR	·12	—	·01	·04	—	—	·11	TR	TR		24
25	·97	·22	·04	·04	—	—	·05	·05	—	—	·69	TR		25
26	·08	TR	TR	—	—	·02	TR	—	—	·11	·34	TR		26
27	TR	·08	·09	·12	—	—	—	—	—	·05	·27	—		27
28	·01	·36	·04	TR	—	·10	—	—	—	·10	TR	·13		28
29	—	X	—	·18	—	—	·01	—	—	·05	·25	—		29
30	—	X	—	·65	—	TR	—	·01	—	TR	·01	TR		30
31	—	X	—	X	—	X	·12	·40	X	·02	X	TR		31
TOTAL	5·88	1·88	1·29	2·41	3·23	1·86	2·41	2·92 ~~2·47~~	1·05	6·06	6·63	1·99	Year's Total 37·16	✓
* Days with .01 in. or more.	23	13	16	16	9	14	19	11	8	21	24	13	187	✓
* Days with .04 in. or more.	19	8	9	13	8	10	15	7	7	18	19	9	142	✓

† Spare column, no entries required.

(Signed) L. Baukes

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 526/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at WORTH PRIORY, CRAWLEY,

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft.....in.

,, Ground ,, Sea Level 500 ft.

Oct. 11th-31st ests from nearby stns.

f 376975/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	—	—	—	—	—	—	—				1
2	—	·05	—	·12	TR	—	—	—	—	·12				2
3	—	·34	—	·08	—	—	·07	—	—	·12				3
4	—	·14	—	·02	—	—	·01	—	—	·22				4
5	TR	·01	—	—	—	—	·02	—	—	·02				5
6	·25	·15	—	—	TR	—	·26	—	—	·57				6
7	·22	·23	TR	—	—	—	·10	TR	TR	·02				7
8	TR	TR	TR	·01	—	—	TR	TR	TR	·54				8
9	—	—	—	—	—	—	—	TR	·01	·24				9
10	—	—	—	—	—	—	·22	·09	—	·02				10
11	—	·01	—	·05	—	—	TR	—	—					11
12	—	·02	·23	·03	—	TR	·20	—	·22					12
13	—	TR	·83	—	—	·03	·01	—	·07					13
14	—	—	·50	·08	TR	—	TR	TR	—	✓				14
15	—	—	·01	TR	·32	—	1·01	—	·02	✓				15
16	·03	·26	·23	TR	—	·06	·20	—	·22	✓				16
17	—	—	·34	—	—	—	·02	—	TR	✓				17
18	TR	·24	·23	·31	—	—	TR	·03	·06	✓				18
19	—	·08	·04	·01	—	—	·10	TR	·47					19
20	—	·01	·20	·02	—	—	—	·01	·05	✓ (2·30)				20
21	·06	·01	·01	—	·44	—	·26	—	TR	✓				21
22	—	TR	·02	—	·22	·02	—	—	·13	✓				22
23	—	·10	·10	·28	TR	—	—	—	—					23
24	—	TR	·02	·15	—	—	}·21	—	—					24
25	—	TR	·60	—	—	TR		—	—	✓				25
26	·74	·25	·40	·12	·32	TR	·01	—	—					26
27	·38	·48	—	TR	·17	—	TR	TR	—					27
28	·34	—	—	·11	TR	—	—	—	—					28
29	·17	·20	·17	·01	·07	—	—	—	—					29
30	·08	✕	TR	·09	—	—	—	—	—	✓				30
31	·04	✕	—	✕	—	✕	—	—	✕	✓	✕			31
TOTAL	2·31	2·59	3·93	1·49	1·54	·11	2·70	·13	1·25	(4·17)			Year's Total . .	r P
* Days with .01 in. or more.	10	18	16	16	6	3	16	3	9	20			. .	imp.
* Days with .04 in. or more.	9	12	12	10	6	1	11	1	7	15			. .	WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

[P.T.O.

526/5

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1000.

REGIS

3/ .. . Sussex/5

526|5

BEACHY HEAD

1931

780111

1929 + 1930

Kept at Beachy H

in the County of Sus

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA … **DAY.**

An observer who does not conform … *the following year in the space on the right of*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·27		·66				·64				3
4													4
5						·95							5
6										·32			6
7													7
8												·30	8
9		·25											9
10											1·04		10
11													11
12													12
13													13
14								·28					14
15													15
16													16
17							·64						17
18													18
19													19
20													20
21													21
22													22
23	·50												23
24				·46									24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·49	1·92	0·54	3·15	1·95	1·89	2·25	3·47	1·65	0·62	3·83	0·95	YEAR'S TOTAL 24·71
*Days with ·01 in. or more.	19	22	7	18	11	11	14	16	10	6	13	6	153
*Days with ·04 in. or more.	15	16	4	14	10	7	10	13	6	4	11	5	115
40-9999	63·2	48·7	13·8	79·9	49·5	47·9	57·1	88·2	41·9	15·7	97·3	24·2	627·4

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.** FOR OFFICIAL USE. 526/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1931

Sussex/5

Kept at Beachy Head (1st Gauge)

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" Ground " Sea Level .... ft.

low up 1928, 1929 & 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·27		·66				·64				3
4													4
5						·95							5
6										·32			6
7													7
8												·30	8
9		·25											9
10											1·04		10
11													11
12													12
13													13
14								·28					14
15													15
16													16
17							·64						17
18													18
19													19
20													20
21													21
22													22
23	·50												23
24				·46									24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·49	1·92	0·54	3·15	1·95	1·89	2·25	3·47	1·65	0·62	3·83	0·95	YEAR'S TOTAL 24·41
*Days with ·01 in. or more.	19	22	7	18	11	11	14	16	10	6	13	6	153
*Days with ·04 in. or more.	15	16	4	14	10	7	10	13	6	4	11	5	15
40-9999	63·2	48·7	13·8	79·9	49·5	47·9	57·1	88·2	47·9	15·7	97·3	24·2	627·4

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

526/6

BEACHY HEAD

1931-1940

78011

Section A for the entry

AIR MINIST

FORM 1 .

REGIS

31 .

FOR OFFICIAL USE.

FALL ORGANIZATION.

526/6

Sussex/5

16/10/30

20A

File 1166/30

Kept at Beachy H

in the County of Sus

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS **DAY.**

An observer who does not conform *the following*
year in the space on the right of

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·25		·65				·77				3
4													4
5						·84							5
6										·36			6
7													7
8												·48	8
9													9
10											1·20		10
11		·37											11
12													12
13													13
14								·49					14
15													15
16													16
17							·84						17
18													18
19													19
20													20
21													21
22													22
23	·80												23
24				·57									24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	3.22	2·31	0·55	3·41	2·04	1·94	2.80	3·71	1·96	0·69	4·90	1.22	YEAR'S TOTAL 28·75
*Days with ·01 in. or more.	19	22	7	18	13	11	15	17	10	6	13	8	159
*Days with ·04 in. or more.	16	18	4	16	10	8	11	14	6	4	12	5	124
40-9999	81·9	55·8	13·9	86·6	51·7	49·3	71·0	94·1	49·9	17·4	124·5	30·9	727·0

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.** A

FOR OFFICIAL USE. 526/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1609.

REGISTER OF RAINFALL IN 1931.

Sussex/5

Kept at Beachy Head
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ft.

2nd Gauge installed 16/10/30
in position A see file 20A
File 1166/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·25		·65				·77				3
4													4
5						·84							5
6										·36			6
7													7
8												·48	8
9													9
10											1·20		10
11		·37											11
12													12
13													13
14								·49					14
15													15
16													16
17							·84						17
18													18
19													19
20													20
21													21
22													22
23	·80												23
24				·57									24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	3.22	2·31	0·55	3·41	2·04	1·94	2.80	3·71	1·96	0·69	4·90	1.22	YEAR'S TOTAL 28·75
*Days with ·01 in. or more.	19	22	7	18	13	11	15	17	10	6	13	8	159
*Days with ·04 in. or more.	16	18	4	16	10	8	11	14	6	4	12	5	124
40-9999	81·9	55·8	13·9	86·6	51·7	49·3	71·0	94·1	49·9	17·4	124·5	30·9	727·0

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

526/6

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Beachy Head

in the County of Sussex

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·58								1
2												·12	2
3						·72							3
4													4
5													5
6	·60												6
7													7
8													8
9													9
10				·60									10
11													11
12		·20											12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										1·44			20
21													21
22											0·54		22
23									·71				23
24													24
25							2·01						25
26													26
27													27
28													28
29			·57					·54					29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·65	0.46	1.59	2·82	2·80	1.53	4.17	0·98	3.25	8.42	1·24	0.30	YEAR'S TOTAL 30·21
*Days with ·01 in. or more.	15	5	9	18	18	7	13	10	21	19	9	6	153/150
*Days with ·04 in. or more.	12	2	8	16	15	5	9	4	15	17	7	3	113/113
40-9999	67.2	11·7	40·3	71·7	71·0	38·9	105·9	24·9	82·5	213·7	31·6	7·7	

(Signed)..........

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.**

526/6

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

195/5

Kept at Beachy Head

in the County of Sussex

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level 502 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·76											1
2													2
3													3
4													4
5													5
6					·37								6
7													7
8	·59						·53						8
9													9
10													10
11													11
12									1·09				12
13													13
14													14
15										1·72			15
16			0.54								·26		16
17													17
18						1·26							18
19													19
20													20
21													21
22								·43					22
23													23
24													24
25				0·57									25
26													26
27													27
28												·65	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·65	2·12	1·91 ✓	1·21 ✓	1·44 ✓	2·82 ✓	1·59 ✓	1·06 ✓	4·52 ✓	3·57 ✓	1·19 ✓	1·17 ✓	YEAR'S TOTAL 25·25 ✓
*Days with ·01 in. or more.	17	14	12	8	14	14	12	8	13	15	11	6	144 ✓
*Days with ·04 in. or more.	11	10	10	4	10	11	7	6	12.	10.	7	6	104 ✓
			48·5	30·8		71·7	40·4						

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*).. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Beachy Head

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 502 ft.

Mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2										·96		·87		2
3														3
4														4
5														5
6			·55											6
7														7
8					·15						1·81			8
9		·02												9
10														10
11	·88							1·00						11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20		·02												20
21														21
22									·41					22
23				·48										23
24							·50							24
25														25
26														26
27						·50								27
28		·02												28
29		X												29
30		X												30
31		X		X		X			X		X			31
TOTAL	3·29	0·08	3·03	2·21	0·63	1·80	1·09	3·98	1·41	2·91	3·89	8·76	Year's Total 3308	
*Days with ·01 in. or more.	14	5	15	18	8	12	6	14	9	17	15	24	157	
*Days with ·04 in. or more.	13	0	12	14	4	10	6	13	7	11	7	22	119	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

1935

Kept at Beechy Head

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 502 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.24													1
2														2
3			.12											3
4														4
5														5
6										·74				6
7											·73			7
8														8
9														9
10														10
11														11
12							·10							12
13														13
14														14
15				·53					·86					15
16														16
17						·43								17
18														18
19														19
20														20
21														21
22														22
23														23
24					·32									24
25		·97												25
26														26
27														27
28														28
29														29
30		×						1·63						30
31		×		×		×			×		×	·50		31
TOTAL	0.99	4.43	0.53	3.46	1.05	2.26	0.26	4.52	6.29	5.25	6.51	3.85	Year's Total 39.~~53~~ 40	
*Days with ·01 in. or more.	11	17	9	17	8	15	4	13	19	20	22	19	17~~0~~	4
*Days with .04 in. or more.	9	15	6	16	7	12	2	10	15	17	19	17	14~~2~~	5

40-9999

*See Instruction 3 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]90.

REGISTER OF RAINFALL IN 1936.

195/5

Kept at Beachy Head

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 502 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3											·96			3
4														4
5														5
6														6
7	·59													7
8														8
9														9
10								·24						10
11														11
12														12
13														13
14							·95							14
15														15
16					·11									16
17		·52										·50		17
18														18
19						·64								19
20									·64					20
21				·47										21
22														22
23														23
24														24
25														25
26										·30				26
27														27
28														28
29			·29											29
30		×												30
31		×		×		×			×		×			31
													Year's Total.	
TOTAL	4·82 ✓	2·26 ✓	1·28 ✓	1·78 ✓	0·26 ✓	3·44 ✓	3·36 ✓	0·78 ✓	2·27	1·35	5·53	2·47	29·60	✓
* Days with .01 in. or more.	24	18	16	14	6	20	21	9	14	14	16	17	189	✓
* Days with .04 in. or more.	20	14	11	8	4	16	16	6	12	8	16	13	144	✓
40-9999	122·5	57·3	32·4	45·3	6·5	87·3	85·3	19·9	57·7	34·2	140·5	62·8	751·7	

† Spare column, no entries required.

* See Instruction 2 (f) on other side. (Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 195/5

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Beachy Head (C. Guard Str)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 502 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	·89										·56			1
2				·57										2
3														3
4		1·32												4
5														5
6														6
7														7
8														8
9														9
10						·40								10
11			·61											11
12														12
13												·80		13
14														14
15							·50							15
16								1·09						16
17														17
18									·70					18
19														19
20					·70									20
21														21
22										·86				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	5·48	5·42	3·77	3·09	2·95	1·51	1·78	1·78	2·33	3·14	1·55	4·50	37·30	✓
* Days with 0.2 mm. or more.	24	23	17	15	16	14	12	6	9	14	9	17	176	✓
* Days with 1.0 mm. or more.	21	20	13	13	11	8	8	4	7	10	8	13	136	✓
	139·3	137·7	95·7	78·5	75·0	38·3	45·3	45·1	59·2	79·7	39·4	114·1	947·3	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999 (Signed) .... [P.T.O.

195/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM R1 1.

REGISTER OF RAINFALL IN 1938.

Kept at Beachy Head (C. Guard Stn.)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 502 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						·55	·32							1
2										·65				2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11	·59													11
12														12
13														13
14					·94									14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25			·43	·12							1·19			25
26												·51		26
27		·19												27
28								·69						28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	124·0	19·9	23·6	6·3	67·9	24·3	45·8	33·7	66·1	126·6	134·3	85·2	757·7	
* Days with 0.2 mm. or more.	24	10	8	6	13	8	14	9	16	18	22	20	168	
* Days with 1.0 mm. or more.	20	6	4	2	8	4	10	6	11	17	19	16	123	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 4·88 ·78 ·93 ·25 2·67 ·96 1·80 (Signed) 1·33 2·60 4·99 5·29 3·35 29·83

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 526/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Beachy Head (Coast Guard Stn.)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 502 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4			·46											4
5														5
6														6
7														7
8												·48		8
9														9
10								·41	·64					10
11														11
12														12
13										1·52				13
14														14
15														15
16														16
17														17
18					·31						1·06			18
19														19
20														20
21														21
22						·56								22
23														23
24							·58							24
25	·85	·61												25
26														26
27														27
28														28
29														29
30		✕		·61										30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	133·2	43·9	36·4	51·5	23·1	40·1	53·3	46·6	27·8	144·3	186·1	45·2	861·5	
* Days with 0.2 mm. or more.	23	13	16	15	6	10	17	9	7	23	22	13	174	
* Days with 1.0 mm. or more.	21	9	10	9	4	6	13	9	4	18	20	8	131	
	5·24	1·73	1·43	2·03	·91	1·58	2·10	1·83	1·09	6·86	7·33	1·78	33·91	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. (Signed) .... P.T.O.

195/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 526/6 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1091.

REGISTER OF RAINFALL IN 1940

Kept at Beachy Head (C.G. Station)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 502 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3											1·87			3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13						·20								13
14												·74		14
15					·47		·85							15
16										·87				16
17			·47											17
18		·37												18
19									1·04					19
20								·19						20
21														21
22														22
23														23
24				·43										24
25														25
26	·67													26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	61·3	53·7	73·4	36·4	43·5	13·8	82·5	4·9	66·1	103·3	209·7	91·8	840·4 ✓	
* Days with 0.2 mm. or more.	10	16	12	13	8	7	16	1	9	15	19	12	138 ✓	
* Days with 1.0 mm. or more.	8	12	11	10	6	4	14	1	7	13	16	11	113 ✓	

(141w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

2·41 2·11 2·89 1·43 1·71 ·54 3·25 (Signed) ·19 2·60 4·07 8·26 3·61 33·07

[P.T.O.

527

Section **A** for the entry of Da

AIR MINISTRY.-

FORM 1090.

REGIST

527

EASTBOURNE

1931 - 1933

780111

OPY FOR OFFICIAL USE.

ORGANIZATION.

Kept at West Lodge, E

in the County of Sus

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to this … *lowing year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·05	-	·17	-	-	-	·05	·09	·01	-	-	1
2	·11	·09	-	·30	·05	-	·01	·19	·23	·01	-	-	2
3	·22	·02	·25	·08	·60	-	-	-	·78	-	-	·20	3
4	-	·05	·02	-	-	-	·03	-	·06	·12	·05	-	4
5	-	·02	-	·21	-	·74	·25	·26	·02	-	-	·20	5
6	-	·05	-	·15	-	·06	-	·52	·11	·37	·74	·14	6
7	·01	·04	-	·01	·05	·21	-	·14	-	·03	·21	-	7
8	-	·13	-	-	-	·32	-	·03	-	-	·04	·34	8
9	-	·15	·03	-	-	-	·02	-	-	-	·83	-	9
10	-	·08	·02	-	-	·02	·12	·49	-	-	·82	-	10
11	·20	·28	-	-	-	-	·01	-	·01	-	·75	-	11
12	·13	-	-	-	-	-	-	-	·30	-	-	-	12
13	·14	-	-	-	·06	-	·03	·67	-	-	-	-	13
14	·01	·14	-	-	-	·12	·45	·13	-	-	-	-	14
15	-	·15	-	·03	·06	-	·10	·03	-	-	-	·06	15
16	-	·06	-	·15	·32	·02	-	·01	-	-	-	-	16
17	-	·04	-	·36	-	-	·80	-	-	·01	-	-	17
18	·02	·05	·05	·27	-	·01	·11	·48	·22	·02	·34	-	18
19	·18	-	-	·35	-	·02	·15	·54	·12	-	-	-	19
20	-	·15	-	·05	·05	-	-	·35	-	-	·01	-	20
21	·01	·02	-	-	·46	-	-	·02	-	-	·02	-	21
22	·20	-	·06	-	-	-	-	-	-	-	-	-	22
23	·53	·07	·21	-	·05	·15	-	-	·02	-	·26	-	23
24	·01	·01	-	·80	·01	·03	·06	·36	-	-	-	-	24
25	·19	·04	-	·15	-	-	·02	-	-	-	·05	-	25
26	-	·06	-	·10	·02	-	·35	-	-	-	·36	-	26
27	·20	·37	-	·20	·10	-	·02	-	-	-	·27	-	27
28	·15	·15	-	·04	-	-	-	-	-	·01	·02	-	28
29	·20		-	·01	·16	-	·08	-	-	·14	-	-	29
30	·02	×	-	-	-	-	-	·14	-	-	-	-	30
31	·28	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	2·85	2·27	·64	3·43	1·99	1·70	2·61	4·41	1·96	·72	~~4·67~~ 4·77	·94	YEAR'S TOTAL 28·19
*Days with ·01 in. or more.	20 ~~6~~	24 ~~4~~	7 ~~3~~	18 ~~3~~	13 ~~2~~	11 ~~5~~	17 ~~1~~	17 ~~4~~	11 ~~3~~	9 ~~6~~	15 ~~3~~	5	167 ~~46~~
*Days with ·04 in. or more.	14	20	4	15	11	6	10	13	8	3	12	5	121

40-9999

(Signed) E. K. Beaufort [P.T.O.

*See Instruction 2 (*f*) on other side.

527

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at West Lodge, Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·05	-	·17	-	-	-	·05	·09	·01	-	-	1
2	·11	·09	-	·30	·05	-	·01	·19	·23	·01	-	-	2
3	·22	·02	·25	·08	·60	-	-	-	·78	-	-	·20	3
4	-	·05	·02	-	-	-	·03	-	·06	·12	·05	-	4
5	-	·02	-	·21	-	·74	·25	·26	·02	-	-	·20	5
6	-	·05	-	·15	-	·06	-	·52	·11	·37	·74	·14	6
7	·01	·04	-	·01	·05	·21	-	·14	-	·03	·21	-	7
8	-	·13	-	-	-	·32	-	·03	-	-	·04	·34	8
9	-	·15	·03	-	-	-	·02	-	-	-	·83	-	9
10	-	·08	·02	-	-	·02	·12	·49	-	-	·82	-	10
11	·20	·28	-	-	-	-	·01	-	·01	-	·75	-	11
12	·13	-	-	-	-	-	-	-	·30	-	-	-	12
13	·14	-	-	-	·06	-	·03	·67	-	-	-	-	13
14	·01	·14	-	-	-	·12	·45	·13	-	-	-	-	14
15	-	·15	-	·03	·06	-	·10	·03	-	-	-	·06	15
16	-	·06	-	·15	·32	·02	-	·01	-	-	-	-	16
17	-	·04	-	·36	-	-	·80	-	-	·01	-	-	17
18	·02	·05	·05	·27	-	·01	·11	·48	·22	·02	·34	-	18
19	·18	-	-	·35	-	·02	·15	·54	·12	-	-	-	19
20	-	·15	-	·05	·05	-	-	·35	-	-	·01	-	20
21	·01	·02	-	-	·46	-	-	·02	-	-	·02	-	21
22	·20	-	·06	-	-	-	-	-	-	-	-	-	22
23	·53	·07	·21	-	·05	·15	-	-	·02	-	·26	-	23
24	·01	·01	-	·80	·01	·03	·06	·36	-	-	-	-	24
25	·19	·04	-	·15	-	-	·02	-	-	-	·05	-	25
26	-	·06	-	·10	·02	-	·35	-	-	-	·36	-	26
27	·20	·37	-	·20	·10	-	·02	-	-	-	·27	-	27
28	·15	·15	-	·04	-	-	-	-	-	·01	·02	-	28
29	·20		-	·01	·16	-	·08	-	-	·14	-	-	29
30	·02	×	-	-	-	-	-	·14	-	-	-	-	30
31	·28	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	2·85	2·27	·64	3·43	1·99	1·70	2·61	4·41	1·96	·72	4·77 ~~4·67~~	·94	YEAR'S TOTAL 28·19
*Days with ·01 in. or more.	20 ~~6~~	24 ~~4~~	7 ~~3~~	18 ~~3~~	13 ~~2~~	11 ~~5~~	17 ~~1~~	17 ~~4~~	11 ~~3~~	9 ~~6~~	15 ~~3~~	5	167 ~~46~~
*Days with ·04 in. or more.	14	20	4	15	11	6	10	13	8	3	12	5	121

40-9999

(Signed) E. K. Beauford

P.T.O.

*See Instruction 2 (*f*) on other side.

527

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1932. Station number 527

Kept at West Lodge Meads Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 120 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	–	–	·08	·38	–	–	–	–	·67	·03	–	1
2	·01	–	–	·42	·01	–	–	·01	–	·01	·01	·10	2
3	–	–	–	·11	·05	·86	–	–	·26	–	–	–	3
4	·01	–	–	–	–	·05	–	–	–	–	–	–	4
5	·25	–	–	–	·01	·04	·10	–	·13	–	–	–	5
6	·39	–	·01	·09	–	–	–	–	·01	–	–	–	6
7	·15	–	·02	–	–	–	–	–	–	·01	–	·01	7
8	·03	–	·31	·03	·35	–	–	–	·08	1·04	–	–	8
9	·02	·01 snow	–	·15	·33	–	–	–	–	·02	–	–	9
10	·38	–	–	·45	·19	–	–	–	·04	·17	–	–	10
11	·32	·05 snow	–	·26	·01	·15	–	–	·01	·03	–	·03	11
12	·18	·06 snow	–	–	–	–	–	·02	·10	·17	–	–	12
13	·15	–	–	·14	·07	–	·04	–	·01	·98	–	·01	13
14	·03	·01	–	·06	·18	–	–	·01	–	·11	–	–	14
15	·03	–	–	·07	·16	–	–	–	–	·14	–	·01	15
16	–	–	–	·15	–	–	–	–	–	–	–	–	16
17	–	–	–	·05	–	–	–	–	–	–	–	–	17
18	·03	–	–	–	–	–	–	–	·05	–	·20	–	18
19	·01	–	–	·04	·03	–	–	–	·06	·16	·11	–	19
20	–	–	–	·06	·13	–	·21	·03	–	1·37	·28	–	20
21	–	–	·02	–	·28	–	–	–	–	·19	–	–	21
22	·14	–	·25	–	·08	–	·08	·11	·56	·02	·49	–	22
23	–	·05	·11	·01	–	–	–	–	·56	·75	–	·05	23
24	–	·01	–	–	–	–	1·45	–	·07	·03	–	–	24
25	–	–	–	–	–	–	1·60	–	·30	·60	·04	–	25
26	–	–	–	·12	–	–	·10	·20	–	–	·03	–	26
27	–	–	·12	·14	·03	–	–	–	·22	·73	·01	–	27
28	–	–	–	·01	·01	–	·21	–	–	·08	–	–	28
29	–	–	·45	·02	·05	–	–	·45	·27	·44	–	·04	29
30	–	✕	·01	–	–	·46	–	–	·01	–	·12	·03	30
31	–	✕	·09	✕	–	✕	·10	–	✕	–	✕	·03	31
TOTAL	2·23	·19	1·39	2·46	2·35	1·56	3·89	·83	2·74	7·72	1·32	·31	YEAR'S TOTAL 26·99
Days with ·01 in. or more.	17 ~~8~~	6 ~~3~~	10 ~~4~~	20 ~~4~~	18 ~~6~~	5 –	9 –	7 ~~4~~	17 ~~4~~	21 ~~6~~	10 ~~4~~	9 ~~6~~	149 ~~49~~
Days with ·04 in. or more.	9	3	6	16	12	3	9	3	13	15	6	3	190

(Signed) E. K. Beaufort

[P.T.O.

527

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at West Lodge, Meads, Eastbourne
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 120 ft.

Days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·57	·14	-	-	-	-	-	-	-	-	-	1
2	·18	-	·53	-	·06	-	-	-	-	-	-	-	2
3	·01	·16	·07	-	-	-	-	-	-	-	-	-	3
4	·07	·04	·01	-	·10	-	-	-	-	-	-	-	4
5	·34	-	·09	-	·14	-	-	-	-	-	-	-	5
6	-	·11	·07	-	·47	-	-	-	-	-	·06	-	6
7	·42	·05	-	-	·05	-	-	-	-	·39	-	·03	7
8	·23	·06	-	-	·02	-	·42	-	-	·05	-	-	8
9	-	·01	-	-	·04	-	·07	-	-	-	·21	-	9
10	-	·10	-	-	-	·01	·15	·07	-	·13	-	-	10
11	·21	-	-	-	·02	·10	·03	·09	·21	-	-	-	11
12	-	-	-	·14	-	·16	-	-	1·30	-	-	-	12
13	·03	-	-	-	·10	·03	·17	·06	·23	·34	·14	-	13
14	-	-	-	-	-	-	·02	-	-	1·08	·25	-	14
15	·31	-	·02	-	-	-	·12	·21	-	·32	·26	·02	15
16	·03	-	·45	-	-	·20	·14	-	-	·01	·15	-	16
17	·04	-	·10	-	-	·04	-	·03	·27	-	-	-	17
18	·15	-	·06	-	-	1·56	-	-	-	-	-	-	18
19	·01	·04	·10	-	-	·17	-	-	·06	-	-	-	19
20	-	·04	·06	·03	-	·18	-	·10	·24	-	-	-	20
21	-	·08	-	-	-	-	-	·12	·20	-	-	-	21
22	-	-	-	-	-	-	-	·48	·14	·19	-	-	22
23	-	-	-	·13	-	·07	-	-	·84	·03	-	-	23
24	-	·12	-	·38	·06	-	-	-	·79	-	·01	-	24
25	-	·03	-	·41	-	-	-	-	·06	-	·11	·18	25
26	-	·38	-	·04	-	·09	-	-	·01	·02	·02	·09	26
27	-	·01	-	-	·17	·04	-	-	-	·20	-	·17	27
28	-	-	-	·01	·03	-	·17	-	-	·20	-	·66	28
29	·08		-	-	-	-	·05	-	-	·03	-	-	29
30	·06	×	·01	-	-	-	·03	-	·25	-	-	·09	30
31	·08	×	-	×	-	×	-	·01	×	·01	×	-	31
TOTAL	2·26	1·80	1·71	1·14	1·26	2·65	1·37	1·17	4·59	3·00	1·21	1·24	YEAR'S TOTAL 23·40
*Days with ·01 in. or more.	17 ~~5~~	15 ~~3~~	13 ~~3~~	7 ~~2~~	12 ~~8~~	12 ~~2~~	11 ~~3~~	9 ~~1~~	13 ~~1~~	14 ~~5~~	9 ~~8~~	7 ~~2~~	139 ~~33~~
*Days with ·04 in. or more.	12	12	10	5	9	10	8	7	12	9	7	5	106

40-9999

(Signed) E. K. Beaufort [P.T.O.

*See Instruction 2 (*f*) on other side.

528

Section **A** for the entry

AIR MINIST

FORM 90.

REGIS

Kept at Eastbourne

in the County of Suss

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

528

—

WILMINGTON SQ

1931—40

780111

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

1931.

-00

THE MORNING MEAS US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	07	12		47				12	25	02		01	1
2	29	18		73	18				56	02			2
3	55	08	64	22	148			29	174			52	3
4		18	04				05	02	19	32	14		4
5		02		53		161	58	178	04			53	5
6		13		37		22		114	33	80	153	60	6
7	01	11		01	14	42		35		11	51	01	7
8		36				76		05			10	83	8
9		49	13				04				20~~5~~4		9
10		21	06			06	32	136			205		10
11	55	71					01		02		191		11
12	35						03		71				12
13	24				18		05	188					13
14	03	27	01			27	108	39			01		14
15		36		09	17		12	10				13	15
16		07		44	65	05		01	01				16
17		15		78			184	01	41	03			17
18	03	20	13	87		03	31	114		05	89		18
19	40			80		05	36	144	21		01		19
20	04	40		12	14		17	81		02	01		20
21		05			125			01			05		21
22	48		13		01								22
23	148	18	52		19	43			02		73		23
24				218	02	05	18	86				01	24
25	44	06		42			0~~4~~3				16		25
26		16		25	04		89				94		26
27	54	81		32	31		07				77		27
28	36	31		08						02	05		28
29	44	X		03	47		24	01		35			29
30	04	✕			03			20					30
31	68	✕		✕		✕			✕		✕		31
TOTAL	2.76	2.21	0.65	3.43	2.07	1.56	2.51	4.71	1.77	0.69	4.69	1.04	YEAR'S TOTAL 28.09
*Days with ·01 in. or more.	18	23	7	17	14	11	17	16	11	10	14	5	163
*Days with ·04 in. or more.	13	18	5	14	11	6	11	14	8	4	12	5	121
40-9999	70.0	56.1	16.6	87.1	52.6	39.5	63.7	119.7	44.9	17.4	119.0	26.4	713.0

(Signed)

*See Instruction 2 (*f*) on other side.

[P.T.O.

528

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINIST OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]90.

REGISTER OF RAINFALL IN 1931.

199

Kept at Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground.......ft........in.

,, Ground ,, Sea Level 35 ft.

400 mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	07	12		47				12	25	02		01	1
2	29	18		73	18				56	02			2
3	55	08	64	22	148			29	174			5~~6~~2	3
4		18	04				05	02	19	32	14		4
5		02		53		161	58	178	04			53	5
6		13		37		22		114	33	80	153	60	6
7	01	11		01	14	42		35		11	51	01	7
8		36				76		05			10	83	8
9		49	13				04				20~~5~~4		9
10		21	06			06	32	136			205		10
11	55	71					01		02		191		11
12	35						03		71				12
13	24				18		05	188					13
14	03	27	01			27	108	39			01		14
15		36		09	17		12	10				13	15
16		07		44	65	05		01	01				16
17		15		78			184	01	41	03			17
18	03	20	13	87		03	31	114		05	89		18
19	40			80		05	36	144	21		01		19
20	04	40		12	14		17	81		02	01		20
21		05			125			01			05		21
22	48		13		01								22
23	146	18	52		19	43			02		73		23
24				218	02	05	18	86				01	24
25	44	06		42			0~~4~~3				16		25
26		16		25	04		89				94		26
27	54	81		32	31		07				77		27
28	36	31		08						02	05		28
29	44	X		03	47		24	01		35			29
30	04	X			03			20					30
31	68	X		X		X			X		X		31
TOTAL	2·76	2.21	0.65	3.43	2.07	1·56	2·51	4·71	1·77	0.69	4·69	1·04	YEAR'S TOTAL 28·09
*Days with ·01 in. or more.	18	23	7	17	14	11	17	16	11	10	14	5	163
*Days with ·04 in. or more.	13	18	5	14	11	6	11	14	8	4	12	5	121
40-9999	70.0	56.1	16.6	87.1	52.6	39.5	63.7	119.7	44.9	17.4	119.0	26.4	713.0

(Signed).............................

*See Instruction 2 (*f*) on other side.

[P.T.O.

528

Section **A** **for the entry of Daily Observations.**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM ●.

REGISTER OF RAINFALL IN 1932.

199

150

400

MM

Kept at Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

MMS

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	32			27	85					144	12		1
2	04			110	01			01		04	03	33	2
3				30	15	252			61				3
4	01	01		01		14				[illegible]	01		4
5	69		05		04	10	24		35				5
6	109		02	26	02				04			01	6
7	40		05		01					03		04	7
8	02	01	82	04	72				23	30·2			8
9	10	04	02	43	105					04			9
10	105			124	48	11			09	46		04	10
11	88	14		64	02	22		01	05	07		07	11
12	51	16						03	28	45			12
13	38			42	18		14		02	259		03	13
14	06	02		30	43			03	01	09		01	14
15	11			17	37					30		06	15
16	01			39								02	16
17		01		15					02	12			17
18	10				01				13		51		18
19	02			13	09				17	35	30		19
20				13	32		50	08		347	64		20
21			04		64					54		01	21
22	31		63		22		16	29	137	05	129		22
23		10	48	04					139	199	01	13	23
24		03					392		109	09			24
25							422		72	154	12		25
26			01	32			22	57	[illegible]	01	12		26
27			27	37	05		01		56	183	05	01	27
28				082	02		52		[illegible]	21		01	28
29			116	03	12			116	68	115		08	29
30		×	03			121			06	01	33	08	30
31		×	18	×		×	22		×		×	07	31
TOTAL	2.40	0.20	1.48	3.66	2.28	1.69	4.00	0.86	2.74	7.84	1.39	0.39	YEAR'S TOTAL 27.93
*Days with ·01 in. or more.	16	6	12	20	18	6	9	6	18	22	10	11	154
*Days with ·04 in. or more.	12	3	6	16	12	6	9	3	12	15	8	2	104
40-9999	61.0	52	37.6	67.6	58.0	43.0	101.5	21.8	69.7	1989	35.3	10.0	709.6

(Signed)..........

P.T.O.

*See Instruction 2 (*f*) on other side.

528

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

mm

150.

400.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	03	152	54										1
2	52		139		17								2
3	01	41	21										3
4	14	11	03		28								4
5	94	01	27		3~~4~~5								5
6		31	17		114					02	16		6
7	119	15			13					83		09	7
8	36	17			04		103			14			8
9	01	02			17		20				49		9
10	01	26				03	38	16		34	01		10
11	52				07	21	08	21	72				11
12				30	02	43			350				12
13	11				14	06	47	15	59	85	37		13
14					01		04			242	62		14
15	88		07				44	51		87	71	07	15
16	08		121			56	50			04	39		16
17	14		43			11		08	66				17
18	39		25			296							18
19	04	13	21			59			17				19
20		04	19	09		44		17	47		01		20
21		22						28	54				21
22								138	34	45			22
23				32		16			200	02			23
24		40		82	06				165		03		24
25		08		101					28	03	31	46	25
26		102		09		14				05	05	19	26
27		02			47	22			01	51	01	46	27
28		01		02	07		42			48		177	28
29	18	X					13			06			29
30	17	X	06				08		80			28	30
31	22	X		X		X		02	X	01	X		31
TOTAL	2.34	1.92	1.98	1.04	~~2.33~~ 1.23	2.33	1.48	1.16	4.61	2.80	1.24	1.31	YEAR'S TOTAL 23.45
*Days with ·01 in. or more.	16	15	13	7	13 ~~12~~	12	11	9	12	15	9	7	139
*Days with ·04 in. or more.	13	11	10	4	8	10	8	7	12	9	7	5	104
40-9999	59.4	48.8	50.3	26.5	~~[illegible]~~ 31.2	59.1	37.7	29.6	117.3	71.2	31.6	33.2	595.9

(Signed)..........

P.T.O.

*See Instruction 2 (*f*) on other side.

528

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

150

400

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1					03	69		09	22	72	03	172	1
2	09		27	06		04		02	27	190	06	126	2
3	24			82						142	17	73	3
4	86		09	01	17					159	21	183	4
+ 5			15		16			01			08	113	5
6			132	12	37	55		341		75	02	99	6
7				05						15		32	7
8				52	22	02		04			423		8
9		01	28								80	72	9
10			38	32				23					10
11	260		106	11			50	18·8			01	109	11
12	16		27				42	49			09	42	12
13	110		02	36			03	08			22	07	13
14	107		86	11							449	92	14
15			10		05					05	89	130	15
16	50		97	31	19					15		02	16
17	43		98	09						03	02	94	17
18	24		06	36								168	18
19			54		01	12			62	01	01	104	19
20			09	02	04		61		114	02	01		20
21				43		41		09		06			21
22								54	108	01		42	22
23		01		134		34			01	04		95	23
24		04		07		28	107		09				24
25	16			26						15		118	25
26	17			11		63				13		01	26
27	06			52		59				16		69	27
28		04		10		01		174			01	46	28
29		×						104			01		29
30	22	×						82	70	03		137	30
31	03	×		×		×		79	×	14	×	47	31
TOTAL	3·12	0·04	[illegible]	2·40	0·49	1·45	1·04	3·26	1·63	2·96	23·79 4·47	8·65	YEAR'S TOTAL 32·34
*Days with ·01 in. or more.	15	2	16	20	8	10	5	14	7	17	13	24	151
*Days with ·04 in. or more.	12	0	12	15	5	8	4	9	6	11	7	22	111
	79·3	1·0	74·4	60·9	12·4	36·8	26·3	82·7	41·3	75·1	113·6	217·3	821·1

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ....

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 528

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

199

Kept at Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

150

400 TL

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	49	03	46	06	02	09	02		04	36	58	01		1
2	18			10			02			130	09			2
3			26	05					31	37	20			3
4		22		119		26			171	115	01	35		4
5		90	09	28					210	176	01	04		5
6	04	33	02	83		39				47	116	34		6
7	16	01		84		09					255	26		7
8		04	01	98				20		183	61	12		8
9	01			30		75				254	56	01		9
10	32	01	56	35		27					45	21		10
11	28		01				31			02	101			11
12		37				45		24	22		144			12
13	09	54		75		01					143	07		13
14					35	29			08	06		48		14
15		51		137	05	11			191	05	134	15		15
16		14	07	37		04			80	06	217			16
17	02		04	44		104		09	35		118			17
18		01	01	75	06	13		02	177	33	05	01		18
19				11	112	14	09		49		26	07		19
20		105		15	10	12	03		05	01	41			20
21	01	58								53	07			21
22		51	03	01				42	48	01	01			22
23		19	14					164				56		23
24	11	110			91			202	189			98		24
25	18	266		57	35	55		01				106		25
26	03	51				04		46	18	13	07	59		26
27	09	49						113	45		36	83		27
28	04	25			03			01	04	06	31	81		28
29		X			14			01	147	01	18	88		29
30	19	X		14	01			455	73	24	142	70		30
31		X		X	01	X		15	X	62	X	95		31
TOTAL	22·4 ~~·88~~	104·5 ~~4·11~~	17·0 ~~0·67~~	96·4 ~~3·80~~	31·5 ~~1·24~~	47·7 ~~1·88~~	4·7 [illegible]	109·5 ~~4·31~~	150·7 ~~5·93~~	119·1 ~~4·69~~	179·3 ~~7·06~~	94·8 ~~3·73~~	Year's Total ~~38·49~~	977·6
*Days with ·01 in. or more.	14	18	9	19	10	16	5	11	19	18	23	19	181	
*Days with ·04 in. or more.	8	16	4	17	6	12	1	9	15	13	19	16	136	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

528

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1936.

Kept at Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TL

mm.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	31	56	02	54		60	31	74			19	34		1
2	01	06				68	11	15						2
3	[illegible]			66			17		29		239			3
4	[illegible]		27			41	10		92		03	34		4
5	22		01					16	14		18	05		5
6	86					10	01	08	32	01	60			6
7	122		13			04	18		02	08	135	02		7
8	106		01				17				206	75		8
9	96		09				566		28		92			9
10	31		06			09		54		01				10
11	23	17		14			15				245			11
12	01			05		50	86	06			29	42		12
13						06					01	43		13
14		29		09		15	266			04	29	38		14
15		15		05			01				76	88		15
16	57	33			25						33	53		16
17	05	153			07	52			07	14	45	103		17
18	48	16				17	42		04		13	20		18
19	51	11	04	03		72	09	20			02			19
20	118	08	03	89					83					20
21		11		212		82	08		31					21
22	42	90	27	02	10	08	15		01			31		22
23		22	35	45			20			11				23
24	39	40		01					19	48				24
25	70	02	29	23	10	52	08		48	35				25
26		51	43			03			26	45				26
27	54	07	02				57		18	38				27
✗ 28	113		71			44	03		02			05		28
29	05	08	15			02	107			25	26	02		29
30	41	×	09			58				16				30
31	48	×	34	×	01	×	54		×	56	×	31		31
TOTAL	4.76	2.26	1.30	2.08	0.21	2.57	5.36	0.76	1.72	1.19	5.00	2.39	Year's Total. 29.60	
* Days with .01 in. or more.	21	18	16	12	4	19	20	7	15	11	17	16	176	
* Days with .04 in. or more.	19	13	9	7	3	13	16	5	11	9	13	12	132	
40-9999	121.0	57.5	33.1	52.8	5.3	65.3	136.2	19.3	43.6	30.2	127.1	60.6	752.0	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

528

199

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109.

REGISTER OF RAINFALL IN 1937.

Kept at Eastbourne (Wilmington Sq.) T.L.

in the County of Sussex

150

400

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	229 [illegible]	01		41						01	91	94	1
2	01	80	36	134 [illegible]						07	01	143	2
3	29	18										26	3
4	15	315		01								110	4
5	68	05	89				50			29			5
6	09	25	186 [illegible]	09	81		06			04		17	6
7		230 [illegible]	05	35	19				02	01		174	7
8		06	57		46	21					25	43	8
9		06		125	72	14	24		111			02	9
10			157	15	32	70	05					169	10
11			161		15	13	12					55	11
12	180	70	52		45	129 [illegible]	01	169	50			33	12
13	145	16	113	10	01	27		01	11			180 [illegible]	13
14	16	01	06	02	56			51	21			95	14
15	19	28		88	01		111		20				15
16	05	17	30	33		09		235 [illegible]	06		03		16
17	67	04	03	11		06			171		29		17
18	48	42	02		92	34			250 [illegible]		48	29	18
19	10	71	33	64	01	09			02		40	25	19
20	62		77	85	177	06						04	20
21	79	93		28	01		02	01			43	15	21
22	71	05			05		26			275 [illegible]	08	21	22
23	11	23					121 [illegible]			79	14	12	23
24	104	103			10		01			22		01	24
25	57	86	92						19	102			25
26	02	104	07							78			26
27		62		90					03	31			27
28	84	45		04		03				07			28
29	19	X								69	02	01	29
30	56	X				02				42	28	03	30
31	69	X		X		X	01		X	84	X	06	31
TOTAL	5·73	5·93	4·36	3·05	2·57	1·35	1·42	1·80	2·62	3·27	1·31	4·95	YEAR'S TOTAL 38·16
Days with 0·2 mm. or more.	24	23	17	16	12	13	9	3	12	13	11	21	174
Days with 1·0 mm. or more.	21	18	12	13	11	7	6	3	8	10	8	17	133
	145·5	145·6	110·6	77·5	65·4	34·3	36·0	45·7	66·6	83·1	33·2	125·8	96·93

(144W)
40-9999

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 528

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938 .

Kept at Eastbourne (Wilmington Sq.)

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 35 ft.

T.L. 150

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	03	03			23	191	42		76	40	06	15		1
2	01			13	06		58			122		19		2
3					05		49			205	32			3
4	07		01			07	23	24		72	01	43		4
5							14	07		123	02	05		5
6	44						07	01	22	02	16	08		6
7	[illegible]					02	118	41	04	37	05	38		7
8	69						21	07		33		41		8
9	80	12								99		100		9
10	36	29					14					105		10
11	147									02	13	46		11
12	96	01			02	03				12	02			12
13	118	31								32	40	26		13
14	54	03			187			04	05		06	10		14
15	15	22			01		28	01		31	03	42		15
16	90	25	16		21			07		39		66		16
17		50			13		01		09	20	02			17
18	27				02				26	10	118			18
19	15							06	14		104	01		19
20									56		149	30		20
21	36			09					39		20	14		21
22	07					10		38			99	22		22
23	03		01	02					-		122	-		23
24			52						14		149	21		24
25	28		74	11	08		10		34	04	179	12		25
26	80	23	25	11	02		03	45	77	71		107		26
27	42	25			76	41	80		240	23	80			27
28	37	22			66	13		18.7	03		06	02		28
29	58	X			76						19	66		29
30	30	X		103	74	26			23	02	58			30
31	63	X		X	39	X			X	35	X	59		31
TOTAL	11.8·6	24·6	16·9	14·9	60·1	29·3	46.8	36·8	64·2	101·4	123·1	89·8	Year's Total 726·5	
* Days with 0.2 mm. or more.	24	11	4	6	15	8	13	10	15	21	23	23	173	✓
* Days with 1.0 mm. or more.	20	9	4	3	9	5	11	5	11	17	15	~~19~~ 20	129	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total. ✓

40-9999. 4·67 ·94 ·67 59 2·37 1·15 1·84 (Signed) 3·54 ~~2862~~ P.T.O.

2·23 1·45 2·53 3·99 4·85

~~199~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 528

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

150

T.L.

400

Kept at Eastbourne (Wilmington Sq.)

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	75		06	35	40			15	40	31		07		1
2	03		03	02				54	05	03				2
3	92	01		56				32			52	94		3
4	48		122	21			25	70		111	50	26		4
5		01	12	64	11		07			90	95	10		5
6	84	03	21				10	02		110	84			6
7	62	19					12	24		13	61	47		7
8		19	24							146		115		8
9	25	20						13		117	24	43		9
10	29					47		64	119	327	07			10
11	55	06	45		06	01				210	03			11
12					04					21		03		12
13	16		01	03		19	04		01	528	03	39		13
14	140		01	01		16	11		01	48	161	15		14
15	55				60	09	11		01	82	30			15
16	36	07	16	47	47	54	73		03		136			16
17	12	38	03	04	10						24			17
18	46		01		68	14	52			08	237			18
19	76						51		06	101		02		19
20	64					02			02					20
21	62		37			10			19	02				21
22	75	59	11	07		144	14							22
23	03	01	02	40		01	12	02		25	199			23
24	61	24	01	17		03	25			07	16			24
25	318	139	38	36			110	11			251	02		25
26	13		13				02			32	93	06		26
27	07	20	09	01						51	82			27
28		88	04	01		34				02	58	63		28
29		X		29		05				02	04			29
30		✕		171		07		173	02	12	16			30
31		✕		✕		✕	17	41	✕	16	✕	04		31
TOTAL	145·7	44·5	37·0	53·5	24·6	36·6	43·6	50·1	19·9	209·5	6 1~~7~~8·6	47·6	Year's Total 881·2	
* Days with 0.2 mm. or more.	24	12	16	14	8	13	16	12	8	25	22	15	185	
* Days with 1.0 mm. or more.	21	9	10	10	6	8	13	10	3	19	18	9	136	

(14iw) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 5·74 1·75 1·46 2·11 ·97 1·44 1·72 (Signed) ·78 8·25 ~~7·03~~ 1·87 34·70 P.T.O.

199

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 528 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19340

Kept at Eastbourne (Wilmington Sq)
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 35 ft.

T L 150 400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1		02			01						31			1
2		33		28	10		13			17	175			2
3	03	84		19						15	382	60		3
4		11					58			68		61		4
5		02					03	02		02	193	42		5
6	77	46			02		97			154	12			6
7	50	33					10							7
8		05							14	72		138		8
9								01		38	148	116		9
10							65		17	131	18			10
11		20	02	02							256			11
12		09	33	01			23		23		09			12
13		02	107			139			109		277			13
14			82	28			04			03	02	178		14
15					110	02	220		04	04	53	01		15
16	159	119	98	24		13	16		28	216	180	24		16
17	06		80				01				53			17
18	02	77	90	65			07		08	64				18
19		18	02						231		45	08		19
20		07		02			02	1.5	39	13	36	01		20
21	02				129				11	05	98			21
22	05		17		12	25			103					22
23		72	16	80			16	02		07	06	02		23
24				62			66							24
25			111		19	15	55			02	04			25
26	230	53	57		23		17			11	01			26
27	153	23			23		19				06			27
28	46			18	25									28
29	104	29	28	09	57							99		29
30	34	✕		08						39		11		30
31	22	✕		✕		✕			✕	112	✕	70		31
TOTAL	89·3	64·5	72·3	34·6	41·1	19·4	69·2	2·0	58·7	97·3	198·5	81·1	Year's Total 828·0	✓
* Days with 0.2 mm. or more.	14	19	13	12	10	5	17	3	11	19	20	12	155	✓
* Days with 1.0 mm. or more.	9	13	11	8	9	4	13	1	9	13	15	10	115	✓

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) .... [P.T.O.

3·52 2·54 2·85 1·36 1·62 ·76 2·72 ·08 2·31 3·83 7·81 3·19 32·59

529

Section **A** for the entry o
AIR MINISTR

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIS

31 . .

529
EASTBOURNE
1931- 1934

Kept at EASTBOURNE
in the County of SUSS
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS

DAY.

An observer who does not conform *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	0·05		0·16				0·05	0·01				1
2	0·12	0·10		0·23	0·04				0·40	0·04			2
3	0·19	0·01	0·24	0·11	0·63			0·05	0·72			0·25	3
4		0·05 ~~0·50~~	0·01				0·02	0·01	0·08	0·18	0·05		4
5		0·01	~~0·04~~	0·20		0·64	0·21	0·27	0·02			0·24	5
6		0·04		0·15		0·03		0·37	0·20	0·40	0·66	0·33	6
7		0·05			0·04	0·24		0·17		0·02	0·22		7
8		0·13				0·18		0·03			0·05	0·33	8
9		0·19	0·05			0·12	0·01				0·91		9
10		0·08	0·02			0·03	0·13	0·54			1·03		10
11	0·18	0·30							0·01		0·96		11
12	0·11								0·34				12
13	0·11				0·08		0·04						13
14	(trace)	0·14				0·12	0·48	0·67			0·01		14
15		0·07		0·04	0·06		0·08	0·06			(trace)	0·06	15
16		0·03		0·16	0·25	0·02		0·03					16
17		0·07		0·39			0·76		0·16	0·02			17
18	0·01	0·06	0·04	0·24		0·02	0·20	0·44		0·03	0·44		18
19	0·15			0·06		0·03	0·14	0·77	0·09				19
20	0·02	0·15		0·03	0·05		0·04	0·35		0·01	0·01		20
21		0·03	0·01		0·53						0·01		21
22	0·19		0·10										22
23	0·52	0·07	0·08		0·06	0·08			0·01		0·27		23
24	0·01			0·73	0·01	0·08	0·06	0·32					24
25	0·18	0·02		0·33			0·04				0·06		25
26		0·06		0·11	0·01		0·40			(trace)	0·41		26
27	0·27	0·29		0·10	0·12		0·02				0·51		27
28	0 12	0·14		0·03						0·01	0·01		28
29	0·21			0·02	0·16		0·03			0·12			29
30	0·02	✕			0·01			0·07					30
31	0·30	✕		✕		✕			✕		✕		31
TOTAL	2·74	2·14	0·55	3·09	2·05	1·59	2·66	4·20	2·04	0·83	5·61	1·21	YEAR'S TOTAL 28·71
*Days with ·01 in. or more.	18	23	8	17	14	12	16	16	11	9	16	5	165
*Days with ·04 in. or more.	13	18	5	14	11	7	12	13	7	4	12	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Leslie Roseveare
~~Borough Engineer~~

[P.T.O.

Section **A** for the entry o

529

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 . .

Kept at EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge 11 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	0·05		0·16				0·05	0·01				1
2	0·12	0·10		0·23	0·04				0·40	0·04			2
3	0·19	0·01	0·24	0·11	0·63			0·05	0·72			0·25	3
4		0·05 ~~0·50~~	0·01				0·02	0·01	0·08	0·18	0·05		4
5		0·01	~~0·04~~	0·20		0·64	0·21	0·27	0·02			0·24	5
6		0·04		0·15		0·03		0·37	0·20	0·40	0·66	0·33	6
7		0·05			0·04	0·24		0·17		0·02	0·22		7
8		0·13				0·18		0·03			0·05	0·33	8
9		0·19	0·05			0·12	0·01				0·91		9
10		0·08	0·02			0·03	0·13	0·54			1·03		10
11	0·18	0·30							0·01		0·96		11
12	0·11								0·34				12
13	0·11				0·08		0·04						13
14	(trace)	0·14				0·12	0·48	0·67			0·01		14
15		0·07		0·04	0·06		0·08	0·06			(trace)	0·06	15
16		0·03		0·16	0·25	0·02		0·03					16
17		0·07		0·39			0·76		0·16	0·02			17
18	0·01	0·06	0·04	0·24		0·02	0·20	0·44		0·03	0·44		18
19	0·15			0·06		0·03	0·14	0·77	0·09				19
20	0·02	0·15		0·03	0·05		0·04	0·35		0·01	0·01		20
21		0·03	0·01		0·53						0·01		21
22	0·19		0·10										22
23	0·52	0·07	0·08		0·06	0·08			0·01		0·27		23
24	0·01			0·73	0·01	0·08	0·06	0·32					24
25	0·18	0·02		0·33			0·04				0·06		25
26		0·06		0·11	0·01		0·40			(trace)	0·41		26
27	0·27	0·29		0·10	0·12		0·02				0·51		27
28	0·12	0·14		0·03						0·01	0·01		28
29	0·21			0·02	0·16		0·03			0·12			29
30	0·02	✕			0·01			0·07					30
31	0·30	✕		✕		✕			✕		✕		31
TOTAL	2·74	2·14	0·55	3·09	2·05	1·59	2·66	4·20	2·04	0·83	5·61	1·21	YEAR'S TOTAL 28·71
*Days with ·01 in. or more.	18	23	8	17	14	12	16	16	11	9	16	5	165
*Days with ·04 in. or more.	13	18	5	14	11	7	12	13	7	4	12	5	121

40-9999

(Signed) Leslie Roseveare

Borough Engineer

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 529

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge 11 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·130			0·120	0·360					0·320	0·07 ~~0·068~~		1
2	0·010			0·430						0·020	0·02 0·015	0·13 ~~0·125~~	2
3				0·120	0·060	1·050			0·25 ~~0·247~~				3
4						0·070							4
5	0·280		0·010		0·010	0·040	0·110		0·15 ~~0·145~~				5
6	0·580		0·010	0·090	0·010				0·03 ~~0·025~~				6
7	0·150		0·020							0·020		~~0·028~~ 0·03	7
8			0·320		0·330				0·10 ~~0·098~~	0·93 0·933			8
9	0·050		0·010	0·170	0·320					0·02 0·015			9
10	0·430			0·490	0·170				0·07 0·065	0·19 ~~0·190~~			10
11	0·250	SNOW 0·040		0·260	0·010	0·130			0·040			0·020	11
12	0·200	SNOW 0·080						0·020	0·080	0·190			12
13	0·160			0·160	0·070		0·040			0·980		0·010	13
14	0·020			0·100	0·210			0·010		0·090			14
15	0·020			0·060	0·160					0·150		0·010	15
16	0·010			0·170									16
17				0·030					TRACE	0·030			17
18	0·030								0·070		0·170		18
19					0·010				0·050	0·170	0·150		19
20				0·060	0·120		0·150	0·03 ~~0·025~~	0·010	1·530	~~0·268~~ 0·27		20
21			0·010		0·290					~~0·235~~ 0·24			21
22	0·100	0·040	0·230		0·090		0·130	0·180	0·810	~~0·025~~ 0·03	0·54 ~~0·535~~		22
23			0·150	0·010					0·46 ~~0·455~~	1·020		0·060	23
24							1·460		0·09 ~~0·088~~	0·040			24
25							1·540		0·17 ~~0·168~~	0·710	0·03 ~~0·025~~		25
26				0·160			0·280	0·230			0·08 ~~0·075~~		26
27			0·140	0·180	0·040	0·020			0·100	0·70 0·695	0·02 ~~0·015~~	TRACE	27
28			0·010	0·010	0·010		0·290		0·020	0·090			28
29			0·520	0·010	0·040			0·54 0·535	0·27 ~~0·269~~	0·51 0·505		0·450	29
30		✕	0·030			0·550			0·03 ~~0·028~~		0·180	0·030	30
31		✕	0·050	✕		✕	0·140		✕		✕	0·040	31
TOTAL	2·420	0·160	1·510	2·630	2·310	1·860	4·140	1·01 ~~1·000~~	2·80 ~~2·768~~	~~7·958~~ 7·98	~~1·501~~ 1·53	~~0·773~~ 0·78	YEAR'S TOTAL 29·030
*Days with ·01 in. or more.	15	3	13	18	18	6	9	6	18	21	10	9	146
*Days with ·04 in. or more.	10	3	6	14	13	5	9	3	15	16	7	4	105

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) ______________________

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 529

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge 11 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0·63	0·19											1
2	0·24		0·55		0·07									2
3	0·01	0·15	0·08											3
4	0·06	0·05	TRACE.		0·05									4
5	0·39		0.09		0·18									5
6		0·12	0·05		0·49					TRACE	0·07			6
7	0·45	0·04			0·08					0·27		0·04		7
8	0·15	0·06			0·01		0·48			0·04				8
9		TRACE.			0·08		0·04				0·20			9
10		0·08				0·02	0·22	0·03		0·14				10
11	0·19				0·04	0·05	0·03	0·06	0·17					11
12				0·15		0·18			1·34					12
13	0·04				0·09	0·03	0·25	0·05	0·34	0·52	0·19			13
14							0·01	TRACE		1·01	0·25			14
15	0·43		0·03				0·15	0·23		0·43	0·20	TRACE		15
16	0·03		0·48		TRACE	0·27	0·22			0·02	0·33	SNOW FROM 0·02 PREVIOUS DAY		16
17	0·02		0·14			0·06		0·06	0·22					17
18	0·17		0·06			1·02			0·01					18
19	0·01		0·11			0·27			0·11			TRACE		19
20		0·04	0·09	0·05		0·22		0·09	0·32					20
21								0·13	0·20					21
22		SNOW FROM 0·09 PREVIOUS DAY						0·61	0·10	0·20				22
23				0·07		0·05			0·91	0·01				23
24		0·06 SNOW 0·05 RAIN		0·36	0·01				0·60		TRACE			24
25		0·02		0·40					0·19	0·01	0·12	0·17		25
26		0·37		0·03		0·05			0·01	0·01	0·01	0·08		26
27				0·01	0·17	0·08			TRACE	0·19	TRACE	0·14		27
28				0·01	0·03		0·15			0·20		0·69		28
29	0·08				0·02		0·04			0·03				29
30	0·07	×	0·03				0·05		0·32			0·11		30
31	0·08	×		×		×			×		×			31
TOTAL	2·42	1·76	1·90	1·08	1·32	2·30	1·64	1·26	4·84	3·08	1·37	1·25	Year's Total 24·22 ✓	
*Days with ·01 in. or more.	16	12	12	8	13	12	11	8	14	14	8	7	135	
*Days with .04 in. or more.	12	11	10	5	9	10	9	7	12	9	7	6	107	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 529

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge 11 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0·01			TRACE	0·17		0·04	0·01	0·26	TRACE	0·53		1
2	0·04		0·12	0·07				0·02	0·14	0·44	0·01	0·63		2
3	0·08			0·35					0·01	0·63	0·01	0·32		3
4	0·33		0·03							0·51	0·13	0·71		4
5			0·09		0·13			0·01			0·04	0·48		5
6			0·50	0·02	0·14	0·17		0·19		0·32	0·01	0·39		6
7				0·02						0·07		0·10		7
8				0·18	0·09	0·01		0·02	TRACE		1·73			8
9			0·10								0·28	0·12		9
10			0·17	0·18				0·09			0·02	TRACE		10
11	0·88		0·40	0·02			0·03	0·76				0·50		11
12	0·08		0·10				0·25	0·09			0·06	0·08		12
13	0·39			0·09				0·05			0·08			13
14	0·35		0·27	0·09						TRACE	1·35	0·36		14
15			0·01							0·02	0·26	0·53		15
16	0·22		0·35	0·11	0·06				TRACE	0·06		TRACE		16
17	0·16		0·25	0·03						TRACE		0·40		17
18	0·08		0·01	0·10								0·76		18
19			0·20		TRACE	0·06			0·32			0·45		19
20			0·03		0·07		0·24		0·17	0·02				20
21						0·19				0·03				21
22				0·16				0·27	0·52			0·15		22
23				0·54		0·19				0·03		0·39		23
24	TRACE	0·01		0·03		0·10	0·61		0·03					24
25	0·07			0·16						0·07		0·56		25
26	0·06			0·01		0·14			TRACE	0·03				26
27	0·02			0·37		0·40				0·07		0·26		27
28				0·07		0·01		0·88				0·20		28
29								0·63	0·40					29
30	0·10	×						0·18		0·02		0·49		30
31	TRACE	×		×		×		0·28	×	0·05	×	0·26		31
TOTAL	2·86	0·02	2·63	2·60	0·49	~~1·42~~ 1·44	1·13	3·51	1·60	2·63	3·98	8·67	Year's Total. 31·54	
* Days with .01 in. or more.	14	2	15	19	5	10	4	14	8	16	12	22	141	
* Days with .04 in. or more.	13	0	11	13	5	8	3	11	5	10	8	22	109	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

~~Section~~ 530

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

530

EASTBOURNE

ARUNDEL RD

1931- 1940

780111

Kept at Woodside 7 Arunde

in the County of Sussex

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th *llowing year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·08	—	·18	—	—	—	·06	·11	·02	—	—	1
2	·15	·08	—	·32	·02	—	—	—	·29	·01	—	·02	2
3	·18	·01	·24	·11	·70	—	—	·06	·69	—	·01	—	3
4	Tra	snow ·07	·03	·01	—	—	—	·01	·08	·14	·05	·23	4
5	—	·01	—	·20	—	·66	·25	·41	·01	Tra Dew	—	Tra	5
6	—	·06	—	·18	—	—	—	·41	·02	·38	·65	·30	6
7	snow ·02	·05	—	·01	·05	·22	—	·19	Tra	·02	·22	·01	7
8	Tra	·08	—	—	—	·19	—	·03	—	—	·08	·37	8
9	—	·19	snow ·05	—	—	·13	·02	—	—	—	·98	Tra	9
10	—	·08	snow ·05	—	—	·04	·13	·53	—	—	·89	—	10
11	·20	·28	—	—	—	—	—	—	·01	Tra	·86	—	11
12	·11	—	—	—	Tra	—	—	—	·29	—	—	Tra	12
13	·10	—	—	—	·07	—	·04	·61	—	—	Tra	—	13
14	Tra	·12	~~·09~~ TR Tra	—	—	·11	·54	·12	—	—	·01	—	14
15	—	·09	—	·05	·05	·03	—	·05	—	—	Tra	·06	15
16	—	—	—	—	·29	—	·05	—	—	—	·44	—	16
17	—	·10	—	·37	—	—	·72	—	·19	·02	—	—	17
18	—	·10	·05	·41	—	—	·18	·42	—	·03	·01	—	18
19	·16	·01	—	·20	—	·04	·10	·65	·09	—	·01	—	19
20	·02	·17	—	·04	—	—	—	·37	—	·02	·02	—	20
21	·20	·02	·01	—	·56	—	—	—	—	—	—	—	21
22	—	Tra	·10	—	·01	—	—	—	·01	—	·27	—	22
23	·52	·08	·68	—	·07	·19	—	—	·02	—	—	—	23
24	·02	—	Tra	·84	Tra	·02	·10	·32	·01	—	—	Tra	24
25		·02	—	·25	—	—	·03	—	Tra	—	·07	—	25
26	·17	·06	—	·12	·02	—	·42	—	—	·01	·32	—	26
27	·27	·31	—	·10	·14	—	—	—	—	—	·47	—	27
28	·12	·12	—	·03	—	—	—	—	—	·02	·01	—	28
29	·21	X	—	·02	·18	—	·11	Tra	—	·12	Tra	Tra	29
30	·02	X	—	—	·02	—	—	·07	—	—	—	—	30
31	·34	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	2·85	2·19	·61	3·44	2·18	1·63	2·69	4·31	1·82	·79	5·37	·99	YEAR'S TOTAL 28·87
*Days with ·01 in. or more.	18	32	8	16	13	10	13	16	13	11	18	6	167
*Days with ·04 in. or more.	14	18	6	14	9	8	11	14	7	3	12	4	120

40-9999

(Signed) Gertrude J. Woodd [P.T.O.

*See Instruction 2 (*f*) on other side.

530

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Woodside 7 Arundel Road Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 86 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·08	—	·18	—	—	—	·06	·11	·02	—	—	1
2	·15	·08	—	·32	·02	—	—	—	·29	·01	—	·02	2
3	·18	·01	·24	·11	·70	—	—	·06	·69	—	·01	—	3
4	tra	snow ·07	·03	·01	—	—	—	·01	·08	·14	·05	·23	4
5	—	·01	—	·20	—	·66	·25	·41	·01	tra dew	—	tra	5
6	—	·06	—	·18	—	—	—	·41	·02	·38	·65	·30	6
7	snow ·02	·05	—	·01	·05	·22	—	·19	tra	·02	·22	·01	7
8	tra	·08	—	—	—	·19	—	·03	—	—	·08	·37	8
9	—	·19	snow ·05	—	—	·13	·02	—	—	—	·98	tra	9
10	—	·08	snow ·05	—	—	·04	·13	·53	—	—	·89	—	10
11	·20	·28	—	—	—	—	—	—	·01	tra	·86	—	11
12	·11	—	—	—	tra	—	—	—	·29	—	—	tra	12
13	·10	—	—	—	·07	—	·04	·61	—	—	tra	—	13
14	tra	·12	~~·09~~ tra TR	—	—	·11	·54	·12	—	—	·01	—	14
15	—	·09	—	·05	·05	·03	—	·05	—	—	tra	·06	15
16	—	—	—	—	·29	—	·05	—	—	—	·44	—	16
17	—	·10	—	·37	—	—	·72	—	·19	·02	—	—	17
18	—	·10	·05	·41	—	—	·18	·42	—	·03	·01	—	18
19	·16	·01	—	·20	—	·04	·10	·65	·09	—	·01	—	19
20	·02	·17	—	·04	—	—	—	·37	—	·02	·02	—	20
21	·20	·02	·01	—	·56	—	—	—	—	—	—	—	21
22	—	tra	·10	—	·01	—	—	—	·01	—	·27	—	22
23	·52	·08	·08	—	·07	·19	—	—	·02	—	—	—	23
24	·02	—	tra	·84	tra	·02	·10	·32	·01	—	—	tra	24
25		·02	—	·25	—	—	·03	—	tra	—	·07	—	25
26	·17	·06	—	·12	·02	—	·42	—	—	·01	·32	—	26
27	·27	·31	—	·10	·14	—	—	—	—	—	·47	—	27
28	·12	·12	—	·03	—	—	—	—	—	·02	·01	—	28
29	·21	×	—	·02	·18	—	·11	tra	—	·12	tra	tra	29
30	·02	×	—	—	·02	—	—	·07	—	—	—	—	30
31	·34	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·85	2·19	·61	3·44	2·18	1·63	2·69	4·31	1·82	·79	5·37	·99	YEAR'S TOTAL 28·87
*Days with ·01 in. or more.	18	32	8	16	13	10	13	16	13	11	18	6	167
*Days with ·04 in. or more.	14	18	6	14	9	8	11	14	7	3	12	4	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Gertrude J. Woodd [P.T.O.

No. 663604/26

530

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 663604/26

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "WOODSIDE" 7 ARUNDEL ROAD EASTBOURNE
in the County of ~~SUSSEX~~
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 86 ft.

July 1" 2.45

906 sent asking for omitted value on July 25th & suggesting 1.50 inch if this is not forthcoming. Observer agrees. 23/3/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	—	—	·14	·32	—	—	—	—	·30	·05	—	1
2	·01	—	—	·40	Tr	—	—	—	·16	·01	·01	·12	2
3	—	—	—	·13	·07	·88	—	—	—	—	—	Tr	3
4	Tr	Tr	Tr	—	—	·07	—	—	—	—	Tr	dew ·01	4
5	·23	—	Tr	—	·01	·05	·11	—	·13	—	—	Tr frost	5
6	·52	—	·01	·09	—	—	—	—	·02	—	—	Tr	6
7	—	—	·02	—	—	—	—	—	—	·02	—	·03	7
8	·19	·01	·30	·01	·32	—	—	—	·06	1·04	—	—	8
9	·04	Tra snow	·02	·16	·38	—	—	—	—	·02	—	—	9
10	·42	Tra snow	—	·48	·17	—	—	—	·06	·19	Tr	—	10
11	·24	snow ·07	—	·21	·01	·16	—	—	·03	·02	—	·04	11
12	·22	snow ·03	—	—	—	—	Tr	·02	—	·20	—	—	12
13	·15	—	—	·07	·07	—	·06	—	—	·99	—	·01	13
14	·03	—	—	·12	·19	—	—	·01	—	·04	—	—	14
15	·02	—	—	·07	·17	—	—	—	—	·14	—	—	15
16	·02	Tr.	—	·19	·15	—	—	—	—	—	—	Tr	16
17	—	—	—	·04	—	—	Tr	—	·01	·02	—	—	17
18	·03	—	—	—	Tr	—	—	—	·06	·04	·20	—	18
19	·01	—	—	·01	·02	—	—	—	·06	·17	·08	—	19
20	—	—	—	·06	·13	—	·15	·03	Tr	1·37	·25	—	20
21	·01	—	·01	—	·24	—	—	—	—	·23	·01	—	21
22	·13	—	·24	Tr	·10	—	—	·15	·75	·04	·52	Tr	22
23	·01	·05	·18	·02	—	—	·12	—	·48	·90	—	—	23
24	·01	·01	—	—	—	—	1·33	—	·09	·04	—	·07	24
25	—	Tr	—	—	—	—	1·50	—	·15	·67	·05	—	25
26	—	—	Tr	·12	—	—	·25	·24	—	Tr	·05	—	26
27	—	—	·17	·18	·04	·01	—	Tr	·13	·71	·02	—	27
28	—	—	·01	·02	·02	—	·30	—	—	·10	Tr	·01	28
29	—	—	·48	·02	·05	—	—	·48	—	·50	—	·05	29
30	—	×	·03	—	—	·61	—	—	·04	·01	·17	·04	30
31	—	×	·06	×	—	×	·13	·09	×	Tr	×	·05	31 27.62
TOTAL	2·43	·17	1·53	2·54	2·46	1·68	3.95 ~~2·45~~	1·02	2·23	7·77	1·41	·43	YEAR'S TOTAL ~~26.12~~
*Days with ·01 in. or more.	19	5	12	20	18	6	9 ~~8~~	7	15	24	11	10	156 ~~155~~
*Days with .04 in. or more.	10	2	6	15	14	5	9 ~~8~~	4	12	18	8	6	109 ~~108~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Gertrude J Woodd

P.T.O.

No. 663604/26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 530

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Woodside. 7 Arundel Road EASTBOURNE
in the County of SUSSEX
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 86–100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·24	—	—	—	—	—	—	TR	TR	—		1
2	·19	—	·54	—	—	—	—	—	—	—	—	—		2
3	·01	—	·09	DEW TR	·07	—	—	—	—	—	—	—		3
4	·08	—	·01	—	·09	—	—	—	—	—	—	—		4
5	·36	·25	·13	—	·16	—	—	—	—	—	—	—		5
6	·37	·63	·05	—	·47	—	—	—	—	·01	·06	—		6
7	—	·15	DEW TR	—	·07	—	—	—	—	·30	—	·07		7
8	·18	·16	—	—	—	—	·38	—	—	·07	—	—		8
9	TR	·10	—	—	·08	·01	·10	—	—	·01	·18	—		9
10	—	·12	—	—	—	—	—	—	—	·14	—	—		10
11	·18	—	—	—	·05	—	·17	·10	·23	—	—	—		11
12	—	—	—	·15	·02	—	—	—	1·32	—	—	—		12
13	·05	—	—	—	·07	·17	·22	·05	·25	·44	·23	—		13
14	·01	—	—	—	·01	·02	—	—	—	1·21	·30	—		14
15	·42	—	·03	—	—	—	·17	·21	—	·14	·19	SNOW ·04		15
16	·04	—	·48	—	—	·25	·20	—	—	·02	·29	—		16
17	SNOW ·04	—	·17	—	—	·06	—	·05	·23	—	·01	—		17
18	·13	~~—~~	·09	—	—	·91	—	—	—	—	—	—		18
19	TR	SNOW ·05	·07	·04	—	·32	—	—	·09	—	TR	·01		19
20	—	·02	—	—	—	·21	—	·11	·26	—	—	—		20
21	—	·12	—	—	—	—	—	·10	·08	—	—	—		21
22	—	—	—	—	—	—	—	·55	·11	·15	—	—		22
23	—	—	—	·14	—	·04	—	—	·95	·01	—	—		23
24	—	·13	—	·25	·01	—	—	—	·53	—	TR	—		24
25	—	—	—	·37	—	—	—	—	·11	—	SNOW ·12	·20		25
26	—	·41	—	·06	—	—	—	—	·02	·04	·02	—		26
27	—	·02	—	—	·19	·07	—	—	·01	·17	·01	·24		27
28	—	—	—	·01	·03	—	·15	—	—	·16	—	·81		28
29		TR	—	—	·01	—	—	—	—	·08	—	—		29
30		×	—	—		—	·05	—	·31	TR	—	·11		30
31	·03	×	—	×		×	—	·01	×	TR	×	TR		31
TOTAL	2·10	2·16	1·90	1·02	1·33	2·06	1·44	1·18	4·50	2·95	1·41	1·45	Year's Total ~~23·50~~ 49	
*Days with ·01 in. or more.	15	12	11	7	14	10	8	8	14	15	10	7	131	
*Days with .04 in. or more.	11	10	9	6	9	8	8	7	12	11	7	6	104	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Gertrude J. Woodd

[P.T.O.

530

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 663604/26

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Woodside 7 Arundel Rd Eastbourne
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 86 – 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	·01	—	—	—	·02	·27	·01	·62		1
2	·04	—	·11	·06	—	·18	—	—	·15	·55	·02	·65		2
3	·09	·01	—	·32	—	—	—	—	·01	·67	·01	·30		3
4	·31	—	·06	—	·05	—	—	—	—	·50	·14	·75		4
5	·01	—	·07	—	·10	—	—	·01	—	TR	·05	·57		5
6	—	—	·51	·04	·16	—	—	·07	—	·32	·01	·42		6
7	—	—	—	·02	·05	·21	—	—	—	·07	—	·14		7
8	—	—	·01	—	·10	—	—	—	TR	—	1·64	TR		8
9	TR	—	·11	—	—	·01	—	—	TR	—	·32	·16		9
10	—	TR	—	·16	—	—	—	·10	—	·01	·02	·01		10
11	·90	—	—	·03	—	—	·04	·65	—	—	·01	·49		11
12	·07	TR	·18	—	—	—	·26	·09	—	—	·04	·12		12
13	·38	—	·07	·15	—	—	—	·05	—	TR	·08	·01		13
14	·37	—	·28	·07	—	—	—	—	—	—	1·08	·39		14
15	TR	—	·42	—	·01	—	—	—	—	·03	·26	·50		15
16	·22	·01	—	·11	·07	—	—	—	—	·07	TR	·01		16
17	·16	—	·32	·05	—	—	—	—	TR	·02	·01	·42		17
18	·09	—	—	·13	—	—	—	—	TR	TR	TR	·67		18
19	—	—	·28	—	·02	·06	—	—	·30	TR	TR	·45		19
20	—	—	·05	—	TR	—	·20	—	·15	·03	—	TR		20
21	—	·01	—	·17	—	·19	—	·07	—	·04	—	—		21
22	—	—	—	—	—	—	—	·23	—	TR	TR	·16		22
23	TR	—	—	·65	—	·15	—	—	·42	·04	TR	·48		23
24	—	·04	—	·06	—	·15	—	—	—	—	—	—		24
25	·08	—	—	·16	—	—	—	—	·04	·07	—	·57		25
26	·07	—	—	·07	—	·25	—	—	—	·04	—	·02		26
27	—	—	—	·27	—	·27	—	—	·01	·08	—	·30		27
28	—	SNOW ·02	—	·05	—	·01	—	·79	—	—	TR	·21		28
29	—	×	—	—	—	—	—	·55	·42	—	—	TR		29
30	·10	×	—	—	—	—	—	·22	·01	·02	TR	·46		30
31	·01	×	—	×	—	×	·07	·28	×	·04	×	·28		31
TOTAL	2·90	·09	2·47	2·57	·57	1·48	·57	3·11	1·53	2·87	4·30	9·19	Year's Total. 31·62	
* Days with .01 in. or more.	15	5	13	17	9	10	4	12	10	18	15	26	154	
* Days with .04 in. or more.	13	1	12	16	6	8	4	11	6	13	8	22	120	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Gertrude J Woodd

P.T.O.

530

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~663604/26~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Woodside" 7 Arundel Road EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 86—100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	·03	·15	·05	·06	·06	·02	—	·04	·32	·26	·02		1
2	·08	—	—	·05	—	—	—	—	·15	·54	·06	TR		2
3	—	—	·11	·02	—	—	—	—	—	·15	·10	—		3
4	—	—	—	·47	—	·12	—	—	·89	·36	·02	·17		4
5	—	·45	·06	·14	—	TR	—	—	·74	·47	—	·02		5
6	·03	·11	·01	·36	—	·17	—	—	—	·35	·54	·12		6
7	·08	snow ·03	—	·36	—	·04	—	—	—	TR	1·07	·12		7
8	TR	—	snow TR	·37	—	—	—	·08	—	·74	·32	·06		8
9	—	—	—	·16	—	·30	—	—	—	1·21	·29	—		9
10	·17	·01	·22	·10	—	·12	—	—	—	·04	·20	·10		10
11	·10	—	—	—	—	·01	·15	—	—	—	·46	—		11
12	—	·20	—	—	—	·21	—	·09	·10	—	·58	—		12
13	·04	·22	—	·34	—	—	—	—	—	—	·57	·02		13
14	—	TR	—	TR	·14	·14	—	—	TR	·06	—	·24		14
15	TR	·21	—	·56	·02	·10	—	—	·85	·04	·57	·12		15
16	—	·06	·03	·24	—	—	—	—	·30	·03	·77	TR		16
17	·01	—	·04	·27	—	·45	—	·05	·14	—	·63	—		17
18	—	—	TR	·32	·03	·08	—	·01	·74	·15	·02	·02		18
19	—	—	—	·04	·49	·06	·03	—	·23	—	·12	·05		19
20	—	·41	—	·07	·04	·05	—	—	·03	—	·18	TR		20
21	·01	·22	—	TR	—	TR	—	—	·01	·22	·03	—		21
22	—	·25	·02	—	—	—	·05	·23	·37	—	·01	—		22
23	—	·09	·06	—	—	—	—	·65	—	—	—	·25		23
24	·05	·43	—	—	·35	—	—	·90	·77	—	—	·43		24
25	·07	1·05	—	·26	·19	·32	—	TR	—	·06	—	·41		25
26	TR	·17	—	—	—	·02	—	·15	·10	—	·02	·26		26
27	snow ·03	·27	—	—	—	—	—	·46	·07	—	·17	·30		27
28	—	·12	—	—	TR	—	—	—	·02	·03	·14	·36		28
29	—	×	—	—	·07	—	—	·01	·44	·01	·11	·45		29
30	—	×	—	—	·01	—	—	1·92	·40	·06	·56	·26		30
31	·08	×	—	×	TR	×	—	·04	×	·18	×	·44		31
TOTAL	·95	4·33	·70	4·16	1·40	2·25	·25	4·59	6·39	5·02	7·68	4·22	Year's Total 41·94	
* Days with .01 in. or more.	13	18	9	18	10	16	4	12	19	19	25	21	184	
* Days with .04 in. or more.	8	15	6	16	7	14	2	10	16	16	20	17	147	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Gertrude J. Woodall [P.T.O.

No. 663604/26

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 530

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Woodside 7 Arundel Road, Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 86-100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·26	—	·20	—	·32	·19	·50	—	—	·13	·12		1
2	·01	·04	—	·01	—	·28	·03	·02	—	—	—	—		2
3	—	TR	—	·28	—	·06	·08	—	·14	—	·95	·02		3
4	·01	—	·13	—	—	·19	·05	—	·46	—	·02	·13		4
5	·09	—	—	—	—	TR	—	·09	·07	—	·09	·03		5
6	·36	—	—	—	—	·04	·07	·05	·15	TR	·30	·01		6
7	·53	—	·07	—	—	·04	·01	—	·01	·01	·50	TR		7
8	·44	—	·01	—	—	—	—	—	—	—	·67	·31		8
9	·32	—	·04	—	—	—	3·00	·01	·12	—	·34	TR		9
10	·17	—	—	—	—	·04	·01	·21	—	TR	TR	—		10
11	·10	·07	—	·08	—	—	—	·01	—	—	1·15	—		11
12	·01	—	—	·02	—	·24	·41	·04	TR	—	·12	·13		12
13	—	—	—	—	TR	·03	—	—	—	TR	—	·20		13
14	—	·11	—	·03	—	·04	1·30	—	—	·02	·12	·15		14
15	—	·07	—	·04	—	—	—	—	·01	—	·26	·31		15
16	·24	·15	—	—	·11	—	—	—	TR	—	·14	·18		16
17	·03	·57	—	—	·05	·26	—	TR	·03	·05	·20	·50		17
18	·18	·10	—	—	—	·17	·20	—	·01	—	·06	·10		18
19	·23	·07	—	·01	—	·26	·09	·14	TR	—	·02	—		19
20	·44	·04	·02	·39	—	—	·05	—	·35	—	—	—		20
21	—	·05	TR	·78	—	·34	—	—	·15	—	·01	—		21
22	—	·39	·12	TR	·06	—	·09	—	TR	—	—	·13		22
23	·14	·11	·12	·22	—	·03	·11	—	—	·09	—	—		23
24	·15	·12	—	—	—	—	—	—	·06	·16	—	—		24
25	·27	—	·15	·09	·04	·20	—	—	·17	·16	—	—		25
26	—	·19	·16	—	—	—	·01	—	·12	·22	—	—		26
27	·20	·07	·03	—	—	—	·20	—	·08	·21	TR	—		27
28	·56	—	·20	—	—	·44	—	—	TR	TR	·01	·01		28
29	·02	·05	·07	—	—	·02	·29	—	—	·10	·10	·01		29
30	·16	✕	·10	—	·02	·23	—	—	—	·09	TR	—		30
31	·22	✕	·10	✕	·04	✕	·25	—	✕	·24	✕	·14		31
TOTAL	5·02	2·46	1·32	2·15	·32	3·23	6·44	1·07	1·93	1·35	5·19	2·48	Year's Total 32·96	✓
* Days with .01 in. or more.	24	17	14	12	6	19	19	9	15	11	19	17	182	✓
* Days with .04 in. or more.	19	17	11	7	5	16	15	6	11	9	15	12	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Gertrude J. Woodd [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 530

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Woodside" 7 Arundel Rd Eastbourne

in the County of SUSSEX

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 86–100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·92	·01	—	·18	—	—	—	—	—	·02	·35	·24		1
2	·02	·36	·15	·50	—	—	—	—	—	·02	TR	·67		2
3	·08	·09	—	—	—	—	—	—	—	—	TR	·12		3
4	·06	1·14	—	TR	—	TR	—	—	—	·13	—	·49		4
5	·29	·03	·34	—	—	—	—	TR	—	·02	—	·01		5
6	·03	·02	·60	·01	·20	—	·05	—	—	TR	—	snow ·04		6
7	—	1·00	·05	·11	·10	—	—	—	·02	TR	—	·63		7
8	—	snow ·02	snow ·21	—	·10	·09	—	—	—	—	·06	·07		8
9	—	·04	—	·42	·29	·05	·09	—	·47	—	—	·01		9
10	—	—	·52	·06	·10	·32	·03	—	—	—	—	·73		10
11	—	—	·65	—	·10	·07	·06	—	—	—	—	·24		11
12	·74	·34	·22	—	·19	·45	—	·62	·27	—	—	·10		12
13	·54	·06	·46	·06	·02	·24	—	—	·04	—	—	·71		13
14	·07	—	·02	—	·25	—	—	·20	·12	—	—	·01		14
15	·09	·11	—	·42	TR	—	·46	—	·05	—	—	TR		15
16	·02	·06	·10	·19	—	·05	—	·92	·02	—	·01	—		16
17	·07	·02	—	·04	—	·02	—	—	·80	—	·12	—		17
18	·22	·16	·04	—	·44	·15	—	—	·58	—	·26	·07		18
19	·06	24 ·22	·12	·26	TR	·04	—	—	·01	—	·11	·14		19
20	·22	—	·29	·30	·70	·04	—	—	—	TR	TR	·04		20
21	·32	·39	TR	·11	TR	—	—	·02	—	TR	·21	·07		21
22	·29	·02	—	—	·03	—	·25	—	—	·94	·05	·10		22
23	·04	·10	—	—	—	—	·29	—	—	·48	·07	·04		23
24	·45	·41	—	—	·05	—	—	—	TR	·09	TR	·01		24
25	·23	·34	·34	—	—	—	—	—	·09	·34	—	TR		25
26	·01	·44	·03	—	—	—	—	—	—	·34	·01	—		26
27	—	·22	—	·37	—	—	—	—	·01	·12	TR	—		27
some 28	snow ·30	·16	—	·02	—	—	—	—	—	·03	—	—		28
29	snow ·07	×	·01	—	—	·03	—	—	—	·39	·01	TR		29
30	·24	×	—	—	—	·01	—	—	—	·23	·09	·01		30
31	·28	×	TR	×	—	×	·01	—	×	·50	×	·03		31
TOTAL	5·66	6·88	4·15	3·05	2·57	1·56	1·24	1·76	2·48	3·65	1·35	4·58	Year's Total 37·93	✓
* Days with .01 in. or more.	25	24	17	15	13	13	8	4	12	14	12	23	180	✓
* Days with .04 in. or more.	21	18	14	13	11	10	6	3	8	10	9	17	140	✓

† Spare column, no entries required.

(*Signed*) Gertrude J. Woodd [P.T.O.

* See Instruction 3 (f) on other side.

Folio No. 663604/26

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 5·30 ~~2340~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Woodside, 7 Arundel Road

in the County of Sussex Eastbourne

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level ~~86~~ 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·01	—	—	·08	·61	—	—	·34	·16	·04	·07		1
2	·01	TR	TR	·07	·04	—	·44	—	—	·44	—	·07		2
3	TR	—	SNOW ·01	—	·01	—	·19	—	—	·74	·18	—		3
4	·04	—	TR	—	—	·03	·38	·10	—	·15	TR	·20		4
5	—	—	—	—	—	—	·10	·03	—	·39	·02	·01		5
6	·19	—	—	—	—	—	·09	·01	·10	·02	·07	·03		6
7	TR	—	—	—	—	TR	·29	·17	·04	·17	·02	·18		7
8	·27	TR	—	—	—	—	·08	·03	—	·17	TR	·17		8
9	·46	·05	—	—	—	—	—	—	—	·35	—	·43		9
10	·15	·09	—	—	—	—	·07	—	—	·01	—	·43		10
11	·56	TR	—	—	—	—	—	—	—	·01	·06	·22		11
12	·48	—	—	—	TR	TR	—	—	—	·10	TR	·02		12
13	·47	SNOW ·13	—	—	—	—	—	—	—	·14	·18	·14		13
14	·27	SNOW ·05	—	—	·73	—	TR	·02	—	—	·02	·11		14
15	·03	SNOW ·05	—	—	TR	—	·15	—	—	·13	·01	·22		15
16	·36	SNOW ·03	·09	—	·09	—	—	·03	—	·14	—	·30		16
17	TR	SNOW ·31	—	—	·06	—	—	—		·12	·02	—		17
18	·12	—	TR	—	·02	—	—	—	·20	·03	·49	—		18
19	·05	—	—	—	TR	—	—	·02	·07	—	·32	—		19
20	TR	—	—	—	TR	—	—	—	·06	—	·47	SNOW ·15		20
21	·13	—	—	·03	—	—	—	·01	·12	—	·09	SNOW ·05		21
22	·03	—	—	TR	—	—	—	·15	—	—	·46	SNOW ·04		22
23	·02	—	—	·02	—	—	—	—	—	—	·40	—		23
24	—	TR	·22	—	—	—	—	—	·07	—	·48	SNOW ·04		24
25	·11	—	·29	·06	·03	—	—	·01	·15	·02	·65	SNOW ·03		25
26	·38	·09	·09	·04	·01	—	·04	·07	·10	·27	DEW ·02	·51		26
27	·19	·10	—	—	·31	·10	·37	—	1·30	·10	·31	—		27
28	·10	·08	—	—	·34	·08	—	·65	·06	—	·02	·02		28
29	·21	✗	TR	—	·14	—	—	—	—	TR	·08	·25		29
30	·12	✗	—	·42	·41	·12	—	—	·04	·01	·22	—		30
31	·20	✗	—	✗	·21	✗	—	—	✗	·17	✗	·26		31
TOTAL	4·96	·97	·70	·64	2·48	·94	2·20	1·30	2·65	3·84	4·63	3·95	Year's Total 29·26	✓
* Days with .01 in. or more.	25	11	5	6	14	5	11	13	13	22	23	24	172	✓ 172
* Days with .04 in. or more.	20	8	4	4	10	4	11	5	13	16	16	19	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Gertrude J. Woodd [P.T.O.

COPY FOR OFFICIAL USE

Station No. 530 ~~3540~~

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Woodside" 7 Arundel Road

in the County of Eastbourne Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ~~100~~ 86 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	—	·03	·18	·17	—	—	·11	·17	·13	TR	·03		1
2	·02	—	·01	·03	—	—	—	·15	·03	·03	TR	—		2
3	·39	—	—	·22	—	—	—	—	—	—	·24	·35		3
4	·21	Dew ·02	·50	·10	—	—	—	·41	—	·46	·13	·11		4
5	—	Dew ·01	·07	·30	·05	—	·15	—	—	·48	·47	·06		5
6	·38	Dew ·01	·09	TR	—	—	·05	—	—	·39	·69	TR		6
7	·26	·07	—	—	—	—	·06	·10	—	·13	·09	·30		7
8	—	·07	·09	—	—	—	·01	—	—	·64	TR	·41		8
9	·10	·08	—	—	—	—	—	·07	—	·54	·12	·11		9
10	·14	[illegible]	—	—	—	·20	—	·24	·41	1·64	·02	·01		10
11	·28	·04	·20	—	·03	TR	—	—	—	·85	·01	TR		11
12	—	—	—	—	·01	—	—	—	—	·07	—	·02		12
13	·12	—	·01	·02	—	·17	—	—	·01	1·95	TR	·18		13
14	·59	—	—	·02	—	·07	·09	—	TR	·21	·65	·10		14
15	·29	—	—	—	·32	·01	·02	—	·01	·26	·31	TR		15
16	·17	·03	·08	·17	·19	·24	·66	—	TR	—	·47	—		16
17	·05	·19	·02	·02	·04	—	—	—	—	—	·10	—		17
18	·15	·01	—	—	·46	·07	·26	—	—	·03	·95	—		18
19	·37	—	·01	—	—	—	·16	—	TR	·55	—	·02		19
20	·28	—	—	—	—	·01	·05	—	·07	TR	TR	·01		20
21	·27	—	·16	—	—	·02	·01	—	·08	·05	—	—		21
22	·30	·39	·06	·03	—	·47	·04	—	—	TR	TR	—		22
23	·02	·03	—	·19	—	·01	·01	·01	—	·10	·88	TR		23
24	·21	·09	·02	·02	—	·02	·16	—	—	·03	·04	—		24
25	1·23	·52	·15	·24	—	—	·36	·06	—	—	1·10	—		25
26	·07	—	·07	·01	—	—	·01	—	TR	·15	·43	·01		26
27	·08	·08	·03	·01	—	—	—	—	—	·16	·34	·02		27
28	—	·37	·02	·02	—	·17	—	—	—	·02	·25	Snow ·28		28
29	—	✕	—	·10	—	·03	—	—		·01	·03			29
30	—	✕	—	·73	—	·03	—	·73	·01	·05	·06			30
31	—	✕	—	✕	—	✕	·26	·32	✕	·07	✕			31
TOTAL	6·28	2·01	1·62	2·41	1·27	1·52	2·36	2·20	·79	~~8·90~~ 9·00	7·38	2·02	Year's Total 38·76	
* Days with .01 in. or more.	24	16	18	18	8	14	17	10	8	25	21	16	195	
* Days with .04 in. or more.	22	10	10	9	6	7	12	9	4	20	18	10	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Gertrude J. Woodd

P.T.O.

Folio No. 663604

COPY FOR OFFICIAL USE

Station No. ~~3343~~ 530

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Woodside 7 Arundel Rd. EASTBOURNE

in the County of SUSSEX

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 86–100 ft.

Aug. est. 3 [illegible]

Cas Est Aug Inc.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	TR	—	·01	—	—	—		—	—	·13	—		1
2	—	·15	—	·13	·10	—	·07		—	—	·44	—		2
3	hail ·03		—	·10	—	—	—		—	·11	1·73	·27		3
4	—	·42	—	TR	—	—	—		—	—	—	·22		4
5	—	TR	—	—	—	—	·03		—	·26	1·13	—		5
6	·26	·22	—	—	·03	—	·42		—	·69	·06	·20		6
7	—	·12	—	—	—	—	·05		—	—	—	—		7
8	—	·02	—	—	—	—	—		·08	—	—	·16		8
9	—	—	—	—	—	—	—		—	·44	·65	·33		9
10	—	—	—	—	—	—	—		—	·46	·15	·01		10
11	—	snow ·08	TR	·01	—	—	·22		—	—	1·01	—		11
12	—	snow ·02	·14	·01	—	—	·01		—	·03	1·07	—		12
13	—	TR	·36	—	—	·70	·14		·60	·03	·02	—		13
14	—	—	·08	·08	—	—	·03		—	—	·05	—		14
15	—	—	TR	·01	·54	·01	·86		—	—	·20	·01		15
16	snow ·54	snow ·28	·37	·08	—	·05	·10		—	·89	·70	—		16
17	—	—	—	—	—	—	·03		·17	—	—	—		17
18	—	·30	·34	·25	—	—	—	(·02)	—	·25	—	·11		18
19	—	·07	·01	—	—	—	·03		·95	—	—	·02		19
20	—	·02	—	·01	—	—	—	(·05)	·06	·07	·13	·03		20
21	—	TR	—	—	·56	—	—		·26	·01	·34	—		21
22	TR	—	·05	—	—	·10	·08		·08	—	—	—		22
23	—	·31	·50	·31	—	—	·24		—	—	—	—		23
24	—	TR	—	·29	—	—	·30		—	—	·01	—		24
25	—	—	—	TR	·02	·06	·50		·04	—	·01	—		25
26	·95	·21	·18	—	·16	—	·09		—	—	—	·02		26
27	·35	·08	—	—	·04	—	—		—	—	—	·03		27
28	·35	—	—	·05	·18	—	—		—	—	—	·39		28
29	·52	·13	·12	·04	·14	—	—		—	—	—	—		29
30	·14	✕	—	·04	—	—	—		—	·18	—	·07		30
31	·05	✕	—	✕	—	✕	—		✕	·54	✕	—		31
TOTAL	3·19	2·43	2·15	1·42	1·77	·92	3·20	(·07)	2·24	3·96	7·83	1·87	Year's Total ~~30·98~~	31·05
* Days with .01 in. or more.	9	15	10	15	9	5	17	2	8	13	17	14	~~132~~	134
* Days with .04 in. or more.	8	12	9	10	7	4	12	1	8	10	14	8	~~102~~	103

Print S.R.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

X Eastbourne (King's A

/27X

530/2

EASTBOURNE KINGS AVE

1934- 1940

780111

Section **A** for the entry of
AIR MINISTRY

LL ORGANIZATION.

Station No. 530/2

FORM 1090.

REGIST

4.

11/Sussex/5

Kept at 33 King's

in the County of Sussex

al 1090. No particulars

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

Circ. H. sent 13/2/35.

THE MORNING MEASUR .

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										·29		·65		1
2										·47		·66		2
3										·47		·30		3
4										·46	·18	·75		4
5										·01		·49		5
6										·34		·43		6
7										·09		·15		7
8											1·91			8
9											·36	·14		9
10														10
11												·53		11
12												·11		12
13											·13			13
14										·01	1·75	·46		14
15										·03	·25	·53		15
16											·01	·01		16
17												·46		17
18												·85		18
19										·09		·48		19
20														20
21										·08				21
22												·22		22
23										·05		·32		23
24											·02			24
25										·09		·62		25
26										·06		·01		26
27												·35		27
28												·19		28
29														29
30		×									·01	·66		30
31		×		×		×			×	·14	×	·16		31
TOTAL										2·98 ~~3·01~~	4·62	9·53	Year's Total np	✓
*Days with ·01 in. or more.										15	9	24	—	
*Days with ·04 in. or more.										12	6	22		

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(*Signed*) Rev. G. G. Wilkinson [P.T.O.

X Eastbourne (King's A 27 X

COPY FOR OFFICIAL USE.

530/2

Section **A** for the entry of Daily Observations. Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Sussex/5

Kept at 33 King's Avenue
in the County of Eastbourne Sussex.
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

g from No 2495

Values copied from original 1090. No particulars were given.

Cue H. sent 13/2/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										·29		·65		1
2										·47		·66		2
3										·77		·30		3
4										·46	·18	·75		4
5										·01		·49		5
6										·34		·43		6
7										·09		·15		7
8											1·91			8
9											·36	·14		9
10														10
11												·53		11
12												·11		12
13											·13			13
14										·01	1·75	·46		14
15										·03	·25	·53		15
16											·01	·01		16
17												·46		17
18												·85		18
19										·09		·48		19
20														20
21										·08				21
22												·22		22
23										·05		·32		23
24											·02			24
25										·09		·62		25
26										·06		·01		26
27												·35		27
28												·19		28
29														29
30		×									·01	·66		30
31		×		×		×			×	·14	×	·16		31
TOTAL										2·98 ~~3·01~~	4·62	9·53	Year's Total [illegible]	✓
*Days with ·01 in. or more.										15	9	24	–	
*Days with ·04 in. or more.										12	6	22	–	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(*Signed*) Rev. G. G. Wilkinson

[P.T.O.

762 517/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 530/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Knossington, 33 King's Avenue, Eastbourne
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level ? 200 ft.

Kindly send me a free copy of the reprint of the "General Table" in which my observations appear.

Copy [illegible] 1934

Letter sent 17-4-36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·02	·16	·03	·07	·06	·01		·03	·43	·31			1
2	·07		·01	·03			·02			·75	·05			2
3			·11	·02					·07	·21	·10			3
4	~~·09~~	·09		·47		·13			·83	·40		·13		4
5		·51	·05	·14		·01			·82	·62	·01	·02		5
6	·02	·12	·01	·39		·05				·35	·63			6
7	·06	·04		·39		·17				·01	1·15	·12		7
8				·38				·07		·81	·40	·06		8
9				·19		·37				1·36	·28	·01		9
10	·22		·24	·10		·12				·02	·14	·12		10
11	·11						·15				·59			11
12		·22				·24		·10	·11		·50			12
13	·05	·25		·33		·01					·45			13
14		·01			·15	·15				·09	·01	·25		14
15		·23		·62	·01	·15			·96	·05	·45	·07		15
16		·07	·04	·27		·01			·35	·02	·86			16
17	·01			·19		·50		·03	·20		·59			17
18				·36	·02	·10			·80	·19	·02			18
19				·07	·35	·05	·02		·28	·01	·14			19
20		·52	·01	·07	·05	·05	·06		·05		·20			20
21	·01	·21							·02	·21	·03			21
22		·30	·02					·28	·28					22
23		·07	·05					·57			·02	·41		23
24	·05	·48			·31			1·11	·91			·43		24
25	·03	1·07		·26	·19	·33						·47		25
26	·04	·18				·04		·17		·06	·21	·28		26
27	·04	·29						·54				·35		27
28		·11			·02				·13	·02	·15	·37		28
29					·04		~~·01~~	·01 ~~·16~~	·16 ~~·01~~	·01	·16	·43		29
30	·08	×						2·10	·55	·09	·59	·29		30
31		×		×		×		·03	×	·22	×	·48		31
TOTAL	·99	4·79	·70	4·31	1·21	2·54	·26	5·01	6·55	5·93	8·04	4·29	Year's Total. 44·62	
* Days with .01 in. or more.	14	19	10	18	10	18	5	11	17	21	25	17	185	
* Days with .04 in. or more.	10	17	6	15	7	15	2	8	15	15	20	15	145	

40-9999

† Spare column, no entries required.

(*Signed*) George G. Wilkinson [P.T.O.

* See Instruction 2 (f) on other side.

X EASTBOURNE (KING'S AVENUE) X

Sussex | 5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 530/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ~~33, King's Avenue, Eastbourne~~

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level ~~200~~ ft.

530	530/2
32·96	32·35
182	189
143	139

762517/29

appears OK 1936. 1935 mps bring

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

120 X

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	·31	·01	·03		·24	·17	·21			·11	·11		1
2	·02	·04				·31	·11	·08						2
3				·29		·06	·07		·14		·98			3
4			·14			·19	·04	·01	·39		·03	·14		4
5	·09		·01					·06	·48		·08			5
6	·43					·03	·01	·05	·16	·01	·29			6
7	·59		·10			·03	·08		·02	·01	·42	·03		7
8	·45		·01				·09				·76	·34		8
9	·35		·01				1·57	·01	·11		·35			9
10	·25		·02			·03	·08	·22	·01					10
11	·10			·07			·42			·01	1·25			11
12				·02	·01	·17		·04			·12	·13		12
13						·08	·02					·22		13
14		·19		·03		·10	1·32			·02	·14	·18		14
15		·08		·03		·01	·01		·01		·26	·36		15
16	·25				·11						·16	·16		16
17		·61			·02	·21			·02	·06	·21	·58		17
18	·16	·11				·08	·18	·01	·02		·06	·11		18
19	·26	·06	·03	·01		·32	·06	·14			·01			19
20	·43	·04	·01	·44					·27					20
21		·04		·78		·38	·12		·16			·01		21
22	·12	·41	·11		·05	·02	·08					·12		22
23		·11	·12	·21			·10			·07				23
24	·16	·10		·01					·07	·15				24
25	·28	·01	·14	·09	·03	·21			·22	·18				25
26	·01	·21	·12						·11	·19				26
27	·22		·03				·12		·09	·21				27
28	·56		·20			·49	·02					·04		28
29	·02	·09	·13			·01	·29			·09	·11	·01		29
30	·19	✕	·08		·04	·24				·08	·01			30
31	·20	✕	·15	✕		✕	·27	·02	✕	·24	✕	·14		31
TOTAL	5·33	2·41	1·42	2·01	·26	3·21	5·23	·85	2·28	1·32	5·35	2·68	Year's Total 32·35	✓
* Days with .01 in. or more.	22	15	18	12	6	20	22	11	16	13	18	15	189	
* Days with .04 in. or more.	19	14	10	6	3	14	18	7	11	9	15	13	139	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ~~G.G. Wilkinson~~ [P.T.O.

X REV. G.G. WILKINSON X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 530/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at 33, King's Avenue, Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ? 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	1·01	·41 ✓		·19							·40	·27		1	
2	·01	✗	·24	·56								·76		2	
3	·08	·09								·02		·13		3	
4	·08	1·19										·53		4	
5	·33	·03	·41				·19			·11				5	
6	·03	·04	·65	·04	·29		·05			·02		·01		6	
7		1·15	·06	·14	·04				·03			·68		7	
8		·02	·23		·13	·09					·07	·21		8	
9			·01	·54	·41	·05	·09		·48			·02		9	
10			·55	·08	·11	·34	·03					·53		10	
11			·64	·01	·02	·06	·05					·26		11	
12	·79	·42	·25		·24	·46	·01	·62	·25			·12		12	
13	·57	·06	·48	·07	·03	·29		·01	·04			·74		13	
14	·06	·01	·03		·26			·14	·14			·31		14	
15	·08	·12		·46			·52		·06			·01		15	
16	·02	·05	·11	·21		·04		·95	·04					16	
17	·26	·02		·05		·01			·80		·13			17	
18	·25	·14	·05		·46	·17			·61		·29	·07		18	
19	·05	·26	·12	·32	·02	·03					·13	·09		19	
20	·01		·27	·34		·05			·01			·08		20	
21	·34	·44	·02	·11	·75		·01	·02		·02	·21	·10		21	
22	·31	·04	·01		·03		·04			1·12	·05	·13		22	
23	·04	·10				·01	·57			·31		·04		23	
24	·47	·44			·05					·11				24	
25	·23	·37	·35						·08	·28				25	
26	·02	·48								·28				26	
27		·20		·35					·02	·13				27	
28	·28	·19		·03						·03		·01		28	
29	·68 ✓		·04			·03				·41				29	
30	✓	✕				·01				·23	·11	·01		30	
31	✗	✕		✕		✕			✕	·58	✕	·03		31	
TOTAL	6·00	6·27	4·52	3·50	2·84	1·64	1·56	1·74	2·56	3·65	1·39	~~23~~ 5·14	Year's Total 40·81	✓	✓
* Days with .01 in. or more.	25 ✓	24	19	16	14	14	10	5	12	14	8	23	184	✓	✓
* Days with .04 in. or more.	20 ✓	~~20~~ 19	15	14	10	9	7	3	9	10	8	18	144 2	✓	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) George G. Wilkinson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 530/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 33, King's Avenue, Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ? ~~200~~ ft. 120 (map)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·03			·12	·65	·32		·35	·16	·04	·07		1
2		·01		·04	·04		·26			·44		·07		2
3					·01	·01	·21			·75	·22			3
4	·03					·03	·16	·10		·15		·14		4
5							·31	·03		·40		·02		5
6	·23						·05		·09	·01	·05	·02		6
7	·01						·25	·16	·04	·19	·02	·18		7
8	·29						·12	·03		·20		·18		8
9	·41	·05								·40		·47		9
10	·16	·09					·07					·45		10
11	·63	·01					·01			·01	·06	·22		11
12	·42	·01			·04					·10		·02		12
13	·48									·18	·15	·14		13
14	·28	·13×			·76			·04				·08		14
15	·02	·07×					·15		·02	·12	·04	·24		15
16	·41	·13×	·12					·03		·18		·32		16
17		·23×	·01		·14				·04	·14	·01			17
18	·14	·01			·02				·11	·03	·51			18
19	·05							·02	·06		·15			19
20	·01								·22		·57	·14×		20
21	·09			·02					·18		·07	·05×		21
22	·03					·04		·14			·52	·03×		22
23	·02			·02							·38			23
24			·21						·06		·50	·02×		24
25	·12		·31	·09	·03		·04	·02	·14	·02	·78			25
26	·43	·10	·11	·03				·07	·29	·28		·69		26
27	·23	·10			·29	·20	·42		1·27	·09	·33			27
28	·10	·08			·39	·09		·62	·06		·02	·02		28
29	·23		·01	·01	·35						·07	·25		29
30	·14	✕		·38	·35	·02			·03	·02	·27			30
31	·11	✕		✕	·26	✕		·01	✕	·13	✕	·28		31
													Year's Total	
TOTAL	5·09	1·05	·77	·59	2·80	1·04	2·37	1·27	2·96	4·00	4·76	4·10	30·80	✓
* Days with .01 in. or more.	26	14	6	7	13	7	13	12	15	21	20	23	177	✓
* Days with .04 in. or more.	19	9	4	3	10	4	12	6	13	16	17	17	130	

* See Instruction 3 (f) on other side. × means Melted Snow

† Spare column, no entries required.

(Signed) George G. Wilkinson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 530/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 33 King's Avenue, Eastbourne

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level ? ~~200~~ ft. 120

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22		·03	·16	·16			·21	·20	·12		·04		1
2	·22			·02	·01			·04	·03	·03		·37		2
3	·41 4	·01		·23				·23			·28	·11		3
4	[illegible] 24		·52	·09			·08	·40		·54	·10			4
5			·07	·29	·05		·06	·01		·44	·52	·05		5
6	·42		·09	·01			·07			·40	48			6
7	·36	·11					·08	·08		·11	·34	·26		7
8	·21	·47	·09				·01			·47		·40		8
9	·10	·09					[illegible]	·07		·75	·16	·22		9
10	[illegible] 15	·01				·21		·25	·48	·49	·02	·01		10
11	·30	·03	·21			·01				·72	·01			11
12	·01				·03					·40		·01		12
13	·13		·02	·02		·07				1·92		·18		13
14	·62			·02		·08	·09			·23	·63	·08		14
15	·39				·37	·02	·02			·24	·13			15
16	·18	·02	·06	·15	·26	·22	1·00		·02	·01	·58			16
17	·05	·18	·02	·02							·11			17
18	·18 18		·01		·62	·06	·26			·02	1·02			18
19	·42									·36				19
20	·33 33					·01			·02		·01			20
21	·28		·14			·02	·01		·07	·04				21
22	·33	·30	·05	·03		·53	·10							22
23	·02	·03		·09		·12	·03			·10	·87			23
24	·20	·07	·03	·13		·12	·09	·02		·03	·07			24
25	1·29	·55	·17	·25			·43	·06			1·24	·05		25
26	·07		·07	·01			·01			·11	·45	·01		26
27	·09	·08	·02							·16	·37			27
28	·01	·38	·01	·04		·16					·27	·25 snow		28
29				·06		·03				·03	·02			29
30		✕		·78		·03		·16	·01	·05	·08			30
31		✕		✕		✕	·09	·71	✕	·08	✕			31
TOTAL	6·71	1·93	1·60	2·40	1·45	1·40	2·43	2·45	·85	8·81	7·74	2·16	Year's Total 40·05	
* Days with .01 in. or more.	27	14	17	18	7	15	16	12	7	25	22	14	184	
* Days with .04 in. or more.	22	9	10	11	5	7	11	10	4	2[illegible]	8	11	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 530/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Eastbourne (Kings avenue)

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 120 ft.

762 S 13/27

Sept roll. est. [illegible]

Eversched

Est. Sept. [illegible] Day

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·21			1
2		·07		·15			·06			✓	·55	·53		2
3	·03	·33		·11						✓	1·87	·29		3
4		·10					·22			✓	·21	·17		4
5		·01					·02				1·05	·21		5
6	·26	·21			·03		·31			✓	·06			6
7	·16	·14					·13							7
8							·03		✓ ~~·01~~	✓	·01	✓		8
9	·25									✓	·65	✓ (·75)		9
10			·01				·19		✓	✓	·24			10
11											1·21			11
12			·19	·02			·17		✓ ✓		·03			12
13			47			·21					1·12			13
14			41	·05						✓		·73		14
15				·02	·75		·18		✓	✓	·19	·02		15
16		·77	·25	·07			·06		✓	✓	·76			16
17			·43			·03	·02				·14			17
18		·26	·37	·25			·01	·02		✓	·01	✓		18
19		·09					·03		✓		·26	✓		19
20		·01		·01				·06	✓	✓	·09			20
21		·06			·08				✓	✓	·36 ~~·30~~			21
22			·07			·09			✓		·01			22
23		·34	·07	·28			·01				·03	(1·0)		23
24				·31			·23							24
25			·47		·03		·27							25
26	·84	·26			·15		·11			✓				26
27	·55	·13	·21	·01										27
28		·11		·03	·12									28
29	·21	·12	·14	·03	·14							✓		29
30	·17	✕		·03						✓ ~~[illegible]~~		✓		30
31	·07	✕	·11	✕		✕			✕	✓ ~~[illegible]~~ ~~·76~~	✕	✓		31
TOTAL	1·54	2·93	3 22 ~~3·12~~	1·37	1.37 ~~1·38~~	·20	2·69	·08	(2.25) ~~·01~~	(4.00)	9·10 ~~[illegible]~~	(3·16) ~~[illegible]~~	Year's Total ~~31·17~~	(33·42)
* Days with .01 in. or more.	9	15	13	14	7	3	17	2	(10)	(16)	20	(13)	(139)	up to [illegible] with estimate
* Days with .04 in. or more.	8	12	11	7	6	2	11	1	(9)	(13)	[illegible]	(9)	(104)	

* See Instruction 3 (f) on other side. 1·37

† Spare column, no entries required.

(*Signed*) 9·10

[P.T.O.

530/5

Section **A** for the entry of D
AIR MINISTRY.-

tation No. 530/5
ORGANIZATION.

FORM 1090.

REGIST

4. 11/Sussex/5

Kept at *Friston Water*

in the County of *Suss*

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREM

530/5

FRISTON WATER TOWER

1934-1940

480111

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					·02	·24		·04	·03	·37	·01	·54		1
2			·17			·02			·09	·35	·02	·56		2
3				·15					·01	·37	·05	·29		3
4			·03		·01					·48	·14	·78		4
5			·04		·14			·14			·07	·48		5
6			·47	·14	·15	·19		·02		·32	·04	·36		6
7										·10		·12		7
8				·23	·15	·01		·02			1·52			8
9			·12								·47	·12		9
10			·25	·10				·08		·01	·09			10
11			·38	·03			·02	·86				·53		11
12			·09				·28	·18			·11	·05		12
13				·12				·01			·16			13
14			·25	·05		·01					1·05	·40		14
15			·04		·01						·29	·63		15
16			·37	·13	·05					·04		·05		16
17			·35	·05						·02		·42		17
18			·01	·14								·77		18
19			·22	·01		·06			·31			·39		19
20			·02	·01	·02	·01	·24		·28	·03				20
21				·18		·16				·03				21
22							·03	·20	·43	·02		·21		22
23				·42		·31				·06		·29		23
24				·01		·04	·68		·04					24
25				·13						·05		·56		25
26				·03		·18				·02		·01		26
27				·24		·30				·03		·21		27
28				·12		·01		·86		·02	·01	·20		28
29								·43	·34		·02			29
30		×						·09		·01		·43		30
31		×		×		×		·04	×	·13	×	·19	10 months	31
													~~Year's~~ Total.	
TOTAL			2·81	2·29	·55	1·54	1·25	2·97	1·53	2·46	4·05	8·59	~~28·04~~	
* Days with .01 in. or more.			15	19	8	13	5	13	8	19	15	24	~~139~~	
* Days with .04 in. or more.			12	14	4	8	3	10	6	10	11	23	~~121~~	

40-9999

* See Instruction 2 (f) on other side

X Eastbourne W.W X

† Spare column, no entries required.

(Signed)

[P.T.O.

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 530/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Sussex/5

Kept at Friston Water Tower

in the County of Sussex Friston Hill.

C1934

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·02	·24		·04	·03	·37	·01	·54		1
2			·17			·02			·09	·35	·02	·56		2
3				·15					·01	·37	·05	·29		3
4			·03		·01					·48	·14	·78		4
5			·04		·14			·14			·07	·48		5
6			·47	·14	·15	·19		·02		·32	·04	·36		6
7										·10		·12		7
8				·23	·15	·01		·02			1·52			8
9			·12								·47	·12		9
10			·25	·10				·08		·01	·09			10
11			·38	·03			·02	·86				·53		11
12			·09				·28	·18			·11	·05		12
13				·12				·01			·16			13
14			·25	·05		·01					1·05	·40		14
15			·04		·01						·29	·63		15
16			·37	·13	·05					·04		·05		16
17			·35	·05						·02		·47		17
18			·01	·14								·77		18
19			·22	·01		·06			·31			·39		19
20			·02	·01	·02	·01	·24		·28	·03				20
21				·18		·16				·03				21
22							·03	·20	·43	·02		·21		22
23				·42		·31				·06		·29		23
24				·01		·04	·68		·04					24
25				·13						·05		·56		25
26				·03		·18				·02		·01		26
27				·24		·30				·03		·21		27
28				·12		·01		·86		·02	·01	·20		28
29								·43	·34		·02			29
30		×						·09		·01		·43		30
31		×		×		×		·04	×	·13	×	·19	10 months	31
TOTAL			2·81	2·29	·55	1·54	1·25	2·97	1·53	2·46	4·05	8·59	~~Year's~~ Total. ~~28·04~~	
* Days with .01 in. or more.			15	19	8	13	5	13	8	19	15	24	~~139~~	
* Days with .04 in. or more.			12	14	4	8	3	10	6	10	11	23	[illegible]	

40-9999

* See Instruction 2 (f) on other side X Eastbourne W.W X

† Spare column, no entries required.

N

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 530/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

678762/26

Kept at Friston (Water Tower)
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 389 ft.

Comm insp 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·02	·16	·05	·03	·10			·04	·47	·30	·01		1
2	·09			·01			·01			·47	·05			2
3			·08	·01					·23	·19	·08	·28		3
4		·11	·04	·43		·17			·83	·34		·02		4
5		·40	·04	·10					·60	·53		·12		5
6		·15	·01	·28		·06				·47	·61	·09		6
7	·04	·06		·33		·12					1·06	·04		7
8	·03			·36				·09		·72	·30			8
9	·04			·15		·22				1·13	·20	·13		9
10	·14		·24	·12		·12				·03	·07			10
11	·08	·01	·02			·01	·15				·66			11
12		·17				·20		·16	·11		·40			12
13	·07	·19		·41							·30	·03		13
14					·10	·18			·02	·08		·16		14
15		·16		·57					·77	·06	·49	·08		15
16		·07	·03	·14					·27	·03	·75			16
17	·02		·02	·15	·01	·47		·06	·22		·60			17
18				·29	·09	·09		·02	·61	·15	·02			18
19				·07	·33	·09	·03		·21		·14	·04		19
20		·39		·06	·04	·11	·02		·03		·20			20
21		·26		·03						·17	·03			21
22		·31	·03					·63	·19					22
23		·09	·04					·35				·27		23
24	·06	·57			·49			1·30	·70			·36		24
25	·06	1·03		·25	·18	·26						·35		25
26	·01	·17				·03		·15	·05	·05	·01	·21		26
27	·01	·25						·43	·12		·15	·37		27
28		·09						·01	·01	·03	·10	·27		28
29									·26		·09	·33		29
30	·11	✕						1·79	·36	·08	·47	·25		30
31		✕		✕		✕		·02	✕	·18	✕	·41		31
TOTAL	·97	4·50	·71	3·81	1·27	2·23	·21	5·01	5·63	5·18	7·08	3·82	Year's Total 40·42	o.k.
* Days with .01 in. or more.	14	19	11	19	8	15	4	12	19	18	23	20	182	
* Days with .04 in. or more.	10	17	6	15	6	13	1	9	16	15	20	17	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X EASTBOURNE W.W. X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 530|5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Friston Water Tower

in the County of Sussex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 379 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·27		·07		18 ·18	·18	·27			·13	·09		1
2	·01	·01				·27	·10	·08						2
3				·29		·02	·08		·14		·77	·02		3
4			·10			·19	·07		·36		·01	·10		4
5	·09							·07	·18		·08	·02		5
6	·36					·03	·03	·03	·12		·19			6
7	·37		·31			·03	·08			·01	·33	·02		7
8	·41		·04				·09				·77	·35		8
9	·36		·05				2·20	·08	·14		·27			9
10	·16		·01				·04	·15		·05	·01			10
11	·11	·06						·01			1·13			11
12	·01			·06		·16	·36	·05	·02		·09	·14		12
13						·08						·28		13
14		·08		·02		·08	1·13			·03	·11	·29		14
15		·08					·02				·27	·35		15
16	·17	·15			·17						·15	·18		16
17	·07	·53				·06		·03	·02	·06	·18	·50		17
18	·16	·08				·06	·18				·07	·07		18
19	·29	·07	·03			83 ·83	·07	·12			·02			19
20	·32	·03	·02	·38					·98					20
21		·10		·90		·32			·19					21
22	·08	·44	·12		·06		·07					·13		22
23		·12	·13	·16			·08			·05		·01		23
24	·19	·10							·10	·19				24
25	·27	·01	·15	·10	·04	·09			·11	·15				25
26	·01	·15	·14						·13	·17				26
27	·19	·04	·04	·04			·03		·08	·19				27
28	·45		·24	·01		·31 31						·03		28
29	·06	·07	·11			·06	·07			·09	·10	·02		29
30	·17	✕	·07		·01	·25				·05				30
31	·19	✕	·14	✕		✕	·25		✕	·29	✕	·11		31
TOTAL	4·62	2·39	1·70	2·03	·28	3·02	5·13	·89	2·57	1·33	4·68	2·71	Year's Total 31·35	✓
* Days with .01 in. or more.	24	18	16	10	4	17	19	10	13	12	18	18	179	✓
* Days with .04 in. or more.	21	15	13	8	3	14	16	7	11	10	15	12	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

EASTBOURNE WATER WORKS COY.

(*Signed*) H. Blagrove [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 530/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Friston Water Tower

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·81	·01		·22							·46	·47		1
2		·32	·16	·48						·03	·02	·72		2
3	·09	·14										·19		3
4	·08	1·04										·44		4
5	·23	·04	·35				·22			·09				5
6	·06	·05	·93	·04	·34		·07			·03		·08		6
7		1·03	·08	·11	·30				·01			·87		7
8		·02	·37		·10	·09					·13	·41		8
9		·03		·52	·23	·03	·08		·48					9
10			·43	·08	·17	·31	·14	·01				·71		10
11			·45		·04	·03	·09					·24		11
12	·61	·27	·22		·18	·53	·01	·69	·19			·14		12
13	·53	·08	·56	·03	·01	·20			·04			·65		13
14	·09	·02			·27	·03		·15	·15			·34		14
15	·11	·11		·35			·47		·09					15
16	·03	·04	·14	·18		·04		1·02	·02		·03			16
17	·26		·07	·03					1·06		·11			17
18	·23	·14	·04		·30	·11			·88		·28	·17		18
19	·04	·26	·07	·24	·01	·03			·01		·09	·11		19
20	·22	·01	·26	·26	·76	·08			·18			·08		20
21	·29	·34		·14	·03		·01				·26	·11		21
22	·32	·04			·03		·07			1·11	·10	·10		22
23	·06	·10					·57			·26	·22	·05		23
24	·41	·38			·06					·16				24
25	·20	·30	·34						·05	·15				25
26	·01	·41	·05							·30				26
27		·13		·28						·10				27
28	·05	·14		·04		·01				·07				28
29	·12									·13	·01			29
30	·26	✕				·01				·34		·04		30
31	·32	✕		✕		✕	·01		✕	·57	✕	·03		31
													Year's Total	
TOTAL	5·43	5·45	4·52	3·00	2·83	1·50	1·74	1·87	3·16	3·34	1·71	5·95	40·50	
* Days with .01 in. or more.	24	25	16	15	15	13	11	4	12	13	11	20	179	
* Days with .04 in. or more.	22	20	16	13	11	7	8	3	9	11	8	19	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R H Blagrove

GENERAL MANAGER

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 530/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Friston Water Tower

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·11	·35	·23		·38	·24	·02	·06		1
2	·01			·11	·06		·17			·41		·07		2
3			·01				·16			·79	·12			3
4	·02					·01	·15	·05		·13		·15		4
5							·26	·03		·39	·03	·01		5
6	·17						·07		·09	·01	·09	·04		6
7							·09	·12	·04	·15	·02	·19		7
8	·29						·10	·02		·16		·12		8
9	·21	·05								·36		·30		9
10	·11	·19					·08					·39		10
11	·59										·05	·14		11
12	·38	·03								·10				12
13	·47	·20							·01	·10	·13	·11		13
14	·24				1·06				·02		·02	·07		14
15	·02	·13					·08			·10	·02	·18		15
16	·39	·25	·09		·04			·04		·15		·16		16
17		·32			·10				·01	·13				17
18	·12								·24	·02	·53			18
19	·06							·03	·05		·20			19
20									·16		·45	·15		20
21	·17			·01					·14		·12	·07		21
22	·04					·06		·15			·38	·11		22
23	·03			·02							·38			23
24			·25						·09		·43	·09		24
25	·11		·28	·17	·01		·04		·14	·01	·68			25
26	·33	·09	·11	·01				·31	·25	·26		·43		26
27	·16	·12			·43	·16	·38		1·47	·11	·22			27
28	·16	·08			·30	·12		·67	·08			·01		28
29	·21				·32						·13	·20		29
30	·13	✗		·39	·39				·03	·02	·17			30
31	·21	✗		✗	·23	✗			✗	·16	✗	·20		31
TOTAL	4·63	1·46	·74	·71	3·05	·70	1·81	1·42	3·20	3·80	4·19	3·25	Year's Total 28·96	✓
* Days with .01 in. or more.	24	10	5	6	11	5	12	9	16	20	20	22	160	✓
* Days with .04 in. or more.	20	9	4	3	10	4	12	6	12	16	15	20	131	✓

† Spare column, no entries required.

(*Signed*) F H Blagrove

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 530/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Friston Water Tower

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16		·04	·18	·18			·16	·15			·01		1
2	·01			·01				·15	·01	·03				2
3	·32			·21				·25			·41	·32		3
4	·20		·44	·14			·08	·34		·90	·22	·09		4
5			·06	·22	·03		·05	·01		·22	·40	·06		5
6	·37	·02	·09				·07			·71	·56			6
7	·15	·10						·15			·14	·15		7
8		·06	·09					·04		·53		·39		8
9	·09	·09						·06		·73	·27	·14		9
10	·13					·20		·28	·42	1·52	·01			10
11	·24	·02	·25							·94	·07			11
12					·04					·06		·01		12
13	·06			·03		·13	·02		·03	1·27		·22		13
14	·50			·02		·06	·09			·22	·57	·10		14
15	·37				·25	·02			·01	·32	·12			15
16	·16	·02	·06	·14	·42	·15	·31			·01	·45			16
17	·09	·10			·03				·02		·11			17
18	·10		·04		·26	·05	·13			·01	·79			18
19	·31						·20			·37		·07		19
20	·32						·01		·04			·01		20
21	·17		·12			·04	·04		·09					21
22	·25	·19	·03	·03		·69	·09							22
23		·02		·10		·01	·10			·10	·74			23
24	·25	·15	·10	·13		·01	·27			·03	·08	·01		24
25	1·16	·42	·17	·12			·67	·10			·78	·02		25
26	·08		·08	·01						·07	·31	·01		26
27	·06	·07	·03							·19	·31			27
28		·25	·03			·22					·24	·26		28
29				·09		·03				·02	·02			29
30		✕		·85		·04		·34		·07	·05			30
31		✕		✕		✕	·11	·40	✕	·07	✕			31
TOTAL	5·55	1·51	1·63	2·28	1·21	1·65	2·24	2·28	·77	8·39	6·65	1·87	Year's Total 36·03	
* Days with .01 in. or more.	23	13	15	15	7	13	15	12	8	22	21	16	180	
* Days with .04 in. or more.	22	9	12	10	5	9	13	11	4	17	19	10	141	

† Spare column, no entries required

(*Signed*) R H Blagrove

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** Station No. 530/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Friston Water Tower

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·15			1
2		·12		·11	·02		·07			·06	·37			2
3		·31		·06						·07	1·56	·21		3
4		·13					·20			·21	·01	·22		4
5		·02					·01				1·06	·17		5
6	·37	·18					·32			·56	·05			6
7	·18	·11					·03							7
8									·07	·31		·41		8
9										·32	·57	·48		9
10							·12		·05	·37	·26			10
11		·13	·01								1·07 ✓			11
12		·03	·13	·02			·14		·09					12
13			·38			·15			·45		1·17			13
14			·45	·04			·03			·05		·74		14
15			·01	·02	·46	·02	·89		·02	·04	·10			15
16	·27	·40	·29	·04		·04	·13		·12	·81	·63	·07		16
17	·02		·40				·01				·15			17
18		·31	·46	·31			·01			·15				18
19		·08					·03		·97		·16	·11		19
20		·02		·01				·08	·21	·06	·14	·03		20
21	·01				·49				·05	·02	·32			21
22	·02		·09		·05	·06			·11					22
23		·30	·08	·24			·06				·03			23
24				·30			·30							24
25			·69			·03	·33				·01			25
26	·91	·19	·25	·01	·17		·07			·03				26
27	·26	·09					·16				·01			27
28	·57			·08	·15							·01		28
29	·27	·27	·10	·04	·27							·37		29
30	·08	✕	·02	·05						·14		·04		30
31	·07	✕		✕		✕			✕	·45	✕	·22		31
TOTAL	3·03	2·69	3·36	1·33	1·61	·30	2·91	·08	2·14	3·65	7·82	3·08	Year's Total 32·00 ✓	
* Days with .01 in. or more.	12	16	14	14	7	5	18	1	10	16	19	13	145 ✓	
* Days with .04 in. or more.	9	13	11	10	6	3	12	1	9	14	15	11	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. H. Blagrove

[P.T.O.

531

Section **A** for the entry o

AIR MINISTR

FORM 1090.

REGIS

531

FRISTON

1931 - 1940

480111

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

31.

Kept at Friston

in the County of Sus

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

AY.

An observer who does not conform to

year in the space on the right of this paragraph.

e following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·06	·04	·15		·02		·05	·02	·04			1
2	·02	·08		·32					·33	·05			2
3	·15	·02	·25	·08	·70		·02	·05	·37			·18	3
4		·03	·04				·05			·10	·04		4
5		·04		·19		·63	·26	·50	·23			·15	5
6		·06		·13				·16		·34	·60	·32	6
7		·03		·01	·08	·22		·12	·02	·02	·30	·02	7
8		·12				·18		·05			·04	·23	8
9		·11	·07			·12	·01				·95		9
10		·10	·03			·04	·08	·50			1·42		10
11	·18	·32			·01		·01		·02		·85		11
12	·14					·01			·20	·03			12
13	·12				·16		·03						13
14		·15	·03			·14	·50	·43					14
15	·02	·10		·04	·11		·11	·08			·01	·05	15
16		·06		·15	·32	·03		·07	·01				16
17		·08		·27			·70		·17	·02			17
18	·04	·10	·03	·25		·02	·18	·40		·04	·35		18
19	·17			·46		·03	·25	·70	·06				19
20	·02	·12		·05	·03			·30			·02		20
21		·03	·02	·02	·33						·03		21
22	·25		·16						·01				22
23	·50	·03	·05		·09	·18					·20		23
24		·02		·63		·03	·07	·45	·01				24
25	·14	·03		·50			·07				·07		25
26		·04		·11	·02		·30				·55		26
27	·20	·25		·12	·13		·03				·19		27
28	·13	·08		·04							·02		28
29	·11				·15		·08			·09			29
30	·03	×			·02		·01	·04					30
31	·32 ✓	× ✓	✓	× ✓	·02 ✓	× ✓	✓	✓	× ✓	✓	× ✓	✓	31
TOTAL	2·67	2·06	·72	3·52	2·17	1·65	2·76	3·90	1·45	·73	5·94	·95	YEAR'S TOTAL 28·52 ✓
*Days with ·01 in. or more.	18	24	10	18	14	13	18	15	12	9	16	6	173 ✓
*Days with ·04 in. or more.	14	17	4	16	9	9	12	15	6	6	12	5	125 ✓

40-9999

*See Instruction 2 (*f*) on other side

FOR THE EASTBOURNE WATERWORKS COMPANY.

(Signed)

GENERAL MANAGER.

P.T.O.

531

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·06	·04	·15		·02		·05	·02	·04			1
2	·12	·08		·32					·33	·05			2
3	·15	·02	·25	·08	·70		·02	·05	·37			·18	3
4		·03	·04				·05			·10	·04		4
5		·04		·19		·63	·26	·50	·23			·15	5
6		·06		·13				·16		·34	·40	·32	6
7		·03		·01	·08	·22		·12	·02	·02	·30	·02	7
8		·12				·18		·05			·04	·23	8
9		·11	·07			·12	·01				·95		9
10		·10	·03			·04	·08	·50			1·42		10
11	·18	·32			·01		·01		·02		·85		11
12	·04					·01			·20	·03			12
13	·12				·16		·03						13
14		·15	·03			·14	·50	·43					14
15	·02	·10		·04	·11		·11	·08			·01	·05	15
16		·06		·15	·32	·03		·07	·01				16
17		·08		·27			·70		·17	·02			17
18	·04	·10	·03	·25		·02	·08	·40		·04	·35		18
19	·17			·46		·03	·25	·70	·06				19
20	·02	·12		·05	·03			·30			·02		20
21		·03	·02	·02	·33						·03		21
22	·25		·16						·01				22
23	·50	·03	·05		·09	·18					·70		23
24		·02		·63		·03	·07	·45	·01				24
25	·14	·03		·50			·07				·07		25
26		·04		·11	·02		·30				·55		26
27	·30	·25		·12	·13		·03				·19		27
28	·13	·08		·04							·02		28
29	·11				·15		·08			·09			29
30	·03	×			·02		·01	·04					30
31	·32 ✓	× ✓	✓	× ✓	·02 ✓	× ✓	✓	✓	× ✓	✓	× ✓	✓	31
TOTAL	2·67	2·06	·72	3·52	2·17	1·65	2·76	3·90	1·45	·73	5·94	·95	YEAR'S TOTAL 27·52 ✓
*Days with ·01 in. or more.	18	24	10	18	14	13	18	15	12	9	16	6	173 ✓
*Days with ·04 in. or more.	14	17	6	16	9	7	12	15	6	6	12	5	125 ✓

40-9999

*See Instruction 2 (*f*) on other side.

FOR THE EASTBOURNE WATERWORKS COMPANY.

(Signed) AWilkin

GENERAL MANAGER.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 104 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·09	·61					·23	·03		1
2	·02			·32	·02					·02	·02	·12	2
3				·08	·05	·75		·02	·21				3
4	·02					·08							4
5	·24		·02			·04	·12		·11				5
6	·45			·09	·06				·05				6
7	·10		·03							·05		·06	7
8	·04	·02	·32	·04	·29				·07	1·27			8
9	·04	·03		·15	·20					·03			9
10	·41			·38	·17				·05	·23			10
11	·31	·04		·12	·02	·04	·01		·03	·03		·05	11
12	·21	·07						·01	·08	·12			12
13	·10			·11	·08		·05		·02	1·01			13
14	·03			·07	·13			·02		·24			14
15	·02			·06	·21					·08		·02	15
16	·02			·32	·02								16
17				·08			·01		·02	·03			17
18	·02			·02					·07		·15		18
19	·01				·03				·04	·11	·07		19
20				·07	·14		·16	·02		1·16	·29		20
21	·01		·02		·29					·20			21
22	·05	·02	·27		·08	·01	·04	·15	1·06	·21	·47		22
23	·02	·04	·05						·30	1·17		·05	23
24			·02				1·50		·06	·04			24
25							1·58		·15	·57	·03	·02	25
26				·11			·27	·16			·06		26
27			·16	·18	·11	·02	·01		·07	·43	·02	·02	27
28			·02	·03	·03		·23		·03	·07			28
29			·43	·03	·05			·30	·35	·42		·03	29
30		×	·02			·45			·03		·16	·04	30
31		×	·08	×		×	·25		×		×	·05	31
TOTAL	2·20	·22	1·44	2·35	2·59	1·39	4·23	·68	2·80	7·72	1·30	·46	YEAR'S TOTAL 27·38
*Days with ·01 in. or more.	20 ~~9~~	6 ~~3~~	12 ~~6~~	19 ~~3~~	19 ~~5~~	7 ~~4~~	12 ~~3~~	7 ~~4~~	19 ~~5~~	22 ~~4~~	10 ~~4~~	10 ~~4~~	163 ~~58~~
*Days with .04 in. or more.	11	3	6	16	14	5	9	3	14	18	6	6	111

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Freston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·48	·17										1
2	28 ·28		·46		·07								2
3	·10	·15	·07		·02								3
4	·03	·05	·01		·05								4
5	·35		·09		·20								5
6		·12	·06		·47						·07		6
7	·30	·05			·10					·27		·03	7
8	·30	·06		·02	·02		·59			·08			8
9		·02			·03		·04			·03	·19		9
10		·22				·03	·16	·06		·15			10
11	·21				·04	·15	·03	·07	·12				11
12				·16		·14			1·30				12
13	·04				·14	·02	·16	·02	·30	·16	·12		13
14					·02		·02	·02		·78	·32		14
15	·42		·03				·09	·14		·27	·25		15
16	·03		·41			·06	·05			·02	·19	·02	16
17	·04		·14			·05		·03	·20				17
18	·11		·08			1·45							18
19		·04	·10	·08		·08			·16		·02		19
20		·03	·05	·07		·12		·16	·25				20
21		·05		·03				·12	·17				21
22								·50	·02	·15			22
23				·08		·06			1·05	·02			23
24		·13		·35	·02	·02			·97		·02		24
25		·04		·45					·08		·11	·13	25
26		·45		·04		·06			·02			·08	26
27		·02			·16	·04				·18		·18	27
28				·02	·05		·15			·25		·68	28
29	·08 ·08				·06		·05			·05			29
30	·07	×	·03				·04	·02	·19			·07	30
31	·07	×		×		×			×		×		31
TOTAL	2·45	1·91	1·70	1·30	1·45	2·40	1·38	1·14	4·83	2·41	1·29	1·19	YEAR'S TOTAL 23·45
*Days with ·01 in. or more.	15	15	13	10	15	13	11	10	13	13	9	7	144
*Days with ·04 in. or more.	13	12	10	7	10	10	9	6	11	10	7	5	110

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 531.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					·02	·22		·02	·03	·34		·49		1
2	·08		·17						·06	·29	·02	·56		2
3	·07			·12						·38		·25		3
4	·27		·03							·48	·18	·80		4
5			·06		·13			·03			·05	·44		5
6	·02		·50	·05	·13	·17		·16		·29	·03	·33		6
7										·09		·10		7
8				·23	·14			·02			1·55			8
9			·11								·41	·11		9
10			·28	·12				·05			·10			10
11	·82		·36	·04				·60				·52		11
12	·08		·08				·30	·17			·08	·04		12
13	·33			·07							·10			13
14	·29		·28	·05		·02					·87	·45		14
15			·05							·02	·26	·70		15
16	·15		·35	·13	·05					·04		·09		16
17	·04		·34	·04								·41		17
18	·08		·02	·16					·03			·83		18
19			·19			·04			·31			·47		19
20			·03	·02		·02	·25		·28	·03				20
21				·17		·13				·02				21
22							·05	·17	·40	·03		·19		22
23				·40		·54				·05		·27		23
24				·02		·02	·72		·03					24
25	·08			·12						·04		·55		25
26	·06			·02		·14				·02				26
27				·25		·30				·03		·21		27
28		·05		·11				·80				·20		28
29								·39	·37		·02			29
30	·09	×						·04		·02		·47		30
31	·04	×		×		×			×	·16	×	·19		31
TOTAL	2·60	·05	2·85	2·12	·47	1·60	1·32	2·45	1·51	2·33	3·67	8·62	Year's Total. 29·59	
* Days with .01 in. or more.	15	1	15	18	5	10	4	11	8	17	12	23	139	
* Days with .04 in. or more.	14	1	12	15	4	7	4	8	5	10	9	23	112	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 104 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·02	·15	·03	·04	·07			·05	·47	·27			1
2	·06			·03						·55	·04			2
3			·07						·30	·19	·08			3
4		·10	·03	·45		·20			·91	·32		·28		4
5		·34	·03	·09					·64	·61		·02		5
6		·17	·02	·26		·05				·45	·66	·10		6
7	·04	·08		·36		·11					1·10	·10		7
8				·37				·08		·67	·28	·03		8
9				·14		·20				1·16	·14			9
10	·12		·29			·12				·02	·10	·12		10
11	·06		·02				·28				·59			11
12		·15				·21		·23	·11		·42			12
13	·06	·18		·45							·27	·04		13
14					·12	·15			·02	·06		·15		14
15		·15		·65	·03	·06			·85	·04	·45	·06		15
16		·04	·04	·15					·30	·03	·95			16
17			·02	·11	·02	·41		·05	·20		·59			17
18				·28	·10	·07		·02	·62	·15	·02			18
19				·06	·38	·07	·04		·21		·15	·05		19
20		·37		·06	·03	·09	·03		·02		·21			20
21		·26		·04						·17	·03			21
22		·31	·02					·48	·20					22
23		·09	·04					·34				·38		23
24	·06	·53			·47			1·20	·70			·38		24
25	·05	1·05		·27	·15	·55						·37		25
26		·19						·15	·05	·02	·02	·22		26
27	·05	·27						·35	·10		·14	·45		27
28		·09							·02	·03	·10	·26		28
29									·27		·07	·38		29
30	·09	✕			·03			1·76	·34	·08	·45	·28		30
31		✕		✕		✕		·02	✕	·21	✕	·43		31
TOTAL	·79	4·39	·73	3·80	1·37	2·36	·35	4·68	5·91	5·23	7·13	4·10	Year's Total 40·84	
* Days with .01 in. or more.	10	18	11	17	10	14	3	11	19	18	23	19	173	
* Days with .04 in. or more.	10	17	5	15	6	14	2	9	16	14	20	17	145	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. H. Blagrove

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·26		·18		·11	·15	·31			·15	·07		1
2	·02		·01			·22	·08	·07						2
3				·27			·06		·15		·77	·02		3
4			·10			·18	·05		·33		·02	·10		4
5	·09							·05	·22		·08	·02		5
6	·36					·03	·02	·02	·12		·18			6
7	·38		·26			·04	·07			·02	·32	·02		7
8	·38		·02				·08				·83	·32		8
9	·26		·05				1·80	·17	·15		·26			9
10	·18		·02				·03	·11		·05	·02			10
11	·10	·06		·07							1·00			11
12				·04		·16	·33	·05	·06		·07	·12		12
13						·07						·25		13
14		·07		·02		·06	1·03			·03	·11	·33		14
15		·06									·22	·32		15
16	·28	·14			·15						·12	·17		16
17	·02	·56				·06		·01	·02	·04	·15	·45		17
18	·15	·05				·05	·16				·05	·06		18
19	·27	·06	·03			·90	·05	·09			·02			19
20	·32	·03	·02	·27					·89					20
21		·07		·90		·30			·17					21
22	·08	·40	·11		·05	·14	·06					·11		22
23		·19	·16	·16			·06			·03				23
24	·17	·07							·08	·16				24
25	·23		·13	·10	·04	·12			·09	·14				25
26		·17	·12						·11	·13				26
27	·18		·08	·03			·02		·11	·16				27
28	·43		·20			·27						·03		28
29	·03	·06	·11			·06	·05			·07	·08	·03		29
30	·15	✕	·06		·02	·25				·04				30
31	·17	✕	·15	✕		✕	·21		✕	·31	✕	·09		31
TOTAL	4·48	2·25	1·63	2·04	·26	3·02	4·30 4·31	·88	2·50	1·18	4·45	2·51	Year's Total 29·51	✓
* Days with .01 in. or more.	22	15	17	10	4	17	18	9	13	12	18	17	172	✓
* Days with .04 in. or more.	19	14	12	8	3	16	15	7	12	9	15	12	142	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

BOURNE WATER WORKS COY.

(*Signed*) H. Blagrove [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·77	·01		·20						·01	·50	·30		1
2		·30	·11	·43								·70		2
3	·06	·13										·21		3
4	·06	1·00										·40		4
5	·20	·02	·40				·21			·09				5
6	·05	·02	·90	·04	·30		·07			·04		·09		6
7		1·00	·08	·10	·31				·02			·76		7
8		·02	·17		·08	·07					·14	·40		8
9		·03		·53	·25	·02	·06		·47					9
10			·50	·06	·16	·28	·10					·69		10
11			·45		·03	·02	·08					·21		11
12	·54	·27	·10		·17	·49		·78	·18			·14		12
13	·48	·06	·56	·03	·02	·18			·04			·60		13
14	·07	·02			·27			·14	·13			·41		14
15	·10	·10		·33			·46		·12					15
16	·03	·03	·12	·16		·03		1·00	·02		·03	·01		16
17	·28		·02	·03					·82		·10			17
18	·27	·13	·02		·30	·12			·70		·22	·05		18
19	·03	·24	·04	·28		·03			·01		·09	·23		19
20	·22	·02	·23	·28	·75	·07			·10			·06		20
21	·26	·31		·12			·01			·02	·27	·09		21
22	·31	·03			·01		·05			1·05	·07	·09		22
23	·07	·10					·50			·21	·28	·03		23
24	·43	·36			·05					·11				24
25	·17	·28	·41						·04	·12				25
26		·47	·05							·19				26
27		·13		·30						·09	·02			27
28	·22	·12		·03		·01				·03				28
29	·08									·17	·01			29
30	·22	☒				·01				·25	·08	·02		30
31	·33	☒		☒		☒	·01		☒	·42	☒	·03		31
TOTAL	5·25	5·20	4·16	2·92	2·70	1·33	1·55	1·92	2·65	2·80	1·81	5·52	Year's Total 37·81	
* Days with .01 in. or more.	23	25	16	15	13	12	10	3	12	14	12	21	176	
* Days with .04 in. or more.	21	16	14	12	10	6	8	3	9	11	9	17	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. H. Blagrove [P.T.O.

GENERAL MANAGER.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·11	·31	·21		·41	·13	·02	·14		1
2	·01			·05	·04		·19			·39		·07		2
3					·01		·16			·71	·13			3
4	·02					·02	·13	·07		·11		·16		4
5							·19	·01		·37	·03	·02		5
6	·16						·05		·07	·02	·08	·06		6
7							·05	·12	·03	·15	·01	·17		7
8	·31						·08	·04		·14		·11		8
9	·25	·04								·36		·32		9
10	·10	·21					·06					·32		10
11	·66										·05	·19		11
12	·37	·03								·10		·02		12
13	·46	·14								·10	·12	·13		13
14	·22	·02			·98				·02		·04	·07		14
15	·07	·05					·06			·08	·02	·22		15
16	·47	·10	·10		·04			·04		·16		·18		16
17		·28			·10					·10	·01			17
18	·12								·16	·02	·55			18
19	·05	·01						·03	·06		·25			19
20									·14		·48	·15		20
21	·17			·02					·13		·13	·07		21
22	·05					·05		·14			·43	·10		22
23	·03			·04							·44			23
24			·28						·12		·44	·09		24
25	·10		·30	·20	·03		·04	·02	·13	·02	·67			25
26	·37	·08	·11	·02				·25	·27	·26		·49		26
27	·17	·10			·45	·14	·36		1·30	·11	·23			27
28	·16	·07			·30	·09		·63	·05			·02		28
29	·22				·31						·14	·21		29
30	·15	✕		·36	·40				·03	·02	·18			30
31	·22	✕		✕	·19	✕			✕	·14	✕	·20		31
													Year's Total	
Total	4·81	1·13	·79	·69	2·96	·61	1·58	1·35	2·92	3·49	4·45	3·51	28·29	✓
* Days with .01 in. or more.	24	12	4	6	12	5	12	10	14	20	21	23	163	✓
* Days with .04 in. or more.	20	9	4	4	10	4	12	7	11	16	16	20	133	✓

† Spare column, no entries required.

(*Signed*) R H Blagrove [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 104 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15		·05	·19	·15			·16	·11	·16	·01	·02		1
2				·02				·15	·01	·03	·01			2
3	·37			·23				·24			·40	·33		3
4	·22	·01	·47	·16			·08	·32		·70	·17	·10		4
5			·05	·20	·04		·03			·15	·47	·06		5
6	·35		·09				·05			·61	·41			6
7	·17	·10					·04	·14			·30	·18		7
8		·05	·11							·45		·37		8
9	·09	·08						·05		·77	·28	·14		9
10	·12					·20		·26	·42	1·58	·03			10
11	·25	·02	·25							·80	·07			11
12					·04					·10		·02		12
13	·04		·01	·03		·13	·02		·04	1·31		·23		13
14	·58			·02		·06	·06		·02	·21	·54	·09		14
15	·36				·26	·02	·01			·41	·13			15
16	·19	·02	·06	·14	·41	·15	·35				·43			16
17	·07	·11	·02	·01	·03						·11			17
18	·12				·17	·05	·12			·02	·88			18
19	·30		·02				·13			·33		·05		19
20	·34		·01				·01		·03					20
21	·19		·12			·04	·04		·08					21
22	·24	·21	·03	·03		·67	·08				·01			22
23		·02		·13		·01	·06			·10	·82			23
24	·24	·15	·12	·10		·01	·26			·03	·07			24
25	1·17	·41	·18	·11			·48	·06			·86			25
26	·10		·09	·01						·08	·35	·04		26
27	·08	·07	·02							·22	·40			27
28		·25	·03			·13				·01	·27	·23		28
29				·09		·02				·03	·02			29
30		×		·86		·04		·56		·07	·05			30
31		×		×		×	·11	·30	×	·06	×			31
TOTAL	5·74	1·50	1·73	2·33	1·10	1·53	1·93	2·24	·71	8·23	7·09	1·86	Year's Total 35·99	
* Days with .01 in. or more.	22	13	18	16	7	13	17	10	7	23	24	13	183	
* Days with .04 in. or more.	22	9	11	10	6	9	13	10	4	18	19	11	142	

† Spare column, no entries required.

(*Signed*) RH Blagrove

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 531

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Friston

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 104 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·13			1
2		·12		·11	·03		·06			·07	·33	·02		2
3		·33		·06						·05	1·50	·23		3
4		·14		·01			·20			·21		·17		4
5											1·02	·18		5
6	·38	·19					·31			·58	·06			6
7	·17	·12					·03							7
8									·08	·39		·40		8
9									·02	·43	·57	·42		9
10							·12		·05	·40	·25			10
11		·11	·02								·90			11
12		·03	·15	·03			·11		·07		·03			12
13		·02	·40			·18			·48		1·23			13
14			·45	·05			·02			·06		·74		14
15				·01	·43	·01	·83		·02	·04	·14			15
16	·25	·40	·28	·05		·06	·13		·14	·77	·69	·06		16
17	·02		·43								·15			17
18		·33	·47	·29			·02			·16				18
19		·06					·02		·93		·13	·13		19
20		·02		·02				·08	·23	·06	·13	·03		20
21	·02				·41				·02	·02	·35			21
22	·02		·08		·15	·04			·11					22
23		·33	·07	·24			·06				·04			23
24				·27			·24							24
25			·60			·03	·32			·02	·02			25
26	·86	·20	·27	·01	·16		·05			·07				26
27	·42	·10		·01			·08				·02			27
28	·36	·01		·09	·14									28
29	·40	·21	·10	·03	·28							·33		29
30	·06	✕	·02	·04						·08		·05		30
31	·07	✕		✕		✕			✕	·46	✕	·25		31
													Year's Total	
TOTAL	3·03	2·72	3·34	1·32	1·60	·32	2·60	·08	2·15	3·87	7·69	3·01	31·73	
* Days with .01 in. or more.	12	17	13	16	7	5	16	1	11	17	19	13	147	
* Days with .04 in. or more.	9	13	11	9	6	3	12	1	8	15	16	11	114	

† Spare column, no entries required.

(*Signed*) H Blagrove

* See Instruction 3 (f) on other side.

[P.T.O.

532.

Section **A** for the entry

AIR MINIST

FORM 1090.

REGIS

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

3 1.

532

JEVINGTON

1931 - 1940

780111

Kept at Jevingto

in the County of Suss

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS **AY.**

An observer who does not conform to th *e following year in the space on the right of this pa*

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18					·09				1
2	·32			·31					·36	·06			2
3		·02	·45	·14	·79			·07	·35			·29	3
4		·09	·02				·07			·16	·06		4
5		·08		·23		·92	·24	1·52	·24			·21	5
6		·07		·09				·41	·11	·30	·72	·45	6
7					·06	·26		·19		·03	·38		7
8		·18				·23	·07				·05	·25	8
9		·17				·13					·89		9
10		·10	·05			·08	·09	·47			1·45		10
11	·33	·24			·02				·06		·62		11
12	·07								·31				12
13					·20								13
14	·06	·14				·14	·72	·40					14
15		·03		·07	·12		·09	·09				·08	15
16		·05		·19	·32	·03		·08			·02		16
17	·02	·09		·40			·69		·15				17
18		·13	·05	·19		·04	·34	·39	·13	·08	·49		18
19	·15			·41			·27	·57					19
20	·02	·16						·24			·02	·02	20
21					·47								21
22	·20		·14										22
23	·54	·03	·01		·08	·18					·26		23
24	·04	·05		·84		·03	·16	·42					24
25	·17	·03		·49			·05				·07		25
26		·04			·02		·33				·44		26
27	·29	·33		·11	·14		·08				·12		27
28	·07	·02		·03						·03			28
29	·13				·14		·14			·09			29
30	·02	×						·05	·03				30
31	·41 ✓	× ✓	✓	× ✓	·04 ✓	× ✓	·06 ✓	✓	× ✓	✓	× ✓	✓	31
TOTAL	2·84	2·15	·72	3·68	2·40	2·04	3·40	4·90	1·83	·75	5·59	1·30	YEAR'S TOTAL 31·60 ✓
*Days with ·01 in. or more.	16	20	6	14	12	10	15	13	10	7	14	6	143 ✓
*Days with ·04 in. or more.	13	14	4	13	10	8	15	13	9	5	12	5	123 ✓

40-9999

*See Instruction 2 (*f*) on other side.

FOR THE EASTBOURNE WATERWORKS COMPANY.

(Signed) Wilkins

GENERAL MANAGER.

P.T.O.

532

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 274 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18					·09				1
2	·22			·31					·36	·06			2
3		·02	·45	·14	·79			·07	·35			·29	3
4		·09	·02				·07			·16	·06		4
5		·08		·23		·92	·24	1·52	·24			·21	5
6		·07		·09				·41	·11	·30	·72	·45	6
7					·06	·26		·19		·03	·28		7
8		·08				·23	·07				·05	·25	8
9		·17				·13					·89		9
10		·10	·05			·08	·09	·47			1·45		10
11	·33	·24			·02				·06		·63		11
12	·07								·31				12
13					·20								13
14	·06	·14				·14	·72	·40					14
15		·03		·07	·12		·09	·09				·08	15
16		·05		·19	·32	·03		·08			·02		16
17	·02	·09		·40			·69		·15				17
18		·13	·05	·19		·04	·34	·39	·13	·08	·49		18
19	·15			·41			·27	·57					19
20	·02	·16						·24			·02	·02	20
21					·47								21
22	·30		·14										22
23	·54	·03	·01		·08	·18					·26		23
24	·04	·05		·84		·03	·16	·42					24
25	·17	·03		·49			·05				·07		25
26		·04			·02		·33				·44		26
27	·29	·33		·11	·14		·08				·12		27
28	·07	·12		·03						·03			28
29	·13				·14		·14			·09			29
30	·02	×						·05	·03				30
31	·41 ✓	× ✓	✓	× ✓	·04 ✓	× ✓	·06 ✓	✓	× ✓	✓	× ✓	✓	31
TOTAL	2·84	2·15	·72	3·68	2·40	2·04	3·40	4·90	1·83	·75	5·59	1·30	YEAR'S TOTAL 31·60 ✓
*Days with ·01 in. or more.	16	20	6	14	12	10	15	13	10	7	14	6	143 ✓
*Days with ·04 in. or more.	13	14	4	13	10	8	15	13	9	5	12	5	123 ✓

40-9999

*See Instruction 2 (*f*) on other side.

FOR THE EASTBOURNE WATERWORKS COMPANY.

(Signed) R W Williams

GENERAL MANAGER.

P.T.O.

COPY FOR OFFICIAL USE. ✓ Ck

Section **A** for the entry of Daily Observations. Station No. 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 274 ft.

dgp ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14			·14	·44					·24	·07		1
2	·02			·33							·02	·16	2
3				·09	·08	·70			·32				3
4	·02					·11				·02			4
5	·26					·03	·14		·16				5
6	·52			·09	·08				·06				6
7	·07												7
8	·04		·39		·37				·09	1·22			8
9	·04			·15	·14					·02			9
10	·37			·43	·14				·07	·23			10
11	·31			·19	·03	·06			·04	·03		·09	11
12	·30	·06		·18					·11	·20			12
13	·06				·09		·04						13
14	·04			·07	·22								14
15	·03			·09	·18					·02		·02	15
16	·02			·23	·17		·02	·02					16
17	·02												17
18	·03			·03					·08		·22		18
19									·06	·15	·07		19
20	·02			·09	·18		·16	·04		1·22	·29		20
21			·05		·28					·23		·03	21
22	·07		·24		·11		·25	·34	1·19	·32	·44		22
23		·11	·12	·02					·34	·94		·08	23
24							1·57		·09	·05			24
25					·10		1·66		·16	·62	·10		25
26				·15			·12	·24			·03		26
27			·20	·21	·09					·44	·02		27
28				·04	·04		·32		·03	·10			28
29			·48		·05			·35	·30	·44		·03	29
30		×	·02			·59			·04		·19	·03	30
31		×	·08	×		×	·30		×	·02	×	·05	31
TOTAL	2·38	·17	1·58	2·53	2·79	1·49	4·58	·99	3·14	6·51	1·45	·49	YEAR'S TOTAL 28·10
*Days with ·01 in. or more.	19	2	8	17	18	5	10	5	16	19	10	8	137
*Days with ·04 in. or more.	12	2	7	15	17	4	9	4	15	14	7	4	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 270 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

ENCLOSURE
No 122

ver who does not conform to this rule should insert the reading made on January 1st of the following the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·58	·21										1
2	·23		·54		·10				·02				2
3	·12	·15	·09										3
4	·10	·06	·03		·08								4
5	·28		·09		·18								5
6		·14	·10		·49						·10		6
7	·38	·12			·09					·45			7
8	·24	·04			·02		·59			·07			8
9					·05		·05			·09	·24		9
10		·13					·25			·15		·03	10
11	·21				·04	·18	·05	·11	·19	·04			11
12				·13		·19			1·64				12
13	·05				·12		·27	·05	·36	·21	·20		13
14					·03					·59	·40		14
15	·55		·06			·03	·18	·20		·28	·22		15
16			·55			·21	·28			·02	·16		16
17			·16			·03		·07	·25				17
18	·21		·07			·80					·02		18
19	·05		·10	·13		·31			·18		·02		19
20			·08	·10		·19		·14	·28				20
21				·03					·19				21
22								·50	·17	·25			22
23				·16		·08			1·08	·05			23
24		·27		·21					·40		·04		24
25		·09		·44					·14		·12	·20	25
26		·53		·07		·10			·03			·09	26
27					·14	·04			·02	·20		·30	27
28					·05		·17			·22		·68	28
29	·09				·06		·08			·05			29
30	·12	×	·04				·05		·35			·05	30
31	·11	×		×		×			×		×		31
TOTAL	2·77	2·07	2·12	1·27	1·45	2·06	1·97	1·07	5·30	2·47	1·52	1·35	YEAR'S TOTAL 25·52
*Days with ·01 in. or more.	15	10	13	8	13	11	10	6	15	14	10	6	131
*Days with .04 in. or more.	15	10	12	7	11	9	10	6	12	13	8	5	118

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 274 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05				·02	·19		·05		·40		·75		1
2	·07		·15	·21		·03		·02	·11	·36	·04	·55		2
3	·08			·35						·43		·31		3
4	·30		·08							·40	·16	·93		4
5			·12		·16			·03			·07	·53		5
6			·49	·03	·16	·25		·17		·32		·35		6
7				·04						·11		·13		7
8				·21	·14			·04			1·75			8
9			·17								·46	·14		9
10			·37	·15				·11		·03	·08			10
11	·89		·45	·05				·68				·62		11
12	·12		·11				·31	·07			·10	·06		12
13	·39			·06				·15			·16			13
14	·34		·29	·12							1·37	·51		14
15											·28	·83		15
16	·23		·37	·11	·08					·08		·04		16
17	·14		·38	·05						·03		·50		17
18	·06		·06	·20								·68		18
19		·04	·25			·08			·25			·42		19
20			·05				·25		·08	·04				20
21				·22		·24				·04				21
22								·25	·48			·19		22
23				·49		·50				·03		·29		23
24		·07		·08		·02	·80		·07					24
25	·09			·17						·09		·59		25
26	·08			·02		·41				·05				26
27				·24					·02	·03		·29		27
8		·06		·07				·95				·25		28
9								·39	·37					29
0	·10	×						·03				·67		30
31		×		×		×			×	·12	×	·14		31
TOTAL	2·94	·17	3·34	2·87	·56	1·72	1·36	2·94	1·38	2·56	4·47	9·77	Year's Total. 34·08	
* Days with .01 in. or more.	14	3	14	19	5	8	3	13	7	16	10	23	135	
* Days with .04 in. or more.	14	3	14	17	4	6	3	10	6	12	10	23	122	

ENCLOSURE
№ 862

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 274 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19		·17		·06	·11	·03		·06	·28	·28			1
2	·09									·63	·04			2
3		·05	·09	·05					·05	·21	·10			3
4				·36		·18			1·03	·31		·38		4
5		·45	·04	·11					·90	·57		·06		5
6		·19		·38		·07				·56	·66			6
7	·12			·36		·13					1·03	·05		7
8				·33				·08		·67	·37	·07		8
9				·22		·20				·80	·21			9
10	·13		·27	·09		·11				·04	·27	·15		10
11	·07					·03	·13				·42			11
12		·27				·27		·17	·14		·45			12
13	·08	·14		·33							·04			13
14		·09			·14	·16				·09		·31		14
15		·20		·64					·97	·07	·55	·08		15
16			·05	·16		·04			·32	·04	·84			16
17	·03			·20		·45		·04	·18		·88			17
18		·06		·34	·11	·08			·70	·19	·02			18
19				·09	·41	·07	·05		·23		·18	·04		19
20		·47		·07	·04	·09	·03		·06		·22			20
21		·24		·05					·03	·18	·04			21
22		·25	·05	·04				·41	·14					22
23		·14	·07					·44				·39		23
24	·08	·55			·34			1·24	·77			·23		24
25	·04	·84		·25	·29	·30						·64		25
26		·09	·06			·04		·22	·13	·03	·03	·21		26
27	·04	·32						·35	·20		·23	·43		27
28		·12							·05	·04	·15	·27		28
29									·35		·02	·44		29
30	·09	✕	·05					1·76	·33	·08	·58	·32		30
31		✕		✕		✕		·04	✕	·18	✕	·46		31
TOTAL	·96	4·47	·85	4·07	1·39	2·33	·24	4·75	6·64	4·97	7·61	4·53	Year's Total 42·81	d
* Days with .01 in. or more.	11	17	9	18	7	16	4	10	19	18	23	17	169	
* Days with .04 in. or more.	10	17	9	18	7	15	2	10	18	17	20	17	160	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H Blagrove [P.T.O.

532

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936..

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 294 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·23		·19		·15	·10	·26			·17	·09	1
2	·05					·33	·13	·09			·10		2
3				·33		·03			·17		·45	·05	3
4			·14			·20	·14		·45		·05	·10	4
5	·22							·08	·25		·03		5
6	·40		·09						·17		·30		6
7	·42		·30			·05	·09			·05	·37		7
8	·46		·08								1·05	·30	8
9	·13		·04				·60	·05	·11		·36		9
10								·15		·04	·12		10
11	·12						·06	·06			·97		11
12				·06		·26	·43		·06		·09	·15	12
13					·04							·05	13
14		·15		·05			1·14				·15	·20	14
15		·16									·21	·39	15
16	·20	·04			·19	·05					·16	·26	16
17	·05	·58				·15	·07	·05	·06	·05	·20	·30	17
18	·15	·07					·20				·06	·07	18
19	·29	·08	·05			·51		·11	·15				19
20	·32	·04		·34					·55				20
21		·09		·90		·32			·13				21
22	·10	·40	·12		·08	·14						·16	22
23	·03	·15	·11	·18			·18			·03			23
24	·14	·02							·08	·10			24
25	·20		·24	·10		·06			·16	·45			25
26		·19	·10						·15	·10			26
27	·21			·07					·11	·17	·02		27
28	·49		·41			·49	·03					·05	28
29	·03	·12	·04				·10			·10	·10	·02	29
30	·18	×	·05			·27	·08			·07			30
31	·20	×	·16	×		×	·20		×	·32	×	·14	31 "d"
TOTAL	4·56	2·32	1·93	2·22	·30	3·01	3·55	·85	2·60	1·48	5·26	2·23	YEAR'S TOTAL 30·32 ✓
*Days with ·01 in. or more.	22	14	14	9	3	14	15	8	14	11	19	15	158 ✓
*Days with ·04 in. or more.	20	13	14	9	3	13	14	8	14	10	17	14	149 ✓

EASTBOURNE WATER WORKS COY.

40-9999

(Signed) P H Blagrove

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 274 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·50	·04		·21							·76	·20		1
2	·18	·30	·05	·50								·84		2
3		·18	·20									·50		3
4	·16	·94	·10									·10		4
5	·22		·25				·28			·05				5
6	·04	·05	·50	·06	·38		·07							6
7		1·20	·07	·17								1·00		7
8			·20		·07	·10						·38		8
9			·50	·53	·20				·52					9
10			·08	·09	·27	·37	·17					·80		10
11			·38		·03	·03								11
12	·65	·40	·20		·10	·35		·50	·24			·32		12
13	·50	·07	·47	·08	·11	·32						·50		13
14	·05	·11			·12			·15	·23			·42		14
15	·14			·39			·45		·10					15
16	·02	·04	·13	·17				·85	·08		·05			16
17	·28			·04		·06			·70		·18			17
18	·31	·08			·41	·04			·65		·26			18
19	·05	·30	·08	·31		·09					·10	·32		19
20	·21		·20	·26	·73	·10					·05	·08		20
21	·22	·20									·25	·11		21
22	·50	·24								1·20	·24	·09		22
23	·06	·07					·59			·15	·30	·04		23
24	·44	·40			·10					·14				24
25	·22	·41							·05	·18				25
26		·45	·10							·10				26
27				·33						·20				27
28	·05	·15				·02				·07				28
29	·20									·20				29
30	·30									·22		·05		30
31	·40									·40			d	31
TOTAL	5·70	5·63	3·51	3·14	2·52	1·48	1·56	1·50	2·57	2·91	2·19	5·75	Year's Total 38·46	✓
* Days with .01 in. or more.	~~23~~	~~19~~	~~16~~	~~13~~	~~11~~	~~10~~	~~5~~	~~3~~	~~8~~	~~11~~	~~9~~	~~16~~	~~144~~	✓
* Days with .04 in. or more.	22	19	16	13	10	8	5	3	8	11	9	16	140	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Blagrove

GENERAL MANAGER

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 274 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02	·01		·17	·25	·22		·48	·15	·06			1
2					·04		·40			·39		·10		2
3							·25			·40	·15			3
4							·30	·09		·54		·20		4
5							·27			·10	·04			5
6	·21								·11	·30	·09	·05		6
7							·19	·15		·10		·16		7
8	·20	·05					·11			·04		·26		8
9	·15	·02								·40		·35		9
10	·40	·08					·05					·30		10
11	·50										·06	·20		11
12	·32									·20				12
13	·52	·10								·05	·16	·16		13
14	·25	·15			1·05						·04			14
15	·15	·18					·10					·17		15
16	·20	·09	·09		·10			·05		·34		·06		16
17		·11			·08					·16				17
18	·05								·07		·50			18
19	·06							·06	·20		·20			19
20									·11		·48	·16		20
21	·10								·14		·03	·10		21
22	·11					·04		·23			·74	·14		22
23	·12			·09							·36			23
24			·19						·10		·50	·13		24
25	·10	·05	·37	·15			·05		·26	·04	·32			25
26	·30	·06	·09	·04				·20	·25	·24		·49		26
27	·18	·11			·07	·16	·42		1·50		·20			27
28	·11	·09			·70	·07		·64				·02		28
29	·20				·35						·21	·20		29
30	·08	✕		·36	·07				·09		·18			30
31	·15	✕		✕	·27	✕			✕	·25	✕	·25		31
TOTAL	4·46	1·11	·75	·64	2·90	·52	2·36	1·42	3·31	3·70	4·32	3·50	Year's Total 28·99	
* Days with .01 in. or more.	22	13	5	4	10	4	11	7	11	16	18	19	~~140~~	
* Days with .04 in. or more.	22	11	4	4	10	4	11	7	11	16	17	18	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) P H Blagrove

[P.T.O.

Enclosure 861

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 274 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12		·07	·20	·16			·10	·23	·07		·06		1
2				·05				·20		·10				2
3	·40			·25				·05			·39	·32		3
4	·30		·50	·10			·10	·09		·87	·25	·10		4
5	·08		·08	·21	·03			·07		·24	·48	·06		5
6	·20		·06				·11			·57	·54			6
7	·25	·15						·20			·10	·20		7
8			·07					·06		·63		·36		8
9								·27		·42	·20	·14		9
10	·24					·23		·20	·50	1·23	·05			10
11	·26		·25							·83	·06			11
12					·04							·01		12
13	·06			·08		·20	·12			1·96		·23		13
14	·70					·10	·05			·15	·56	·08		14
15	·30				·06		·13			·32	·20			15
16	·24	·10		·12	·50	·06	·50				·43			16
17	·08	·08			·04						·16			17
18	·17				·16		·15			·14	·87			18
19	·12		·07				·17			·17		·05		19
20	·40		·06				·02		·10					20
21	·28		·12			·10	·12		·06					21
22	·29	·06	·05			·40	·03				·01			22
23		·05		·05		·10	·05			·10	·89			23
24	·30	·25	·03	·20		·04	·15			·06	·15			24
25	1·78	·45	·20	·23			·45	·15			·75			25
26	·07		·11							·10	·35			26
27	·06		·06				·06			·15	·24			27
28		·37	·05			·10	·15				·21	·30		28
29				·09		·03				·03	·02			29
30		✕		·88		·07		·36		·08	·02			30
31		✕		✕		✕	·05	·35	✕	·05	✕			31
TOTAL	6·70	1·51	1·78	2·46	·99	1·43	2·41	2·10	·89	8·27	6·93	1·91	Year's Total 37·38	
* Days with .01 in. or more.	~~22~~	~~8~~	~~15~~	~~12~~	~~7~~	~~11~~	~~17~~	~~12~~	~~4~~	~~21~~	~~22~~	~~12~~	~~163~~	
* Days with .04 in. or more.	22	8	14	12	6	10	15	12	4	20	19	11	153	

d.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B H Blagrove

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 532

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Jevington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 274 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01										·12			1
2		·12		·17	·01		·09			·08	·39	·04		2
3		·34		·10						·09	1·46	·20		3
4		·15					·17			·22		·17		4
5											1·07	·21		5
6	·39	·19			·02		·24			·63	·09			6
7	·13	·10					·04							7
8									·09	·36		·47		8
9										·45	·62	·38		9
10							·20		·05	·50	·23			10
11		·12									·96			11
12		·03	·18	·03			·21		·05		·06			12
13		·02	·40			·24			·50		1·30			13
14			·45	·05						·05		·71		14
15					·46	·03	·89			·06	·13			15
16	·25	·45	·29	·06		·06	·12		·18	·76	·69	·11		16
17	·02		·39								·14			17
18		·34	·45	·31			·03			·27				18
19		·09							1·00		·15	·13		19
20		·03						·05	·26	·05	·13	·03		20
21	·03				·40			·02	·04	·02	·45			21
22	·02		·04		·18	·06			·11					22
23		·29	·06	·25			·09				·06			23
24				·32			·23							24
25			·60		·02	·03	·27			·02	·03			25
26	·88	·23	·24	·02	·15		·08			·06				26
27	·44	·08					·07							27
28	·40			·06	·17									28
29	·39	·22	·11	·05	·27							·37		29
30	·09	✕	·03	·03						·10		·05		30
31	·08	✕		✕		✕			✕	·53	✕	·31		31
TOTAL	3·13	2·80	3·24	1·45	1·68	·42	2·73	·07	2·28	4·25	8·08	3·18	Year's Total 33·31	✓
* Days with .01 in. or more.	13	16	12	12	9	5	14	2	9	17	18	13	140	✓
* Days with .04 in. or more.	9	13	11	9	6	3	13	1	9	15	17	12	118	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) P. H. Blagrove

[P.T.O.

533

Section **A** for the entry

AIR MINIS

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REG

533 — 310791

LITLINGTON

1931 - 1940

780111

Kept at Litling

in the County of Sus

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·06		·15						·02			1
2	·14	·08		·16					·46				2
3	·14		·29	·02	·74				·34			·23	3
4			·03				·06			·14	·05		4
5		·02		·16		·60	·19	·88	·26			·17	5
6		·06		·13				·10	·06	·35	·36	·32	6
7					·07	·22		·16	·02	·03	·29		7
8		·17				·21	·07	·02			·05	·19	8
9		·16									·91		9
10	·04	·07	·03			·17		·35			1·62	·01	10
11	·15	·25							·01		·59		11
12	·08								·27				12
13					·11								13
14		·15				·12	·62	·25					14
15	·10	·03		·06	·07		·10	·07				·05	15
16		·04		·18	·26	·04	·20	·04					16
17		·10		·30			·59		·11				17
18	·02	·13	·05	·20			·19	·39		·05	·42		18
19	·15			·30			·23	·41	·07				19
20				·06	·32			·33			·02		20
21			·01										21
22	·38		·17										22
23	·41	·03	·01		·09	·21					·21		23
24				·84	·02		·10	·56					24
25	·15	·02		·49			·12				·05		25
26		·04		·13	·14		·26				·32		26
27	·23	·27		·11			·07				·05		27
28	·11	·11		·04							·02		28
29	·17				·13		·11			·05			29
30		×			·17								30
31	·39	×		×		×			×		×		31
TOTAL	2·69	1·79	·59	3·33	2·12	1·57	2·91	3·56	1·60	·64	4·96	·97	YEAR'S TOTAL 26·73
*Days with ·01 in. or more.	16	18	7	16	11	7	14	12	9	6	14	6	136
*Days with ·04 in. or more.	14	14	3	16	10	7	14	11	7	4	12	5	117

40-9999

*See Instruction 2 (*f*) on other side.

THE EASTBOURNE WATERWORKS COMPANY.

(*Signed*)

GENERAL MANAGER.

[P.T.O.

533

Section **A** for the entry … OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·06		·15						·02			1
2	·14	·08		·36					·44				2
3	·14		·29	·02	·74				·34			·23	3
4			·03				·06			·14	·05		4
5		·02		·16		·60	·19	·88	·26			·17	5
6		·06		·13				·10	·06	·35	·36	·32	6
7					·07	·22		·16	·02	·03	·29		7
8		·17				·21	·07	·02			·05	·19	8
9		·16									·91		9
10	·04	·07	·03			·17		·35			1·62	·01	10
11	·15	·25							·01		·59		11
12	·08								·27				12
13					·11								13
14		·15				·12	·62	·25					14
15	·10	·03		·06	·07		·10	·07				·05	15
16		·04		·18	·26	·04	·20	·04					16
17		·10		·30			·59		·11				17
18	·02	·13	·05	·20			·19	·39		·05	·42		18
19	·15			·30			·23	·41	·07				19
20				·06	·32			·33			·02		20
21			·01										21
22	·38		·17										22
23	·41	·03	·01		·09	·21					·21		23
24				·64	·02		·10	·56					24
25	·15	·02		·49			·12				·05		25
26		·04		·13	·14		·26				·32		26
27	·23	·27		·11			·07				·05		27
28	·11	·11		·04							·02		28
29	·17				·13		·11			·05			29
30		X			·17								30
31	·39	X		X		X			X		X		31
TOTAL	2·69	1·79	·59	3·33	2·12	1·57	2·91	3·56	1·60	·64	4·96	·97	YEAR'S TOTAL 26·73
*Days with ·01 in. or more.	16	18	7	16	11	7	14	12	9	6	14	6	136
*Days with ·04 in. or more.	14	14	3	16	10	7	14	11	7	4	12	5	117

40-9999

*See Instruction 2 (f) on other side.

(Signed) [illegible]

EASTBOURNE WATERWORKS COMPANY.

GENERAL MANAGER

[P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 19 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·13	·62					·42	·08		**1**
2				·31							·07	·14	**2**
3				·05	·08	·66			·25				**3**
4						·08							**4**
5	·22						·12		·14				**5**
6	·47			·10					·04				**6**
7	·04		·05										**7**
8	·02		·33	·04	·28				·06	1·18			**8**
9	·06			·12	·27					·02			**9**
10	·38	·09		·44	·16				·05	·33			**10**
11	·52			·12	·04				·02	·02		·06	**11**
12	·23	·11		·10					·04	·22			**12**
13	·11			·08	·10		·05		·08	1·05			**13**
14	·05			·33	·14					·07			**14**
15	·02				·21					·09			**15**
16				·04	·01							·02	**16**
17				·03									**17**
18	·03								·05		·15		**18**
19	·07								·05	·13	·07		**19**
20				·07	·17		·12			1·04	·30		**20**
21					·28					·20			**21**
22			·25		·07		·29	·30	1·77	·36	·43		**22**
23		·06	·03						·28	·77		·11	**23**
24							1·32		·12	·05			**24**
25							1·34		·12	·59	·03		**25**
26				·14			·06	·14			·05		**26**
27			·28	·19	·12					·50	·02		**27**
28					·06		·26		·02	·08			**28**
29			·40		·04			·23	·32	·42		·06	**29**
30		✕				·58			·04		·25	·04	**30**
31		✕	·07	✕		✕	·20		✕		✕	·06	**31**
TOTAL	2·34	·26	1·41	2·29	2·65	1·32	3·76	·67	3·45	7·54	1·40	·49	YEAR'S TOTAL 27·58
*Days with ·01 in. or more.	14 X	3	7 X	16 X	16 X	3	9	3	17 ~~2~~	19 ~~2~~	10 ~~3~~	7 X	124 ~~X4~~
*Days with ·04 in. or more.	11	3	6	15	15	3	9	3	15	17	7	6	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·46	·18										1
2	·21		·55		·10								2
3	·04	·15	·08										3
4	·09	·03	·02		·04								4
5	·32		·13		·20								5
6		·15	·07		·61						·03		6
7	·31	·07			·09					·30			7
8	·19	·05			·02		·42			·02			8
9		·01					·05			·17	·33		9
10		·29					·11			·15			10
11	·18					·04	·09		·12	·03			11
12		·05		·14		·15			1·30				12
13	·02				·18		·25	·13	·33		·20		13
14							·02			·65	·28		14
15	·48						·08	·21		·27	·16		15
16			·45			·16	·11			·03	·18		16
17			·16			·06			·17				17
18	·22					·82					·02		18
19			·19	·11		·19			·19		·03	·06	19
20				·14		·15		·03	·20				20
21		·07							·16				21
22								·62		·17			22
23				·08		·07			·95				23
24		·16		·31		·02			·96		·02		24
25		·08		·39					·04		·07	·13	25
26		·52		·05		·08			·03			·10	26
27					·07					·18		·25	27
28					·03		·14			·21		·50	28
29	·08				·02					·06			29
30	·08	×	·08						·21			·08	30
31	·10	×		×		×	·05		×		×		31
TOTAL	2·32	2·09	1·91	1·22	1·46	1·74	1·32	·99	4·66	2·24	1·32	1·12	YEAR'S TOTAL 22·39
*Days with ·01 in. or more.	~~13~~	~~13~~	~~10~~	~~7~~	~~10~~	~~10~~	~~10~~	~~4~~	~~12~~	~~12~~	~~10~~	~~6~~	~~117~~
*Days with .04 in. or more.	12	12	9	7	9	9	9	3	11	9	7	6	103

40-9999

*See Instruction 2 (*f*) on other side,

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·18		·50		·34		·69		1
2	·07		·13	·18					·08	·21		·49		2
3	·06			·18						·26		·36		3
4	·23		·07							·64	·21	·91		4
5			·08		·15			·05			·07	·47		5
6			·47	·06	·14	·20		·24		·28	·13	·33		6
7										·07		·16		7
8				·20	·15			·04			1·55			8
9			·15								·56	·16		9
10			·23	·14				·10			·10			10
11	·75		·50	·07				·54				·50		11
12	·09		·11				·32	·08				·16		12
13	·36		·05	·10				·02			·13			13
14	·31		·30	·06							1·00	·45		14
15											·24	·78		15
16	·18		·42	·08						·07				16
17	·12		·36	·06								·47		17
18			·16	·25								·49		18
19			·29			·04			·26			·38		19
20						·02	·25		·07					20
21				·17		·20				·05				21
22								·20	·34			·20		22
23				·45	·07	·61				·06		·16		23
24		·05		·04		·07	·83		·08					24
25	·11			·16						·07		·54		25
26	·07			·02		·19				·09		·02		26
27				·10		·14						·20		27
28		·07				·05		·69				·25		28
29								·46	·39					29
30	·09	×						·06				·56		30
31	·02	×		×		×			×	·13	×	·28		31
TOTAL	2·46	·12	3·32	2·32	·51	1·70	1·40	2·98	1·22	2·27	3·99	9·01	Year's Total. 31·30 ✓	
* Days with .01 in. or more.	13	2	14	17	4	10	3	12	6	12	9	23	~~125~~	
* Days with .04 in. or more.	12	2	14	16	4	9	3	11	6	12	9	22	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf. ✗

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18		·16	·05	·04	·12				·10	·26			1
2										·28	·05			2
3			·26						·23	·50	·09			3
4		·11	·02	·40		·24			·75	·62		·31		4
5		·51	·04	·10					·85	·86				5
6	·06	·13		·31		·09				·37	·59	·05		6
7	·15			·38		·09					1·32	·11		7
8				·35				·07		·58	·30	·04		8
9				·19		·22				·75	·12			9
10	·16		·21	·02		·12					·10	·15		10
11	·06		·13				·27				·47			11
12		·20				·24		·26	·12		·45			12
13	·06	·16		·20							·28	·19		13
14					·11	·23						·20		14
15		·16		·62					1·03		·30	·16		15
16		·02	·05	·11					·10		1·07			16
17	·02			·18		·36		·05	·31		·44			17
18				·26	·06				·56	·26	·18			18
19				·07	·33				·16		·08			19
20		·51		·07	·08	·06			·06		·19			20
21	·02	·26		·04						·17	·03			21
22		·21						·35	·17					22
23		·13	·05					·44				·36		23
24	·04	·69			·34			1·20	·71			·33		24
25	·06	·90		·20	·26	·47						·37		25
26		·17						·18	·08			·23		26
27	·04	·29						·67	·13		·21	·43		27
28					·02				·04	·04	·07	·16		28
29									·20		·02	·29		29
30	·07	✕						1·57	·66	·08	·50	·30		30
31		✕		✕		✕		·05	✕	·15	✕	·44	'd'	31
													Year's Total	
TOTAL	·92	4·45	·92	3·55	1·24	2·24	·27	4·84	6·16	4·76	7·12	4·12	40·59	
* Days with .01 in. or more.	12	15	8	17	8	11	1	10	17	13	22	17	~~154~~	
* Days with .04 in. or more.	10	14	7	16	7	11	1	10	17	13	20	17	143	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H A Blagrove [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·20		·30		·07	·25	·34			·15	·07		1
2	·17 ·17		·04			·16	·06	·09						2
3				·33			·07		·11		·74			3
4			·11			·13	·04		·22		·03	·09		4
5	·12							·06	·61		·26			5
6	·35					·03	·02		·14		·10			6
7	·45		·17			·03	·07			·04	·50			7
8	·39		·05				·05				·79	·44		8
9	·27		·05				·46	·12	·10		·30			9
10	·02						·04	·09		·03				10
11	·12	·06		·05							1·11			11
12				·11		·16	·37	·05	·09		·07	·14		12
13					·02	·05				·01		·24		13
14		·09		·05		·09	1·24		·02	·02	·13	·30		14
15	·03	·15					·02				·18	·41		15
16	·20	·07			·25						·15	·09		16
17	·02	·60				·08		·02	·05	·06	·20	·49		17
18	·16	·08					·18	·01			·04	·06		18
19	·18	·06	·04			·68	·10	·11						19
20	·37	·06		·32			·02		·70					20
21		·04		·90		·35			·09					21
22	·12	·37	·21		·07	·20	·07					·14		22
23	·07	·11	·24	·18			·09			·05				23
24	·14								·10	·15				24
25	·21		·16	·10	·03	·14	·02		·09	·13				25
26		·15	·15						·13	·18		·02		26
27	·22		·05	·05					·07	·35				27
28	·44		·22			·56						·03		28
29	·03	·09				·03	·03			·08	·13	·02		29
30	·16	✕			·02	·24				·04				30
31	·19	✕	·18	✕		✕	·26		✕	·41	✕	·09		31
TOTAL	4·56 4·56	2·13	1·67	2·39	·39	3·00	3·46	·89	2·52	1·45	4·88	2·53	Year's Total 29·87	✓
* Days with .01 in. or more.	24	14	13	10	5	16	20	9	14	13	16	15	169	✓
* Days with .04 in. or more.	20	14	13	10	2	13	15	7	13	10	15	12	144	✓

BOURNE WATER WORKS COY.

40-9999.

† Spare column, no entries required.

(*Signed*) A. Slagrove [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Littlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·72	·04		·19							·53	·17		1
2		·32		·42							·01	·23		2
3	·04	·13										·50		3
4	·12	·94	·04									·59		4
5	·20	·02	·34				·23			·04				5
6	·05	·04	1·08	·04	·32		·04					·03		6
7		1·00	·04	·10	·08				·01			·82		7
8			·21		·10	·07					·08	·42		8
9		·04	·40	·47	·15	·02			·49					9
10				·13	·13	·26	·13					·72		10
11			·45		·03	·03	·12					·17		11
12	·58	·32	·15		·28	·42		·54	·22			·19		12
13	·46	·06	·61	·05	·03	·15			·04			·62		13
14	·06	·02			·28			·09	·19			·38		14
15		·10		·36			·40		·08					15
16	·13	·04	·11	·12				·81	·10		·08			16
17	·29			·04		·02			·26		·14			17
18	·41	·13	·02		·43	·19			·68		·16			18
19	·05	·23		·25		·03			·03			·21		19
20	·22		·22	·24	·75	·08			·06			·03		20
21	·33	·36		·14							·24	·13		21
22	·31	·04			·03		·17			1·04	·07	·07		22
23	·09	·12					·47			·32	·46	·04		23
24	·48	·29			·03					·12		·02		24
25	·11	·31							·06	·29				25
26		·67	·03							·17				26
27		·09		·26						·09				27
28	·18	·15		·04		·02				·02				28
29	·11									·15	·04			29
30	·27	✕								·56		·03		30
31	·34	✕		✕		✕			✕	·47	✕	·02		31
TOTAL	5·55	5·46	3·70	2·85	2·64	1·29	1·56	1·44	2·22	3·27	1·81	5·39	Year's Total 37·18	✓
* Days with .01 in. or more.	22	23	13	15	13	11	7	3	12	11	10	20	160	✓
* Days with .04 in. or more.	22	21	11	15	9	6	7	3	10	10	9	15	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H Blagrove

GENERAL MANAGER

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·02			·14	·15	·31		·49	·10		·09		1
2				·04	·05		·22			·30				2
3							·23			·60	·13			3
4						·01	·26	·08		·18		·19		4
5							·16			·36	·03			5
6	·16						·05		·09		·08	·06		6
7	·01						·10	·14	·04	·12	·02	·18		7
8	·24	·01					·01	·03		·18		·08		8
9	·10	·03								·26		·36		9
10	·18	·17					·03					·33		10
11	·49										·08	·21		11
12	·36									·13				12
13	·52	·10								·14	·12	·17		13
14	·25	·02			·96							·05		14
15	·04	·04					·06			·12		·17		15
16	·30	·02	·07		·04			·05		·18	·02	·13		16
17		·32			·11					·10	·02			17
18					·02				·13		·53			18
19	·16							·05	·07		·18			19
20									·13		·70	·15		20
21	·13								·20		·02	·06		21
22	·03							·20			·45	·10		22
23				·05							·07			23
24			·18						·21		·39	·09		24
25	·13	·01	·27	·33			·03	·01	·10		·61			25
26	·47	·11	·10			·01		·40	·30	·31		·52		26
27	·16	·09			·44	·18	·47		1·30	·08	·21			27
28	·11	·08			·50	·07		·78				·03		28
29	·19				·31						·09	·20		29
30	·12	✕		·30	·35				·08	·06	·18			30
31	·21	✕		✕	·15	✕			✕	·18	✕	·23		31
													Year's Total	
TOTAL in.	4·36	1·02	·62	·72	3·07	·42	1·93	1·74	3·14	3·40	3·93	3·40	27·75	
* Days with .01 in. or more.	21	13	4	4	11	5	12	9	12	17	19	20	147	
* Days with .04 in. or more.	19	7	4	4	10	3	9	7	12	17	14	19	125	

† Spare column, no entries required.

(*Signed*) R H Blagrove

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07		·07	·18	·15			·38	·16	·09		·03		1
2	·03			·02				·32		·03	·02			2
3	·40	·03		·28				·40			·31	·34		3
4	·27		·47	·12			·05	·05		·60	·16	·06		4
5			·06	·18	·06		·01			·16	·58			5
6	·36		·09				·08			·59	·45			6
7	·22	·16						·03			·35	·22		7
8		·06	·14							·52		·42		8
9	·09	·10						·05		·48	·29	·14		9
10	·12					·22		·29	·44	1·33	·13			10
11	·27		·26							·80	·04			11
12												·02		12
13	·02		·02	·05		·05			·02	1·76		·22		13
14	·92					·04	·02		·02	·22	·55	·05		14
15	·50				·33		·06			·32	·16			15
16	·15	·03	·05	·16	·19	·14	·68				·50			16
17	·09				·03						·14			17
18	·13		·02		·30	·10	·19				·78			18
19	·32						·12		·02	·34				19
20	·34						·09		·22					20
21	·22		·15			·06	·20		·02					21
22	·28	·21	·05	·03		·56	·02							22
23				·10		·02	·05			·09	·87			23
24	·31	·19	·14	·14			·16	·03		·05	·08			24
25	1·70	·42	·17	·31			·54	·04			·76			25
26	·09		·03	·02			·02			·08	·39			26
27	·08	·11								·15	·26			27
28		·38	·02			·12				·02	·26	·32		28
29				·08						·04	·04			29
30		✕		·86		·04		·31		·09	·07			30
31		✕		✕		✕	·08	·03	✕	·06	✕			31
TOTAL	6·98	1·69	1·74	2·53	1·06	1·35	2·37	1·93	·90	7·82	7·19	1·82	Year's Total 37·38	✓
* Days with ·01 in. or more.	23	10	15	14	6	10	16	11	7	21	22	10	165	✓
* Days with ·04 in. or more.	21	8	11	11	5	9	12	8	3	19	21	8	136	✓

† Spare column, no entries required.

(*Signed*) R H Blagrove

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 533

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Litlington

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 19 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·08			1
2		·13		·13	·05		·07			·07	·30	·02		2
3		·39		·07						·06	1·50	·40		3
4		·18					·19			·21	·02	·17		4
5							·01				·82	·19		5
6	·38	·20			·01		·23			·69	·03			6
7	·17	·12					·04							7
8									·07	·32		·47		8
9										·25	·61	·37		9
10							·33		·05	·44	·22			10
11		·13									·90			11
12		·02	·17	·02			·19		·06		·02			12
13		·03	·41			·22			·49		1·14			13
14			·39	·05						·08		·77		14
15					·43	·03	·76		·01	·05	·15			15
16	·26	·40	·30	·08		·05	·11		·15	·58	·74	·05		16
17	·03		·40								·17			17
18		·30	·41	·35			·06			·22				18
19		·09							·84		·11	·13		19
20		·03		·02				·05	·27	·05	·23	·02		20
21	·03			·01	·43			·02	·13	·03	·40			21
22	·02		·03		·19	·03			·09					22
23		·31	·05	·22			·07				·12			23
24				·24			·28							24
25			·61			·03	·26			·03				25
26	·90	·23	·25	·02	·20		·10			·05				26
27	·42	·09									·04			27
28	·45			·07	·18									28
29	·40	·24	·10	·05	·25							·35		29
30	·10	✕	·03	·04						·12		·04		30
31	·07	✕		✕		✕			✕	·53	✕	·24		31
													Year's Total	
TOTAL	3·23	2·89	3·15	1·37	1·74	·36	2·70	·07	2·16	3·78	7·60	3·22	32·27	
* Days with .01 in. or more.	12	16	12	14	8	5	14	2	10	17	19	13	142	
* Days with .04 in. or more.	9	13	10	10	7	2	13	1	9	15	16	11	116	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) P H Blagrove

[P.T.O.

534

534

WILLINGDON SEWAGE FARM

1931 - 1940

78 01 11

Section **A** for the entry

AIR MINIS

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGI

93/.

Kept at Willingdon

in the County of Sus

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

DAY.

An observer who does not conform

the following

year in the space on the right o

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·07	/	·13	/	/	/	·07	·03	/	/	/	1
2	·12	·09	/	·27	/	/	/	/	·44	·02	/	/	2
3	·13	/	·23	·11	·62	/	/	/	·50	/	/	·32	3
4	/	·03	/	/	/	/	/	/	·12	·08	·10	·07	4
5	/	·02	/	·14	/	·59	·20	·53	/	/	/	·23	5
6	/	·06	/	·15	/	/	/	·29	/	·26	·50	·20	6
7	/	·03	/	/	·05	·17	/	·16	·04	·06	·36	/	7
8	/	·16	/	/	/	·19	·19	/	/	/	·08	·20	8
9	/	·29	/	/	/	·13	/	/	/	/	·98	/	9
10	/	·11	·03	/	/	·08	·13	·37	/	/	1·69	/	10
11	·18	·39	/	/	/	/	/	/	/	/	·58	/	11
12	·06	/	/	/	/	/	/	/	·20	/	/	/	12
13	·09	/	/	/	·10	/	·04	/	/	/	/	/	13
14	/	·09	/	/	/	·10	·49	·47	/	/	/	/	14
15	/	·03	/	·08	·09	/	·10	·06	/	/	/	·06	15
16	/	·03	/	·17	·29	·02	·03	·07	/	/	/	/	16
17	/	·11	/	·28	/	/	·69	/	·11	/	/	/	17
18	/	·09	·04	·21	/	/	·29	·37	/	·02	·44	/	18
19	·09	/	/	·29	/	·07	·23	·62	·14	/	/	/	19
20	/	·15	/	·03	·02	/	·09	·33	/	/	/	/	20
21	/	/	/	/	·57	/	/	/	/	/	·03	/	21
22	·29	/	·17	/	/	/	/	/	/	/	/	/	22
23	·56	·13	·02	/	·05	·08	/	/	/	/	·29	/	23
24	/	/	/	·79	/	·10	·07	·30	/	/	/	/	24
25	·16	·02	/	·54	/	/	·13	/	/	/	·06	/	25
26	/	·05	/	·16	·02	/	·36	/	/	/	·49	/	26
27	·22	·36	/	·07	·16	/	·06	/	/	/	·13	/	27
28	·09	·08	/	·04	/	/	/	/	/	/	/	·02	28
29	·19	X	/	·02	·15	/	·12	/	/	·10	/	/	29
30	·02	X	/	/	/	/	·04	/	/	/	/	/	30
31	·49	X	/	X	/	X	/	/	X	/	X	/	31
TOTAL	2·72	2·39	·49	3·48	2·12	1·53	3·26	3·64	1·58	·54	5·73	1·10	YEAR'S TOTAL 28·58
*Days with ·01 in. or more.	15	21	5	17	11	10	17	12	8	6	13	7	142
*Days with ·04 in. or more.	13	15	3	15	9	9	16	12	7	4	12	6	121

40-9999

(*Signed*)

P.T.O.

*See Instruction 2 (*f*) on other side.

534

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Willingdon Sewage Farm,
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 24 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·07	/	·13	/	/	/	·07	·03	/	/	/	1
2	·12	·09	/	·27	/	/	/	/	·44	·02	/	/	2
3	·13	/	·23	·11	·62	/	/	/	·50	/	/	·32	3
4	/	·03	/	/	/	/	/	/	·12	·08	·10	·07	4
5	/	·02	/	·14	/	·59	·20	·53	/	/	/	·23	5
6	/	·06	/	·15	/	/	/	·29	/	·26	·50	·20	6
7	/	·03	/	/	·05	·17	/	·16	·04	·06	·36	/	7
8	/	·16	/	/	/	·19	19	/	/	/	·08	·20	8
9	/	·29	/	/	/	·13	/	/	/	/	·98	/	9
10	/	·11	·03	/	/	·08	·13	·37	/	/	1·69	/	10
11	·18	·39	/	/	/	/	/	/	/	/	·58	/	11
12	·06	/	/	/	/	/	/	/	·20	/	/	/	12
13	·09	/	/	/	·10	/	·04	/	/	/	/	/	13
14	/	·09	/	/	/	·10	·49	·47	/	/	/	/	14
15	/	·03	/	·08	·09	/	·10	·06	/	/	/	·06	15
16	/	·03	/	·17	·29	·02	·03	·07	/	/	/	/	16
17	/	·11	/	·28	/	/	·69	/	·11	/	/	/	17
18	/	·09	·04	·21	/	/	·29	·37	/	·02	·44	/	18
19	·09	/	/	·29	/	·07	·23	·62	·14	/	/	/	19
20	/	·15	/	·03	·02	/	·09	·33	/	/	/	/	20
21	/	/	/	/	·57	/	/	/	/	/	·03	/	21
22	·29	/	·17	/	/	/	/	/	/	/	/	/	22
23	·56	·13	·02	/	·05	·08	/	/	/	/	·29	/	23
24	/	/	/	·79	/	·10	·07	·30	/	/	/	/	24
25	·16	·02	/	·54	/	/	·13	/	/	/	·06	/	25
26	/	·05	/	·16	·02	/	·36	/	/	/	·49	/	26
27	·22	·36	/	·07	·16	/	·06	/	/	/	·13	/	27
28	·09	·08	/	·04	/	/	/	/	/	/	/	·02	28
29	·19	×	/	·02	·15	-	·12	/	/	·10	/	/	29
30	·02	×	/	/	/	/	·04	/	/	/	/	/	30
31	·49	×	/	×	/	×	/	/	×	/	×	/	31
TOTAL	2·72	2·39	·49	3·48	2·12	1·53	3·26	3·64	1·58	·54	5·73	1·10	YEAR'S TOTAL 28·58
*Days with ·01 in. or more.	15	21	5	17	11	10	17	12	8	6	13	7	142
*Days with ·04 in. or more.	13	15	3	15	9	9	16	12	7	4	12	6	121

40-9999

(Signed) R. Swayne

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Willingdon Sewage Farm

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 24 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	/	/	·20	·34	/	/	/	/	·50	·06	/	1
2	/	/	/	·29	/	/	/	/	/	/	·02	·22	2
3	·02	/	/	·12	·07	·64	/	/	·27	/	/	/	3
4	/	/	/	/	/	·11	/	/	/	/	/	/	4
5	·35	/	·02	/	/	/	·14	/	·14	/	/	/	5
6	·61	/	/	·12	/	/	/	/	·06	/	/	/	6
7	·05	/	·02	/	/	/	/	/	/	·03	/	/	7
8	/	/	/	·03	·41	/	/	/	·10	1·13	/	/	8
9	·08	/	·33	·30	·35	/	/	/	/	·30	/	/	9
10	·50	/	/	·40	·15	/	/	/	·07	·25	/	/	10
11	·25	·08	/	·12	·02	·10	/	/	/	/	/	·05	11
12	·26	/	/	/	/	/	/	/	·08	·19	/	/	12
13	·17	/	/	·20	·07	/	·03	/	·02	1·05	/	·02	13
14	·06	/	/	·15	·21	/	/	/	/	·10	/	/	14
15	·05	/	/	·04	·12	/	/	/	/	·08	/	/	15
16	/	/	/	·21	/	/	/	/	/	/	/	/	16
17	·02	/	/	·04	/	/	/	/	/	·03	/	/	17
18	·04	/	/	/	/	/	/	/	·04	/	·17	/	18
19	/	/	/	/	·02	/	/	/	·04	·17	·13	/	19
20	/	/	/	·10	·15	/	·08	/	/	1·27	·25	/	20
21	/	/	/	/	·24	/	/	/	/	·31	/	/	21
22	·06	/	·22	/	·08	/	·20	·31	1·30	·34	·61	/	22
23	/	·05	·38	·02	/	/	/	/	·29	1·20	/	·09	23
24	/	/	/	/	/	/	1·53	/	·16	·05	/	/	24
25	/	/	/	/	/	/	1·63	/	·07	·68	·05	/	25
26	/	/	/	·17	/	/	·08	·23	/	/	·10	/	26
27	/	/	/	·21	·07	/	/	/	·02	·55	/	·02	27
28	/	/	·23	·03	·04	/	·30	/	/	·10	/	/	28
29	/	/	·58	/	/	/	/	·39	·27	·59	/	·03	29
30	/	×	·02	/	/	·75	/	/	·05	/	·28	·04	30
31	/	×	·04	×	/	×	·20	/	×	/	×	·05	31
TOTAL	2·64	·13	1·84	2·75	2·34	1·60	4·19	·93	2·98	8·92	1·67	·52	YEAR'S TOTAL 30·51
*Days with ·01 in. or more.	15	2	9	18	15	4	9	3	16	20	9	8	128
*Days with .04 in. or more.	13	2	6	15	13	4	8	3	14	18	8	5	109

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R W. Fovargue

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Willingdon Sewage Farm,
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 24 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·65	·27	–	–	–	–	–	–	–	–	–	1
2	·20	–	·63	–	·07	–	–	–	–	–	–	–	2
3	·12	·13	·10	–	–	–	–	–	–	–	–	–	3
4	·05	·06	–	–	·09	–	–	–	–	–	–	–	4
5	·37	–	·16	–	·20	–	–	–	–	–	–	–	5
6	–	·16	·10	–	·52	–	–	–	–	–	·07	–	6
7	·35	·05	–	–	·05	–	–	–	–	·24	–	·03	7
8	·17	·07	–	–	·02	–	·40	–	–	·07	–	–	8
9	–	·03	–	–	·14	–	·05	–	–	·10	·18	–	9
10	–	·13	–	–	–	·02	·20	·03	–	·19	–	–	10
11	·15	–	–	–	·03	·03	·07	·06	·14	·04	–	–	11
12	–	–	–	·07	–	·16	·02	–	1·38	–	–	–	12
13	·05	–	–	–	·07	·03	·30	·03	·34	·18	·18	–	13
14	–	–	–	–	–	–	·02	–	–	·56	·40	–	14
15	·59	–	·06	–	–	–	·15	·24	–	·53	·30	–	15
16	·04	–	·56	–	–	·26	·60	–	–	–	·22	–	16
17	·07	–	·21	–	–	·13	–	·09	·21	–	–	–	17
18	·14	–	·11	–	–	·77	–	–	–	–	–	–	18
19	–	–	·10	·02	–	·39	–	–	·10	–	–	–	19
20	–	·05	·13	·10	–	·21	–	·12	·40	–	–	–	20
21	–	–	–	–	–	–	–	·03	·17	–	–	–	21
22	–	·07	–	–	–	–	–	·47	·06	·15	–	–	22
23	–	–	–	·10	–	·04	–	–	·93	–	–	–	23
24	–	·14	–	·22	–	–	–	–	·38	–	·03	–	24
25	–	·04	–	·34	–	–	–	–	·11	–	·10	·12	25
26	–	·53	–	·05	–	·09	–	–	·07	–	–	·10	26
27	–	·02	–	·02	·08	·03	–	–	–	·16	–	·15	27
28	–	–	–	–	·03	–	·14	–	–	·17	–	·16	28
29	·08	×	–	–	·07	–	·04	–	–	·03	–	·67	29
30	·09	×	–	–	–	–	·03	–	·29	–	–	–	30
31	·10	×	–	×	–	×	–	·02	×	–	×	·08	31
													YEAR'S TOTAL
TOTAL	2·59	2·13	2·43	·92	1·37	2·16	2·02	1·09	4·58	2·42	1·48	1·31	24·50
*Days with ·01 in. or more.	16	14	11	8	12	12	12	9	13	12	8	7	134
*Days with ·04 in. or more.	15	12	11	6	9	8	9	5	13	11	7	6	112

40-9999
*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Willingdon Sewage Farm.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 24 ft.

Circ b's sent 28/6/35 KJ

Corrected on BR Pages 10/7/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0·14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	·	–	·01	·05	·01	·04	–		1
2	–	–	·10	–	–	·18	–	·06	–	·37	–	·64		2
3	·03	–	–	·51	–	·03	–	–	·11	·38	·04	·48		3
4	·08	–	·08	–	–	–	–	–	·01	·49	·04	·25		4
5	·38	–	·11	–	·17	–	–	–	–	·47	·09	·92		5
6	–	–	·55	·02	·16	–	–	·03	–	–	·02	·47		6
7	–	–	–	·04	–	·19	–	·17	–	·30	–	·41		7
8	–	–	–	·19	·10	–	–	–	–	·06	–	·14		8
9	–	–	·16	–	–	·02	–	·02	·01	–	1·83	–		9
10	–	–	·42	·16	–	–	–	–	–	–	·50	·15		10
11	–	–	·42	·04	–	–	–	·15		·02	·02	–		11
12	·88	–	·07	–	–	–	·13	·62		–	·01	·55		12
13	·10	–	–	·12	–	–	·11	·04		–	·09	·12		13
14	·47	–	·39	·09	–	–	·01	·01		–	·09	–		14
15	·36	–	–	–	–	–	–	–		–	1·30	·47		15
16	–	–	·51	·15	·09	–	–	–		·01	·20	·61		16
17	·30	–	·30	·06	–	–	–	–		·04	–	–		17
18	·16	–	·03	·22	–	–	–	–		·01	·01	·46		18
19	·05	–	·27	–	–	–	·08	–		–	–	·42		19
20	–	–	·05	–	–	·05	–	–	·36	·01	–	·40		20
21	–	–	–	·20	–	·03	·22	·01	·01	·61	–	–		21
22	–	–	–	–	–	·25	–	–	–	·05	–	–		22
23	–	–	–	·74	–	–	·15	·23	·23	–	–	·17		23
24	–	·04	–	·03	–	·20	–		·01	·03	–	·19		24
25	–	–	–	·23	–	·08	·44		·08	–	–	–		25
26	·10	–	–	·03	–	–	–		–	·10	–	·65		26
27	·09	–	–	·17	–	·22	–		·03	·09	–	–		27
28	–	·03	–	·10	–	·14	–		–	·01	–	·03		28
29	–	–	–	–	–	·08	–	·78	–	–	·02	·25		29
30	·10	✕	–	–	–	–	–	·35	·32	–	·02	–		30
31	·02	✕	–	✕	–	✕	– +·01	·08 +·05	+·01 ✕	+·04	✕	+·14 ·63		31
TOTAL	3·72	·07	3·46	3·70	·52	1·47 ~~1·49~~	1·15 ~~[illegible]~~	2·60 ~~[illegible]~~	1·19 1·18 ~~1·23~~	2·49 ~~2·46~~	4·28 ~~4·32~~	8·85 ~~8·71~~	Year's Total 32 32·~~78~~	
* Days with .01 in. or more.	14	2	14	18	4	12	~~7~~ 8	14	11	18	~~16~~ 15	~~[illegible]~~ 22	2 15~~8~~	
* Days with .04 in. or more.	12	1	13	15	4	9	6	~~9~~ 10	~~6~~ 5	~~10~~ 11	~~10~~ 9	~~20~~ 21	11~~5~~ 6	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) a. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Willingdon Sewage Farm

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 24 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·08	·15	·06	·09	·06	·03	–	·03	·18	·28	–		1
2	·09	–	–	–	–	–	·01	–	·06	·60	·05	–		2
3	–	–	·08	·01	–	–	–	–	·05	·26	·12	–		3
4	–	·10	–	·39	–	·16	–	–	1·13	·41	–	·26		4
5	–	·49	·05	·11	–	–	–	–	·96	·83	–	–		5
6	–	·13	–	·38	–	·10	–	–	–	·16	·56	·04		6
7	·08	·06	–	·42	–	·15	–	–	–	–	·94	·10		7
8	–	–	–	·33	–	–	–	·08	–	·68	·39	·06		8
9	·03	–	–	·25	–	·36	–	–	–	·87	·19	–		9
10	·16	–	·19	·06	–	·14	–	–	–	·02	·12	·11		10
11	·06	–	–	–	–	–	·19	–	–	–	·56	–		11
12	–	·26	–	–	–	·27	–	·09	·10	–	·54	–		12
13	·04	·20	–	·26	–	·01	–	–	·01	–	·49	·04		13
14	–	–	–	–	·16	·14	–	–	·09	·05	–	·33		14
15	–	·24	–	·41	·02	·03	–	–	·88	·03	·32	–		15
16	–	·03	·05	·20	–	–	–	–	·31	–	·88	–		16
17	–	–	·02	·17	·03	·48	–	·05	·16	–	·38	–		17
18	–	–	–	·42	·03	·05	–	–	·88	·14	–	·03		18
19	–	–	–	·10	·45	·03	·03	–	·23	–	·15	–		19
20	–	·48	–	·09	·05	·03	·05	–	·08	–	·15	–		20
21	·02	·32	–	·02	–	–	–	–	·01	·19	·03	–		21
22	–	·21	·01	–	–	–	–	·39	·11	–	–	–		22
23	–	·12	·04	–	–	–	–	–	–	–	–	·29		23
24	·04	·61	–	–	·33	–	–	1·18	·81	–	–	·53		24
25	·10	·85	–	·23	·08	·49	–	–	–	–	–	·48		25
26	–	·16	–	–	–	·09	–	·25	·09	·06	–	·21		26
27	·02	·36	–	–	–	–	–	·52	·19	–	·28	·41		27
28	–	·06	–	–	·03	–	–	–	·04	·03	·14	·31		28
29	–	×	–	–	–	–	–	·17	·24	–	·03	·39		29
30	–	×	–	–	–	–	–	1·83	·63	·09	·65	·32		30
31	–	×	–	×	–	×	–	·02	×	·24	×	·56		31
													Year's Total	
TOTAL	·83	4·76	·59	4·21	1·27	2·59	·31	4·58	7·09	4·84	7·25	4·47	42·79	
* Days with .01 in. or more.	11	18	8	18	10	16	5	10	22	17	21	17	173	
* Days with .04 in. or more.	8	17	6	16	6	12	2	9	19	14	19	16	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X HAILSHAM R.D.C. X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Willingdon Sewage Farm

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 24 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·56	·21	·06	·14	—	·11	·23	·24	—	—	·27	—		1
2	·23	·18	—	·29	—	·19	·20	·21	—	—	·08	·10		2
3	·03	·10	—	—	—	·37	·10	·11	—	—	—	—		3
4	—	—	—	·24	—	·03	·10	—	·15	—	·64	·01		4
5	—	—	·10	—	—	·15	·02	—	·32	—	·07	·16		5
6	·13	—	·01	—	—	—	—	·07	·44	—	·10	·04		6
7	·46	—	—	—	—	·03	—	·03	·20	·02	·28	—		7
8	·65	—	·14	—	—	·05	·08	—	—	·02	·50	—		8
9	·50	—	·02	—	—	—	·10	—	—	—	1·03	·22		9
10	·30	—	·03	—	—	—	·55	·04	·10	—	·40	—		10
11	·04	—	·01	—	—	·02	·05	·19	—	·09	—	—		11
12	·09	·04	—	·04	—	—	—	—	—	—	1·21	—		12
13	—	—	—	·03	·02	·16	·45	·03	·01	—	·11	·06		13
14	—	—	—	—	—	·09	·04	—	—	·01	—	·27		14
15	—	·04	—	·03	—	·15	1·30	—	—	—	·14	·30		15
16	—	·09	—	—	—	—	·04	—	—	—	·20	·42		16
17	·20	·04	—	·01	·14	—	—	—	—	—	·16	·09		17
18	·05	·16	—	—	—	·12	—	—	·02	·08	·22	·71		18
19	·20	·62	—	—	—	·08	·18	—	·09	—	·04	·09		19
20	·30	·11	·02	·02	—	·17	·15	·17	—	—	—	—		20
21	·41	·07	·01	·51	—	—	—	—	·55	—	—	—		21
22	—	·06	—	·14	·02	·31	·02	—	·10	—	—	—		22
23	·13	·03	·11	—	·05	·04	·07	—	—	—	—	·13		23
24	·01	·38	·09	·20	—	—	·13	—	—	·07	—	—		24
25	·11	·03	—	—	—	—	·01	—	·09	·18	—	—		25
26	·18	·32	·11	·11	·04	·46	—	—	·19	·14	—	—		26
27	—	—	·15	—	—	·02	—	—	·07	·20	—	—		27
28	·26	—	·02	—	—	—	·12	—	·11	·14	—	—		28
29	·61	—	·22	—	—	·32	·04	—	—	—	—	—		29
30	—	✖	·18	—	—	·01	·05	—	—	·08	·09	·06		30
31	·18	✖	·03	✖	·04	✖	—	—	✖	·09	✖	—		31
TOTAL	5·63 ~~5·62~~	2·48	1·31	1·76 ~~2·36~~	·31	2·88	4·03	1·09	2·44	1·12	5·54	2·66	Year's Total 31·84	✓
* Days with .01 in. or more.	22	16	17	12	6	20	22	9	14	12	17	14	181	✓
* Days with .04 in. or more.	20	14	9	8	4	15	19	7	12	9	17	13	147	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Hailsham RDC

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Willingdon Sewage Farm

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

,, Ground ,, Sea Level 24 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·82	·02	–	·18	–	–	–	–	–	–	·40	·15		1
2	–	·45	·15	·34	–	–	–	–	–	–	–	·69		2
3	·05	·19	–	–	–	–	–	–	–	–	–	·12		3
4	·21	1·16	–	–	–	–	–	–	–	–	–	·49		4
5	·28	·03	·32	–	–	–	·21	–	–	·06	–	–		5
6	·05	·20	·68	–	·31	–	·04	–	–	–	–	–		6
7	–	1·11	·04	·15	·08	–	–	–	–	–	–	·47		7
8	–	·02	·10	–	·12	·07	–	–	–	–	·06	·21		8
9	–	·03	–	·45	·28	·04	·16	–	·42	–	–	·01		9
10	–	–	·56	·08	·12	·24	–	–	–	–	–	·79		10
11	–	–	·48	–	·02	·04	·03	–	–	–	–	·28		11
12	·77	·30	·14	–	·26	·46	–	·61	·02	–	–	·16		12
13	·47	·04	·52	·13	·02	·18	–	–	–	–	–	·86		13
14	·06	·03	·09	·01	·21	–	–	·41	·29	–	–	·38		14
15	·17	·13	–	·43	–	–	·45	–	·07	–	–	–		15
16	·04	·05	·17	·14	–	·15	–	·83	·02	–	–	–		16
17	·32	–	–	·04	–	–	–	–	·42	–	·11	–		17
18	·33	·09	·06	–	·58	·23	–	–	·75	–	·20	–		18
19	·04	·23	·07	·36	·01	·04	–	–	·03	–	·23	·21		19
20	·35	–	·20	·27	·61	·06	–	–	–	–	–	·04		20
21	·40	·35	–	·07	·01	–	·01	–	–	–	·26	·08		21
22	·33	·03	–	–	·03	–	·05	–	–	1·16	·06	·14		22
23	·05	·09	–	–	–	–	·47	–	–	·26	·27	·02		23
24	·50	·38	–	–	·07	–	–	–	–	·12	–	–		24
25	·17	·32	·32	–	–	–	–	–	·10	·25	–	–		25
26	·02	·73	·04	–	–	–	–	–	–	·23	–	–		26
27	–	·12	–	·30	–	–	–	–	–	·13	–	–		27
28	·18	·11	–	·03	–	–	–	–	–	·03	–	–		28
29	·06	–	–	–	–	–	–	–	–	·33	·03	–		29
30	·30	✕	–	–	–	·02	–	–	–	·30	·15	·01		30
31	·38	✕	–	✕	–	✕	–	–	✕	·53	✕	·04		31
TOTAL	6·35	6·21	3·94	2·98	2·73	1·53	1·42	1·85	2·12	3·40	1·77	5.15	Year's Total 39·45	✓
* Days with .01 in. or more.	24	24	16	15	15	11	8	3	9	11	10	19	165	✓
* Days with .04 in. or more.	23	18	16	13	10	10	6	3	6	10	9	16	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sewage Farm. Willingdon

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·02	–	–	·11	·34	·24	–	·47	·08	–	·04		1
2	–	–	–	·03	·03	–	·30	–	–	·47	–	·06		2
3	–	–	–	–	·01	–	·23	–	–	·75	·21	–		3
4	·02	–	–	–	–	·03	·18	·10	–	·28	·01	·25		4
5	–	–	–	–	–	–	·27	·03	–	·39	·02	·01		5
6	·26	–	–	–	–	–	·09	–	·07	·02	·03	·02		6
7	–	–	–	–	–	–	·19	·19	·04	·16	·01	·18		7
8	·14	–	–	–	–	–	·14	–	–	·23	–	·11		8
9	·40	·04	–	–	–	–	–	–	–	·30	–	·46		9
10	·24	·08	–	–	–	–	·05	–	–	–	–	·47		10
11	·51	–	–	–	–	–	–	–	–	–	·07	·25		11
12	·45	–	–	–	–	·01	·01	–	–	·08	–	·01		12
13	·53	·09	–	–	–	–	–	–	–	·19	·19	·18		13
14	·27	–	–	–	·81	–	–	–	–	–	–	·09		14
15	·07	·04	–	–	–	–	·17	–	–	·14	·02	·23		15
16	·32	·12	·08	–	·04	–	–	·04	–	·20	–	·28		16
17	–	·18	–	–	·10	–	–	–	·02	·19	–	–		17
18	·11	–	–	–	·01	–	–	–	·14	·02	·47	–		18
19	·03	–	–	–	–	–	–	·09	·11	–	·17	–		19
20	–	–	–	–	–	–	–	–	·18	–	·69	·08		20
21	·09	–	–	–	–	–	–	–	·17	–	·03	·04		21
22	–	–	–	–	–	·04	–	·12	–	–	·52	·07		22
23	·03	–	–	·05	–	–	–	–	–	–	·11	–		23
24	–	–	·17	–	·03	–	–	–	·06	–	·48	·04		24
25	·12	–	·27	·16	·03	–	·04	–	·14	·02	·70	·01		25
26	·65	·13	·08	·03	–	–	–	·08	·29	·28	–	·40		26
27	·24	·09	–	–	·27	·24	·48	–	1·57	·12	·32	–		27
28	·12	·08	–	–	·36	·10	–	·61	·03	–	–	–		28
29	·22	×	–	·02	·40	–	–	–	–	–	·17	·21		29
30	·12	☒	–	·32	·52	–	–	–	·09	·18	·27	–		30
31	·23	☒	–	☒	·17	☒	–	–	☒	·04	☒	·24		31
													Year's Total	
TOTAL	5·18	·87	·60	·61	2·89	·76	2·39	1·26	3·38	4·14	4·49	3·73	30·30 *	
* Days with .01 in. or more.	23	10	4	6	14	6	13	8	14	20	19	23	160 *	
* Days with .04 in. or more.	19	9	4	3	9	4	12	7	12	17	13	19	128 *	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Farm, Willingdon

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	–	0.07	0.15	0.14	–	–	0.17	0.20	0.09	–	0.03		1
2	0.20	–	0.01	0.02	–	–	–	0.16	0.02	0.03	–	0.02		2
3	0.52	–	–	0.31	–	–	–	0.28	–	–	0.29	0.40		3
4	0.28	–	0.63	0.15	–	–	0.08	0.22	–	0.69	0.23	0.04		4
5	–	–	0.08	0.25	0.06	–	0.06	–	–	0.32	0.61	0.06		5
6	0.42	–	0.06	–	–	–	0.09	–	–	0.35	0.84	–		6
7	0.22	0.09	–	–	–	–	0.08	0.05	–	0.02	0.29	0.23		7
8	–	0.07	0.06	–	–	–	0.03	–	–	0.38	–	0.54		8
9	0.08	0.10	–	–	–	–	–	0.09	–	·73 0.73	0.40	0.21		9
10	0.17	–	–	–	–	0.20	–	0.21	0.40	1.23	0.12	–		10
11	0.29	–	0.23	–	–	–	–	–	–	0.87	0.01	–		11
12	–	–	–	–	0.03	–	–	–	–	–	–	0.02		12
13	0.12	–	0.01	0.02	–	0.03	0.01	–	–	2.06	–	0.11		13
14	0.84	–	–	–	–	0.09	0.14	–	–	0.23	0.68	0.05		14
15	0.39	0.03	–	–	0.29	0.03	–	–	0.01	0.27	0.11	–		15
16	0.19	0.02	0.06	0.21	0.22	0.22	0.67	–	–	–	0.62	–		16
17	0.17	0.14	–	–	0.12	–	–	–	–	–	0.12	–		17
18	0.17	–	–	–	0.13	0.08	0.19	–	–	–	0.70	–		18
19	0.41	–	–	–	–	–	0.16	–	–	0.34	–	0.01		19
20	0.34	–	–	–	–	0.01	0.02	–	0.01	–	–	–		20
21	0.22	–	0.17	–	–	–	0.21	–	0.11	0.04	–	–		21
22	0.28	0.26	0.12	–	–	0.17	0.06	–	–	–	–	–		22
23	0.03	0.03	–	0.08	–	0.01	0.05	0.01	–	0.06	0.87	–		23
24	0.27	0.10	–	0.17	–	–	0.09	–	–	0.02	0.05	–		24
25	1.80	0.55	0.16	0.41	–	–	0.57	0.20	–	–	1.08	0.04		25
26	0.06	–	0.07	–	–	–	–	–	–	0.08	0.42	–		26
27	0.14	0.11	0.02	–	–	–	–	–	–	0.18	0.26	–		27
28	–	0.38	0.01	–	–	0.15	–	–	–	–	0.24	0.21		28
29	–	×	–	0.09	–	–	–	–	–	0.02	0.08	–		29
30	–	×	–	0.76	–	0.04	0.03	0.17	–	0.04	0.05	–		30
31	–	×	–	×	–	×	0.05	0.34	×	0.08	×	0.02		31
TOTAL	7.76	1.88	1.76	2.62	0.99	1.03	2.59	1.90	0.75	8.13	8.07	1.99	Year's Total 39.47	
* Days with .01 in. or more.	24	12	15	12	7	11	18	11	6	22	21	15	~~175~~	174
* Days with .04 in. or more.	23	9	11	10	6	7	10	10	3	18	20	10	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Sewage Farm Willingdon

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 24 ft.

Dgps.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.01	-	0.01	-	-	-	-	-	-	0.09	-		1
2	-	0.12	-	0.23	0.09	-	0.03	-	-	0.04	0.44	-		2
3	-	0.38	-	0.08	-	-	-	-	-	0.05	1.66	0.41		3
4	-	0.08	-	0.03	-	-	0.19	-	-	0.23	0.03	0.19		4
5	-	-	-	-	-	-	0.01	0.01	-	-	1.16	0.29		5
6	0.18	0.19	-	-	-	-	0.16	-	-	0.71	0.01	-		6
7	0.13	0.10	-	-	-	-	0.03	-	-	-	-	-		7
8	-	0.02	-	-	-	-	0.04	-	0.10	0.39	-	0.48		8
9	-	-	-	-	-	-	0.26	-	-	0.04	0.79	0.39		9
10	-	-	-	-	-	-	0.22	-	0.01	0.34	0.15	0.01		10
11	-	0.05	-	-	-	-	-	-	-	-	1.04	-		11
12	-	0.03	0.17	0.01	-	-	0.17	-	0.05	-	0.02	-		12
13	-	-	0.47	-	-	0.16	-	-	0.58	-	1.18	-		13
14	-	-	0.28	0.03	-	-	-	-	-	0.03	-	0.65		14
15	-	-	-	0.02	0.55	-	0.75	-	0.01	0.02	0.16	-		15
16	0.34	0.33	0.23	0.05	-	0.02	0.04	-	0.12	1.06	0.74	0.09		16
17	-	-	0.42	-	-	-	-	-	0.03	-	0.09	-		17
18	-	0.25	0.38	0.30	-	-	0.03	-	0.03	0.20	-	0.08		18
19	-	0.07	0.01	-	-	-	-	-	1.08	-	0.17	0.02		19
20	-	-	-	0.01	-	-	-	0.06	0.10	0.05	0.19	-		20
21	-	0.03	-	-	0.43	-	0.02	-	0.03	0.02	0.54	-		21
22	-	-	0.02	-	0.21	0.09	-	-	0.07	-	-	-		22
23	-	0.34	0.09	0.27	-	-	0.05	-	-	-	0.06	-		23
24	-	-	-	0.28	-	-	0.17	-	-	-	-	-		24
25	-	-	0.39	-	-	-	0.25	-	-	-	-	-		25
26	0.81	0.26	0.12	-	0.14	-	0.04	-	-	0.06	-	-		26
27	0.18	0.13	-	-	-	-	0.09	-	-	-	0.03	-		27
28	0.32	0.02	-	0.04	0.19	-	-	-	-	-	-	-		28
29	0.03	0.15	0.16	0.01	0.18	-	-	-	-	-	-	0.39		29
30	0.11	✕	-	0.04	-	-	-	-	-	0.16	-	0.02		30
31	0.07	✕	-	✕	-	✕	-	-	✕	0.47	✕	0.28		31
TOTAL	2.17	2.56	2.74	1.41	1.79	0.27	2.55	0.07	2.21	3.87	8.55	3.30	Year's Total 31.49	
* Days with .01 in. or more.	~~1~~ 9	~~5~~ 18	~~2~~ 12	~~4~~ 15	7	~~1~~ 3	~~5~~ 18	~~1~~ 2	~~5~~ 12	~~3~~ 16	~~4~~ 19	~~5~~ 13	~~34~~	144
* Days with .04 in. or more.	8	13	10	8	7	2	13	1	7	13	~~16~~ 15	10	~~108~~	107

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

Section **A** for the entry
AIR MINIS

FALL ORGANIZATION.

Station No. 534/5

FORM 1090. REG 935. Sussex

Kept at White Lodge

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

Surrey 5.

1/26.

THE MORNING MEAS Y.

An observer who does not conf of the following year in the space on the right

Jan. 1, following

Please read the Notes and Instructions Over

534|5
ALFRISTON WHITE LODGE
1935 - 1940
780111

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·05	·04	·11	—	—	·03	·33	·17	·01		1
2				·04	—	—	·01	—	·17	·49	·09	—		2
3				·03	—	—	·01	—	·03	·32	·11	—		3
4				·38	—	·27	—	—	·83	·27	—	·31		4
5				·12	—	—	—	—	1·00	·82	·01	·01		5
6				·30	—	·07	—	—	—	·38	·50	·02		6
7				·38	—	·09	—	—	—	·04	1·20	·11		7
8				·37	—	—	—	·08	—	·63	·33	·03		8
9				·19	—	·19	—	—	—	·72	·18	—		9
10				·01	—	·09	—	—	—	—	·16	·12		10
11				—	—	·03	·17	—	—	—	·38	—		11
12				—	—	·22	—	·29	·10	—	·51	—		12
13				·21	—	—	—	—	·01	—	·36	·13		13
14				—	·14	·17	—	—	—	·06	—	·21		14
15				·58	—	·01	—	—	·90	·06	·37	·12		15
16				·15	—	—	—	—	·45	·01	1·01	—		16
17				·16	—	·33	—	·05	·20	—	·47	—		17
18				·31	·07	·05	—	·01	·65	·13	—	—		18
19				·09	·35	·05	·03	—	·26	—	·16	·03		19
20				·06	·14	·05	·02	—	·12	—	·19	—		20
21				·02	—	—	—	—	·01	·18	·03	—		21
22				·01	—	—	—	·41	·12	—	—	—		22
23				—	—	—	—	·31	—	—	—	·15		23
24				—	·32	—	—	1·40	·74	—	—	·41		24
25				·23	·20	·39	—	—	—	—	—	·30		25
26				—	—	—	—	·27	·11	·02	·01	·22		26
27				—	—	—	—	·39	·13	—	·19	·32		27
28				—	·01	—	—	—	·04	·04	·14	·12		28
29				—	·01	—	—	·04	·21	—	·01	·28		29
30		×		—	—	—	—	1·64	·49	·05	·56	·26		30
31		×		×	—	×	—	·04	×	·14	×	·46		31
TOTAL				3·69	1·28	2·12	·24	4·93	6·60	4·69	7·14	3·62	Year's Total 34·31	9 months imp
* Days with .01 in. or more.				20	9	15	5	12	21	18	23	20	143	–
* Days with .04 in. or more.				16	7	13	1	11	18	16	19	15	116	–

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) G. Morphew. [P.T.O.

N

~~COPY FOR OFFICIAL USE.~~

Section **A** for the entry of Daily Observations.

Station No. 534/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Sussex

Kept at White Lodge, Alfriston
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 70 ft.

from Nutfield Surrey 5.

732391/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·05	·04	·11	—	—	·03	·33	·17	·01		1
2				·04	—	—	·01	—	·17	·49	·09	—		2
3				·03	—	—	·01	—	·03	·32	·11	—		3
4				·38	—	·27	—	—	·83	·27	—	·31		4
5				·12	—	—	—	—	1·00	·82	·01	·01		5
6				·30	—	·07	—	—	—	·38	·50	·02		6
7				·38	—	·09	—	—	—	·04	1·20	·11		7
8				·37	—	—	—	·08	—	·63	·33	·03		8
9				·19	—	·19	—	—	—	·72	·18	—		9
10				·01	—	·09	—	—	—	—	·16	·12		10
11				—	—	·03	·17	—	—	—	·38	—		11
12				—	—	·22	—	·29	·10	—	·51	—		12
13				·21	—	—	—	—	·01	—	·36	·13		13
14				—	·14	·17	—	—	—	·06	—	·21		14
15				·58	—	·01	—	—	·90	·06	·37	·12		15
16				·15	—	—	—	—	·45	·01	1·01	—		16
17				·16	—	·33	—	·05	·20	—	·47	—		17
18				·31	·07	·05	—	·01	·65	·13	—	—		18
19				·09	·35	·05	·03	—	·26	—	·16	·03		19
20				·06	·14	·05	·02	—	·12	—	·19	—		20
21				·02	—	—	—	—	·01	·18	·03	—		21
22				·31	—	—	—	·41	·12	—	—	—		22
23				—	—	—	—	·31	—	—	—	·15		23
24				—	·32	—	—	1·40	·74	—	—	·41		24
25				·23	·20	·39	—	—	—	—	—	·30		25
26				—	—	—	—	·27	·11	·02	·01	·22		26
27				—	—	—	—	·39	·13	—	·19	·32		27
28				—	·01	—	—	—	·04	·04	·14	·12		28
29				—	·01	—	—	·04	·21	—	·01	·28		29
30		✕		—	—	—	—	1·64	·49	·05	·56	·26		30
31		✕		✕	—	✕	—	·04	✕	·14	✕	·46		31
TOTAL				3·69	1·28	2·12	·24	4·93	6·60	4·69	7·14	3·62	~~Year's Total~~ 34·31	~~9 months~~ imp
* Days with ·01 in. or more.				20	9	15	5	12	21	18	23	20	143	—
* Days with ·04 in. or more.				16	7	13	1	11	18	16	19	15	116	—

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) G. Morpheus.

N

[P.T.O.

Sussex/5

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** — **Station No.** 534/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

X Kept at (White Lodge) Alfriston X

in the County of Sussex

Diameter of Funnel of Gauge ~~six~~ five inches in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 70 ft. about

appears OK 1936,

732391/36

c in 1935

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·15	—	·23	—	·15	·19	·29	—	—	·20	·07		1
2	·01	·02	·05	—	—	·14	·05	·12	—	—	—	—		2
3	—	—	—	·33	—	·04	·08	—	·09	—	·66	—		3
4	—	—	·15	—	—	·13	·03	·02	·19	—	·05	·05		4
5	·11	—	—	—	—	—	—	·05	·16	—	·20	·08		5
6	·28	—	—	—	—	·04	·01	·02	·15	—	·22	—		6
7	·49	—	·14	—	—	·04	·07	—	—	—	·61	·03		7
8	·41	—	·04	—	—	—	·05	—	—	—	·48	·35		8
9	·28	—	·04	—	—	—	·56	·13	·08	—	·33	—		9
10	·02	—	·03	—	—	—	·03	·09	—	·02	—	—		10
11	·10	·04	—	·05	—	—	—	—	—	—	·99	—		11
12	·01	—	—	·13	·07	·12	·41	·08	·20	—	·07	·11		12
13	—	—	—	—	—	·09	·04	—	—	—	—	·22		13
14	—	·10	—	·05	—	·13	1·21	—	—	·02	·17	·15		14
15	—	·09	—	—	—	—	·04	—	—	—	·16	·34		15
16	·20	·11	—	—	·29	—	—	—	·01	—	·16	·09		16
17	·02	·52	—	—	—	·16	—	·01	·02	·07	·18	·60		17
18	·17	·07	—	—	—	·01	·15	—	·01	—	·07	·05		18
19	·15	·05	·03	·02	—	·57	—	·12	—	·01	·01	—		19
20	·43	·07	·03	·33	—	—	—	—	·75	—	—	—		20
21	—	·03	—	·90	—	·30	·02	—	·16	—	—	—		21
22	·12	·36	·10	—	·07	·19	·08	—	·01	—	—	·15		22
23	·08	·06	·18	·17	—	—	·09	—	—	·04	—	—		23
24	·11	·02	—	—	—	—	—	—	·09	·12	—	—		24
25	·20	·01	·14	·16	·07	·12	·05	—	—	·09	—	·01		25
26	—	·11	·15	—	—	—	—	—	·14	·22	—	—		26
27	·21	—	·04	·04	—	—	—	—	·10	·17	—	—		27
28	·42	—	·15	—	—	·28	—	—	—	—	—	·02		28
29	·03	·06	·14	—	—	·15	·01	—	—	·10	·10	·01		29
30	·16	✕	·03	—	·06	·22	—	—	—	·06	—	—		30
31	·16	✕	·15	✕	—	✕	·22	—	✕	·34	✕	·11		31
TOTAL	4·27	1·87	1·59	2·41	·56	2·88	3·39	·93	2·16	1·26	4·66	2·44	Year's Total 28·42	
* Days with .01 in. or more.	24	17	17	11	5	18	20	10	15	12	17	17	183	
* Days with .04 in. or more.	19	13	13	10	5	17	15	7	11	9	16	13	148	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ~~David Morphew~~ [P.T.O.

X D. MORPHEW ESQ X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at White Lodge Alfriston

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 50 ft. about

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.			Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·75	·09	—	·10	—	—	—	—	—	—	·70	·14			1
2	—	·32	·03	·46	—	—	—	—	—	—	·01	·48			2
3	·05	·12	—	—	—	—	—	—	—	·02	—	·21			3
4	·18	·97	—	—	—	—	—	—	—	—	—	·36			4
5	·21	·04	·36	—	—	—	·24	—	—	·05	—	—			5
6	·06	·03	·80	·02	·34	—	·07	—	—	·02	—	—			6
7	—	·97	·08	·12	·08	—	—	—	·01	—	—	·86			7
8	—	·02	·17	—	·08	·06	—	—	·05	—	·14	·30			8
9	—	·04	—	·49	·19	·03	·12	—	·46	—	—	·01			9
10	—	—	·39	·13	·21	·38	·06	—	—	—	—	·44			10
11	—	—	·47	—	·02	·04	·04	·01	—	—	—	·29			11
12	·66	·31	·17	—	·34	·39	—	·66	·22	—	—	·09			12
13	·38	·05	·63	·15	·03	·25	—	—	·05	—	—	·75			13
14	·07	·02	·05	·01	·32	—	—	·09	·22	—	—	·30			14
15	·13	·12	—	·41	—	—	·42	—	·07	—	—	—			15
16	·02	·04	·10	·11	—	·01	—	·86	·11	—	—	—			16
17	·27	·01	·01	·06	—	—	—	—	·46	—	·14	—			17
18	·34	·11	·01	—	·51	·22	—	—	·77	—	·16	·03			18
19	·06	·27	·05	·29	—	·03	—	—	·04	—	·14	·14			19
20	·21	—	·17	·27	·78	·09	—	—	·05	—	—	·05			20
21	·35	·39	—	·13	—	—	·02	—	·02	—	·17	·13			21
22	·30	·06	—	—	·04	—	·04	—	—	·90	·11	·12			22
23	·10	·10	—	—	—	—	·47	—	—	·56	·39	·03			23
24	·52	·29	—	—	·02	—	—	—	—	·11	—	—			24
25	·12	·30	·35	—	—	—	—	—	·05	·18	—	—			25
26	—	·84	·04	—	—	—	—	—	—	·29	—	—			26
27	—	·11	—	·28	—	—	—	—	·01	·10	—	—			27
28	·16	·17	—	·03	—	·01	—	—	—	·02	—	—			28
29	·02	✕	—	—	—	·01	—	—	—	·21	·02	—			29
30	·28	✕	—	—	—	·01	—	—	—	·66	·10	·03			30
31	·33	✕	—	✕	—	✕	·01	—	✕	·40	✕	·02			31
													Year's Total		
TOTAL	5·57	5·79	3·88	3·06	2·96	1·53	1·49	1·62	2·59	3·52	2·08	4·78	38·87	✓ ✓	
* Days with .01 in. or more.	23	25	17	16	13	13	10	4	15	13	11	20	180	✓ ✓	
* Days with .04 in. or more.	21	21	14	13	10	7	8	3	12	10	9	15	143	✓ ✓	

† Spare column, no entries required.

(Signed) David Morphew

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at White Lodge ALFRISTON.
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·02	—	—	·12	·19	·30	—	·50	·09	·05	·04		1
2	·01	—	—	·05	·03	—	·28	—	—	·38	—	·06		2
3	—	—	—	—	·02	—	·12	—	—	·65	·12	—		3
4	—	—	—	—	—	—	·11	·09	—	·25	—	·19		4
5	—	—	—	—	—	—	·36	·02	—	·43	·02	—		5
6	·18	—	—	—	—	—	·04	—	·13	—	·06	·05		6
7	—	—	—	—	—	—	·03	·17	·01	·12	·02	·18		7
8	·22	·01	—	—	—	·01	·07	·02	—	·21	—	·09		8
9	·10	·03	—	—	—	—	—	—	—	·33	—	·33		9
10	·18	·10	—	—	—	—	·05	—	—	—	—	·35		10
11	·50	—	—	—	—	—	·01	—	—	·01	·06	·20		11
12	·39	·03	—	—	·01	·03	—	—	—	·10	—	·01		12
13	·54	·09	—	—	—	—	—	—	—	·16	·10	·14		13
14	·25	—	—	—	·89	—	—	—	—	—	·02	·08		14
15	·01	·06	—	—	·02	—	·07	—	—	·14	·01	·26		15
16	·31	·04	·05	—	·03	—	—	·05	—	·18	—	·12		16
17	—	·25	—	—	·12	—	—	—	·01	·12	·02	—		17
18	·13	—	—	—	·01	—	—	—	·17	·02	·49	—		18
19	·05	—	—	—	—	—	—	·09	·05	—	·21	—		19
20	—	—	—	—	·01	—	—	—	·13	—	·79	·06		20
21	·12	—	—	—	—	—	—	—	·20	—	·02	·20		21
22	·02	—	—	—	—	·05	—	·20	—	—	·41	·10		22
23	·02	—	·01	·06	—	—	—	—	—	—	·07	—		23
24	—	—	·19	—	·01	—	—	—	·22	—	·38	·12		24
25	·13	—	·35	·38	·01	—	·04	·01	·11	·02	·52	—		25
26	·59	·11	·09	·02	—	—	—	·21	·38	·31	—	·45		26
27	·15	·09	—	—	·40	·21	·39	—	1·44	·07	·16	—		27
28	·19	·10	—	—	·57	·07	—	·61	·05	—	—	·02		28
29	·21	×	—	—	·33	·01	—	—	—	—	·06	·22		29
30	·15	×	—	·30	·48	—	—	—	·08	·05	·23	—		30
31	·20	×	—	×	·15	×	—	—	×	·17	×	·22		31
TOTAL	4·66	·93	·69	·81	3·21	·57	1·87	1·47	3·48	3·81	3·82	3·49	Year's Total 28·81	✓
* Days with .01 in. or more.	24	12	5	5	17	7	13	10	14	20	21	22	170	✓
* Days with .04 in. or more.	19	8	4	4	8	4	11	7	12	17	15	20	129	✓

† Spare column, no entries required.

(*Signed*) David Morpheto [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at White Lodge Alfriston

in the County of Sussex

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	—	—	·19	·19	—	—	·11	·08	·04	—	·02		1
2	·02	—	—	·01	—	—	—	·25	·02	·02	·01	—		2
3	·41	·01	—	·31	—	—	—	·33	—	—	·30	·23		3
4	·28	—	·44	·10	—	—	·08	·29	·14	·52	·10	·08		4
5	—	—	·06	·20	·05	—	·02	·02	—	·17	·51	·05		5
6	·36	—	·09	—	—	—	·08	—	—	·21	·77	—		6
7	·25	·13	—	—	—	—	·04	·06	—	—	·25	·21		7
8	—	·06	·12	—	—	—	·01	—	—	·30	—	·50		8
9	·09	·10	—	—	—	—	—	·05	—	·48	·28	·16		9
10	·11	—	—	—	—	·21	—	·29	·44	·90	·01	—		10
11	·20	·03	·26	—	—	·02	—	—	—	1·05	·04	·01		11
12	—	—	—	—	—	—	—	—	—	·01	—	—		12
13	·01	—	·02	·04	—	·04	—	—	·01	1·98	—	·16		13
14	·78	—	—	·06	—	·07	·03	—	·02	·20	·55	·09		14
15	·52	—	—	—	·45	·04	·05	—	·01	·31	·23	·01		15
16	·12	·02	·06	·19	·32	·15	·74	—	·07	—	·55	—		16
17	·09	·17	·01	·01	·06	—	—	—	—	—	·14	—		17
18	·13	—	—	—	·22	·12	·22	—	—	·01	·67	—		18
19	·35	—	·01	—	—	—	·11	—	·01	·37	—	·04		19
20	·29	—	—	—	—	—	·08	—	—	—	—	·02		20
21	·26	—	·13	—	—	·03	·55	—	·11	—	—	—		21
22	·25	·22	·04	·06	—	·32	·11	—	—	—	·01	—		22
23	—	·01	·02	·07	—	·02	·05	·02	—	·08	·88	—		23
24	·21	·20	·17	·18	—	·01	·15	—	—	·05	·08	—		24
25	1·68	·39	·17	·32	—	—	·55	·12	—	—	·72	·01		25
26	·13	—	·03	—	—	—	·06	—	—	·06	·34	·01		26
27	·08	·10	·04	—	—	—	—	—	—	·12	·23	—		27
28	·04	·27	·02	·01	—	·08	—	—	—	·01	·26	·25		28
29	—	✗	—	·04	—	·01	—	—	—	·04	·05	—		29
30	—	✕	—	·87	—	·03	·02	·25	—	·08	·08	—		30
31	—	✕	—	✕	—	✕	·04	·13	✕	·05	✕	—		31
													Year's Total	
TOTAL	6·76	1·71	1·64	2·66	1·29	1·15	2·99	1·92	·91	7·06	7·06	1·85	37·00	✓
* Days with .01 in. or more.	24	13	17	16	6	14	19	12	10	23	23	16	193	✓
* Days with .04 in. or more.	22	9	11	13	6	8	15.	10	5.	19	20	10	148	✓

† Spare column, no entries required.

(*Signed*) David Morphew.

* See Instruction 3 (f) on other side.

T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Alfriston

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 70 — ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	.01	—	—	—	—	—	—	.07	—		1
2	—	.08	—	.12	.05	—	.05	—	—	.06	.28	.01		2
3	.03	.37	—	.07	—	—	—	—	—	.05	1.64	.40		3
4	—	.12	—	.02	—	—	.22	—	—	.22	.05	.16		4
5	—	—	—	—	—	—	.03	.01	—	.01	.81	.17		5
6	.35	.26	—	—	.03	—	.22	—	—	.54	.02	—		6
7	.24	.17	—	—	—	—	.06	—	—	—	—	—		7
8	—	.02	—	—	—	—	.01	—	.05	.30	—	.51		8
9	—	—	—	—	—	—	—	—	—	.18	.59	.42		9
10	—	—	—	—	—	—	.37	—	.03	.45	.13	.01		10
11	—	.10	.01	—	—	—	—	—	—	—	1.01	—		11
12	—	—	.15	.01	—	—	.22	—	.05	—	.02	—		12
13	—	.05	.47	—	—	.19	—	—	.58	—	1.00	—		13
14	—	—	.39	.07	—	—	.01	—	—	.05	—	.75		14
15	—	—	.05	.03	.38	—	.80	—	.02	.04	.13	—		15
16	.20	.45	.28	.03	—	.06	.10	—	.11	.57	.67	.09		16
17	—	—	.47	—	—	—	—	—	.03	.01	.13	—		17
18	—	.09	.31	.28	—	—	.04	—	—	.23	—	.10		18
19	—	.08	.04	.01	—	—	.01	—	1.14	—	.08	.03		19
20	—	.03	—	.03	—	—	.05	.05	.12	.05	.28	—		20
21	—	—	—	—	.24	—	—	—	.04	.03	.42	—		21
22	.10	—	.04	—	.35	.04	—	—	.09	—	—	—		22
23	—	.28	.08	.22	.01	—	.06	.01	—	—	.08	.01		23
24	—	—	—	.27	—	—	.14	—	—	—	—	—		24
25	—	—	.57	—	—	—	.22	—	—	.02	.01	—		25
26	.79	.19	.19	.01	.22	—	.04	—	—	.05	—	—		26
27	.50	.13	—	—	.01	—	.04	—	—	—	.02	—		27
28	.29	.02	—	.05	.22	—	—	—	—	—	—	—		28
29	.62	.14	.15	.03	.46	—	—	—	—	—	—	.37		29
30	—	X	—	.04	—	—	—	—	—	.12	—	.01		30
31	—	X	—	X	—	X	—	—	X	.48	X	.25		31
TOTAL	3.12	2.64	3.20	1.30	1.97	.29	2.69	.07	2.26	3.46	7.44	3.29	Year's Total 31.75	
* Days with .01 in. or more.	9	18	14	17	10	3	19	3	11	19	20	15.	158	
* Days with .04 in. or more.	8	15	13	8	7	3	15	1	8	15	16	10.	119	

† Spare column, no entries required.

(Signed) David Morphew

P.T.O.

* See Instruction 3 (f) on other side.

X PEVENSEY B

CO

Section A for the entry of Daily O

AIR MINISTRY.—ME

Form 1090

No. 534|8

ANIZATION

REGISTER

534|8

PEVENSEY BAY

1936 - 1938

78011

Kept at ~~Pevensey Bay for the~~ Pevensey Levels Catch

in the County of ~~Sussex~~

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above ~~Ground~~ 2

" Ground " Sea Level 1

THE MORNING MEASUREMENT

ndit
w this
robably
stall

An observer who does not conform to this rul g
year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	.10	.04	-	-	-	37 .37	-		1
2	.16	.30	-	.40	-	35 .35	.19	.23	-	-	.	.10		2
3	.	-	-	.	-	32 .32	.22	.	-	-	-	-		3
4	-	-	-	.20	-	-	-	-	24 .24	-	.77	-		4
5	-	-	.13	-	-	.17	.15	-	33 .33	.05	.03	.07		5
6	-	-	-	-	-	-	-	-	35 .35	-	-	-		6
7	(1·50)	-	-	-	-	.04	-	.16	-	-	.08	-		7
8	-	-	.08	-	-	-	.07	-	.18	-	-	-		8
9	-	-	-	-	-	-	-	-	.	-	1.00	-		9
10	43 [illegible]	-	-	-	-	-	.60	-	.	.	-	-		10
11	-	-	-	-	-	-	-	.20	.	-	-	-		11
12	-	-	-	-	-	-	-	.	-	-	1.01	-		12
13	-	-	-	-	.04	-	.50	.	.	-	-	.10		13
14	-	-	-	-	-	.29	-	-	-	-	.13	-		14
15	-	-	-	-	-	.10	1.11	-		-	-	.49		15
16	-	-	-	.06	-	-	.04	-	-	-	.10	.55		16
17	(·50)	.23	-	.	.17	.06	-	-	-	-	.	-		17
18	-	.56	-	-	-	-	-	-	-	.07	.17	.66		18
19	-	-	-	-	-	.41	.18	-	.15	-	.05	-		19
20	.46	.12	-	-	-	-	.16	-	-	-	-	-		20
21	.16	-	-	.36	-	.07	-	-	-	-	-	-		21
22	.	.	-	.66	-	37 .37	.10	-	.25	-	-	-		22
23	.	.39	-	.	-	.10	-	-	.	.	-	.16		23
24	-	-	-	.13	-	.	-	-	-	.07	-	-		24
25	.20	-	.18	-	-	.	.17	-	-	-	-	-		25
26	.25	.18	.24	.06	-	-	-	-	.70	.	-	-		26
27	.	-	.	-	0.05	.07	.	-	-	.33	-	-		27
28	.	.20	-	-	-	.	.58	-	.12	.	-	-		28
29	.68	.	.32	-	-	30 .30	-	-	-	-	-	-		29
30	-	✕	-	-	-	-	.18	-	-	.20	.07	-		30
31	.05	✕	-	✕	-	✕	.18	-	✕	-	✕	.03		31
Total	(4·39) ~~2.39~~	1.98	.95	1.87	.26	2.75	4.47	.59	2.32	.72	3.78	2.16	Year's Total (26.24) ~~24.24~~	
* Days with .01 in. or more.	8	7	5	7	3	14	16	3	8	5	11	8	~~95~~	
* Days with .04 in. or more.	8	7	5	7	3	14	16	3	8	5	10	7	~~93~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required. E. G. Stubberfield—

X (Signed) E. G. Stubberfield X [P.T.O.

Old Haven (Pevensey) + Bulverhythe Stream Catchment Board

X PEVENSEY

CO FICIAL USE

Section **A** for the entry of Daily Observations

Station No. 534|8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ~~Pevensey Bay for the Old Haven~~ ~~Pevensey etc. Catchment Board~~

in the County of ~~Sussex~~

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in. — X

,, Ground ,, Sea Level 10 app. ft.

619426|37

sec C regd.

Jan ~~tot~~ adjusted by me this total probably still low

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	.10	.04	-	-	-	31 .37	-		1
2	.16	.30	-	.40	-	35 .35	.19	.23	-	-	-	.10		2
3	-	-	-	-	-	32 .22	.22	-	-	-	-	-		3
4	-	-	-	.20	-	-	-	-	24 .24	-	.77	-		4
5	-	-	.13	-	-	.17	.15	-	33 .33	.05	.03	.07		5
6	-	-	-	-	-	-	-	-	35 .25	-	-	-		6
7	(1·50) -	-	-	-	-	.04	-	.16	-	-	.08	-		7
8	-	-	.08	-	-	-	.07	-	.18	-	-	-		8
9	-	-	-	-	-	-	-	-	-	-	1.00	-		9
10	43 .40	-	-	-	-	-	.60	-	-	-	-	-		10
11	-	-	-	-	-	-	-	.20	-	-	-	-		11
12	-	-	-	-	-	-	-	-	-	-	1.01	-		12
13	-	-	-	-	.04	-	.50	-	-	-	-	.10		13
14	-	-	-	-	-	.29	-	-	-	-	.13	-		14
15	-	-	-	-	-	.10	1.11	-	-	-	-	.49		15
16	-	-	-	.06	-	-	.04	-	-	-	.10	.55		16
17	(·50)	.23	-	-	.17	.06	-	-	-	-	-	-		17
18	-	.56	-	-	-	-	-	-	-	.07	.17	.66		18
19	-	-	-	-	-	.41	.18	-	.15	-	.05	-		19
20	.46	.12	-	-	-	-	.16	-	-	-	-	-		20
21	.16	-	-	.36	-	.07	-	-	-	-	-	-		21
22	-	-	-	.66	-	37 .27	.10	-	.25	-	-	-		22
23	-	.39	-	-	-	.10	-	-	-	-	-	.16		23
24	-	-	-	.13	-	-	-	-	-	.07	-	-		24
25	.20	-	.18	-	-	-	.17	-	-	-	-	-		25
26	.25	.18	.24	.06	-	-	-	-	.70	-	-	-		26
27	-	-	-	-	0.05	.07	-	-	-	.33	-	-		27
28	-	.20	-	-	-	-	.58	-	.12	-	-	-		28
29	.68	-	.32	-	-	30 .20	-	-	-	-	-	-		29
30	-	×	-	-	-	-	.18	-	-	.20	.07	-		30
31	.05	×	-	×	-	×	.18	-	×	-	×	.03		31
TOTAL	(4·39) ~~2.39~~	1.98	.95	1.87	.26	2.75	4.47	.59	2.32	.72	3.78	2.16	Year's Total (26.24) ~~24.24~~	wt
* Days with .01 in. or more.	8	7	5	7	3	14	16	3	8	5	11	8	~~95~~	
* Days with .04 in. or more.	8	7	5	7	3	14	16	3	8	5	10	7	~~93~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required. E. G. Stubberfield —

X ~~(Signed)~~ E. G. Stubberfield ——— X [P.T.O.

Old Haven (Pevensey) + Bulverhythe Stream Catchment Board

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 534/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

,, Ground ,, Sea Level 14 ft.

c 1936 np low

619426/37 -

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.22	-	-	-	-	-	-	-	-	.32	.09		1
2	.97	-	-	-	-	-	-	-	-	-	.55	.33		2
3	-	.46	.12	.63	-	-	-	-	-	-	-	.75		3
4	-	.10	-	-	-	-	-	-	-	-	-	.17		4
5	.17	.72	-	-	-	-	-	-	-	.15	-	.18		5
6	-	-	.21	-	-	-	.22	-	-	-	-	-		6
7	.30	-	.40	-	.21	-	-	-	-	-	-	-		7
8	-	.78	-	-	-	-	-	-	-	-	.08	-		8
9	-	-	-	-	.26	.08	-	-	-	.02	-	.30		9
10	-	-	.57	.63	.06	-	.09	-	.37	-	-	-		10
11	-	-	.52	.06	-	.49	-	-	-	-	-	-		11
12	-	-	-	-	.25	.05	.05	-	-	-	-	.80		12
13	.56	.23	.30	-	-	.43	-	.70	.12	-	-	-		13
14	.50	-	.43	.11	.10	-	-	-	.06	-	-	.60		14
15	-	-	-	-	.09	-	-	.21	-	-	-	-		15
16	.07	.14	-	-	-	.06	.31	-	.22	-	-	-		16
17	-	-	.17	.33	-	-	-	.63	-	-	[illegible]	-		17
18	.28	-	-	-	-	-	-	-	.59	-	.09	-		18
19	.25	-	-	.05	.23	-	-	-	.48	-	.21	-		19
20	-	.26	.21	.59	-	-	-	-	.04	-	-	-		20
21	.29	-	-	-	.73	.19	-	-	-	-	.19	-		21
22	.12	-	.21	.11	-	-	-	-	-	-	.11	.43		22
23	.29	.23	-	-	-	-	-	-	-	1.15	.09	-		23
24	-	-	-	-	-	-	.27	-	-	.30	-	-		24
25	.44	.26	-	-	.04	-	-	-	.10	.05	-	-		25
26	-	.46	.31	-	-	-	-	-	-	.52	-	-		26
27	-	-	.05	-	-	-	-	-	-	.30	-	-		27
28	-	.29	-	.33	-	-	-	-	-	-	-	-		28
29	-	-	-	-	-	.07	-	-	-	-	-	-		29
30	-	×	-	-	-	-	-	-	-	.30	-	-		30
31	.48	×	-	×	-	×	-	-	×	.19	×	.10		31
TOTAL	4.72	4.15	3.50	2.84	1.97	1.37	0.94	1.54	1.98	3.08	1.64	3.75	Year's Total 31.48	
* Days with .01 in. or more.	13	12	12	9	9	7	5	3	8	9	8	10	105	
* Days with .04 in. or more.	13	12	12	9	9	7	5	3	8	9	8	10	104	

np. low

GB

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. G. Stubberfield

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. S34/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 12.0 ft.

Nplew 1936/7

F619426/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.21	.05			57	.24					.10		1
2		.05			.50				31	.19		.08		2
3					.03		.14			47				3
4							.21			.39	.32			4
5							.54	.17		.13		.08		5
6									.06	.48				6
7	.22											.05		7
8							.32	.32		29				8
9	.20	0.06										.10		9
10	.26									39		.20		10
11		.10									.06	.18		11
12	.50											.12		12
13	.35						.05				.12			13
14	.42									.16		.11		14
15	.25				.58							.05		15
16	.15						.12							16
17	.31		.05							.13	.06	.25		17
18		.42	.01		.15									18
19	.09				.03			.04	18	.05	.27			19
20									.09					20
21											.65			21
22				.04		.05			.27					22
23	.04							.08			.53			23
24											.10			24
25											.47			25
26	.08		23	.14			.04		.18		.77			26
27	.37	.06	.05					.06	94	.20				27
28	.06	.08			.56	.29			75	.07	.33	.49		28
29	.10				21	.08	34	72	.15					29
30	.12	✕			56							.17		30
31	.08	✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	3.62	0.98	0.39	0.18	2.62	0.99	2.00	1.39	2.93	2.95	3.68	1.98	23.71	
* Days with .01 in. or more.	~~18~~	~~7~~	~~5~~	~~2~~	~~8~~	~~4~~	~~9~~	~~6~~	~~9~~	~~12~~	~~11~~	~~13~~	~~104~~	
* Days with .04 in. or more.	17	7	4	2	6	4	9	6	9	12	11	13	100	

nr low.

GB 2/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. G. Stubberfield [P.T.O.

535

535.

Pevensey No 2. P.S.

1931 - 40

780111

Section A for the entr

AIR MINI

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REG N 1931 .

Kept at No 2 Pumping

in the County of S

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME VIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	-	·16	-	-	-	·08	·01	-	-	-	1
2	·08	·09	-	·26	-	-	-	-	·33	-	-	-	2
3	·15	·02	·17	·09	·59	-	-	-	·57	-	-	·25	3
4	-	·06	·01	-	-	-	·01	·01	·09	·09	·06	-	4
5	-	·01	-	·10	-	·55	·15	·07	·01	-	-	·25	5
6	-	·04	-	·12	-	-	-	·16	-	·24	·31	·10	6
7	-	·04	-	-	·04	·12	-	·14	·04	·07	·19	-	7
8	-	·10	-	-	-	·14	·11	-	-	-	·04	·11	8
9	-	·13	·02	-	-	·12	-	-	-	-	·78	·01	9
10	-	·09	·07	-	-	·04	·10	·33	-	-	1·40	-	10
11	·15	·43	-	-	-	-	-	-	-	-	·68	-	11
12	·08	-	-	-	-	-	-	-	·15	-	-	-	12
13	·14	-	-	-	·06	-	·03	-	-	-	-	-	13
14	-	·09	-	-	-	·08	·43	·29	-	-	-	-	14
15	-	·03	-	·11	·04	-	·07	·06	-	-	-	·05	15
16	-	·03	-	·14	·25	-	·04	·07	-	-	-	-	16
17	·01	·10	-	·25	-	·01	·59	·01	·09	-	-	-	17
18	-	·11	·03	·28	-	-	·26	·38	-	·02	·35	-	18
19	·06	-	-	·37	-	·02	·51	·68	·10	-	-	-	19
20	-	·12	-	·05	·06	-	·06	·52	-	-	-	-	20
21	-	·02	-	-	·55	-	-	-	-	-	·01	-	21
22	·21	-	·10	-	-	-	-	-	-	-	-	-	22
23	·60	·01	·04	-	·06	·07	-	-	·04	-	·27	-	23
24	-	-	-	·71	·01	·09	·05	·28	-	-	-	-	24
25	·14	·01	-	·33	-	-	·08	-	-	-	·04	-	25
26	-	·04	-	·15	·02	-	·35	-	-	-	·44	-	26
27	·18	·31	-	·06	·17	-	·02	-	-	-	·38	-	27
28	·07	·12	-	·03	-	-	-	-	-	·04	·01	-	28
29	·13	X	-	·01	·13	-	·07	-	-	·12	-	-	29
30	·02	X	-	-	·01	-	·03	·01	-	-	-	-	30
31	·32	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	2·37	2·03	·44	3·22	1·98	1·24	2·96	3·09	1·43	·58	4·96	·77	YEAR'S TOTAL 25·07
*Days with ·01 in. or more.	16	23	7	17	13	10	18	15	10	6	14	6	155
*Days with ·04 in. or more.	13	15	4	15	10	8	14	12	8	5	12	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

535

Section **A** for the entr

AIR MINIS OROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at No 2 Pumping Stn. Pevensey.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	-	·16	-	-	-	·08	·01	-	-	-	1
2	·08	·09	-	·26	-	-	-	-	·33	-	-	-	2
3	·15	·02	·17	·09	·59	-	-	-	·57	-	-	·25	3
4	-	·06	·01	-	-	-	·01	·01	·09	·09	·06	-	4
5	-	·01	-	·10	-	·55	·15	·07	·01	-	-	·25	5
6	-	·04	-	·12	-	-	-	·16	-	·24	·31	·10	6
7	-	·04	-	-	·04	·12	-	·14	·04	·07	·19	-	7
8	-	·10	-	-	-	·14	·11	-	-	-	·04	·11	8
9	-	·13	·02	-	-	·12	-	-	-	-	·78	·01	9
10	-	·09	·07	-	-	·04	·10	·33	-	-	1·40	-	10
11	·15	·43	-	-	-	-	-	-	-	-	·68	-	11
12	·08	-	-	-	-	-	-	-	·15	-	-	-	12
13	·14	-	-	-	·06	-	·03	-	-	-	-	-	13
14	-	·09	-	-	-	·08	·43	·29	-	-	-	-	14
15	-	·03	-	·11	·04	-	·07	·06	-	-	-	·05	15
16	-	·03	-	·14	·25	-	·04	·07	-	-	-	-	16
17	·01	·10	-	·25	-	·01	·59	·01	·09	-	-	-	17
18	-	·11	·03	·28	-	-	·26	·38	-	·02	·35	-	18
19	·06	-	-	·37	-	·02	·51	·68	·10	-	-	-	19
20	-	·12	-	·05	·06	-	·06	·52	-	-	-	-	20
21	-	·02	-	-	·55	-	-	-	-	-	·01	-	21
22	·21	-	·10	-	-	-	-	-	-	-	-	-	22
23	·60	·01	·04	-	·06	·07	-	-	·04	-	·27	-	23
24	-	-	-	·71	·01	·09	·05	·28	-	-	-	-	24
25	·14	·01	-	·33	-	-	·08	-	-	-	·04	-	25
26	-	·04	-	·15	·02	-	·35	-	-	-	·44	-	26
27	·18	·31	-	·06	·17	-	·02	-	-	-	·38	-	27
28	·07	·12	-	·03	-	-	-	-	-	·04	·01	-	28
29	·13	X	-	·01	·13	-	·07	-	-	·12	-	-	29
30	·02	X	-	-	·01	-	·03	·01	-	-	-	-	30
31	·32	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	2·37	2·03	·44	3·22	1·98	1·24	2·96	3·09	1·43	·58	4·96	·77	YEAR'S TOTAL 25·07
*Days with ·01 in. or more.	16	23	7	17	13	10	18	15	10	6	14	6	155
*Days with ·04 in. or more.	13	15	4	15	10	8	14	12	8	5	12	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Rw Swayne. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at No. 2 Pumping Station, Pevensey
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	/	/	·12	·26	/	/	/	/	·22	·03	/	1
2	·02	/	/	·32	/	/	/	/	/	·02	/	·17	2
3	/	/	/	·09	·07	·50	/	/	·12	/	/	/	3
4	/	/	/	/	/	·11	/	/	/	/	·01	/	4
5	·31	/	/	/	/	·07	·12	/	·12	/	/	/	5
6	·58	/	/	·09	·01	/	/	/	·03	/	/	/	6
7	·02	/	·02	/	·11	/	/	/	/	/	/	·04	7
8	·01	/	·31	·05	·23	/	/	/	·11	1·18	/	/	8
9	·05	·01	·02	·11	·39	/	/	/	/	·02	/	/	9
10	·61	/	/	·33	·11	/	/	/	·02	·16	/	/	10
11	·17	·06	/	·16	·02	·45	/	/	·01	·02	/	·02	11
12	·22	·02	/	/	/	/	/	/	·13	·20	/	/	12
13	·14	/	/	·15	·06	/	/	/	·02	·89	/	·01	13
14	·05	·02	/	·12	·16	/	/	/	/	·08	/	/	14
15	·03	/	/	·08	·08	/	/	/	/	·07	/	/	15
16	·01	/	/	·18	·03	/	/	/	/	/	/	·01	16
17	/	/	/	·03	/	/	/	/	/	·01	/	/	17
18	·02	/	/	/	/	/	/	/	·03	/	·11	/	18
19	/	/	/	/	·02	/	/	/	/	·14	·17	/	19
20	/	/	/	·10	·13	/	·11	·05	·05	·80	·21	/	20
21	/	/	/	/	·17	/	/	/	/	·17	/	/	21
22	·07	/	·22	/	·07	·08	·23	·40	·74	·03	·50	/	22
23	/	·04	·11	·01	/	/	/	/	·33	1·18	/	·07	23
24	/	/	/	/	/	/	1·19	/	·06	·03	/	/	24
25	/	/	/	/	/	/	1·58	/	·11	·48	·03	/	25
26	/	/	/	·10	/	/	·10	·20	/	/	·07	/	26
27	/	/	·13	·15	·11	/	/	/	·02	·95	·02	/	27
28	/	/	·02	/	·02	/	·24	/	·01	·09	/	/	28
29	/	/	·55	·02	·02	/	/	·20	·32	·49	/	·03	29
30	/	×	·04	/	/	·48	/	/	·04	/	·17	·02	30
31	/	×	·03	×	/	×	·09	/	×	/	×	·04	31
TOTAL	2·38	·15	1·45	2·21	2·07	1·69	3·66	·85	2·27	7·23	1·32	·41	YEAR'S TOTAL 25·69
*Days with ·01 in. or more.	16	5	10	18	19	6	8	4	18	21	10	9	144
*Days with .04 in. or more.	10	2	6	15	13	6	8	4	11	15	6	4	106

25·69

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R.W. Lovaque

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933 . .

Kept at No.2 Pumping Station, Pevensey,

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·44	·17	/	/	/	/	/	/	/	/	/	1
2	·27	/	·55	/	·07	/	/	/	/	/	/	/	2
3	·07	·10	·13	/	/	/	/	/	/	/	/	/	3
4	·05	·02	·01	/	·13	/	/	/	/	/	/	/	4
5	·33	/	·15	/	·24	/	/	/	/	/	/	/	5
6	/	·13	·12	/	·45	/	/	/	/	/	·06	/	6
7	·28	·04	/	/	·07	/	/	/	/	·20	/	·02	7
8	·12	·03	/	/	·01	/	·46	/	/	·09	/	/	8
9	/	/	/	/	·09	/	·02	/	/	·01	·19	/	9
10	/	·18	/	/	/	·01	·19	/	/	·15	/	/	10
11	·12	/	/	/	·02	·05	·12	·06	·31	·05	/	/	11
12	/	/	/	·09	/	·21	·01	/	1·15	/	/	/	12
13	·04	/	/	/	·05	·01	·24	·02	·37	·23	·14	/	13
14	/	/	/	/	·01	/	·01	·01	/	·65	·37	/	14
15	·39	/	·04	/	/	/	·18	·15	/	·22	·10	·03	15
16	·03	/	·42	/	/	·16	·35	/	/	/	·76	/	16
17	·09	/	·17	/	/	·18	/	·08	·16	/	/	/	17
18	·10	/	·07	/	/	·62	/	/	/	/	/	/	18
19	/	·04	·11	/	/	·52	/	/	·11	/	·01	/	19
20	/	·02	·09	·04	/	·18	/	·13	·14	/	/	/	20
21	/	·05	/	/	/	/	/	/	·23	/	/	/	21
22	/	/	/	/	/	·03	/	·52	/	·06	/	/	22
23	/	/	/	·11	/	·03	/	/	·87	/	/	/	23
24	/	·09	/	·19	·01	/	/	/	·31	/	·01	/	24
25	/	·03	/	·31	/	/	/	/	·12	/	·17	·07	25
26	/	·32	/	·02	/	·03	/	/	·18	·01	·02	·09	26
27	/	·01	/	·01	·09	/	/	/	/	·17	/	·10	27
28	/	/	/	·01	·04	/	·11	/	/	·11	/	·70	28
29	·08	×	/	/	·34	/	·04	/	/	·04	/	/	29
30	·06	×	·02	/	/	/	·02	/	·22	/	/	·08	30
31	·13	×	/	×	/	×	/	·01	×	/	×	/	31
Total	2·18	1·50	2·05	·78	1·62	2·03	1·75	·98	4·17	1·99	1·83	1·09	Year's total 21·97
*Days with ·01 in. or more.	16	14	13	8	14	12	12	8	12	13	10	7	139
*Days with .04 in. or more.	14	9	11	5	10	7	8	5	12	11	7	5	104

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

Section **A** for the entry of Daily Observations

Station No. 535

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19634

Kept at PEVENSEY NO2 PUMPING STATION

in the County of SUSSEX

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		02				07		05		16	02	29		1
2			11			02			18	74	03	66		2
3	06			10						61		14		3
4	30		07							23	13	82		4
5			08		13						02	34		5
6			43	07	16	10		12		32		40		6
7	01			02						03		15		7
8				20	07			02			167			8
9			11								39	23		9
10			13	14				08		01	05	01		10
11	85		39	05			04	57				31		11
12	09	02	05				19	03			04	15		12
13	33			08							08			13
14	27		27	13	01					02	151	33		14
15											15	50		15
16	27		40	07	08					01				16
17	11		29	03						03	02	40		17
18	07		04	16			03					83		18
19			18			04			24			30		19
20			04			07	23			02				20
21				18		16				04				21
22							10	17	28	02		10		22
23				54		16				02		39		23
24		03		02		34	32		04		01			24
25	07			18						04		55		25
26	10					09				03				26
27	05			27		23						27		27
28		05		09		16		57				20		28
29		X						29	31		03			29
30	10	X						03				44		30
31		X		X		X		05	X	11	X	16		31
TOTAL	2·68	0·12	2·59	2·33	0·45	1·44	0·91	1·98	1·05	2·44	4·15	7·97	Year's Total 28·11	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at No 2 Pumping Station, Pevensey
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 12 ft.

Corrected on BR Copy 10/7/35
Plinch

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
0·16

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·05	–	–	–	–	–	·05	–	·11	–		1
2	–	·02	–	–	–	·07	–	·05	–	·16	·02	·29		2
3	–	–	·11	–	–	·02	–	–	·18	·74	·03	·66		3
4	·06	–	–	·10	–	–	–	–	–	·61	–	·14		4
5	·30	–	·07	–	–	–	–	–	–	·23	·13	·82		5
6	–	–	·08	–	·13	–	–	–	–	–	·02	·34		6
7	–	–	·43	·07	·16	·10	–	·12	–	·32	–	·40		7
8	·01	–	–	·02	–	–	–	–	–	·03	–	·15		8
9	–	–	–	·20	·07	–	–	·02	–	–	1·67	–		9
10	–	–	·11	–	–	–	–	–	–	–	·39	·23		10
11	–	–	·13	·14	–	–	–	·08	–	·01	·05	·01		11
12	·85	–	·39	·05	–	–	·04	·57	–	–	–	·31		12
13	·09	·02	·05	–	–	–	·19	·03	–	–	·04	·15		13
14	·33	–	–	·08	–	–	–	–	–	–	·08	–		14
15	·27	–	·27	·13	·01	–	–	–	–	·02	1·51	·33		15
16	–	–	–	–	–	–	–	–	–	–	·15	·50		16
17	·27	–	·40	·07	·08	–	–	–	–	·01	–	–		17
18	·11	–	·29	·03	–	–	–	–	–	·03	·02	·40		18
19	·07	–	·04	·16	–	–	·03	–	–	–	–	·83		19
20	–	–	·18	–	–	·04	–	–	·24	–	–	·30		20
21	–	–	·04	–	–	·07	·23	–	–	·02	–	–		21
22	–	–	–	·18	–	·16	–	–	–	·04	–	–		22
23	–	–	–	–	–	–	·10	·17	·28	·02	–	·10		23
24	–	–	–	·54	–	·16	–	–	–	·02	–	·39		24
25	–	·03	–	·02	–	·34	·32	–	·04	–	·01	–		25
26	·07	–	–	·18	–	–	–	–	–	·04	–	·55		26
27	·10	–	–	–	–	·09	–	–	–	·03	–	–		27
28	·05	–	–	·27	–	·23	–	–	–	–	–	·27		28
29	–	×	–	·09	–	·16	–	·57	–	–	–	·20		29
30	–	×	–	–	–	–	–	·29	·31	–	·03	–		30
31	·10	× +·05	–	×	–	×	–	·03 +·05	×	– +·11	×	·44 +·16		31
TOTAL	2·68	·12 ~~·07~~	2·59 ~~2·67~~	2·33	·45	1·44	·91	1·98 ~~1·93~~	1·05 ~~1·10~~	2·44 ~~2·33~~	4·15 ~~4·26~~	7·97 ~~7·81~~	Year's Total. 28·11 ~~27·90~~	
* Days with .01 in. or more.	14	3	14 ~~15~~	17	5	11	6	11 ~~10~~	~~6~~ 5	~~16~~ 17	~~15~~ 16	20 ~~22~~	14~~8~~ 14	
* Days with .04 in. or more.	13	–1	14 ~~15~~	14	4	10	5	~~X~~ 8	~~6~~ 5	~~7~~ 8	~~9~~ 8	~~2~~ 22	11~~X~~2	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) a.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. ✓ Station No. 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at No 2 Pumping Station Pevensey
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	–	·11	–	·03	·03	–	–	·01	·20	·24	–		1
2	·13	–	–	·05	–	–	·01	–	–	·63	·07	–		2
3	–	–	·10	·04	–	–	–	–	·02	·26	·10	–		3
4	–	·09	–	·36	–	·09	–	–	·55	·39	–	·16		4
5	–	·34	·01	·09	–	–	–	–	·87	·40	–	–		5
6	·02	·09	·04	·30	–	·04	–	–	–	·30	·38	·08		6
7	·04	·04	–	·28	–	·17	–	–	–	–	·90	·08		7
8	–	–	–	·29	–	–	–	·10	–	·57	·20	·02		8
9	–	–	–	·16	–	·23	–	–	–	·48	·32	·01		9
10	·16	–	·14	·04	–	·09	–	–	–	·01	07 [illegible]	07 [illegible]		10
11	·03	–	–	–	–	–	·19	–	–	–	·66	–		11
12	·01	·11	–	–	–	17 [illegible]	–	·06	·07	–	·46	–		12
13	·04	·22	–	·24	–	–	–	–	–	–	·45	·03		13
14	–	–	–	–	·12	·09	–	–	–	·02	–	·12		14
15	–	·21	–	·51	·02	–	–	–	·73	·01	·55	·12		15
16	–	·02	·03	·11	–	·05	–	–	·18	–	·70	–		16
17	–	–	·04	·12	–	·30	–	·03	·19	–	·46	–		17
18	–	–	–	·31	–	·04	–	–	·50	·05	·02	–		18
19	–	–	–	07 [illegible]	·33	·02	·01	–	·36	–	·09	·02		19
20	–	·51	–	·08	–	·05	·05	–	·05	–	·16	–		20
21	·01	·21	–	–	–	–	–	–	–	·18	·04	–		21
22	–	·18	·02	–	–	–	–	·60	·10	–	–	–		22
23	–	·15	·01	–	–	–	–	·39	–	–	–	·19		23
24	·03	·43	–	–	·31	–	–	1·19	67 [illegible]	–	–	·42		24
25	07 [illegible]	·90	–	17 [illegible]	·05	·09	–	–	–	–	–	·33		25
26	–	·13	–	–	–	–	–	·16	·04	·05	·01	·24		26
27	·05	·23	–	–	–	–	–	·19	·15	–	·17	·25		27
28	–	·09	–	–	·03	–	–	–	·01	·02	·06	·25		28
29	–	X	–	–	·06	–	–	·15	·30	–	·03	·38		29
30	·06	X	–	·03	·03	–	–	1·70	·43	·06	·65	27 [illegible]		30
31	–	X	–	X	–	X	–	·01	X	·18	X	·53		31
TOTAL	·81	3·95	·50	3·25	·98	1·46	·26	4·58	5·23	3·81	6·79	3·57	Year's Total 35·19	
* Days with .01 in. or more.	13	17	9	18	9	14	4	11	18	17	23	19	172	
* Days with .04 in. or more.	8	16	5	17	5	12	2	9	15	13	20	15	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

X HAILSHAM RDC. X

COPY FOR OFFICIAL USE

Station No. 535

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at No 2 Pumping Station. Pevensey.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·16	·01	·19	–	·17	·12	·36	–	–	·10	·11		1
2	·02	·03	–	–	–	·27	·09	·04	–	–	–	–		2
3	–	–	–	·20	–	·03	·13	–	·10	–	·62	–		3
4	–	–	·08	–	–	·13	·02	–	·38	–	·04	·10		4
5	·11	–	–	–	–	–	–	·05	·19	–	·07	·03		5
6	·33	–	–	–	–	·02	–	·02	·14	·01	·23	·03		6
7	·41	–	·05	–	–	·04	·07	–	–	·02	·42	–		7
8	·54	–	–	–	–	–	·08	–	–	–	1·01	·12		8
9	·25	–	·03	–	–	–	·50	–	·07	–	·25	–		9
10	·03	–	·01	–	–	–	·02	·19	–	–	–	–		10
11	·06	·01	–	·01	–	–	–	·02	–	–	1·13	–		11
12	·01	–	–	–	·02	·16	·37	–	–	–	·10	·07		12
13	–	–	–	–	–	·14	·02	–	–	–	–	·20		13
14	–	·08	–	·03	–	·10	1·00	–	–	·01	·15	·28		14
15	–	·03	–	·02	–	–	·05	–	–	–	·11	·38		15
16	·23	·12	–	–	·23	–	–	–	–	–	·09	·14		16
17	·04	·53	–	–	–	·12	–	–	·02	·06	·15	·60		17
18	·14	·07	–	–	–	–	·11	–	·05	–	·06	·07		18
19	·20	·04	–	·01	–	·53	·26	·08	–	–	–	–		19
20	·27	·04	·01	·35	–	·15	–	–	·21	–	–	–		20
21	–	·07	–	·61	–	·37	·13	–	·07	–	–	–		21
22	·08	·36	·05	–	·02	·04	·06	–	–	–	–	·14		22
23	–	·08	·09	·12	–	–	·08	–	–	·03	–	–		23
24	·10	·07	–	–	–	–	–	–	·07	·15	–	–		24
25	·30	·01	·13	·07	·03	·02	–	–	·49	·09	–	–		25
26	–	·15	·14	–	–	·01	–	–	·13	·27	–	–		26
27	·21	·03	–	–	–	–	·55	–	–	·13	–	–		27
28	·51	–	·30	–	–	·40	·06	–	·02	–	–	·04		28
29	–	·03	–	–	–	·02	·14	–	–	·07	·07	–		29
30	·10	✕	·01	–	·03	·20	–	–	–	·06	–	·01		30
31	·18	✕	·12	✕	·05	✕	·14	–	✕	·28	✕	·15		31
TOTAL	4·32	1·91	1·03	1·61	·38	2·92	4·00	·76	1·94	1·18	4·60	2·47	Year's Total 27·12	✓
* Days with .01 in. or more.	22	18	13	10	6	19	21	7	13	12	16	16	173	✓
* Days with .04 in. or more.	19	12	8	6	2	14	18	5	11	8	16	13	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Hailsham RDC

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at No 2 Pumping Station Pevensey

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·86	·01	–	·13	–	–	–	–	–	–	·40	·30		1
2	–	·43	·14	44	–	–	–	–	–	·03	–	·75		2
3	·05	·13	–	–	–	–	–	–	–	–	–	·14		3
4	·15	1·14	–	–	–	–	–	–	–	–	–	33		4
5	·30	·01	·34	–	–	–	·21	–	–	·08	–	–		5
6	·04	·01	·57	·02	·29	–	·01	–	–	–	–	–		6
7	–	·91	·05	·13	·05	–	–	–	–	–	–	·25		7
8	–	·01	·22	–	·06	·07	–	–	–	–	·06	·11		8
9	–	–	–	·45	·19	·05	·08	–	·38	–	–	–		9
10	–	–	·50	·06	·10	·35	–	–	–	–	–	·63		10
11	–	–	·55	–	–	·04	·04	–	–	–	–	·17		11
12	·68	·29	·29	–	·20	·26	–	·82	·13	–	–	·07		12
13	·46	·03	·40	·15	·05	·16	–	–	·07	–	–	·78		13
14	·06	–	·13	–	·08	–	–	·19	·19	–	–	·23		14
15	·09	·11	–	·36	–	–	·38	–	·02	–	–	–		15
16	·02	·03	·13	·19	–	·09	–	·72	·02	–	–	–		16
17	·25	–	–	·03	–	–	–	–	·67	–	·11	–		17
18	·22	·09	·04	·04	·41	·18	–	–	·55	–	·17	–		18
19	·04	·20	·12	·30	·01	·03	–	–	–	–	·13	·19		19
20	·26	–	·17	·28	·76	·13	–	–	–	–	–	·02		20
21	·35	·27	–	·08	–	–	–	–	·04	–	·12	·03		21
22	·28	·07	–	–	·03	–	·02	–	–	·90	·03	·10		22
23	·03	·05	–	–	–	–	·22	–	–	·43	·13	·01		23
24	·42	·28	–	–	·03	–	–	–	–	·09	–	–		24
25	·13	·32	·31	–	–	–	–	–	·08	·42	–	–		25
26	·02	·53	·06	–	–	–	–	–	–	·26	–	–		26
27	–	·18	–	·30	–	–	–	–	·01	·13	–	–		27
28	·14	·10	–	·01	–	–	–	–	–	·02	–	–		28
29	·03	X	–	–	–	–	–	–	–	36	·05	–		29
30	·28	✕	–	–	–	·02	–	–	–	·18	·05	·02		30
31	·23	✕	–	✕	–	✕	–	–	✕	·58	✕	·03		31
TOTAL	5·39	5·20	4·02	2·97	2·26	1·38	·96	1·73	2·16	3·48	1·25	4·16	Year's Total 34·96	
* Days with .01 in. or more.	24	22	16	16	13	11	7	3	11	12	10	18	163	
* Days with .04 in. or more.	20	16	16	13	10	9	5	3	8	10	9	13	132	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) a. Gm.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at No 2 Pumping Station Pevensey

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·03	–	–	·09	·50	·22	–	·54	·54	·02	·05		1
2	–	–	–	·04	·02	–	·32	–	–	·09	–	·04		2
3	–	–	–	–	–	–	·12	–	–	·57	·19	–		3
4	·04	–	–	–	–	·04	·35	·14	–	·60	–	·17		4
5	–	–	–	–	–	–	·02	–	·06	–	–	·02		5
6	·21	–	–	–	–	–	·40	·23	–	·17	·05	·04		6
7	–	–	–	–	–	–	·02	·10	·04	·03	·02	·17		7
8	·23	–	–	–	–	–	·05	–	–	·32	–	·10		8
9	·22	·02	–	–	–	–	–	–	–	–	–	·44		9
10	·13	·12	–	–	–	–	·03	–	–	–	–	·30		10
11	·42	–	–	–	–	–	·02	–	–	·03	–	·18		11
12	·41	–	–	–	–	·02	–	–	–	·07	·06	·01		12
13	·39	·15	–	–	–	–	–	–	–	·08	·16	·12		13
14	·29	·01	–	–	·70	–	·10	–	–	–	–	·05		14
15	·01	·05	–	–	–	–	·03	·01	–	·11	·03	·16		15
16	·38	·09	·03	–	·04	–	–	–	–	·09	–	·19		16
17	–	·16	–	–	·11	–	–	–	·01	·10	·01	–		17
18	·09	–	–	–	·02	–	–	·02	·26	·01	·44	–		18
19	·02	–	–	–	–	–	–	·04	·06	–	·15	–		19
20	–	–	–	–	–	–	–	–	·35	–	·58	·16		20
21	·05	–	–	·03	–	–	–	·08	·02	–	·02	·06		21
22	–	–	–	–	–	·03	–	·04	–	–	·46	·09		22
23	–	–	–	·01	–	–	–	–	–	–	·20	–		23
24	–	–	·12	–	·02	–	–	–	·18	–	·47	·04		24
25	·10	–	·22	·08	·03	–	·07	–	·03	·01	·72	·01		25
26	·43	·11	·06	·03	·01	–	–	·05	1·11	·20	–	·35		26
27	·13	·08	–	–	·29	·14	·33	–	·29	·11	·34	–		27
28	·06	·05	–	–	·58	·04	–	·62	·09	–	·01	·01		28
29	·16	×	–	–	·30	–	–	–	·03	–	·11	·23		29
30	·07	▨	–	·36	·42	–	–	–	·09	·01	·22	–		30
31	·20	▨	–	▨	·14	▨	–	–	▨	·13	▨	·22		31
TOTAL	4·05	·87	·43	·55	2·77	·77	2·08	1·33	3·16	3·27	4·26	3·21	Year's Total 26·75	
* Days with .01 in. or more.	22	11	4	6	14	6	14	10	15	19	20	24	165	
* Days with .04 in. or more.	19	8	3	3	9	4	9	8	11	14	14	20	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at No. 1 Pumping Station Pevensey Bay
in the County of Sussex
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
,, Ground ,, Sea Level .... ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.19	-	0.03	0.13	0.13	-	0.02	-	0.12	0.05	0.01	0.01		1
2	-	-	-	-	-	-	-	-	-	-	0.02	-		2
3	0.40	-	-	0.26	-	-	-	0.24	-	-	0.23	0.39		3
4	0.13	0.02	0.56	0.02	-	-	-	0.29	-	0.61	0.10	0.08		4
5	-	-	0.04	0.21	0.05	-	0.13	-	-	0.09	0.55	0.08		5
6	0.40	-	0.05	-	-	-	0.04	-	-	0.44	0.55	-		6
7	0.25	0.04	-	-	-	-	0.09	0.19	-	0.12	0.34	0.20		7
8	-	0.08	0.08	-	-	-	0.01	-	-	1.11	-	0.52		8
9	0.05	0.05	-	-	-	-	-	-	-	0.65	0.12	0.20		9
10	0.15	-	-	-	-	-	-	0.31	0.35	0.94	0.01	-		10
11	0.16	0.02	0.20	-	-	0.21	-	-	-	0.11	-	-		11
12	-	-	-	-	-	·07	-	-	-	0.30	-	0.01		12
13	0.21	-	0.02	-	-	0.06	0.06	-	-	1.44	-	0.10		13
14	0.60	-	-	-	-	0.01	-	-	0.01	0.39	0.44	0.08		14
15	0.31	-	-	-	0.23	0.28	-	-	-	0.06	0.24	-		15
16	0.14	0.01	0.05	0.18	0.22	-	0.56	-	-	0.10	0.38	-		16
17	0.05	0.05	0.02	0.01	0.09	-	0.10	-	-	-	0.10	-		17
18	0.13	-	0.02	-	0.08	0.05	-	-	-	0.21	0.26	-		18
19	0.30	-	-	-	-	-	0.21	-	0.03	0.21	-	-		19
20	0.20	-	-	-	-	0.02	-	-	0.06	-	-	-		20
21	0.23	-	0.11	-	-	-	0.04	-	0.04	0.01	-	-		21
22	0.23	·27	0.12	0.03	-	0.14	0.04	-	-	-	-	-		22
23	-	0.03	-	07	-	-	-	-	-	0.04	0.49	-		23
24	0.18	07	-	0.11	-	-	0.14	-	-	0.03	0.05	-		24
25	1.56	0.41	0.18	0.21	0.01	-	0.41	-	-	-	1.08	0.02		25
26	0.05	-	0.04	-	-	-	-	-	-	0.14	0.41	0.01		26
27	0.14	0.05	0.03	-	-	-	-	-	-	0.33	0.30	-		27
28	-	0.35	-	-	-	0.13	-	-	-	0.03	0.20	0.16		28
29	-	✕	-	0.15	-	-	-	-	-	-	0.04	-		29
30	-	✕	-	0.48	-	-	-	1.10	-	0.05	0.03	-		30
31	-	✕	-	✕	-	✕	0.22	-	✕	0.06	✕	-		31
TOTAL	6.06	1.48	1.61	2.16	0.81	0.94	2.10	2.16	0.64	7.64	5.98	1.86	Year's Total 33.44	
* Days with .01 in. or more.	22	12	15	12	7	9	14	5	6	24	22	13	~~30~~	161
* Days with .04 in. or more.	22	9	10	9	6	7	12	5	4	21	18	9	132	32

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 535

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at No. 2 Pumping Station, Pevensey
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 12 ft.

Dap.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	-	-	-	-	-	-	-	-	-	0.06	-		1
2	-	0.10	-	0.09	0-18	-	0.03	-	-	0.03	0.29	-		2
3	-	0.28	-	0.04	-	-	-	-	-	0.05	1.12	0.20		3
4	-	·07	-	-	-	-	0.23	-	-	0.16	0.04	0.17		4
5	-	-	-	-	-	-	-	-	-	-	0.89	0.25		5
6	0.14	0.16	-	-	0.01	-	0.24	-	-	0.56	-	-		6
7	0.15	0.08	-	-	-	-	0.07	-	-	-	-	0.01		7
8	-	0.01	-	-	-	-	-	-	0.11	0.23	-	0.47		8
9	-	-	-	-	-	-	-	-	0.01	0.09	0.54	0.35		9
10	-	-	-	-	-	-	0.38	-	0.03	0.20	0.15	-		10
11	-	0.03	0.01	-	-	-	-	-	-	-	·75	-		11
12	-	0.04	0.15	-	-	-	0.14	-	0.08	-	-	-		12
13	-	0.01	0.40	-	-	0.57	-	-	0.46	-	0.96	-		13
14	-	-	0.26	0.04	-	-	0.04	-	-	0.01	-	·55		14
15	-	-	-	-	0.25	-	0.74	-	0.01	0.02	·27	-		15
16	0.53	0.27	0.21	0.07	-	0.02	0.03	-	0.11	0.90	0.66	0.05		16
17	0.03	-	0.32	-	-	-	0.03	-	0.02	-	0.05	-		17
18	0.01	0.22	0.33	0.25	-	-	0.03	-	-	0.15	-	0.06		18
19	-	0.06	0.01	-	-	-	0.04	-	0.86	-	0.08	0.04		19
20	-	0.02	-	-	-	-	0.08	0.03	0·15	0.05	0.21	-		20
21	0.01	-	-	-	0.38	-	-	-	0.03	0.01	0.30	-		21
22	-	-	0.02	-	0.29	0.14	-	-	0.17	-	-	-		22
23	-	0.33	0.07	0.26	0.02	-	0.05	-	-	-	0.03	-		23
24	-	-	-	0.33	-	-	·15	-	-	-	-	-		24
25	-	-	0.33	-	0.02	-	0.24	-	-	-	0.01	-		25
26	0.71	0.27	0.17	-	0.12	-	05	-	-	0.03	-	-		26
27	0.44	0.12	-	-	-	-	0.01	-	-	-	0.02	-		27
28	0.18	-	-	0.04	0.11	-	-	-	-	-	-	-		28
29	0.30	0.05	0.17	-	0.23	-	-	-	-	-	-	0.31		29
30	0.11	☒	-	0.07	-	-	-	-	-	0.10	-	-		30
31	0.04	☒	-	☒	-	☒	-	-	☒	0.45	☒	0.22		31
TOTAL	2.67	2.12	2.45	1.19	1.61	0.73	2.58	0.03	2.04	3.04	6.43	2.68	Year's Total 27.57	
* Days with .01 in. or more.	13	17	13	9	10	3	18	1	12	16	18	12	~~35~~	142
* Days with .04 in. or more.	9	13	10	9	7	2	13	-	7	11	15	11	107	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry of
AIR MINISTRY

536

No, Pumping St
Pevensey Bay
1931 – 40
780111

536

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REGIST

93/.

Kept at No. 1 Pumping Sta
in the County of Susse
Diameter of Funnel of Gauge 5
Height of top of Gauge above Grounc
,, Ground ,, Sea Le

THE MORNING MEASU DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02	/	·19	/	/	/	·08	/	/	/	/	1
2	·08	·08	/	·26	/	/	/	/	·30	/	/	/	2
3	·15	·02	·18	·07	·61	/	/	/	·57	/	/	·22	3
4	/	·11	·01	/	/	/	·01	·02	·18	·06	·07	/	4
5	/	/	/	·11	/	·52	·11	·07	·01	/	/	·23	5
6	/	·04	/	·12	/	/	/	·16	/	·25	·28	·19	6
7	/	·05	/	/	·04	·10	/	·15	·10	·06	·20	/	7
8	/	·10	/	/	/	·14	·10	/	/	/	·05	·12	8
9	/	·13	·02	/	/	·11	/	/	/	/	·78	·01	9
10	/	·12	·03	/	/	·04	·12	·34	/	/	1·35	/	10
11	·15	·40	/	/	/	/	/	/	/	/	·89	/	11
12	·08	/	/	/	/	/	·01	/	·16	/	/	/	12
13	·12	/	/	/	·12	/	·03	/	/	/	/	/	13
14	/	·09	/	/	/	·07	·43	·38	/	/	/	/	14
15	/	·03	/	·11	·04	/	·10	·06	/	/	/	·04	15
16	/	·05	/	·18	·26	/	·04	·07	/	/	/	/	16
17	·02	·10	/	·25	/	·01	·58	·03	·09	/	/	/	17
18	/	·11	·03	·28	/	/	·26	·38	/	·03	·32	/	18
19	·06	/	/	·33	/	·03	·56	·61	·12	/	/	/	19
20	·02	·12	/	·07	·06	/	·08	·66	/	/	/	/	20
21	/	·01	/	/	·46	/	/	/	/	/	/	/	21
22	·21	/	·11	/	/	/	/	/	/	/	/	/	22
23	·57	·01	·04	/	·06	·07	/	/	·01	/	·27	/	23
24	/	/	/	·71	·01	·10	·05	·31	/	/	/	/	24
25	·14	·01	/	·50	/	/	·08	/	/	/	·04	/	25
26	/	·04	/	·17	·03	/	·35	/	/	/	·44	/	26
27	·17	·31	/	·06	·17	/	·04	/	/	/	·50	/	27
28	·09	·10	/	·03	/	/	/	/	/	·02	·01	/	28
29	·14	X	/	·03	·13	/	·07	/	/	·13	/	/	29
30	·01	X	/	/	·01	/	·03	·02	/	/	/	/	30
31	·29	X	/	X	/	X	/	/	X	/	X	/	31
TOTAL	2·33	2·05	·42	3·47	2·00	1·19	3·05	3·34	1·54	·55	5·20	·81	YEAR'S TOTAL 25·95
*Days with ·01 in. or more.	17	22	7	17	13	10	19	15	9	6	13	6	154
*Days with ·04 in. or more.	13	16	3	15	10	8	15	12	7	4	12	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Rn Strange

[P.T.O.

536

Section **A** for the entry of

AIR MINISTRY BRITISH RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at No. 1 Pumping Station, Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02	/	·19	/	/	/	·08	/	/	/	/	1
2	·08	·08	/	·26	/	/	/	/	·30	/	/	/	2
3	·15	·02	·18	·07	·61	/	/	/	·57	/	/	·22	3
4	/	·11	·01	/	/	/	·01	·02	·18	·06	·07	/	4
5	/	/	/	·11	/	·52	·11	·07	·01	/	/	·23	5
6	/	·04	/	·12	/	/	/	·16	/	·25	·28	·19	6
7	/	·05	/	/	·04	·10	/	·15	·10	·06	·20	/	7
8	/	·10	/	/	/	·14	·10	/	/	/	·05	·12	8
9	/	·13	·02	/	/	·11	/	/	/	/	·78	·01	9
10	/	·12	·03	/	/	·04	·12	·34	/	/	1·35	/	10
11	·15	·40	/	/	/	/	/	/	/	/	·89	/	11
12	·08	/	/	/	/	/	·01	/	·16	/	/	/	12
13	·12	/	/	/	·12	/	·03	/	/	/	/	/	13
14	/	·09	/	/	/	·07	·43	·38	/	/	/	/	14
15	/	·03	/	·11	·04	/	·10	·06	/	/	/	·04	15
16	/	·05	/	·18	·26	/	·04	·07	/	/	/	/	16
17	·02	·10	/	·25	/	·01	·58	·03	·09	/	/	/	17
18	/	·11	·03	·28	/	/	·26	·38	/	·03	·32	/	18
19	·06	/	/	·33	/	·03	·56	·61	·12	/	/	/	19
20	·02	·12	/	·07	·06	/	·08	·66	/	/	/	/	20
21	/	·01	/	/	·46	/	/	/	/	/	/	/	21
22	·21	/	·11	/	/	/	/	/	/	/	/	/	22
23	·57	·01	·04	/	·06	·07	/	/	·01	/	·27	/	23
24	/	/	/	·71	·01	·10	·05	·31	/	/	/	/	24
25	·14	·01	/	·50	/	/	·08	/	/	/	·04	/	25
26	/	·04	/	·17	·03	/	·35	/	/	/	·44	/	26
27	·17	·31	/	·06	·17	/	·04	/	/	/	·50	/	27
28	·09	·10	/	·03	/	/	/	/	/	·02	·01	/	28
29	·14	×	/	·03	·13	/	·07	/	/	·13	/	/	29
30	·01	×	/	/	·01	/	·03	·02	/	/	/	/	30
31	·29	×	/	×	/	×	/	/	×	/	×	/	31
TOTAL	2·33	2·05	·42	3·47	2·00	1·19	3·05	3·34	1·54	·55	5·20	·81	YEAR'S TOTAL 25·95
*Days with ·01 in. or more.	17	22	7	17	13	10	19	15	9	6	13	6	154
*Days with ·04 in. or more.	13	16	3	15	10	8	15	12	7	4	12	5	120

40-9999

(Signed) Rm Strange

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 536

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at No. 1 Pumping Station, Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	/	/	·12	·27	/	/	/	/	·24	·02	/	1
2	·03	/	/	·32	/	/	/	/	/	·02	/	·14	2
3	/	/	/	·14	·07	·50	/	/	·19	/	/	/	3
4	/	/	/	/	/	·21	/	/	/	/	·01	/	4
5	·31	/	/	/	/	·05	·12	/	·12	/	/	/	5
6	·74	/	/	·10	/	/	/	/	·03	/	/	/	6
7	·03	/	·02	·01	·14	/	/	/	/	/	/	·05	7
8	·01	/	·32	·04	·19	/	/	/	·09	1·28	/	/	8
9	·03	·01	·02	·11	·49	/	/	/	/	·02	/	/	9
10	·46	/	/	·36	·11	/	/	/	·02	·13	/	/	10
11	·22	·06	/	·18	·02	·46	/	/	·04	·01	/	·03	11
12	·18	·04	/	/	/	/	/	/	·13	·20	/	/	12
13	·12	/	/	·15	·05	/	/	/	/	·89	/	·01	13
14	·04	·01	/	·11	·12	/	/	/	/	·16	/	/	14
15	·04	/	/	·08	·08	/	/	/	/	·08	/	/	15
16	·02	/	/	·18	·05	/	/	/	/	/	/	/	16
17	/	/	/	·02	/	/	/	/	/	·02	/	/	17
18	·02	/	/	/	/	/	/	/	·05	/	·11	/	18
19	/	/	/	/	·01	/	/	/	/	·14	·17	/	19
20	/	/	/	·08	·12	/	·16	·10	·05	1·17	·23	/	20
21	/	/	/	/	·19	/	/	/	/	·25	/	/	21
22	·05	/	·25	/	·07	·07	·29	·27	·58	·03	·54	/	22
23	/	·05	·11	·01	/	/	/	/	·34	1·41	/	·06	23
24	/	·01	/	/	/	/	1·19	/	·06	·04	/	/	24
25	/	/	/	/	/	/	1·58	/	·13	·54	·03	/	25
26	/	/	/	·10	/	/	·20	·19	/	/	·10	/	26
27	/	/	·11	·15	·09	/	/	/	·02	·90	·02	/	27
28	/	/	/	/	·03	/	·19	/	·02	·09	/	/	28
29	/	/	·47	·02	·01	/	/	·20	·38	·55	/	·03	29
30	/	×	·02	/	/	·42	/	/	·03	/	·14	·02	30
31	/	×	·03	×	/	×	·10	/	×	/	×	·04	31
TOTAL	2·38	0·18 ~~1·18~~	1·35	2·28	2·11	1·71	3·83	·76	2·28	8·17	1·37	·38	YEAR'S TOTAL 27·80
*Days with ·01 in. or more.	16	6	9	19	18	6	8	4	17	21	10	8	142
*Days with .04 in. or more.	10	3	5	15	14	6	8	4	12	16	6	4	103

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. W. Lovachie

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 536

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ~~No~~ Pumping Stn, Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·67	·15	/	/	/	/	/	/	/	/	/	1
2	·23	/	·44	/	·07	/	/	/	/	/	/	/	2
3	·01	·11	·11	/	/	/	/	/	/	/	/	/	3
4	·05	·02	·01	/	·13	/	/	/	/	/	/	/	4
5	·35	/	·16	/	·28	/	/	/	/	/	/	/	5
6	/	·13	·08	/	·45	/	/	/	/	/	·04	/	6
7	·28	·04	/	/	·07	/	/	/	/	·20	/	·01	7
8	·11	·04	/	/	·01	/	·61	/	/	·10	/	/	8
9	/	/	/	/	·08	/	·02	/	/	/	·19	/	9
10	/	·24	/	/	/	·01	·19	/	/	·15	/	/	10
11	·11	/	/	/	·01	·05	·10	·07	·29	·05	/	/	11
12	/	/	/	·05	/	·21	/	/	1·15	/	/	/	12
13	·04	/	/	/	·05	·06	·20	·02	·32	·23	·14	/	13
14	/	/	/	/	/	/	·01	/	/	·65	·34	/	14
15	·33	/	·04	/	/	/	·12	·14	/	·25	·12	·03	15
16	·03	/	·52	/	/	·19	·12	/	/	/	·66	/	16
17	·09	/	·19	/	/	·19	/	·09	·15	/	/	/	17
18	·11	/	·07	/	/	·62	/	/	/	/	/	/	18
19	/	·03	·14	/	/	·57	/	/	·16	/	·01	/	19
20	/	·01	·08	·03	/	·14	/	·06	·11	/	/	/	20
21	/	·02	/	/	/	/	/	/	·24	/	/	/	21
22	/	/	/	/	/	·01	/	·50	/	·03	/	/	22
23	/	/	/	·11	/	·03	/	/	·86	/	/	/	23
24	/	·08	/	·19	·02	/	/	/	·31	/	·01	/	24
25	/	·01	/	·31	/	/	/	/	·27	/	·22	·08	25
26	/	·28	/	·02	/	·03	/	/	·16	·07	·03	·15	26
27	/	·01	/	/	·09	/	/	/	/	·19	/	·13	27
28	/	/	/	/	·04	/	·11	/	/	·12	/	·64	28
29	·08	X	/	/	·40	/	·05	/	/	·10	/	/	29
30	·06	X	·02	/	/	/	·03	/	·26	/	/	·09	30
31	·13	X	/	X	/	X	/	·02	X	/	X	/	31
TOTAL	2·02	1·69	2·01	·71	1·70	2·11	1·56	·90	4·28	2·14	1·76	1·13	YEAR'S TOTAL 22·01
*Days with ·01 in. or more.	16	14	13	6	13	12	11	7	12	12	10	7	133
*Days with .04 in. or more.	13	8	11	4	10	8	8	5	12	11	7	5	102

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 536

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at No1 Pumping Station, Pevensey Bay.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 7 ft.

WD

Corrected on BR Copy. 10/1/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 0·17

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·06	–	–	–	–	–	·06	–	·11	–		1
2	–	·03	–	–	–	·07	–	·09	–	·22	·02	·40		2
3	·04	–	·12	–	–	·02	–	–	·15	·99	·03	·61		3
4	·06	–	–	·07	–	–	–	–	–	·59	–	·97		4
5	·30	–	·06	–	–	–	–	–	–	·41	·13	·45		5
6	–	–	·08	–	·11	–	–	–	–	–	·02	·36		6
7	–	–	·53	·07	·15	·10	–	·11	–	·34	–	·42		7
8	·01	–	–	·03	–	–	–	–	–	·03	–	·16		8
9	–	–	–	·26	·10	–	–	·02	–	–	1·70	–		9
10	–	–	·13	–	–	–	–	·01	–	–	·30	·26		10
11	–	–	·17	·15	–	–	–	·11	–	·01	·06	–		11
12	·97	–	·37	·06	–	–	·04	·50	–	–	–	·31		12
13	·10	·02	·06	–	–	–	·21	·05	–	–	·04	·18		13
14	·38	–	–	·08	–	–	–	–	–	–	·06	–		14
15	·31	–	·33	·16	–	–	–	–	–	·02	1·09	·33		15
16	–	–	–	–	–	–	–	–	–	–	·16	·59		16
17	·23	–	·41	·07	·06	–	–	–	–	·01	–	–		17
18	·11	–	·31	·03	–	–	–	–	·13	·03	·02	·39		18
19	·07	–	·04	·12	–	–	·02	–	–	–	–	·78		19
20	–	–	·23	–	–	·04	–	–	·28	–	–	·32		20
21	–	–	·04	–	–	·06	·24	–	–	·02	–	–		21
22	–	–	–	·17	–	·18	–	–	–	·04	–	–		22
23	–	–	–	–	–	–	·07	·23	·39	·03	–	·09		23
24	–	–	–	·60 ·60	–	·18	–	–	–	·02	–	·35		24
25	–	·03	–	·01	–	·44	·31	–	·05	–	·01	–		25
26	·07	–	–	·15	–	–	–	–	–	·07	–	·57		26
27	·09	–	–	–	–	·09	–	–	–	·04	–	–		27
28	·03	–	–	·15	–	·31	–	–	–	–	–	·28		28
29	–	✗	–	·07	–	·12	–	·77	–	–	–	·20		29
30	–	✗	–	–	–	–	–	·29	·83	–	·03	–		30
31	·10	✗ +·06	–	✗	–	✗	–	·04 +·06	✗	– +·11	✗	·52 +·17		31
TOTAL	2·87	·14 ~~·08~~	2.88 ~~2·94~~	2·24	·42	1·61	·89	2.28 ~~2·22~~	1.83 ~~1·89~~	2.98 ~~2·87~~	3.67 ~~3·48~~	8.21 ~~8·04~~	Year's Total. 30·02	✓
* Days with .01 in. or more.	15	~~3~~4	~~15~~14	14	4	11	6	~~11~~12	~~1~~6	~~11~~17	~~15~~14	~~21~~22		142 ✓
* Days with .04 in. or more.	13	—1	~~15~~14	14	4	10	5	~~9~~10	~~4~~6	~~8~~9	~~8~~7	~~21~~22		115 ✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 536

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at No. 1 Pumping Station Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	–	·12	–	·03	·02	–	–	·01	·28	·18	·01		1
2	·13	–	–	·07	–	–	·01	–	–	·63	·05	–		2
3	–	–	·14	·04	–	–	–	–	·02	·34	·09	–		3
4	–	·11	–	·35	–	·10	–	–	·55	·39	–	·20		4
5	–	·34	·01	·10	–	–	–	–	·94	1·06	–	–		5
6	·02	·17	·02	·34	–	·04	–	–	–	·29	·39	·09		6
7	·01	·02	–	·28	–	·16	–	–	–	–	·99	·09		7
8	–	–	–	·29	–	–	–	·11	–	·63	·23	·02		8
9	–	–	–	·16	–	·20	–	–	–	·88	·19	·01		9
10	·17	–	·21	·16	–	·09	–	–	–	·02	·07	·16		10
11	·04	–	–	–	–	–	·20	–	–	–	·68	–		11
12	·01	·14	–	–	–	·21	–	·10	·09	–	·52	–		12
13	·04	·23	–	·24	–	–	–	–	–	–	·46	·03		13
14	–	–	–	–	·14	·10	–	–	–	–	–	·11		14
15	–	·18	–	·55	·01	–	–	–	·73	·01	·43	·13		15
16	–	·03	·04	·14	–	·07	–	–	·18	·01	·77	–		16
17	–	–	·04	·13	–	·30	–	·03	·39	–	·50	–		17
18	–	–	–	·31	–	·12	–	–	·55	·11	·01	–		18
19	–	–	–	·06	·32	·02	·02	–	·54	–	·10	·01		19
20	–	·51	–	·08	–	·05	·06	–	·09	–	·15	–		20
21	·01	·21	–	–	–	–	–	–	–	·18	·04	–		21
22	–	·28	·02	–	–	–	–	·34	·12	–	–	–		22
23	–	·15	·02	–	–	–	–	·54	–	–	–	·19		23
24	·03	·45	–	–	·35	–	–	1·15	·76	–	–	·43		24
25	·09	1·07	–	·16	·06	·07	–	–	–	–	–	·43		25
26	–	·19	–	–	–	–	–	·18	·05	·05	·01	·21		26
27	·07	·25	–	–	–	–	–	·16	·15	–	·25	·28		27
28	–	·08	–	–	·04	–	–	–	·01	·02	·09	·24		28
29	–	✕	–	–	·22	–	–	·16	·30	–	·03	·35		29
30	·06	✕	–	·03	·03	–	–	1·98	·50	·10	·78	·29		30
31	–	✕	–	✕	·02	✕	–	·02	✕	·18	✕	·49		31
													Year's Total	
TOTAL	·84	4·41	·62	3·49	1·22	1·55	·29	4·77	5·98	5·18	7·01	3·77	39·13	
* Days with .01 in. or more.	13	17	9	18	10	14	4	11	18	17	23	20	174	
* Days with .04 in. or more.	8	15	5.	17	6	12	2	9	15	13	20	15	137	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

X HAILSHAM R.D.C. X

COPY FOR OFFICIAL USE

Station No. 536

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at No1 Pumping Station Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·20	—	·25	—	·23	·14	·44	—	—	·12	·11		1
2	·03	·04	—	—	—	·27	·07	·08	—	—	—	—		2
3	—	—	—	·25	—	·07	·13	—	·10	—	·62	—		3
4	—	—	·11	—	—	·14	·03	—	·38	—	·10	·10		4
5	·14	—	—	—	—	—	—	·05	·33	—	·10	·02		5
6	·35	—	—	—	—	·03	—	·03	·15	·02	·31	·04		6
7	·45	—	·08	—	—	·01	·08	—	—	—	·45	—		7
8	·52	—	·02	—	—	—	·08	—	—	—	·98	·12		8
9	·30	—	·01	—	—	—	·50	—	·07	—	·30	—		9
10	·07	—	·01	—	—	—	·04	·21	—	·01	—	—		10
11	·07	—	—	—	—	—	—	—	—	—	1·09	—		11
12	·01	—	—	—	·04	·23	·46	·01	—	—	·07	·06		12
13	—	—	—	—	—	·07	·02	—	—	—	—	·18		13
14	—	·11	—	·03	—	·10	1·17	—	—	—	·14	·23		14
15	—	·03	—	—	—	—	·04	—	—	—	·17	·38		15
16	·26	·11	—	—	·10	—	—	—	—	—	·09	·22		16
17	·05	·61	—	—	—	·05	—	—	·02	·08	·15	·68		17
18	·13	·07	—	—	—	—	·11	—	·04	—	·06	·08		18
19	·23	·04	—	·01	—	·48	·26	·09	—	·01	·04	—		19
20	·26	·09	—	·36	—	·03	—	—	·21	—	—	—		20
21	—	·07	—	·65	—	·35	·14	—	·07	—	—	—		21
22	·08	·36	·06	·12	·01	·13	·06	—	—	—	—	·14		22
23	—	·08	·10	·12	—	—	·10	—	—	·01	—	—		23
24	·10	·07	—	—	—	—	—	—	·07	·15	—	—		24
25	·34	·03	·13	·06	·03	·03	·03	—	·56	·12	—	—		25
26	·06	·15	·17	—	—	·01	—	—	·06	·24	—	—		26
27	·18	·08	—	—	—	—	·12	—	·10	·12	—	—		27
28	·48	—	·33	—	—	·36	·07	—	·02	—	—	·04		28
29	—	·04	·08	—	—	·02	·20	—	·02	·08	·07	—		29
30	·10	✖	·02	—	·02	·19	—	—	—	·06	—	—		30
31	·18	✖	·13	✖	·12	✖	·21	—	✖	·34	✖	·15		31
													Year's Total	
TOTAL	4·55	2·18	1·25	1·85	·32	2·80	~~4·66~~ 4·06	·91	2·20	1·24	4·86	2·55	29·37	✓
* Days with .01 in. or more.	23	17	13	9	6	19	22	7	15	12	17	15	175	✓
* Days with .04 in. or more.	21	15	9	7	3	13	19	5	12	8	17	14	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Hailsham RDC

COPY FOR OFFICIAL USE

Station No. 536

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at No 1 Pumping Station Pevensey.
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·90	–	–	·13	–	–	–	–	–	–	·52	·38		1
2	–	·42	·08	·46	–	–	–	–	–	·04	–	·85		2
3	·05	·13	–	–	–	–	–	–	–	–	–	·14		3
4	·15	1·17	–	–	–	–	–	–	–	–	–	·35		4
5	·31	·01	·34	–	–	–	·21	–	–	·11	–	–		5
6	·04	·02	·68	·02	·27	–	·02	–	–	–	–	–		6
7	–	1·02	·07	·12	·05	–	–	–	–	–	–	·27		7
8	–	·01	·15	–	·06	·07	–	–	–	·01	·06	·10		8
9	–	–	–	·45	·20	·06	·08	–	·38	–	–	–		9
10	–	–	·55	·06	·14	·45	·01	–	–	–	–	·81		10
11	–	–	·65	–	–	·04	·04	–	–	–	–	·09		11
12	·68	·31	·30	–	·20	·26	·01	·84	·13	–	–	·07		12
13	·46	·03	·49	·13	·06	·17	–	–	·07	–	–	·76		13
14	·09	·01	·11	–	·09	–	–	·17	·19	–	–	·19		14
15	·09	·10	–	·36	–	–	·50	–	·03	–	–	–		15
16	–	·07	·12	·15	·01	·08	–	·78	–	–	–	–		16
17	·30	–	–	·03	–	–	–	–	·60	–	·13	–		17
18	·22	·10	·07	·06	·28	·15	–	–	·55	–	·21	–		18
19	·04	·20	·12	·28	·02	·03	–	–	·25	–	·15	·20		19
20	·30	–	·21	·30	·81	·15	–	–	–	–	–	·02		20
21	·35	·32	–	·09	–	–	–	–	·01	–	·09	·03		21
22	·30	·06	–	–	·03	–	·02	–	–	1·00	·03	·13		22
23	·04	·05	–	–	–	–	·23	–	–	·33	·05	·02		23
24	·43	·33	–	–	·03	–	–	–	–	·09	–	–		24
25	·13	·32	·32	–	–	–	–	–	·06	·59	–	–		25
26	·01	·46	·06	–	–	–	–	–	–	·26	–	–		26
27	–	·16	–	·36	–	–	–	–	–	·19	–	–		27
28	·21	·12	–	·03	–	–	–	–	–	·02	–	–		28
29	·04	–	–	–	–	–	–	–	–	·25	·05	–		29
30	·24	✕	–	–	–	·03	–	–	–	·20	·05	·02		30
31	·26	✕	–	✕	–	✕	–	–	✕	·58	✕	·03		31
TOTAL	5·64	5·42	4·32	3·03	2·25	1·49	1·12	1·79	2·27	3·67	1·34	4·46	Year's Total 36·8	
* Days with .01 in. or more.	23	22	16	16	14	11	9	3	10	13	10	18	165	
* Days with .04 in. or more.	22	17	16	13	10	9	5	3	8	11	9	13	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 536

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at No1. Pumping Station, Pevensey Bay.

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·05	—	—	·15	·44	·22	—	·32	·12	—	·05		1
2	—	—	—	·03	·03	—	·15	—	—	·68	—	·04		2
3	—	—	—	—	—	—	·23	—	—	·71	·23	—		3
4	·03	—	—	—	—	·04	·48	·20	—	·66	—	·24		4
5	—	—	—	—	—	—	—	—	·05	—	—	·02		5
6	·20	—	—	—	—	—	·15	·25	—	·25	·07	·04		6
7	—	—	—	—	—	—	·01	·10	·03	·07	—	·15		7
8	·23	—	—	—	—	—	·08	—	—	·31	—	·13		8
9	·22	·03	—	—	—	—	—	—	—	—	—	·41		9
10	·21	·15	—	—	—	—	·03	—	—	—	—	·27		10
11	·45	—	—	—	—	—	·01	—	—	·02	·07	·18		11
12	·47	—	—	—	—	·02	—	—	—	—	—	—		12
13	·43	·12	—	—	—	—	—	—	—	·15	·16	·10		13
14	·26	·05	—	—	·65	—	·10	—	—	·01	—	·03		14
15	·02	·04	—	—	—	—	·03	·01	—	·10	·05	·16		15
16	·45	·19	·04	—	·04	—	—	—	—	·09	—	·18		16
17	—	·11	—	—	·11	—	—	—	·01	·06	·01	—		17
18	·10	—	—	—	·02	—	—	·02	·18	·01	·46	—		18
19	·02	—	—	—	—	—	—	·03	·06	—	·15	—		19
20	—	—	—	—	—	—	—	—	·36	—	·67	·12		20
21	·05	—	—	·04	—	—	—	·06	—	—	·01	·03		21
22	—	—	—	·02	—	·04	—	·02	—	—	·44	·08		22
23	—	—	—	·04	—	—	—	—	—	—	·19	—		23
24	—	—	·12	—	·05	—	—	—	·17	—	·49	·06		24
25	·11	—	·24	·11	·03	—	·06	—	·10	—	·73	·09		25
26	·43	·11	·07	·04	·01	—	—	·08	1·33	·22	—	·26		26
27	·14	·10	—	—	·29	·17	·30	—	·17	·10	·42	—		27
28	·06	·06	—	—	·53	·09	—	·64	—	—	—	·01		28
29	·18	×	—	—	30	—	—	—	·03	—	·11	·21		29
30	·07	×	—	·36	·43	—	—	—	—	—	·22	—		30
31	·25	×	—	×	·15	×	—	—	×	·17	×	·22		31
													Year's Total	
TOTAL	4·40	1·01	·47	·64	2·79	·80	1·85	1·41	2·81	3·73	4·48	3·08	27·47	
* Days with .01 in. or more.	22	11	4	7	14	6	13	10	12	17	17	23	156	
* Days with .04 in. or more.	18	10	4	5	10	5	9	6	9	14	15	19	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 536

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Ro. Pumping Station Pevensey Bay

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	0.08	-		1
2	-	0.08	-	0.12	0.25	-	0.03	-	-	0.04	0.20	0.05		2
3	-	0.30	-	0.03	-	-	-	-	-	0.04	1.48	0.13		3
4	-	0.06	-	-	-	-	0.24	-	-	0.21	0.03	0.15		4
5	-	-	-	-	-	-	-	-	-	-	1.16	0.28		5
6	0.14	0.16	-	-	0.01	-	0.25	-	-	0.74	-	-		6
7	0.17	0.08	-	-	-	-	0.07	-	-	-	-	-		7
8	-	0.01	-	-	-	-	-	-	0.09	0.30	-	0.40		8
9	-	-	-	-	-	-	-	-	-	0.09	0.56	0.36		9
10	-	-	-	-	-	-	0.47	-	0.03	0.30	0.16	-		10
11	-	0.05	0.03	-	-	-	-	-	-	-	1.18	-		11
12	-	0.03	0.14	-	-	-	0.08	-	0.05	-	-	-		12
13	-	0.01	0.54	-	-	0.81	-	-	0.44	-	1.10	-		13
14	-	-	0.12	0.05	-	-	0.03	-	-	-	-	0.56		14
15	-	-	-	-	0.17	-	0.83	-	0.02	-	0.30	-		15
16	0.46	0.36	0.21	0.05	-	-	0.03	-	0.13	0.26	0.07	0.05		16
17	-	-	0.34	-	-	-	0.04	-	-	-	0.06	-		17
18	-	0.24	0.41	0.30	-	-	-	-	-	0.18	-	0.06		18
19	-	0.05	0.01	-	-	-	0.01	-	0.80	-	0.41	0.04		19
20	-	0.03	-	-	-	-	0.06	-	0.15	0.02	0.01	-		20
21	-	-	-	-	0.68	-	-	-	0.05	-	0.35	-		21
22	-	-	0.02	-	-	0.19	-	-	0.26	-	-	-		22
23	-	0.30	0.08	0.37	0.03	-	0.11	0.02	-	0.03	0.01	-		23
24	-	-	-	0.26	-	-	0.09	-	-	-	-	-		24
25	-	-	0.37	-	0.11	-	0.22	-	-	-	0.01	-		25
26	0.96	0.25	0.15	-	0.04	-	0.01	-	-	0.03	-	-		26
27	0.31	0.09	-	-	-	-	0.04	-	-	-	0.02	-		27
28	0.19	-	-	0.03	0.08	-	-	-	-	-	-	-		28
29	0.11	0.05	0.18	-	0.30	-	-	-	-	-	-	0.30		29
30	0.20	✕	-	0.10	-	-	-	-	-	0.15	-	-		30
31	0.04	✕	-	✕	-	✕	-	-	✕	0.54	✕	0.20		31
													Year's Total	
TOTAL	2.58	2.15	2.60	1.31	1.64	1.00	2.61	0.02	2.07	2.93	7.19	2.58	28.66	
* Days with .01 in. or more.	9	17	13	9	9	2	17	1	10	14	18	12	~~26~~	131
* Days with .04 in. or more.	9	13	10	7	7	2	12	-	8	11	13	12	~~86~~	104

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

X WESTHAM (RATTLE 499/32

536/2

WESTHAM RATTLE RD

1934 - 1936

780111

Section A for the entry of Dail... ...tion No. 536/2

AIR MINISTRY.—M... ...ORGANIZATION.

u/Spaces/5

FORM 1090.

REGIST...

Kept at Sea View - Rattle Rd

in the County of Sussex

c 1934

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME...

An observer who does not conform to this ... should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	—	·43	—	·02	·12	—	·08	—	·28	·04	·56		1
2	·04	—	·11	—	—	·04	—	—	·17	·48	·06	·46		2
3	·11	·02	—	·16	—	—	—	—	—	·68	·09	·21		3
4	·41	—	·09	—	·06	—	—	—	—	·15	·14	·01		4
5	—	—	·10	—	·11	—	—	·01	—	—	·24	·19		5
6	·02	—	·51	·06	·07	—	·05	·15	—	·34	—	·41		6
7	·02	—	—	·02	—	—	—	·15	—	·04	—	·15		7
8	—	—	—	·20	—	·03	—	·24	—	—	·03	·15		8
9	—	—	·14	—	—	—	—	—	—	—	·58	·01		9
10	·03	—	·22	·18	—	—	—	·14	—	·03	·04	·49		10
11	·90	—	·45	·07	—	—	—	·68	—	—	—	·03		11
12	·07	—	·03	—	—	—	—	·05	—	—	·07	·25		12
13	·41	—	—	·21	—	—	—	·03	—	—	1·57	·40		13
14	·35	—	·31	·14	—	—	—	—	—	—	·13	·65		14
15	—	—	—	—	—	—	—	—	—	·03	·16	—		15
16	·31	—	·46	·11	·09	—	—	—	—	·04	—	·45		16
17	·18	—	·01	·04	—	—	—	—	—	·04	·02	·76		17
18	·02	—	·08	·18	—	—	·06	—	—	—	·01	·34		18
19	—	—	·18	·02	·01	—	—	—	·28	·02	·01	—		19
20	—	—	·06	—	—	·07	·24	—	·01	·04	—	—		20
21	—	—	—	·20	—	·21	—	—	—	·05	—	·15		21
22	—	—	—	—	—	—	·16	·22	·42	·03	·02	·37		22
23	—	—	—	·60	—	·18	·31	—	·01	·03	—	—		23
24	—	·03	—	·33	—	·11	·35	—	·07	—	—	·68		24
25	·18	—	—	·10	—	—	—	—	·01	·10	—	·02		25
26	·08	—	—	·06	—	·21	—	—	—	·05	—	·34		26
27	·08	—	—	·18	—	·11	—	—	·03	·08	—	·22		27
28	—	·03*	—	·14	—	·20	—	·60	—	—	·09	—		28
29	—	×	—	—	—	—	—	·36	·27	—	·04	·78		29
30	·11	×	—	—	—	—	—	·05	·09	—	—	·12		30
31	·03	×	—	×	—	×		·01	×	·14	×	—		31
TOTAL	5·47 3·40	·08	3·07	69 2·73	3 ·10	1·38	7 1·14	77 2·78	1·29	5 2·92	5·02 4·18	1 9·01	Year's Total. ~~32·85~~ 33·19	OK
* Days with .01 in. or more.	19	3	14	19	6	10	6	14	10	19	18	25	163	
* Days with .04 in. or more.	14	—	12	16	4	9	6	11	5	14	13	22	126	

*5mm

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) X REV H. H. BRETON X

[P.T.O.

N

X WESTHAM (RATTLE

COPY FOR OFFICIAL USE. +99|32

Section **A** for the entry of Daily Observations. Station No. 536/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. /

REGISTER OF RAINFALL IN 1934.

u/S gauge 15

c 1934

dup

Kept at Sea View - Rattle Rd - Westham
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	04	—	·43	—	·02	·12	—	·08	—	·28	·04	·56		1
2	04	—	[illegible]	—	—	·04	—	—	·17	·48	·06	·46		2
3	11	02	—	·16	—	—	—	—	—	·68	·09	·21		3
4	41	—	09	—	·06	—	—	—	—	·45	·14	·01		4
5	—	—	10	—	·11	—	—	·01	—	—	·24	·29		5
6	02	—	81	·06	·07	—	·05	·15	—	·34	—	·41		6
7	02	—	—	·02	—	—	—	·15	—	·04	—	·15		7
8	—	—	—	·20	—	·03	—	·24	—	—	1·03	·15		8
9	—	—	14	—	—	—	—	—	—	—	·58	·01		9
10	03	—	22	·18	—	—	—	·14	—	·03	·04	·49		10
11	90	—	15	·07	—	—	—	·68	—	—	—	·03		11
12	07	—	·03	—	—	—	—	·05	—	—	·07	·05		12
13	41	—	—	·21	—	—	—	·03	—	—	1·57	·20		13
14	35	—	31	·14	—	—	—	—	—	—	·13	·60		14
15	—	—	—	—	—	—	—	—	—	·03	·16	—		15
16	31	—	46	·11	·09	—	—	—	—	·04	—	·45		16
17	18	—	01	·04	—	—	—	—	—	·04	·02	·76		17
18	02	—	08	·18	—	—	·06	—	—	—	·01	·34		18
19	—	—	18	·02	·01	—	—	—	·28	·02	·01	—		19
20	—	—	06	—	—	·07	·24	—	·01	·04	—	—		20
21				·20	—	·21	—	—	—	·05	—	·15		21
22	—	—	—	—	—	—	·16	·22	·42	·03	·02	·37		22
23	—	—	—	·60	—	·18	·31	—	·01	·03	—	—		23
24	—	03	—	·33	—	·21	·21	—	·07	—	—	·68		24
25	18	—	—	·10	—	—	—	—	·01	·10	—	·02		25
26	08	—	—	·06	—	·21	—	—	—	·05	—	·34		26
27	08	—	—	·18	—	·11	—	—	·03	·08	—	·22		27
28	—	03*	—	·14	—	·20	—	·60	—	—	·02	—		28
29	—	—	—	—	—	—	—	·36	·27	—	·04	·78		29
30	12	×	—	—	—	—	—	·05	·02	—	—	·19		30
31	03	×	—	×	—	×		·01	×	·14	×	—		31
TOTAL	3 41 3·40	·08	3·07	69 2·73	3 ·26	1·38	7 1·17	77 2·78	1·29	5 2·92	5·02 4·18	1 9·04	Year's Total.	33·19
* Days with .01 in. or more.	19	3	14	19	6	10	6	14	10	19	18	25	168	
* Days with .04 in. or more.	14	—	12	16	4	9	6	11	5	14	13	22	126	

OK

40-9999

* See Instruction 2 (f) on other side.

7 N

† Spare column, no entries required.

(*Signed*) X REV H.H. BRETON X [P.T.O.

FORM 1091. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.....

NOTE—Records taken in inches should be entered on Form 1090.

At Westham

In the County of Sx

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft* .... *in.*
Height of Ground above Sea Level 50 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				0·2mm. or more	1·0mm. or more
	Millimetres	Millimetres	Date.		
JAN.	3·40				
FEB.	·08				
MAR.	3·07				
APRIL	6 9 2·73				
MAY	3 ·~~4~~6				
JUNE	1·38				
JULY	7 1·1~~4~~				
AUG.	7 7 2·~~4~~8				
SEPT.	1·29 ~~1·29~~				
OCT.	51 2·92				
NOV.	5·22 ~~4·76~~	1·93	8		
DEC.	9·04				
Total	33·19				

Signature..........................

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
....
....

Hour of observation by the clock—in Winter G.M.T in Summer G.M.T.

Nearest Railway Station Westham & Pevensey Distance 1/2 mile Direction from gauge E.S.E

Nearest Parish Church at Westham Distance 1/2 mile Direction from gauge E.S

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—
....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

M.O. 7
25 [illegible]

(*c*) *On some measures there is graduation marked* ·05; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·05 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}3{\cdot}6$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was 3·6 mm.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* 0·2 mm. *or more" includes all the days with any rain except those for which the entry is "trace" or* 0·1 *mm. The "number of days with* 1·0 *mm. or more" includes all the days with any rain except those for which the entries are trace*, 0·1, 0·2, 0·3, 0·4, 0·5, 0·6, 0·7, 0·8, *or* 0·9 mm.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(324) Wt.26155/1776/2215 1,000 2/31. Gp. 119/111.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 536/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. 5

Kept at Westham near Pevensey
in the County of Sussex
Diameter of Funnel of Gauge ~~12~~ 8 ins
Height of top of Gauge above Ground 1 ft ...... in.
,, Ground ,, Sea Level 50 ft.

- - cr.
1 1 1
w.P. cr.

Days
Tots
Account

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·54 ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	·06	—	·09	—	—	—	·03	·49	·23	·77		1
2	·20	·02	·14	·03	·02	·04	—	—	·04	·08	·26	—		2
3	·12	—	—	·08	—	—	—	—	—	·71	·07	—		3
4	—	—	·11	·04	—	—	—	—	·10	·29	·11	—		4
5	—	·10	—	·42	—	·11	—	—	·83	·33	·01	·20		5
6	—	·41	·04	·11	—	—	—	—	·88	·61	—	·02		6
7	·03	·11	·02	·34	—	·11	—	—	—	·12	·50	·10		7
8	·09	snow ·06	—	·34	—	·13	—	—	—	—	1·07	·11		8
9	·03	—	—	·35	—	—	—	·10	—	·70	·43	·03		9
10	·01	—	—	·27	—	·31	—	—	—	·82	·21	·02		10
11	·16	·01	·23	·09	—	·12	—	—	—	·02	·27	·12		11
12	·06	—	·04	—	—	—	·15	—	—	—	·69	—		12
13	—	·22	—	—	—	·25	—	·07	·10	—	·50	·03		13
14	·07	·26	—	·26	—	—	—	—	—	—	·44	·04		14
15	—	—	—	—	·17	·13	—	—	—	·13	—	·14		15
16	—	·25	—	·62	·02	·03	—	—	·82	·03	·49	·14		16
17	—	·07	·04	·22	—	—	—	—	·39	·02	·84	—		17
18	·02	—	·04	·14	—	·37	—	·04	·17	—	·44	—		18
19	—	—	—	·42	·04	·06	—	—	·92	·16	·02	—		19
20	—	—	—	·13	·40	·04	·03	—	·28	—	·13	—		20
21	—	·53	—	·07	·03	·06	·11	—	·06	—	·20	—		21
22	·02	·25	—	—	—	—	—	—	·02	·20	·08	—		22
23	—	·22	·04	—	—	—	—	·25	·12	—	·02	—		23
24	—	·17	·05	—	—	—	—	·52	—	—	—	·27		24
25	·05	·62	—	—	·30	—	—	1·09	·78	—	—	·48		25
26	·14	1·01	—	·23	·07	·41	—	·01	—	—	—	·44		26
27	·02	—	—	—	—	·03	—	·21	·08	·06	·03	·25		27
28	—	·47	—	—	—	—	—	·12	·19	—	·24	·34		28
29	·01	·06	—	—	·03	—	—	—	·03	·03	·14	·27		29
30	—	×	—	—	·06	—	—	·36	·38	—	·04	·31		30
31	·08	×	—	·09 ×	·04	×	—	1·96	·49 ×	·12 ·23	·77 ×	·36		31
TOTAL	1.11 ~~1·28~~	4.84 ~~4·78~~	·75 ~~·80~~	4.25 ~~4·16~~	1.18 ~~1·27~~	2·20	·29	4.93 4.76 ~~4·73~~	6.68 ~~6·22~~	4.66 ~~4·92~~	8.00 ~~6·71~~	·59 4.21 ~~4·44~~	Year's Total ~~41·75~~	42.93
*Days with ·01 in. or more.	16	18	10	19	12	15	3	12	19	18	25	20	186	
*Days with ·04 in. or more.	9	16	9	18	7	13	2	10	17	14	21	16	152	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 536/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sea View - Westham -

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level ..... ft.

1574919/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·54	·20	·06 snow	·15	—	·11	·18	·23	—					1
2	·26	·16	·02	·32	—	·18	·16	·41	—					2
3	·03	·03	—	—	—	·31	·11	·10	—					3
4	—	—	—	·24	—	·02	·14	—	·10					4
5	·01	—	·08	—	—	·14	·03	—						5
6	·15	—	—	—	—	—	—	·07						6
7	·45	—	—	—	—	·03	·02	·05						7
8	·39	—	·11	—	—	·06	·09	—						8
9	·55	—	·02	—	—	—	·10	—						9
10	·25	—	·03	—	—	—	·55	·04						10
11	·07	—	·03	—	—	—	·02	·20						11
12	·09	—	—	·05	—	—	·01	·02						12
13	·02	—	—	·02	·04	·24	·42	—						13
14	—	—	—	—	—	·07	·04	·02						14
15	—	·13	—	·03	—	·12	·27	—						15
16	—	·07	—	·05	—	—	·17	—						16
17	·24	·13	—	—	·13	—	—	—						17
18	·09	·62	—	—	—	·30	—	—						18
19	·17	·11	—	—	—	·05	·19	—						19
20	·30	·07	·03	·03	—	·70	·30	·15						20
21	·32	·06	·02	·41	—	·06	—	—						21
22	—	·08	—	·79	—	·36	·10	—						22
23	·10	·38	·07	—	·04	·04	·09	—						23
24	—	·09	·11	·15	—	—	·12	—						24
25	·12	·05	—	—	—	—	—	—						25
26	·25	—	·19	·10	·03	·04	—	—						26
27	·02	·25	·15	—	—	·04	—	—						27
28	·29	·02	—	—	—	—	·17	—						28
29	·53	—	·30	—	—	·22	·01	—						29
30	·03	×	·03	—	—	·02	·30	—						30
31	·16	×	·03	×	·04	×	—	—	×		×			31
TOTAL	5·43 ~~5·63~~	2·45 ~~2·44~~	1·28 ~~·99~~	2·34 ~~2·14~~	·28	3·11 ~~3·45~~	3·59 ~~3·29~~	1·29	[illegible] ~~·10~~				Year's Total [illegible]	[illegible]
*Days with ·01 in. or more.										#				
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .....

[P.T.O.

BEXHILL (LIT

536/5

BEXHILL LITTLE COMMON

1939 - 1940

780111

Section A for the entry of D
AIR MINISTRY

tation No. 536/5
L ORGANIZATION

FORM 1091.

REGIST 9

Kept at BRENDON, PEARTREE
LITTLE CO

in the County of SUSS

9.4/5

Diameter of Funnel of Gauge 5

Height of top of Gauge above Groun

/33

,, Ground ,, Sea L

THE MORNING MEASUREM DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1									x	1·7	0·3	0·2		1
2									x	0·9	0·2	trace		2
3									—	0·1	6·2	8·3		3
4									✓	14·7	2·0	1·3		4
5									—	9·6	12·0	3·3		5
6									(10·0)	4·2	22·7	—		6
7									—	2·5	2·5	2·9		7
8									—	15·3	—	11·4		8
9									—	10·7	3·7	3·7		9
10									4·7	25·3	0·2	0·1		10
11									—	11·8	0·1	0·1		11
12									trace	0·1	—	0·2		12
13									—	39·2	—	2·9		13
14									trace	5·0	12·1	0·7		14
15									0·1	6·9	5·0	—		15
16									0·2	2·2	10·7	—		16
17									trace	—	2·2	—		17
18									trace	0·9	13·3	—		18
19									0·8	10·7	—	trace		19
20									1·7	0·1	—	0·3		20
21									4·6	0·3	—	—		21
22									trace	[illegible]	trace	—		22
23									trace	1·9	9·6	—		23
24								–1st.	0·2	1·4	1·3	—		24
25									—	—	21·4	0·1		25
26									0·1	8·1	6·8	0·4		26
27									—	10·0	4·6	—		27
28									—	0·6	5·0	3·7		28
29									—	0·1	0·3	—		29
30		✕							—	0·8	0·2	—		30
31		✕		✕		✕			✕	0·7	✕	0·1		31
TOTAL									22·4	185·8	142·4	39·7	Year's Total	np mp.
* Days with 0.2 mm. or more.									9	24	22	13		54
* Days with 1.0 mm. or more.									5	18	17	8		

(111w) * See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) C. Stuart Bailey [P.T.O.

·88 7.31 5.61 1.56

BEXHILL (LITTLE COMMON)

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. ~~536/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1939

Kept at BRENDON, PEARTREE LANE, LITTLE COMMON, BEXHILL.
in the County of SUSSEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 55 ft.

Sept part std. wesp

moved from S/st 94/5

£ 255518/33

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1									x	1·7	0·3	0·2		1
2									x	0·9	0·2	trace		2
3									–	0·1	6·2	8·3		3
4									✓	14·7	2·0	1·3		4
5									–	9·6	12·0	3·3		5
6									– (10·0)	4·2	22·7	–		6
7									–	2·5	2·5	2·9		7
8									–	15·3	–	11·4		8
9									–	10·7	3·7	3·7		9
10									4·7	25·3	0·2	0·1		10
11									–	11·8	0·1	0·1		11
12									trace	0·1	–	0·2		12
13									–	39·2	–	2·9		13
14									trace	5·0	12·1	0·7		14
15									0·1	6·9	5·0	–		15
16									0·2	2·2	10·7	–		16
17									trace	–	2·2	–		17
18									trace	0·9	13·3	–		18
19									0·8	10·7	–	trace		19
20									1·7	0·1	–	0·3		20
21									4·6	0·3	–	–		21
22									trace		trace	–		22
23									trace	1·9	9·6	–		23
24								-1st.	0·2	1·4	1·3	–		24
25									–	–	21·4	0·1		25
26									0·1	8·1	6·8	0·4		26
27									–	10·0	4·6	–		27
28									–	0·6	5·0	3·7		28
29									–	0·1	0·3	–		29
30		✕							–	0·8	0·2	–		30
31		✕		✕		✕			✕	0·7	✕	0·1		31
TOTAL									22·4	185·8	142·4	39·7	Year's Total	np inp.
* Days with 0.2 mm. or more.									9	24	22	13		54
* Days with 1.0 mm. or more.									5	18	17	8		

(111w) * See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) C. Stuart Bailey [P.T.O.

·88 7.31 5.61 1.56

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 536/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Brendon Pear Tree Lane Little Common Bexhill

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level app. 55 ft.

f 255518/33

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	0·1	–	0·1	✓	–								1
2	–	1·6	–	2·6	✓	–								2
3	–	7·7	–	0·9	-	–								3
4	trace	1·7	–	0·1	5·0	–								4
5	–	0·1	–	–	trace	–								5
6	3·6	3·1	trace	–	–	–								6
7	4·3	1·9	–	–	trace	–								7
8	–	0·4	–	trace	–	–								8
9	–	trace	–	0·3	–	–								9
10	–	–	–	–	–	trace								10
11	–	1·3	0·5	0·1	–	trace								11
12	–	0·8	4·0	0·1	–	–								12
13	–	0·2	8·3	–	–	8·6								13
14	–	trace	4·4	1·8	–	–								14
15	–	–	0·1	–	5·8	0·1								15
16	22·1	9·7	5·6	1·4	–	0·2								16
17	0·3	–	8·6	–	–	–								17
18	0·6	6·9	11·0	7·7	–									18
19	–	1·9	0·1	–	–									19
20	–	0·8	0·1	0·2	–									20
21	0·5	0·1	–	–	16·7									21
22	0·6	0·1	0·7	0·3	2·5	✓								22
23	–	7·8	1·4	9·1	0·1									23
24	–	0·1	trace	6·1	–									24
25	–	trace	7·7	0·1	0·7									25
26	18·5	5·4	2·9	–	2·2	14.00 B.S.T. 5·2✓								26
27	9·1	2·2	–	0·1	trace									27
28	6·7	0·1	–	0·4	0·7									28
29	14·7	0·7	4·5	-	10·0									29
30	4·7	✕	–	7·2✓	–									30
31	1·5	✕	–	✕	–	✕			✕		✕			31
TOTAL	87·2	54·7	59·9	38·6	43·7	14·1 (~~1·00~~)							Year's Total "	np
* Days with 0.2 mm. or more.	13	17	12	18	10	5							"	imp
* Days with 1.0 mm. or more.	9	12	10	7	7	3							"	[illegible]

(111w) * See Instruction 3 (f) on other side.

3·43 2·16 2·36 1·53 1·72 ·56

† Spare column, no entries required, except year's total.

(*Signed*) .... [P.T.O.

537

Section **A** **for the entry of**
AIR MINISTRY

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1?00.

REGIST

537

BEXHILL

1931- 1940

780111

/ .

196

Kept at Bexhill

in the County of Sussex

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

Y.

An observer who does not conform to t *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·17		·62				1·43				3
4													4
5						·72		·62					5
6										·24		·20	6
7													7
8													8
9													9
10											·80		10
11		·40											11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19							·57						19
20													20
21													21
22													22
23	·50												23
24				·80									24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	2·26	2·14	0·40	3·25	2·14	1·37	2·77	3·59	2·35	0·61	4·37	0·80	YEAR'S TOTAL 26·05
*Days with ·01 in. or more.	18	18	5	17	12	10	15	16	11	2	12	5	146
*Days with ·04 in. or more.	14	15	3	15	10	5	13	13	8	3	11	5	115
40-9999	57·4	54·3	10·2	82·6	54·4	34·7	70·3	91·2	59·7	15·5	110·9	20·3	661·5

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

537

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1[illegible]0.

REGISTER OF RAINFALL IN 1931 .

196

Kept at Bexhill

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·17		·62				1·43				3
4													4
5						·72		·62					5
6										·24		·20	6
7													7
8													8
9													9
10											·80		10
11		·40											11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19							·57						19
20													20
21													21
22													22
23	·50												23
24				·80									24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	2·26	2·14	0.40	3·25	2·14	1·37	2·77	3·59	2·35	0.61	4·37	0.80	YEAR'S TOTAL 26·05
*Days with ·01 in. or more.	18	18	5	17	12	10	15	16	11	7	12	5	146
*Days with ·04 in. or more.	14	15	3	15	10	5	13	13	8	3	11	5	115
40-9999	57·4	54·3	10·2	82·6	54·4	34·7	70·3	91·2	59·7	15·5	110·9	20·3	661·5

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.** 537

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM No.

REGISTER OF RAINFALL IN 1932.

196

Kept at Bexhill

in the County of Sussex

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·33								·12	2
3						·46							3
4													4
5													5
6													6
7													7
8										1·20			8
9													9
10	·70												10
11		·10											11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20					·65								20
21													21
22									·63		0·41		22
23													23
24													24
25							1·76						25
26								·47					26
27													27
28													28
29			·53										29
30		X											30
31		X		X		X			X		X		31
TOTAL	2·53	0·24	1·46	2·39	2·72	1·21	3·61	1·20	1·96	6·93	1·17	·41	YEAR'S TOTAL 25·83
*Days with ·01 in. or more.	16	8	10	18	16	6	10	5	15	19	10	11	144
*Days with ·04 in. or more.	8	2	7	15	13	5	9	4	10	15	7	5	100
40-9999	64·3	6·0	37·0	60·6	69·1	30·7	91·8	30·4	49·8	175·9	29·8	10·4	

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

537

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bexhill

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 11·98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·47											1
2													2
3													3
4													4
5	0·35												5
6													6
7													7
8							·29						8
9													9
10													10
11													11
12									1·20				12
13													13
14										·67			14
15	0·35												15
16			0·46										16
17													17
18						·40							18
19													19
20													20
21													21
22								·39					22
23													23
24													24
25				0·36							·37		25
26													26
27													27
28												·57	28
29					1·42								29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·10 ✓	1·60 ✓	1·84 ✓	0·94 ✓	2·81 ✓	1·43 ✓	1·09 ✓	0·97 ✓	4·21 ✓	2·42 ✓	1·41 ✓	1·05 ✓	YEAR'S TOTAL 21·87 ✓
*Days with ·01 in. or more.	16	14	12	6	12	12	11	8	13	12	8	7	131
*Days with ·04 in. or more.	13	8	11	5	9	9	7	6	13	10.	7	5	103

40-9999 53·4 46·7 23·8 36·3 27·7

(Signed) ....

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 537

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bexhill

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 11.98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2										·55				2
3														3
4														4
5														5
6			·44		·17									6
7														7
8											1·83			8
9														9
10														10
11	·95													11
12														12
13														13
14														14
15														15
16														16
17									·78					17
18														18
19														19
20														20
21														21
22														22
23				·46										23
24						1·43	·37							24
25														25
26														26
27														27
28		·07						·52						28
29		X												29
30		X										·61		30
31		X		X		X			X		X			31
TOTAL	2·81	0.13	2·35	2.12	0·50	2·44	1·00	1·65	1·79	2·19	3·47	7.24	Year's Total 27·69	
*Days with ·01 in. or more.	15	4	14	17	4	10	5	12	6	16	13	23	139	
*Days with .04 in. or more.	14	1	11	14	4	8	4	8	6	9	7	22	108	

† Spare column, no entries required.

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 537 / 196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bexhill

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.17													1
2														2
3			·21											3
4														4
5									·80					5
6														6
7														7
8														8
9						·39				·68				9
10														10
11							·14							11
12														12
13														13
14														14
15				·51										15
16											·87			16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24					·40									24
25		·99										·44		25
26														26
27														27
28														28
29														29
30		×						1·60						30
31		×		×		×			×		×			31
													Year's Total	
TOTAL	0.92	3.87	0.57	3.40	1.09	2.05	0.26	4.21	5.10	3.66	5.99	3.43	34.55	
*Days with ·01 in. or more.	12	17	7	19	8	15	5	11	18	19	22	17	170	
*Days with ·04 in. or more.	10	15	3	17	6	13	2	10	14	13	18	15	136	

40-9999

*See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 537

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1[illegible]0.

196

REGISTER OF RAINFALL IN 1936.

Kept at Bexhill

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in. mm

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·84						1
2														2
3														3
4														4
5														5
6	·51													6
7														7
8														8
9														9
10														10
11											·97			11
12														12
13														13
14							1·07							14
15														15
16														16
17		·57										·50		17
18														18
19														19
20														20
21				·61		·44								21
22														22
23														23
24														24
25									·38					25
26														26
27														27
28			·33			·44								28
29														29
30		×												30
31		×		×	·13	×			×	·46	×			31
													Year's Total.	
TOTAL	4·44	2·36	1·15	1·80	0·33	2·67	4·01	1·63	1·91	1·31	4·07	2·24	27·92	✓
* Days with .01 in. or more.	21	16	10	9	5	16	20	10	14	12	16	14	163	✓
* Days with .04 in. or more.	20	16	9	6	3	13	17	5	11	11	15	12	138	✓
40-9999	112·9	59·9	29·3	45·6	8·3	67·7	101·9	41·3	48·6	33·4	103·5	56·9	709·3	

† Spare column; no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 537/96

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1 1.

REGISTER OF RAINFALL IN 1937.

Kept at Bexhill (Egerton Park)
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 12 ft.

✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	·80										·46			1
2												·78		2
3														3
4														4
5														5
6														6
7														7
8														8
9		1.09		·46										9
10						·79								10
11			·64											11
12								·78						12
13														13
14														14
15							·52							15
16														16
17									·91					17
18														18
19														19
20					·78									20
21														21
22										1·10				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	✓ 5·24	✓ 4·83	✓ 4·03	✓ 2·58	✓ 2·19	✓ 1·96	✓ 1·08	✓ 1·73	2·62	✓ 3·79	✓ 1·27	✓ 4·20	Year's Total 35·52	✓
* Days with 0.2 mm. or more.	24	19	15	14	13	14	7	5	11	11	10	23	166	✓
* Days with 1.0 mm. or more.	20	13	15	12	8	11	6	3	9	10	7	16	130	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 133·1 122·6 102·4 65·5 55·5 49·7 27·5 44·0 66·6 96·2 32·2 107·0 902·3

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 537 ~~5387~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1…1.

REGISTER OF RAINFALL IN 1938 :

Kept at Bexhill (Egerton Park)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						·20								1
2														2
3										·57				3
4							30							4
5														5
6														6
7														7
8														8
9												·43		9
10														10
11														11
12														12
13	·45													13
14					·49									14
15		·19												15
16														16
17														17
18														18
19														19
20											·61			20
21														21
22														22
23														23
24			·22											24
25			·22											25
26												·43		26
27									·48					27
28								·66						28
29														29
30		✕		·43										30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	96·8	23·9	14·0	17·4	59·9	11·3	33·4	39·0	64·5	74·4	98·9	72·0	605·5	
* Days with 0.2 mm. or more.	21	11	5	6	13	6	12	7	12	17	18	20	148	
* Days with 1.0 mm. or more.	18	9	3	5	10	3	8	5	11	16	15	15	118	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 3·81 ·94 ·55 ·69 2·36 ·44 1·31 (Signed) 1·54 2·54 2·93 3·89 2·83 23·83 [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 537

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Bexhill (Egerton Park)
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4			·52					·54						4
5														5
6														6
7														7
8												·43		8
9														9
10									·24					10
11														11
12														12
13										1·66				13
14														14
15					·42									15
16						·26	·32							16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25	1·29	·42									·78			25
26														26
27														27
28														28
29														29
30		✕		·73										30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	140·8	38·8	48·7	60·8	18·0	26·1	38·9	41·6	17·8	204·7	136·5	36·9	8096	
* Days with 0.2 mm. or more.	22	12	16	14	5	12	16	9	11	24	21	9	171	
* Days with 1.0 mm. or more.	20	8	13	10	4	6	10	8	4	22	16	7	128	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 5·54 1·53 1·92 2·39 ·71 1·03 1·53 1·64 ·70 8·06 5·37 1·45 31·87

(Signed) [P.T.O.

196

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 53~~8~~7 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

~~61096537~~

Inc.

Kept at Bexhill (Egerton Park)
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 12 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1														1
2														2
3		·30												3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13						·45								13
14														14
15							·77							15
16	·78													16
17														17
18														18
19														19
20														20
21					·65									21
22														22
23				·40										23
24														24
25			·37											25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	69·8	46·7	61·5	37·3	43·8	19·8	64·7	tr						np imp.
* Days with 0.2 mm. or more.	9	15	11	12	9	4	15	0	— CEASED —					
* Days with 1.0 mm. or more.	8	12	10	7	8	4	12	0						
	2·75	1·84	2·42	1·47	1·72	·78	2·55	·00						

(141w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) .... [P.T.O.

537/7 3829

HASTINGS

WHITE ROCK GDNS

1934-1940

Section **A** for the entry … Station No. 537/7

AIR MINIS… …FALL ORGANIZATION.

FORM 109… **REG…** …934. 11/[illegible]/5.

Kept at Hastings (Wh…

in the County of …

…ora 25

Diameter of Funnel of Gauge…

Height of top of Gauge above Gr…

,, Ground ,, Sea…

THE MORNING MEA… …DAY.

An observer who does not conform … of the following year in the space on the right of this paragraph.

780111

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2										·55				2
3														3
4														4
5														5
6					·13									6
7														7
8											2·20			8
9														9
10														10
11								·52						11
12														12
13														13
14														14
15														15
16														16
17					·13									17
18												·66		18
19														19
20														20
21														21
22														22
23														23
24							·55							24
25														25
26														26
27														27
28						·35								28
29									·32					29
30		×												30
31		×		×		×			×		×			31
TOTAL	-	-	-	-	0·50	1·96	1·14	2·02	0·99	2·35	3·51	7·71	Year's Total	
*Days with ·01 in. or more.					8	11	5	11	6	16	14	27	-	
*Days with ·04 in. or more.					4	8.	5	9	6	9	11	24	-	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(*Signed*)……

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 537/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 109

REGISTER OF RAINFALL IN 1934.

11/Sussex/5.

Kept at Hastings (White Rock Gdns)

in the County of Sussex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 149 ft.

Get Partics from Room 25.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2										·55				2
3														3
4														4
5														5
6					·13									6
7														7
8											2·20			8
9														9
10														10
11								·52						11
12														12
13														13
14														14
15														15
16														16
17					·13									17
18												·66		18
19														19
20														20
21														21
22														22
23														23
24							·55							24
25														25
26														26
27														27
28						·35								28
29									·32					29
30		×												30
31		×		×		×			×		×			31
TOTAL	-	-	-	-	0·50	1·96	1·14	2·02	0·99	2·35	3·51	7·71	Year's Total	
*Days with ·01 in. or more.					8	11	5	11	6	16	14	27	-	
*Days with .04 in. or more.					4	8.	5	9	6	9	11	24	-	

N

† Spare column, no entries required.

(*Signed*)

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 537/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hastings (White Rock ~~Gdns~~)

in the County of

Diameter of Funnel of Gauge 5" in. X

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 149 ft.

Com. insp 1934 202/5

[illegible] in place of [illegible] to

[illegible] station

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2	018													2
3			·21											3
4									·70					4
5														5
6														6
7														7
8														8
9						·76				0·82				9
10							·42							10
11														11
12														12
13														13
14														14
15				·52										15
16											·87			16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24					·39							·48		24
25		1·19												25
26														26
27														27
28														28
29														29
30		X						1·68						30
31		X		X		X			X		X			31
TOTAL	1·25	4·10	0·55	3·48	1·42	2·38	0·49	5·15	5·35	4·09	6·12	3·69	Year's Total 38·07	O.K.
*Days with ·01 in. or more.	18	19	8	19	11	19	4	11	18	18	26	19	190	
*Days with ·04 in. or more.	12	16	3	18	7	14	2	8	14	14	20	17	145	

40-9999

*See Instruction 2 (f) on other side.

101

† Spare column, no entries required.

(Signed) TOWN CLERK

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 537/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

202/5

Kept at Hastings (White Rock Gdns)

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 149 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·60						1
2														2
3														3
4														4
5														5
6														6
7														7
8	·51										·77			8
9														9
10														10
11														11
12														12
13														13
14							1·12							14
15														15
16														16
17		·56										·53		17
18														18
19														19
20														20
21				·69		·56								21
22														22
23														23
24														24
25									·71					25
26			·23											26
27														27
28														28
29														29
30		×											Adopt for BR	30
31		×		×	·06	×			×	·65	×		Cm	31
TOTAL	4·88	2·18	1·20	2·06	0·07	3·27	4·40	1·42	2·24	1·59	3·94	2·06	Year's Total 29·31	~~Conservancy value~~ ~~(29·32)~~
* Days with .01 in. or more.	23	17	18	8	3	19	21	9	15	15	16	15	179	✓
* Days with .04 in. or more.	19	16	8	7	1	17	18	6	12	9	15	13	141	✓
40-9999	124·0	55·4	30·5	52·3	1·8	83·1	111·8	36·1	56·9	40·4	100·1	52·3	744·7 ✓	

† Spare column, no entries required.

(Signed) ....

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 537/7. 202/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1[illegible]1.

REGISTER OF RAINFALL IN 1937.

Kept at Hastings (White Rock) ~~Stn.~~

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 149 ft.

White

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	·79										·38			1
2				·51										2
3														3
4		1·22												4
5														5
6														6
7														7
8														8
9														9
10						·47								10
11			·93											11
12														12
13												·68		13
14														14
15							·75							15
16								·75						16
17														17
18									1·08					18
19														19
20					·65									20
21														21
22										1·24				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	5·18	5·64	4·49	2·69	2·22	1·61	1·52	1·75	2·76	3·64	1·29	4·41	Year's Total 37·20	
* Days with 0.2 mm. or more.	23	23	15	15	11	14	7	4	12	13	9	22	168	
* Days with 1.0 mm. or more.	20	17	12	12	10	11	6	3	11	10	8	16	136	

(141w) * See Instruction 2 (f) on other side.

40-9999.

† Spare column, no entries required, except year's total.

(*Signed*) ....

[P.T.O.

202/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 537/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Hastings (White Rock)
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·27								1
2														2
3										·63				3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13		·23												13
14					·53									14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24			·24											24
25											·66			25
26	·53											·48		26
27					·53		·27		·38					27
28								·74						28
29														29
30		✕		·38										30
31		✕		✕		✕			✕		✕			31
TOTAL	4·27	1·14	·69	·83	2·66	·55	1·48	1·90	2·33	3·60	3·94	3·32	Year's Total 26·71	
* Days with .01 in. or more.	22	11	5	7	15	7	15	10	14	20	20	22	168	
* Days with .04 in. or more.	17	9	4	6	11	4	12	4	11	16	16	19	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

~~202~~5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 537/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hastings (White Rock)

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 49 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4			·47					·47						4
5														5
6														6
7														7
8												·43		8
9														9
10									·23					10
11														11
12														12
13										1·58				13
14														14
15					·54									15
16							·32							16
17														17
18														18
19														19
20														20
21														21
22						·40								22
23														23
24														24
25	1·28						·32				·95			25
26														26
27														27
28		·59												28
29														29
30		✕		·72										30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	6·09	1·80	2·32	2·56	·98	1·28	1·84	1·93	·70	8·84	6·21	1·79	36·37	
* Days with .01 in. or more.	23	13	16	11	5	13	16	12	11	24	21	18	183	
* Days with .04 in. or more.	23	8	12	10	4	5	12	9	5	21	16	8	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

202/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 537/71

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 090

REGISTER OF RAINFALL IN 1940

Kept at Hastings (White Rock)
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3											1.74			3
4														4
5														5
6										.67				6
7														7
8														8
9														9
10														10
11														11
12														12
13						.87								13
14												.51		14
15							.68							15
16														16
17														17
18														18
19									1.05					19
20														20
21					.59									21
22														22
23		.39		.42										23
24														24
25			.41											25
26	.71													26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	3.12	2.17	2.65	1.69	1.58	1.11	2.88	tr	2.49	3.75	7.80	2.68	31.92	
* Days with .01 in. or more.	13	17	12	12	10	5	17	0	11	16	20	15	148	
* Days with .04 in. or more.	10	14	9	7	7	3	14	0	7	15	16	11	113	

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

538

Section **A** for the entry o

AIR MINISTR

FORM 1090.

REGIS

FOR OFFICIAL USE.

ALL ORGANIZATION.

31.

202

538

HASTINGS

ST. LEONARDS

1931 – 1936

780111

Kept at Hastings,

in the County of Su

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU **Y.**

An observer who does not conform to *following*
year in the space on the right of th

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·17		·23				·50				3
4													4
5						·37		·74					5
6										·25			6
7													7
8												·29	8
9													9
10													10
11		·39									·96		11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19							·58						19
20													20
21													21
22													22
23	·60												23
24				·74									24
25													25
26													26
27													27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.77 ✓	2.1~~2~~8	0.48 ✓	3.55 ✓	2.29 ✓	1.11 ✓	3.08 ✓	3.89 ✓	1.71 ✓	0.76 ✓	5.15 ✓	0.93 ✓	YEAR'S TOTAL 27.~~84~~ 90 ✓
*Days with ·01 in. or more.	21	22	9	17	13	13	21	17	11	12	19	14	189
*Days with ·04 in. or more.	15	18	4	16	10	6	13	13	8	5	12	5	125
40-9999	70.3	55.3	12.2	90.1	58.3	28.3	78.2	98.8	43.4	19.2	130.8	23.5	708.4

*See Instruction 2 (*f*) on other side.

(Signed) Hastings Corp.

[P.T.O.

538

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

202

Kept at Hastings St Leonards

in the County of Sussex

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 178 ft.

400

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·17		·23				·50				3
4													4
5						·37		·74					5
6										·25			6
7													7
8												·29	8
9													9
10													10
11		·39									·96		11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19							·58						19
20													20
21													21
22													22
23	·60												23
24				·74									24
25													25
26													26
27													27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.77	8 2.12	0.48	3.55	2.29	1.11	3.08	3.89	1.71	0.76	5.15	0.93	YEAR'S TOTAL 90 27.~~84~~
*Days with ·01 in. or more.	21	22	9	17	13	13	21	17	11	12	19	14	189
*Days with ·04 in. or more.	15	18	4	16	10	6	13	13	8	5	12	5	125
40-9999	70.3	55.3	12.2	90.1	58.3	28.3	78.2	98.8	43.4	19.2	130.8	23.5	708.4

(Signed) X Hastings Corp x

[P.T.O.

*See Instruction 2 (*f*) on other side.

538

202

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Hastings. St. Leonards

in the County of Sussex

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" Ground " Sea Level 178 ft.

400·

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												·08	2
3						·59							3
4													4
5													5
6	·61												6
7													7
8													8
9					·39								9
10				·40									10
11		·07											11
12													12
13										1·21			13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22									·60		0·42		22
23													23
24													24
25							1·52						25
26								·37					26
27													27
28													28
29		✕	·53										29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	2·62 ✓	0·36 ✓	1·76 ✓	2·71 ✓	2·73	1·46 ✓	3·68 ✓	0·91 ✓	2·59 ✓	8·44 ✓	1·54 ✓	0·58 ✓	YEAR'S TOTAL 29·38
*Days with ·01 in. or more.	22	10	14	20	22	6	13	10	22	25	14	22	200
*Days with ·04 in. or more.	13	5	5	~~18~~17	16	5	8	3	15	18	8	5	118
40-9999	66·6	9·2	44·8	68·9	69·4	37·2	93·5	23·0	65·9	214·1	✓ 139·1	14·7	✓

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

538

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hastings, St Leonards (Gensing Gdns).

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 178 ft.

24

400

new site starting at White Rock Park

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5	0·38												5
6					·44								6
7													7
8													8
9													9
10		·52											10
11													11
12									1·09				12
13													13
14										·80			14
15											·60		15
16			052				·49						16
17													17
18						·41							18
19													19
20													20
21													21
22								·57					22
23													23
24													24
25				0·53									25
26													26
27													27
28												·32	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·49 ✓	2·01 ✓	2·24 ✓	1·32 ✓	1·62 ✓	1·36 ✓	1·45 ✓	1·34 ✓	4·68 ✓	2·44 ✓	2·33 ✓	0·78 ✓	YEAR'S TOTAL 24·06 ✓
*Days with ·01 in. or more.	18	16	12	10	14	~~7~~ 13	~~7~~ 11	9	13	19	18	9	~~152~~ 162 ✓
*Days with ·04 in. or more.	13	9	11	5	8	~~6~~ 7	~~4~~ 7	9	11	8.	9	6	~~99~~ 103 ✓
40-9999	63·2		57·0	33·5		34·5	36·9						

D

(Signed)

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 538

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hastings St Leonards (Gensing Gdns)

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 178 ft.

400
24

New site starting at White Rock Park

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2										·57				2
3														3
4														4
5														5
6			·50											6
7														7
8											2·06			8
9														9
10														10
11	1·08							·52						11
12														12
13														13
14														14
15														15
16					·15									16
17														17
18												·63		18
19														19
20														20
21														21
22														22
23				·52										23
24							·55							24
25														25
26														26
27														27
28		·16				·37								28
29		X							0·31					29
30		X												30
31		X		X		X			X		X			31
TOTAL	3·21	0·30	2·67	2·37	0·57	1·91	1·15	2·00	1·04	2·59	3·69	7·76	Year's Total 29·26	
*Days with ·01 in. or more.	18	12	16	18	9	13	6	11	7	19	19	30	178	
*Days with ·04 in. or more.	15	1	11	15	4	8	5	9	6	11	11	23	119	

† Spare column, no entries required.

(*Signed*)

P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 538

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St Leonards

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 178 ft.

40

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2	0·21													2
3														3
4														4
5									·67					5
6														6
7														7
8														8
9						·65				·78				9
10			·22											10
11							·35							11
12														12
13														13
14														14
15				·52										15
16											·85			16
17														17
18														18
19					·41									19
20														20
21														21
22														22
23														23
24												·47		24
25		1.15												25
26														26
27														27
28														28
29														29
30		×						1·58						30
31		×		×		×			×		×			31
TOTAL	1·32	4·17	0·62	3·42	1·47	2·35	0·42	5·05	4·91	4·24	5·85	3·42	Year's Total 37·24	
*Days with ·01 in. or more.	17	20	10	19	10	18	5	12	18	21 18	26	18	194	
*Days with .04 in. or more.	11	15	3	18	7	14	1	8	11	14	19	14	135	

40-9999

† Spare column, no entries required.

*See Instruction 2 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 538

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

202

Kept at St Leonards (Gensing Gdns)

in the County of Sussex

400

mm

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 178 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7	·44													7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17		·56												17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	4·18	2·18											Year's Total.	
* Days with .01 in. or more.	24	18												
* Days with .04 in. or more.	17	15												

Ceased

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

X ST. LEON

538|5

ST. LEONARDS FILSHAM W.W.

1935 - 1940

780111

Section **A** for the entr
AIR MINI

Station No. 538|5
NFALL ORGANIZATION.

FORM 1090.

REC 935.

Sussex/6.

|26

Kept at ...... ~~[illegible]~~

in the County of ......

Diameter of Funnel of Gauge.

Height of top of Gauge above

,, Ground ,,

THE MORNING MEAS Y.

An observer who does not conf of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	-	·04	·01	-	·14	·01	-	·05	·19	·15	-		1
2	·18	-	-	·10	-	-	·01	-	-	·06	·05	·01		2
3	-	-	·16	·03	-	-	-	-	·04	·36	·14	·24		3
4	-	·08	-	·37	-	·13	-	-	·56	·34	·01	·01		4
5	-	·42	·02	·12	-	·01	-	-	·71	·48	-	·14		5
6	·12	·14	·01	·32	-	·05	-	-	-	·24	·36	-		6
7	·13	·03	-	·24	-	·22	-	-	-	-	·89	·05		7
8	-	-	-	·29	-	-	-	·28	-	·05	·29	·02		8
9	-	-	-	·20	-	·52	-	-	-	·95	·14	·23		9
10	·08	·02	·24	·06	-	·08	-	-	-	·01	·11	·05		10
11	·08	tr	-	-	-	-	·26	-	-	-	·35	-		11
12	-	·10	-	-	-	·19	-	·40	·02	-	·35	·05		12
13	·04	·24	-	·13	-	·01	-	-	-	-	·53	·14		13
14	-	-	-	-	·25	·14	-	-	-	tr	-	·12		14
15	-	·18	-	·44	-	·08	-	-	·60	tr	·41	·11		15
16	-	·02	·01	·23	-	·01	-	-	·20	·02	·92	-		16
17	·01	-	·01	·19	-	·41	-	-	·31	·01	·44	-		17
18	-	-	-	·24	·01	·04	-	·03	·68	·11	·01	·01		18
19	-	-	-	·05	·41	·03	·04	-	·17	-	·01	-		19
20	-	·40	-	·06	·04	·05	·01	-	·03	·02	·14	-		20
21	·02	·14	-	·02	nil	-	-	-	tr	·12	·04	-		21
22	-	·11	·02	-	-	-	-	·03	·12	-	·01	·03		22
23	-	·04	·01	-	-	-	-	·63	-	-	·05	·03		23
24	·04	·42	-	-	·44	-	-	1·29	·68	·08	-	·42		24
25	·08	1·13	·05	·14	·09	·34	-	-	-	·02	-	·37		25
26	·02	·09	-	-	-	·09	-	·14	·01	·05	·01	·14		26
27	·14	·25	-	-	-	-	-	·09	·14	-	·14	·19		27
28	·02	·12	-	-	·10	-	-	·01	·02	·02	·05	·16		28
29	-	·04	-	-	·09	-	-	-	·44	-	·01	·35		29
30	·05	✗	-	·18	·05	-	-	1·40	·64	·01	·68	·22		30
31	-	✗	-	✗	·02	✗	-	·03	✗	·24	✗	·36		31
TOTAL	1·20	4·03	0·52	3·48	1 50 ~~1·10~~	2·54	0·33	4·66	5·45	3·41	6·32 ~~6·30~~	3·51	Year's Total 36·53	o.k. print
* Days with .01 in. or more.	15	19	9	20	10	18	5	11	18	20	26	22	~~50~~	193
* Days with .04 in. or more.	11	16	3	14	8	14	2	4	14	13	20	14	142	

40-9999.

* See Instruction 2 (f) on other side.

N.

† Spare column, no entries required.

(*Signed*) ...... ~~[illegible]~~ [P.T.O.

X S. LITTLE ESQ CE X

X ST. LEON

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 538/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Sussex/6.

Kept at ~~Filsham Reservoirs~~

in the County of Sussex

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 158 ft.

685233/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.13	-	.04	.01	-	.14	.01	-	.05	.19	.15	-		1
2	.18	-	-	.10	-	-	.01	-	-	.06	.05	.01		2
3	-	-	.16	.03	-	-	-	-	.04	.36	.14	.24		3
4	-	.08	-	.37	-	.13	-	-	.56	.34	.01	.01		4
5	-	.42	.02	.12	-	.01	-	-	.71	.48	-	.14		5
6	.12	.14	.01	.32	-	.05	-	-	-	.24	.36	-		6
7	.13	.03	-	.24	-	.22	-	-	-	-	.89	.05		7
8	-	-	-	.29	-	-	-	.28	-	.05	.29	.02		8
9	-	-	-	.20	-	.52	-	-	-	.95	.14	.23		9
10	.08	.02	.24	.06	-	.08	-	-	-	.01	.11	.05		10
11	.08	tr	-	-	-	-	.26	-	-	-	.35	-		11
12	-	.10	-	-	-	.19	-	.40	.02	-	.35	.05		12
13	.04	.24	-	.13	-	.01	-	-	-	-	.53	.14		13
14	-	-	-	-	.25	.14	-	-	-	tr	-	.12		14
15	-	.18	-	.44	-	.08	-	-	.60	tr	.41	.11		15
16	-	.02	.01	.23	-	.01	-	-	.20	.02	.92	-		16
17	.01	-	.01	.19	-	.41	-	-	.31	.01	.44	-		17
18	-	-	-	.24	.01	.04	-	.03	.68	.11	.01	.01		18
19	-	-	-	.05	.41	.03	.04	-	.17	-	.01	-		19
20	-	.40	-	.06	.04	.05	.01	-	.03	.02	.14	-		20
21	.02	.14	-	.02	nil	-	-	-	tr	.12	.04	-		21
22	-	.11	.02	-	-	-	-	.03	.12	-	.01	.03		22
23	-	.04	.01	-	-	-	-	.63	-	-	.05	.03		23
24	.04	.42	-	-	.44	-	-	1.29	.68	.08	-	.42		24
25	.08	1.13	tr	.14	.09	.34	-	-	-	.02	-	.37		25
26	.02	.09	-	-	-	.09	-	.14	.01	.05	.01	.14		26
27	.14	.25	-	-	-	-	-	.09	.14	-	.14	.19		27
28	.02	.12	-	-	.10	-	-	.01	.02	.02	.05	.19		28
29	-	.04	-	-	.09	-	-	-	.44	-	.01	.35		29
30	.05	✕	-	.18	.05	-	-	1.40	.64	.01	.68	.22		30
31	-	✕	-	✕	.02	✕	-	.03	✕	.24	✕	.36		31
TOTAL	1.20	4.03	0.52	3.48	~~1.10~~ 1.50	2.54	0.33	4.66	5.45	3.41	~~6.30~~ 6.32	3.51	Year's Total 36.53	o.K. print
* Days with .01 in. or more.	~~4~~ 15	~~8~~ 19	~~6~~ 9	~~8~~ 20	~~8~~ 10	~~4~~ 18	~~8~~ 5	~~4~~ 11	~~8~~ 18	~~1~~ 20	~~6~~ 26	~~5~~ 22	~~50~~	193
* Days with .04 in. or more.	11	16	3	14	8	14	2	4	14	13	20	14	142	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

N.

(Signed) ~~[illegible]~~ [P.T.O.

X S. LITTLE ESQ C.E. X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 538/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Days

Kept at Filsham Resr

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	.19	-	.22	-	.59	.09	.40	-	-	.53	.11		1
2	.02	.06	-	.32	-	.18	.07	.08	-	-	-	.05		2
3	-	-	-	-	-	.01	.11	-	.13	-	.08	-		3
4	tr	-	.08	-	-	.19	.04	-	.28	-	.54	.09		4
5	.11	-	-	-	-	-	-	.03	.24	-	.03	.03		5
6	.49	-	-	-	-	.04	tr	.03	.15	.15	.10	.02		6
7	.40	-	.11	-	-	tr	.06	-	-	.03	.40	-		7
8	.41	-	.03	-	-	-	.07	-	tr	-	.42	.19		8
9	.32	-	.01	-	-	-	.31	.01	.03	.02	.69	-		9
10	.02	-	tr	-	-	.03	.02	.52	-	.04	.31	-		10
11	.03	-	-	.07	-	-	tr	.05	-	-	.09	-		11
12	-	-	-	.02	-	.18	.26	.03	tr	-	.08	.09		12
13	-	-	-	.01	-	.05	.01	-	-	.01	-	.10		13
14	-	.07	-	.02	-	.06	1.11	-	.11	.01	.11	.36		14
15	-	.04	-	.01	-	-	.42	-	-	-	.16	.33		15
16	.39	.11	-	tr	.02	-	-	-	-	-	.16	.19		16
17	.05	.57	-	-	-	.13	.01	-	.02	-	.10	.61		17
18	.13	.05	-	-	-	.07	.13	-	-	.07	.15	.05		18
19	.21	.06	.01	.01	-	.12	.28	.05	-	.01	.15	-		19
20	.34	.07	.01	.42	-	-	.13	-	.20	.02	.01	-		20
21	-	.05	-	.64	tr	1.02	.17	-	.14	-	-	-		21
22	.01	.33	.04	.01	-	.04	.05	-	.01	-	tr	.06		22
23	.03	.11	.06	.13	-	-	.07	-	-	-	-	-		23
24	.08	.15	-	-	-	-	-	-	.03	-	-	-		24
25	.41	.02	.13	.08	tr	.06	-	-	.60	.13	tr	-		25
26	-	.11	.19	-	-	.07	-	-	.09	.08	-	tr		26
27	.14	.11	.01	-	-	-	.33	-	.19	.02	-	-		27
28	.41	-	.13	-	-	.45	.02	-	.01	.09	.01	.02		28
29	.01	.04	.23	-	-	.08	.29	-	-	-	.01	tr		29
30	.13	✕	.02	-	.07	.03	-	-	-	.03	-	-		30
31	.15	✕	.11	✕	.03	✕	.21	-	✕	.05	✕	.11		31
													Year's Total	
TOTAL	4.48	2.14	1.14	~~1.95~~ 1.96	0.12	~~3.30~~ 3.40	4.26	1.20	2.23	0.76	4.13	2.41	28.15	✓
* Days with .01 in. or more.	~~6~~ 22	~~7~~ 17	~~6~~ 15	~~6~~ 13	~~2~~ 3	~~3~~ 19	~~4~~ 23	~~4~~ 9	~~5~~ 15	~~8~~ 15	~~4~~ 20	~~3~~ 16	~~52~~	187 ✓
* Days with .04 in. or more.	16	16	9	7	1	16	19	5	10	7	16	13	135	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A.W. Simmonds [P.T.O.

X S. Little Eng. C.E. X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 538/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Filsham Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·80	·01	-	·23	-	-	-	-	-	-	·39	·38		1
2	trace	·28	-	·46	-	-	-	-	-	·05	·01	·65		2
3	·05	·07	-	-	-	-	-	-	-	-	-	·13		3
4	·08	1·18	-	trace	-	-	-	-	-	-	-	·29		4
5	·25	·01	·46	-	-	-	·24	-	-	·32	-	-		5
6	·04	·01	·71	·01	·22	-	trace	-	-	·01	-	·02		6
7	-	1·07	·13	·09	·02	-	-	-	trace	-	-	·19		7
8	-	·01	·30	-	·05	·07	-	-	-	-	·08	·18		8
9	-	-	-	·47	·17	·07	·06	-	·31	-	-	·07		9
10	-	-	·47	·04	·12	·51	-	-	-	-	-	·07		10
11	-	-	·83	-	·04	·01	·02	·75	trace	-	-	·02		11
12	·54	·30	·15	-	·37	·22	-	-	·14	-	-	·05		12
13	·54	·04	·49	·08	·01	·19	-	·17	·08	-	-	·69		13
14	·07	·02	·02	-	·20	·01	-	-	·09	-	-	·36		14
15	·10	·10	-	·23	-	·10	-	·85	·03	-	-	-		15
16	·03	·03	·13	·21	-	·07	·54	-	·01	-	·21	-		16
17	·31	·01	-	·02	-	·10	-	-	·88	-	·16	-		17
18	·15	·13	-	-	·05	·09	-	-	·97	-	·06	-		18
19	·03	·12	·05	·20	·04	·05	-	-	·04	-	-	·16		19
20	·25	-	·23	·30	·64	·04	-	·05	-	-	-	·16		20
21	·31	·39	·01	·13	-	-	-	-	·01	-	·01	·03		21
22	·28	trace	trace	-	·02	-	·01	-	-	1·17	·15	·01		22
23	·03	-	-	-	-	·03	·38	-	-	·28	·04	·06		23
24	·54	·35	-	-	-	-	-	-	-	·06	-	-		24
25	·18	·44	·34	-	trace	-	-	-	·03	·49	-	-		25
26	·01	·61	·02	-	-	-	-	-	-	·46	-	-		26
27	-	·16	-	·26	-	-	-	-	trace	·11	-	-		27
28	·11	·14	-	·02	-	·05	-	-	-	-	-	·05		28
29	·05	-	·01	-	-	-	-	-	-	·10	·02	·02		29
30	·18	✕	-	-	-	-	-	-	-	·19	·08	·03		30
31	·26	✕	-	✕	-	✕	-	-	✕	·22	✕	·02		31
TOTAL	5·19	5·48	4·35 ~~3·95~~	2·75	1·95	1·61	1·24	1·82	2·59	3·46 ~~3·36~~	1·21	3·64 ~~3·66~~	Year's Total 34·81	✓
* Days with .01 in. or more.	24 ~~4~~	22	16 ~~4~~	15 ~~3~~	13 ~~3~~	15 ~~3~~	6 ~~2~~	4 ~~0~~	11 ~~4~~	12 ~~4~~	11 ~~3~~	22 ~~4~~	171 ~~4~~	✓
* Days with .04 in. or more.	20	15	12	12	10	12	4	4	7	11	8	15	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. W. Simmonds [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 538/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Filsham Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 37 ft.

Day
w.f.h.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·01	-	-	·07	·29	·12	-	·26	·09	·07	·05		1
2	-	-	-	·05	tr	-	·09	-	-	·34	-	·03		2
3	-	-	-	-	-	-	·17	-	-	·81	·16	-		3
4	·04	-	tr	-	-	-	·14	·22	-	·25	-	·12		4
5	-	-	-	-	-	-	·20	tr	-	·38	-	·01		5
6	·17	-	-	-	-	·02	-	-	·13	-	·04	·02		6
7	-	-	-	-	-	-	·09	·49	·02	·31	·01	·12		7
8	·17	-	-	-	-	-	·09	-	-	·15	-	·05		8
9	·37	·03	·01	-	-	-	-	·01	-	·28	-	·37		9
10	·14	·07	-	-	-	-	·02	-	-	-	-	·24		10
11	·39	-	-	-	-	-	-	-	-	-	·06	·17		11
12	·39	·01	-	-	-	tr	tr	-	-	·07	-	-		12
13	·44	·27	-	-	-	-	-	-	-	·12	·12	·06		13
14	·28	·02	-	-	·51	-	-	-	-	-	tr	·14		14
15	·06	·14	-	-	tr	-	·11	-	·02	·05	·09	·11		15
16	·29	·09	·04	-	·05	-	·15	·02	-	·13	tr	·20		16
17	-	·18	·01	-	·22	-	-	-	-	·05	·01	-		17
18	·07	-	-	-	·02	-	-	-	·34	·02	·46	-		18
19	-	-	-	-	·05	-	-	·02	·01	-	·20	-		19
20	-	-	-	-	·03	-	-	-	·34	-	·48	·34		20
21	·05	-	-	-	-	-	-	-	·18	-	·02	tr		21
22	-	-	-	·03	-	·05	-	·08	-	-	·37	·11		22
23	·01	-	-	·07	-	-	-	-	-	-	·01	-		23
24	-	-	·25	-	-	-	-	-	·05	-	·46	·14		24
25	·10	-	·27	·13	·13	-	·04	tr	·14	·01	·66	-		25
26	·50	·13	·09	·10	-	-	·03	·02	·25	·23	-	·45		26
27	·08	·08	-	-	·56	·16	·31	-	·43	·34	·49	-		27
28	·03	·06	-	-	·28	·04	-	·70	·23	-	·02	-		28
29	·25		-	·02	·23	·01	-	-	-	-	·09	·23		29
30	·04	✕	-	·38	·29	·06	-	-	·04	·01	·29	-		30
31	·21	✕	-	✕	·08	✕	-	-	✕	·14	✕	·17		31
TOTAL	4.09	~~1.08~~ 1.09	~~0.57~~ 0.67	0.78	2.52	0.63	~~1.54~~ 1.56	1.56	2.44	3.78	4.11	3.13	Year's Total 26.26	
* Days with .01 in. or more.	22	12	6	7	13	7	13	8	14	19	20	20		167 ✓
* Days with .04 in. or more.	19	8	4	5	11	5	11	4	11	16	15	17	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. W. Simmonds

S. Little Eng C.E.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 538/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at [illegible]sham W.W.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 12 in.

,, Ground ,, Sea Level 37 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	-	.02	.15	.14	-	.03	.10	.34	-	.03	-		1
2	-	.01	-	-	-	-	-	.12	.05	.11	-	-		2
3	.42	-	-	.22	tr	-	-	.21	-	.10	.22	.40		3
4	.08	-	.47	.10	-	-	.05	.55	.05	-	.15	.05		4
5	.39	-	.10	.42	.08	-	.05	-	-	.91	.46	.31		5
6	-	-	.06	-	-	-	.03	-	-	.41	.56	-		6
7	.11	.10	-	-	-	-	.03	.07	-	.23	.19	.09		7
8	-	.07	.06	-	-	-	tr	tr	-	.10	-	.50		8
9	.03	.03	-	-	-	-	-	.03	-	.50	.06	.11		9
10	.10	-	-	-	-	.22	-	.31	.21	.55	.01	-		10
11	.25	.01	.22	-	-	.02	-	-	-	1.10	-	-		11
12	-	-	-	-	.02	.04	-	-	-	.50	-	.02		12
13	.41	-	.03	-	-	.03	-	-	-	.01	-	.16		13
14	.46	-	-	-	-	.01	.11	-	-	1.56	.51	-		14
15	.17	-	-	-	.64	tr	-	-	.01	.17	.13	-		15
16	.10	-	.10	.13	.16	.32	.30	-	-	.40	.52	-		16
17	.05	.11	.03	-	tr	-	.03	-	-	-	.07	-		17
18	.19	-	.02	-	-	.04	.16	-	.06	-	.62	-		18
19	.21	-	.02	-	-	-	.37	-	.04	.04	-	.02		19
20	.30	-	-	-	-	.02	tr	-	.03	.51	-	-		20
21	.15	-	.18	-	-	tr	.13	-	.20	-	-	-		21
22	.26	.22	.11	.01	-	.25	.05	-	-	-	-	-		22
23	.05	.02	tr	.03	-	tr	.04	.01	-	-	.53	-		23
24	.20	.06	-	.12	-	tr	.10	-	-	.14	.07	-		24
25	1.30	.48	.31	.23	-	-	.28	-	-	.08	1.02	-		25
26	.05	-	.26	.01	-	-	-	-	.03	.52	.33	.05		26
27	.16	.07	.07	-	-	-	-	-	-	-	.20	-		27
28	-	.38	.04	-	-	.13	-	-	-	.04	.17	.14		28
29	-		-	.24	-	.01	-	-	-	.03	.03	-		29
30	-		-	.73	-	.02	-	-	-	.02	.01	-		30
31	-		-		-		.03	.02		.03		-		31
TOTAL	5.60	1.56	2.10	2.39	1.04	1.11	1.79	1.42	1.02	8.06 ~~6.06~~	5.89 ~~6.89~~	1.85	Year's Total 32.63	✓
* Days with .01 in. or more.	23	12	17	12	5	12	16	9	10	23	21	11	171	✓
* Days with .04 in. or more.	22	8	12	9	4	6	11	6	7	19	17	9	130	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. S. Simmonds

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 538/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at FILSHAM PUMPING STATION

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 37 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.02	.12	-	-	-	-	-	.08	-		1
2	-	.18	-	.11	.27	-	.03	-	-	.11	.40	-		2
3	-	.08	-	.09	-	-	-	-	-	.07	1.69	.21		3
4	-	.28	-	-	-	-	.20	-	-	.20	tr	.22		4
5	-	.06	-	-	-	-	-	-	-	-	.80	.26		5
6	.13	.12	-	-	-	-	.27	-	-	.69	.04	-		6
7	.17	.07	-	-	-	-	.01	-	-	-	-	-		7
8	-	-	-	-	-	-	-	-	.17	.28	-	.51		8
9	-	-	-	-	-	-	-	-	.02	.07	.47	.34		9
10	-	-	-	-	-	-	.27	-	.04	.48	.02	-		10
11	-	.03	-	-	-	-	-	-	-	-	1.28	-		11
12	-	.02	.12	.15	-	1.01	.09	-	.01	-	.01	-		12
13	-	.02	.35	-	-	-	-	-	.59	-	1.14	-		13
14	-	-	.35	.09	-	.02	-	-	-	-	-	.54		14
15	-	-	-	tr	.46	.03	.64	-	-	-	.31	-		15
16	.44	.13	.19	.05	-	-	.04	-	.13	.44	.58	.05		16
17	.02	-	.40	-	-	-	.01	-	-	-	.08	-		17
18	.09	.26	.29	.33	-	-	.06	-	-	.29	-	.06		18
19	-	.07	-	-	-	-	-	-	1.14	-	.17	.05		19
20	-	.04	-	.01	-	-	.09	tr	.11	.06	.25	-		20
21	.04	-	-	-	.50	-	.03	-	.03	.04	.23	-		21
22	-	-	.03	-	.21	.02	-	-	.10	-	-	-		22
23	-	.27	.04	.32	.01	-	.04	-	-	.14	.05	.01		23
24	-	-	-	.24	-	-	.23	-	-	-	-	-		24
25	-	-	.37	-	-	-	.17	-	-	.01	-	-		25
26	.71	.23	.30	-	.10	.14	.02	-	-	-	-	-		26
27	.41	.06	-	-	-	-	.14	-	-	-	-	-		27
28	.26	-	-	.18	-	-	-	-	-	-	-	-		28
29	.03	.13	.16	-	.02	-	-	-	.01	-	-	.29		29
30	.20	✗	-	.40	-	-	-	-	-	.09	-	.02		30
31	.08	✗	-	✗	-	✗	-	-	✗	.44	✗	.18		31
TOTAL	2.58	1.95	2.60	1.99	1.69	1.22	2.34	-	2.35	3.41	7.60	2.74	Year's Total 30.47	
* Days with .01 in. or more.	12 ~~2~~	17 ~~3~~	11 ~~1~~	12 ~~2~~	8 ~~2~~	5 ~~3~~	17 ~~5~~	-	11 ~~4~~	15 ~~1~~	17 ~~3~~	13 ~~2~~	~~28~~	138
* Days with .04 in. or more.	10	14	10	10	6	2	12	-	7	14	14 ~~15~~	11	~~111~~	110

169

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Simmonds [P.T.O.

ST LEONARDS (BRA

539/5

ST. LEONARDS BRANKSOME RD

1937

780111

Section **A** for the entry of Da

AIR MINISTRY.

ation No. 539/5

ORGANIZATION

FORM 1090

REGIST

Kept at Branksome House, S

in the County of Sussex (East)

Diameter of Funnel of Gauge.... five

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREM DAY

An observer who does not conform to th llowing year in the space on the right of this p

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·22	·3		·27							·13	·12		1
2	·62	·01		·40						·05		·02		2
3	·05	·28									·01			3
4	·07	1·01	·49				·25					·30		4
5	·01	·01	~~·07~~		·21					·39				5
6	·37	·19	·69	·13	·03		·01			·03		·15		6
7		·94			·20		·07					·13		7
8		·01	·32			·10					·12	·21		8
9			·10	·06		·09	·06		·34			·08		9
10			·42	·50	·17	·48		·02				·83		10
11			·01				·05	·63				·04		11
12	·67	·31	·03		·38				·18			·17		12
13	·53	·05		·11		·43		·01				·73		13
14	·04	·03	·02	·01	·24		~~·17~~	·28	·08					14
15	·11	·11	·04			·11	·17		·07			·01		15
16	·04	·04	·10	·25		·03		·89	·08		·10			16
17	·45	·02	·04	·23		·15			·95		·15			17
18	·04	·18	·06		·09	·11			1·03		·16	·16		18
19	·03	·09		·21	·05				·12		·12			19
20	·27		·25	·29	·66	·10					·09	·04		20
21	·35	·44	·02	·13			·02	·03				·63		21
22	·27	·02	·01		·04		·29			1·19		·09		22
23	·08	·04					·10			·31		·02		23
24	·55					·05				·10				24
25	·09	·61	·35						·05	·53		·01		25
26		·47	·02							·61	·01			26
27		·24		·27						·02		·09		27
28	·04	·02				·05				·01	·12	·03		28
29	·15		·02							·18	·02			29
30	·20	✕								·05	·42	·05		30
31	·02	✕		✕		✕			✕	·43	✕	·02	34·77	31
TOTAL	5·27	5·42	2·99 ~~4·00~~	2·80	2·07	7 1·60	02 1·~~55~~	1·56	2·00	3·90	1·45	3·33	Year's Total 36·20	
* Days with .01 in. or more.	24	22	18	13	10	11	9	6	9	13	12	22	169	
* Days with .04 in. or more.	21	16	11	12	9	10	7	3	9	10	9	15	132	

Note 65' to S W of gauge a building rises some 20' above its level

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(*Signed*) F. Haviland [P.T.O.

Dr. F. HAVILAND ESQ

ST LEONARDS (BRAN

~~COPY FOR OFFICIAL USE~~

Section **A** for the entry of Daily Observations

Station No. 539/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Brankstone House, St Leonards

in the County of Sussex (East) /5

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft. ½ in.

,, Ground ,, Sea Level 230 approx ft.

Card ~ P.O. 743008/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·3		·27							·13	·12		1
2	·62	·01		·40						·05		·02		2
3	·05	·28									·01			3
4	·07	1·01	·49				·25					·30		4
5	·01	·01	~~·09~~		·21					·39				5
6	·37	·19	·69	·13	·03		·01			·03		·15		6
7		·94			·20		·07					·13		7
8		·01	·32			·10					·12	·21		8
9			·10	·06		·09	·06		·34			·08		9
10			·42	·50	·17	·48		·07				·83		10
11			·01				·05	·63				·04		11
12	·67	·31	·03		·38				·18			·17		12
13	·53	·05		·11		·43		·01				·73		13
14	·04	·03	·02	·01	·24		~~·17~~	·28	·08					14
15	·11	·11	·04			·11	·17		·07			·01		15
16	·04	·04	·10	·25		·03		·89	·08		·10			16
17	·45	·02	·04	·23		·15			·95		·15			17
18	·04	·18	·06		·09	·11			1·03		·16	·16		18
19	·03	·09		·21	·05				·12		·12			19
20	·27		·25	·29	·66	·10					·09	·04		20
21	·35	·44	·02	·13			·02	·03				·63		21
22	·27	·02	·01		·04		·29			1·19		·09		22
23	·08	·04					·10			·31		·02		23
24	·55					·65				·10				24
25	·09	·61	·35						·05	·53		·01		25
26		·47	·02							·61	·01			26
27		·24		·27						·02		·09		27
28	·04	·02				·05				·01	·12	·03		28
29	·15		·02							·18	·02			29
30	·20	✕								·05	·42	·05		30
31	·02	✕		✕		✕			✕	·43	✕	·02	34·77	31
TOTAL	5·27	5·42	2·99 ~~2·08~~	2·85	2·07	7 1·60	02 1·55	1·86	2·60	3·30	1·45	3·39	Year's Total 36·20	
* Days with .01 in. or more.	24	22	18	13	10	11	9	6	9	13	12	22	169	
* Days with .04 in. or more.	21	16	11	12	9	10	7	3	9	10	9	15	132	

Note 66' to SW of gauge a building rises some 20' above its level

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) F. Haviland [P.T.O.

N.

Dr. F. HAVILAND ESQ

541.

541

HURSTMONCEUX PLACE

1931

780111

Section **A** for the entry
AIR MINIST… …FALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIS… …31.

Kept at Hurstmonc…

in the County of S…

…dó Green + found
…ulations. Thi days

Btuch 14/3/32.

Diameter of Funnel of Gauge……

Height of top of Gauge above Grou…

,, Ground ,, Sea …

THE MORNING MEAS… …AY.

An observer who does not conform t… …e following year in the space on the right of t…

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·07	·	·11	·	·	·	·11	·	·	·	·	1
2	·04	·08	·	·23	·	·	·	·	·43	·	·	·	2
3	·05	·	·21	·11	·56	·	·03	·	·38	·	·	·	3
4	·	·06	·	·02	·	·	·07	·19	·28	·03	·06	·21	4
5	·	·03	·	·12	·	·58	·05	·	·	·	·	·11	5
6	·	·07	·	·	·	·	·	·11	·	·22	·27	·34	6
7	·	·	·	·	·09	·11		·14	·09	·03	·29	·	7
8	·	·11	·		·	·19	·10	·03	·	·	·06	·11	8
9	·	·06		·	·	·	·	·	·	·	·85	·	9
10	·	·12	Snow ·05	·	·	·11	·	·27	·	·	1·32	·02	10
11	·09	·38	·	·	·	·	·	·	·	·	·51	·	11
12	·12	·	·	·	·	·	·	·	·21	·	·	·	12
13	·	·	·	·	·10	·	·	·	·	·	·	·	13
14	·02	·09	·	·	·	·09	·61	·50	·	·	·	·	14
15	·	·05	·	·	·	·	·19	·24	·	·	·	·07	15
16	·	·	·	·23 ·23	·37	·	·02	·02	·	·	·	·	16
17	·11	·25	·	Snow ·53	·	·	·41	·	·08	·	·	·	17
18	·	·17	·	Snow ·77	·	·	·13	·33	·	·	·35	·	18
19	·09	·		·41	·	·08	·63	·45	·12	·	·	·	19
20	·	·14	·	·	·05	·	·12	·28	·	·	01	·	20
21	·	·02	·	·	·49	·	·	·	·	·	·	·	21
22	·29	·03	·16	·	·	·	·	·	·03	·	·	·	22
23	·45	·	·08	·	·10	·14	·	·	·	·	·19	·	23
24	·	·	·	·72	·	·	·09	·37	·	·	·	·	24
25	·12	·	·	·39	·	·	·07	·	·	·	·	·	25
26	·	·03	·	·18	·	·	·23	·	·	·	·32	·	26
27	·17	·27	·	·07	·27	·	·	·	·	·	·09	·	27
28	·18	·03	·	·	·	·	·	·	·	·	·	·	28
29	·14	·	·	·	·11	·	·07	·	·	·	·	·	29
30	·02	×	·	·	·	·	·	·	·	·27	·	·	30
31	·35	×	·	×	·	×	·02	·	×	·	×		31
TOTAL	2·35	2·06	·50	3·29	2·14	1·30	2·84	3·04	1·62	·55	4·32	·86	YEAR'S TOTAL 24·87
*Days with ·01 in. or more.	~~16~~	~~19~~	~~4~~	~~13~~	~~9~~	~~7~~	~~16~~	~~13~~	~~8~~	~~4~~	~~12~~	~~6~~	~~124~~
*Days with ·04 in. or more.	~~14~~	~~14~~	~~4~~	~~12~~	~~9~~	~~7~~	~~13~~	~~11~~	~~7~~	~~2~~	~~11~~	~~5~~	~~109~~

40-9999

(Signed) Henry A James [P.T.O.

*See Instruction 2 (*f*) on other side.

541.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Herstmonceux Place

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 83 ft.

Record compared with Hazards Green + found to be OK except for accumulations. The "days" were therefore deleted.

J Stench 14/3/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·07	·	·11	·	·	·	·11	·	·	·	·	1
2	·04	·08	·	·23	·	·	·	·	·43	·	·	·	2
3	·05	·	·21	·11	·56	·	·03	·	·38	·	·	·	3
4	·	·06	·	·02	·	·	·07	·19	·28	·03	·06	·21	4
5	·	·03	·	·12	·	·58	·05	·	·	·	·	·11	5
6	·	·07	·	·	·	·	·	·11	·	·22	·27	·34	6
7	·	·	·	·	·09	·11		·14	·09	·03	·29	·	7
8	·	·11	·	·	·	·19	·10	·03	·	·	·06	·11	8
9	·	·06		·	·	·	·	·	·	·	·85	·	9
10	·	·12	Snow ·05	·	·	·11	·	·27	·	·	1·32	·02	10
11	·09	·38	·	·	·	·	·	·	·	·	·51	·	11
12	·12	·	·	·	·	·	·	·	·21	·	·	·	12
13	·	·	·	·	·10	·	·	·	·	·	·	·	13
14	·02	·09	·	·	·	·09	·61	·50	·	·	·	·	14
15	·	·05	·	·	·	·	·19	·24	·	·	·	·07	15
16	·	·	·	·23 ·23	·37	·	·02	·02	·	·	·	·	16
17	·11	·25	·	Snow ·53	·	·	·41	·	·08	·	·	·	17
18	·	·17	·	Snow ·77	·	·	·13	·33	·	·	·35	·	18
19	·09	·	·	·41	·	·08	·63	·45	·12	·	·	·	19
20	·	·14	·	·	·05	·	·12	·28	·	·	01	·	20
21	·	·02	·	·	·49	·	·	·	·	·	·	·	21
22	·29	·03	·16	·	·	·	·	·	·03	·	·	·	22
23	·45	·	·08	·	·10	·14	·	·	·	·	·19	·	23
24	·	·	·	·72	·	·	·09	·37	·	·	·	·	24
25	·12	·	·	·39	·	·	·07	·	·	·	·	·	25
26	·	·03	·	·18	·	·	·23	·	·	·	·32	·	26
27	·17	·27	·	·07	·27	·	·	·	·	·	·09	·	27
28	·18	·03	·	·	·	·	·	·	·	·	·	·	28
29	·14	·	·	·	·11	·	·07	·	·	·	·	·	29
30	·02	×	·	·	·	·	·	·	·	·27	·	·	30
31	·35	×	·	×	·	×	·02	·	×	·	×		31
TOTAL	2·35	2·06	·50	3·29	2·14	1·30	2·84	3·04	1·62	·55	4·32	·86	YEAR'S TOTAL 24·87
*Days with ·01 in. or more.	~~16~~	~~19~~	~~4~~	~~13~~	~~9~~	~~7~~	~~16~~	~~13~~	~~8~~	~~6~~	~~12~~	~~6~~	~~127~~
*Days with ·04 in. or more.	~~14~~	~~14~~	~~4~~	~~12~~	~~9~~	~~7~~	~~13~~	~~11~~	~~7~~	~~2~~	~~11~~	~~5~~	~~109~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry G. James

P.T.O.

ST. LEONARDS (THORNDEN

File No. 667275 | 26

539

ST. LEONARDS THORNDENE

1932 & 1934

780111

Section **A** for the entry o
AIR MINISTR

Station No. 539
ALL ORGANIZATION

FORM 1090.

REGIS

2.

Sussex/5.

Kept at Thorndene, E

station NO 1931

in the County of Sussex

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

days.

OK

THE MORNING MEASU

Y.

An observer who does not conform to … *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—	·11	·24	—	—	—	—	·42	·14	·02	1
2		—	—	·28	·01	—	—	·02	·01	·02	·03	·09	2
3		—	—	·22	·16	·61	—	·01	·20	—	—	—	3
4	Illness and away from Home	—	—	—	—	·15	—	—	—	—	·02	·01	4
5		—	·01	—	·09	·09	·10	—	·10	—	—	—	5
6		—	—	·09	·07	—	—	—	·03	—	—	·02	6
7		—	·04	·04	·13	—	—	—	Trace	·02	—	·06	7
8		·06	·23	·09	·36	—	—	Trace	·08	1·13	—	—	8
9		✓	·01	·17	·38	—	—	·02	—	·04	—	—	9
10		✓ ·10	—	·38	·17	—	—	—	·04	·12	·04	—	10
11		✓	—	·24	·01	·10	·02	—	·05	·05	—	·06	11
12			—	—	—	—	—	·04	·04	·15	—	Trace	12
13		✓ ·04	—	·05	·06	—	·01	—	·03	1·24	—	·02	13
14		✓	—	·02	·10	—	—	·02	—	·21	—	·03	14
15			—	·11	·21	—	—	—	—	·09	—	·02	15
16		—	—	·25	—	—	—	—	Trace	·02	—	·03	16
17		—	—	·07	—	—	Trace	—	—	·05	—	·02	17
18		—	—	—	—	—	—	—	·07	—	·18	·01	18
19		—	—	—	·01	—	—	—	·04	·27	·29	·02	19
20		✓ ·01	—	·12	·15	Trace	·21	·03	—	1·02	·23	·03	20
21			·01	—	·16	—	·04	·02	—	·27	Trace	·02	21
22			·26	—	·21	·03	·46	·14	·62	·10	·45	—	22
23		✓	·10	Trace	—	—	·89	—	·44	·96	—	·07	23
24		✓ ·12	—	—	—	—	1·57	—	·04	·06	Trace	·01	24
25		✓	—	—	—	—	·13	—	·26	·97	·04	·01	25
26		—	·01	·13	—	—	·09	·39		·03	·07	Trace	26
27		—	·22	·22	·07	—	·22	—	·07	·94	·03	·02	27
28		—	·07	·03	·03	—	—	—		·14	—	·01	28
29		—	·49	·02	—	—	—	—	·26	·53	—	·09	29
30		×	·01	—	—	·55	—	·31	·05	·02	·12	·02	30
31		×	·03	×	—	×	—	—	×	Trace	×	·03	31
TOTAL	(2.50)	·33	1·49	2·64	2·62	1·53	3·74	1·00	2·43	8·87	1·64	·72	YEAR'S TOTAL (29.51)
*Days with ·01 in. or more.	(22)	(8)	13	19	19	6	11	10	18	25	12	18	(186)
*Days with .04 in. or more.	(13)	4	7	16	15	5	9	4	15	20	9	5	(122)

40-9999

*See Instruction 2 (*f*) on other side.

N. (Signed) ~~Agnes Ethel Tait~~
MISS AGNES E. TAIT.

P.T.O.

X ST. LEONARDS (THORNDEN

File No. 667275 | 26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 539

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Sussex/5.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Thorndene, Gilbert Road

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 190 ft.

Jan estimated by surrounding stations

NO 1931

Est Jan

Totals & days.

OK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—	·11	·24	—	—	—	—	·42	·14	·02	1
2		—	—	·28	·01	—	—	·02	·01	·02	·03	·09	2
3		—	—	·22	·16	·61	—	·01	·20	—	—	—	3
4		—	—	—	—	·15	—	—	—	—	·02	·01	4
5	Illness	—	·01	—	·09	·09	·10	—	·10	—	—	—	5
6		—	—	·09	·07	—	—	—	·03	—	—	·02	6
7		—	·04	·04	·13	—	—	—	Trace	·02	—	·06	7
8	and	·06	·23	·09	·36	—	—	Trace	·08	1·13	—	—	8
9		✓	·01	·17	·38	—	—	·02	—	·04	—	—	9
10		✓·10	—	·38	·17	—	—	—	·04	·12	·04	—	10
11		✗	—	·24	·01	·10	·02	—	·05	·05	—	·06	11
12	away		—	—	—	—	—	·04	·04	·15	—	Trace	12
13		✗·04	—	·05	·06	—	·01	—	·03	1·24	—	·02	13
14	from	✗	—	·02	·10	—	—	·02	—	·21	—	·03	14
15			—	·11	·21	—	—	—	—	·09	—	·02	15
16		—	—	·25	—	—	—	—	Trace	·02	—	·03	16
17		—	—	·07	—	—	Trace	—	—	·05	—	·02	17
18	Home	—	—	—	—	—	—	—	·07	—	·18	·01	18
19			—	—	·01	—	—	—	·04	·27	·29	·02	19
20		✓·01	—	·12	·15	Trace	·21	·03	—	1·02	·23	·03	20
21			·01	—	·16	—	·04	·02	—	·27	Trace	·02	21
22			·26	—	·21	·03	·46	·14	·62	·10	·45	—	22
23		✗	·10	Trace	—	—	·89	—	·44	·96	—	·07	23
24		✗·12	—	—	—	—	1·57	—	·04	·06	Trace	·01	24
25		✓	—	—	—	—	·13	—	·26	·97	·04	·01	25
26		—	·01	·13	—	—	·09	·30		·03	·07	Trace	26
27		—	·22	·22	·07	—	·22	—	·07	·94	·03	·02	27
28		—	·07	·03	·03	—	—	—		·14	—	·01	28
29		—	·49	·02	—	—	—	—	·26	·53	—	·09	29
30		✗	·01	—	—	·55	—	·31	·05	·02	·12	·02	30
31		✗	·03	✗	—	✗	—	—	✗	Trace	✗	·03	31
TOTAL	(2.50)	·33	1·49	2·64	2·62	1·53	3·74	1·00	2·43	8·87	1·64	·72	YEAR'S TOTAL (29.51)
*Days with ·01 in. or more.	(22)	(8) ~~1~~	13 ~~6~~	19 ~~8~~	19 ~~4~~	6 ~~1~~	11 ~~2~~	10 ~~6~~	18 ~~3~~	25 ~~8~~	12 ~~3~~	18 ~~18~~	186
*Days with .04 in. or more.	(13)	4	7	16	15	5	9	4	15	20	9	5	(122)

40-9999

*See Instruction 2 (*f*) on other side.

N. (*Signed*) ~~Agnes E. Tait~~ MISS AGNES E. TAIT.

[P.T.O.]

File No. 667275/26

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 539

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Thorndene, Gilbert Road,
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 190 ft.

Dr ~~190~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·47	·18	—	—	—	—	—	—	Tr.	·05	—		1
2	·13	—	·20	—	·15	—	—	—	—	·02	—	—		2
3	Tr.	·20	·07	—	—	—	—	Tr.	—	—	—	—		3
4	·14	·04	—	—	·01	—	—	—	—	—	—	—		4
5	·36	—	·15	—	·14	—	—	—	—	—	—	—		5
6	Tr.	·10	·14	—	·48	—	—	—	—	Tr.	·06	—		6
7	·32	·04	—	—	·06	—	—	—	—	·19	—	·05		7
8	·14	·03	—	—	—	—	·15	—	—	·02	—	—		8
9	—	·02	—	Tr.	·15	—	·02	—	—	·01	·45	—		9
10	—	·52	—	—	—	—	·12	·03	—	·20	·01	—		10
11	·18	—	—	—	·02	·01	·08	·12	·25	·17	—	—		11
12	—	—	—	·10	—	·29	nil	—	1·13	—	Tr.	—		12
13	·01	—	—	—	·03	·01	·20	·09	·33	·37	·27	—		13
14	—	—	—	—	·05	—	·01	—	—	·63	·30	Tr.		14
15	·30	—	·05	—	—	—	·20	·12	—	·33	·60	·09		15
16	·18	—	·52	—	—	·23	·50	—	—	·03	·09	·03		16
17	·12	—	·27	—	—	·03	nil	·06	·17	nil	Tr.	—		17
18	·27	—	·08	·01	—	·36	″	—	—	—	″	—		18
19	—	·06	·18	·03	—	·10	″	—	·08	—	″	·02		19
20	—	—	·04	·16	—	·07	″	·18	·19	—	·02	—		20
21	—	·09	—	·01	—	—	″	·06	·53	—	—	Tr.		21
22	—	·02	—	—	—	·06	″	·57	·03	·03	·01	—		22
23	—	—	—	·16	·01	·07	Tr.	—	·67	·01	—	—		23
24	—	·11	—	·31	·02	—	nil	—	·83	Tr.	·11	—		24
25	—	·28	—	·54	Tr.	—	″	—	·06	—	·27	·07		25
26	—	Tr.	—	·02	·67	·03	″	—	—	·02	·04	·06		26
27	—	—	—	·01	—	—	″	—	·01	·26	—	·09		27
28	—	·01	—	—	Tr.	·01	·12	—	—	·13	—	·34		28
29	·10	—	—	—	·17	—	·04	—	—	·01	—	—		29
30	·09	×	·04	—	·01	—	·03	—	·57	·01	—	·15		30
31	·09	×	—	×	·41	×	—	—	×	—	×	—		31
TOTAL	2·44	1·99	1·92	1·35	2·38	1·27	1·47	1·23	4·85	2·44	2·28	·90	Year's Total 24·52	
*Days with ·01 in. or more.	15 3	14 4	12 —	10 5	15 6	12 5	11 3	8 1	13 2	17 9	13 3	9 2	149 ~~43~~	
*Days with ·04 in. or more.	12	10	12	5	9	7	8	7	11	8	10	7	106	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) Agnes Ethel Tait

[P.T.O.

540

Section **A** for the entry of

AIR MINISTRY

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIST

1.

540

HAILSHAM

1931 - 1939

480111

Kept at Hailsha

in the County of Suss

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

ollowing

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·05	·01	·13	—	—	—	·08	·02	·01	—	—	1
2	·11	·09	—	·26	—	—	—	·01	·55	Tr	—	—	2
3	·10	Tr	·20	·08	·53	—	—	—	·27	—	—	·29	3
4	—	·02	·02	—	—	—	·04	—	·34	·04	·06	Tr	4
5	—	·02	—	·13	—	·63	·10	·41 }	·03	Tr	—	·24	5
6	—	·06	—	·14	—	—	·05	·56 }	—	·28	·37	·27	6
7	·03	—	—	·01	·08	·13	—	·21 }	·02	·03	·31	—	7
8	—	·14	—	—	—	·12	·01		—	Tr	·06	·12	8
9	—	·23	—	—	—	·13	—	—	—	—	·85	·01	9
10	·01	·08	·07	—	—	·09	·10	·24	—	—	1.66	—	10
11	·[illegible]9	·48	—	—	—	—	—	—	—	—	·44	—	11
12	·09	—	—	—	—	—	—	—	·19	·02	—	—	12
13	·08	—	—	—	·20	—	·02	—	—	—	—	—	13
14	·01	·10	—	—	—	·07	·51	·33	—	—	—	—	14
15	—	·02	—	·07	·07	—	·15	·12	—	—	·02	·05	15
16	—	·04	—	·10	·26	—	·01	·02	—	—	—	—	16
17	·03	·10	—	·25	—	·02	·54	—	·06	·01	—	—	17
18	·02	·20	·03	·34	—	·02	·13	·31	—	·02	·38	—	18
19	·08	—	—	·38	—	·03	·65	·58	·17	—	—	—	19
20	·02	·04	—	·04	—	—	·12	·46	·01	—	·02	—	20
21	·01	·11	·01	—	·46	—	—	·02	—	—	—	—	21
22	·16	—	·14	—	—	—	—	—	·01	—	—	—	22
23	·76	·03	·02	—	·11	—	—	—	—	—	·29	—	23
24	—	Tr	—	·61	·01	·19	·02	·31	·01	—	—	—	24
25	·17	·02	—	·67	—	—	·19	·01	—	—	·03	—	25
26	—	·04	—	·11	·01	—	·30	—	—	—	·31	—	26
27	·19	·33	—	·04	·16	—	·03	—	—	—	·04	—	27
28	·14	·12	—	·02	—	—	~~·05~~	—	—	·04	·01	·02	28
29	·16	×	—	·05	·18	—	·05	—	—	·12	—	—	29
30	·02	×	—	—	·01	—	·05	·02	—	—	—	—	30
31	·40	×	—	×	Tr.	×	—	—	×	—	×	—	31
TOTAL	2.71	2.32	·50	3.43	2.08	1.43	3.07	3.69	1.68	·57	4.85	1.00	YEAR'S TOTAL 27.33
*Days with ·01 in. or more.	2~~8~~ 2	21	8	18	12	10	19	17	12	9	15	7	170 ~~168~~
*Days with ·04 in. or more.	13	16	3	16	9	7	14	12	6	4	11	5	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Robert Matthews [P.T.O.

540

Section **A** for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hailsham

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft ..... in.

,, Ground ,, Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·05	·01	·13	—	—	—	·08	·02	·01	—	—	1
2	·11	·09	—	·26	—	—	—	·01	·55	Tr	—	—	2
3	·10	Tr	·20	·08	·53	—	—	—	·27	—	—	·29	3
4	—	·02	·02	—	—	—	·04	—	·34	·04	·06	Tr.	4
5	—	·02	—	·13	—	·63	·10	·41	·03	Tr	—	·24	5
6	—	·06	—	·14	—	—	·05	·56	—	·28	·37	·27	6
7	·03	—	—	·01	·08	·13	—	·21	·02	·03	·31	—	7
8	—	·14	—	—	—	·12	·01		—	Tr	·06	·12	8
9	—	·23	—	—	—	·13	—	—	—	—	·85	·01	9
10	·01	·08	·07	—	—	·09	·10	·24	—	—	1.66	—	10
11	·[illegible]9	·48	—	—	—	—	—	—	—	—	·44	—	11
12	·09	—	—	—	—	—	—	—	·19	·02	—	—	12
13	·08	—	—	—	·20	—	·02	—	—	—	—	—	13
14	·01	·10	—	—	—	·07	·51	·33	—	—	—	—	14
15	—	·02	—	·07	·07	—	·15	·12	—	—	·02	·05	15
16	—	·04	—	·10	·26	—	·01	·02	—	—	—	—	16
17	·03	·10	—	·25	—	·02	·54	—	·06	·01	—	—	17
18	·02	·20	·03	·34	—	·02	·13	·31	—	·02	·38	—	18
19	·08	—	—	·38	—	·03	·65	·58	·17	—	—	—	19
20	·02	·04	—	·04	—	—	·12	·46	·01	—	·02	—	20
21	·01	·11	·01	—	·46	—	—	·02	—	—	—	—	21
22	·16	—	·14	—	—	—	—	—	·01	—	—	—	22
23	·76	·03	·02	—	·11	—	—	—	—	—	·29	—	23
24	—	Tr	—	·61	·01	·19	·02	·31	·01	—	—	—	24
25	·17	·02	—	·67	—	—	·19	·01	—	—	·03	—	25
26	—	·04	—	·11	·01	—	·30	—	—	—	·31	—	26
27	·19	·33	—	·04	·16	—	·03	—	—	—	·04	—	27
28	·14	·12	—	·02	—	—	~~·05~~	—	—	·04	·01	·02	28
29	·16	✕	—	·05	·18	—	·05	—	—	·12	—	—	29
30	·02	✕	—	—	·01	—	·05	·02	—	—	—	—	30
31	·40	✕	—	✕	Tr.	✕	—	—	✕	—	✕	—	31
TOTAL	2·71	2·32	·50	3·43	2·08	1·43	3·07	3·69	1·68	·57	4·85	1·00	YEAR'S TOTAL 27·33
*Days with ·01 in. or more.	2 28	21	8	18	12	10	19	17	12	9	15	7	170 ~~168~~
*Days with ·04 in. or more.	13	16	3	16	9	7	14	12	6	4	11	5	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robert Matthews [P.T.O.

540

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hailsham

in the County of Sussex, East

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. in.

„ Ground „ Sea Level ft.

Station No 540

File No 165937/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	–	·20	·78	–	·02	–	–	·09	·06	–	1
2	·03	–	–	·26	Tr	–	–	–	·02	·03	·01	·24	2
3	–	–	–	·10	·09	·49	–	–	·29	·01	–	–	3
4	Tr	–	–	–	–	·19	–	–	–	–	·02	–	4
5	·35	–	·01	–	·03	·02	·17	–	·11	–	–	–	5
6	·50	·02	Tr	·06	·01	–	–	–	·13	–	–	·02	6
7	·04	–	·02	·04	·07	–	–	–	–	–	–	–	7
8	–	–	·37	·03	·26	–	–	–	·09	·93	–	–	8
9	·09	·03	·01	·18	·51	–	–	–	–	–	–	–	9
10	·54	–	–	·42	·11	–	–	–	·04	·11	·02	–	10
11	·47	·08	–	·16	·04	·08	–	–	·05	·04	–	·03	11
12	·22	–	–	– Tr	–	–	–	Tr	–	·16	–	–	12
13	·17	–	–	·08	·07	–	·01	–	·04	·81	–	·01	13
14	·32	–	–	·17	·21	–	–	–	·01	·37	–	–	14
15	·04	–	–	·04	·05	–	–	–	–	·08	–	–	15
16	·02	–	·17	·19	·07	–	–	–	–	–	–	·01	16
17	Tr	–	–	·03	–	–	–	–	–	·02	–	–	17
18	·03	–	–	·01	–	–	–	–	·06	–	·09	–	18
19	·03	–	–	–	·03	–	–	–	–	·27	·11	–	19
20	–	–	–	·10	·16	–	·04	·06	·03	1.27	·35	–	20
21	–	–	·01	–	·31	–	–	–	–	·30	–	·01	21
22	·04	·02	·23	–	·22	–	·28	·14	·77	·25	·47	–	22
23	–	·04	·13	·02	–	–	–	–	·39	1.07	Tr	·09	23
24	–	·02	–	–	–	–	·91	–	·09	·07	–	–	24
25	–	–	–	–	–	–	1.50	–	·21	·60	·03	·02	25
26	–	–	Tr	·08	–	–	·18	·27	–	–	·16	–	26
27	–	–	·24	·17	·13	–	–	–	–	·51	·02	·02	27
28	–	–	Tr	·02	·07	–	·20	–	–	·07	–	–	28
29	–	–	·45	·02	·03	–	Tr	·41	·24	·53	–	·02	29
30	–	×	·02	–	–	·59	–	·03	·06	Tr	·28	·02	30
31	–	×	–	×	–	×	·20	–	×	–	×	·07	31
TOTAL	2.98	·21	1.66	2.38	3.25	1.37	3.51	·91	2.63	7.59	1.62	·56	YEAR'S TOTAL 28.67
*Days with ·01 in. or more.	16	6	11	21	20	5	10	5	17	21	12	12	156
*Days with ·04 in. or more.	12	2	6	15	16	4	8	4	14	18	7	3	109

40-9999

(Signed) Robt Matthews [P.T.O.

*See Instruction 2 (*f*) on other side.

540

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~540~~ 540

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hailsham
in the County of Sussex (East)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 105 ft.

File No.
Station 540
File 165937/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·01
Fog & mist

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·59	·23	–	–	–	–	–	–	·01	·02	–		1
2	·23	–	·58	–	·06	–	–	–	–	–	–	–		2
3	·02	·13	·08	–	–	–	–	–	–	–	–	–		3
4	·01	·05	·02	–	·02	–	–	–	–	–	–	–		4
5	·41	–	·16	–	·25	–	–	–	–	–	–	–		5
6	–	·13	·14	–	·41	–	–	–	–	·01	·08	–		6
7	·33	·12	·01	–	·13	–	–	–	–	·28	–	·03		7
8	·18	–	–	–	–	–	·41	–	–	·02	–	–		8
9	–	·01	–	–	·05	–	·02	–	–	·27	·26	–		9
10	–	·32	–	–	·01	·01	·18	–	–	·17	·01	–		10
11	·14	–	–	–	·02	·03	·05	·13	·20	·06	–	–		11
12	–	–	–	·07	–	·11	–	–	1·21	–	–	–		12
13	·04	–	–	–	·04	·04	·32	–	·40	·05	·14	–		13
14	–	–	–	–	Tr.	–	Tr	·07	–	·35	·29	–		14
15	·39	–	·03	–	–	–	·27	·20	–	·09	·21	·02		15
16	·03	–	·53	–	–	·18	·11	–	–	–	·07	–		16
17	·04	–	·18	–	–	·11	Tr	·14	·13	–	·01	–		17
18	·10	–	·10	–	–	·26	·01	–	–	–	–	–		18
19	·02	·01	·12	·18	–	·42	–	–	·03	–	Tr	·01		19
20	–	·05	·10	·12	–	·30	–	·11	·26	–	·01	–		20
21	–	·06	–	–	–	·03	–	·06	·14	–	–	–		21
22	–	–	–	–	–	·01	–	·37	·02	·12	–	–		22
23	–	–	–	·10	–	·03	–	–	·71	·01	–	–		23
24	–	·20	–	·30	–	·01	–	–	·28	–	·02	–		24
25	–	·06	–	·35	–	–	–	–	·21	–	·10	·07		25
26	–	·59	–	·02	–	·08	–	–	·02	–	·01	·12		26
27	–	–	–	·03	·03	–	–	–	·01	·77	·01	·20		27
28	–	–	·01	Tr	·09	–	·15	–	–	·20	–	·57		28
29	·04	×	–	–	·40	–	·05	–	–	·04	–	Tr		29
30	·11	×	–	–	–	–	·02	–	·21	Tr.	–	·06		30
31	·07	×	–	×	–	×	–	·02	×	–	×	–		31
TOTAL	2·17	2·32	2·29	1·17	1·51	1·62	1·59	1·10	3·83	1·85	1·24	1·08	Year's Total 21·77	
*Days with ·01 in. or more.	17	14	14	8	12	14	11	8	14	15	14	8	149	
*Days with .04 in. or more.	12	11	10	6	8	8	8	7	10	11	7	5	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Robt. Matthews

[P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 540

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hailsham
in the County of Sussex, East
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 105 ft.

File no
165937/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	—	—	·11	—	·07	—	·30	·02	·40	1
2	·05	—	·10	—	—	·05	—	—	·09	·28	·02	·57	2
3	·05	·01	—	·31	—	—	—	—	·01	·30	—	·21	3
4	·46	—	·04	·01	—	—	—	—	—	·29	·16	1·13	4
5	·01	—	·05	—	·17	—	—	·03	—	—	·01	·44	5
6	Tr.	—	·45	·02	·15	·12	—	·15	—	·33	·02	·51	6
7	·02	—	—	·05	—	·02	—	·04	—	·06	—	·17	7
8	—	—	—	·16	·14	—	—	·02	·01	—	1·68	·01	8
9	·01	—	·15	·01	·01	—	—	—	·02	—	·53	·20	9
10	—	—	·14	·18	—	—	—	·13	—	·01	·15	·01	10
11	·82	—	·57	·03	—	—	·04	·60	—	—	·01	·46	11
12	·15	—	·11	—	—	—	·40	·09	—	—	·05	·18	12
13	·46	—	·07	·06	—	—	·06	·02	—	—	·05	·02	13
14	·28	—	·43	·14	Tr.	—	—	—	—	—	·81	·46	14
15	—	—	Tr.	—	—	—	—	—	—	·02	·12	·91	15
16	·26	—	·46	·09	·04	—	—	—	—	·03	—	—	16
17	·16	—	·49	·04	—	—	—	—	—	·04	·01	·45	17
18	·07	—	·04	·31	—	—	·04	—	—	—	·01	·52	18
19	—	—	·31	·02	—	·04	—	—	·27	—	·01	·46	19
20	—	—	·03	—	—	·02	·21	—	—	·02	Tr.	·01	20
21	—	—	—	·19	—	·15	·02	—	Tr.	·04	—	—	21
22	—	·02	—	Tr.	—	—	·12	·40	·36	—	·01	·07	22
23	—	·01	·01	·51	—	·28	—	Tr.	—	·03	—	·23	23
24	—	·01	—	·10	—	·08	·41	—	·09	Tr.	·01	—	24
25	·08	—	—	·16	—	Tr.	—	—	—	·13	—	·64	25
26	·07	—	—	·09	—	·06	—	—	·03	·01	—	·02	26
27	·04	—	—	·08	—	·15	—	—	Tr.	·01	—	·24	27
28	—	·04	—	·11	—	·10	—	·64	—	—	Tr.	·30	28
29	—	X	—	Tr.	—	—	—	1·32	·41	—	·03	Tr.	29
30	·10	×	—	—	—	—	—	·01	—	—	—	·48	30
31	·03	×	—	×	—	×	—	—	×	·05	×	·30	31
TOTAL	3·13	·09	3·45	2·67	·51	1·18	1·30	3·52	1·29	1·95	3·71	9·40	YEAR'S TOTAL 32·20
*Days with ·01 in. or more.	19	5	16	21	5	12	8	13	9	17	19	27	171
*Days with .04 in. or more.	14	1	14	16	4	10	7	9	5	10	8	22	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Robt. Matthews

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section A for the entry of Daily Observations. Station No. 540

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hailsham

in the County of E. Sussex

File No. 16593/32

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 105 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
No change
·67

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·19	·02	·12	·02	·09	·06	—	—	·03	·09	·23	Tr		1
2	·10	—	·02	·04	—	Tr	·01	—	·09	·63	·12	—		2
3	—	—	·14	·01	—	—	·01	—	·17	·17	·09	—		3
4	—	·08	Tr	·30	—	·17	—	—	·52	·31	·03	·30		4
5	—	·30	·02	·13 ~~·32~~	—	·02	—	—	·68	·69	·01	·01		5
6	·01	·22	·02	·30	—	·16	—	—	—	·38	·50	·02		6
7	·02	·03	—	·32	—	·12	—	—	—	·01	1·34	·11		7
8	·02	—	—	·30	—	—	—	·09	Tr	·66	·41	·04		8
9	·01	—	—	·32	—	·19	—	—	—	·78	·20	·01		9
10	·10	·01	·25	·02	—	·07	—	—	—	·01	·09	·27		10
11	·07	·01	·03	—	—	·03	·08	—	·07	—	·56	Tr		11
12	·02	·12	—	—	—	·29	·09	·14	—	—	·50	—		12
13	·06	·24	Tr	·22	—	·01	—	—	·02	·01	·38	·12		13
14	Tr	—	—	Tr	·09	·12	—	—	·03	·04	·01	·11		14
15	·01	·17	·02	·71	·02	·03	—	—	1·04	·02	·36	·12		15
16	Tr	·11	·03	·15	—	Tr	—	—	·70	·01	1·06	·01		16
17	·02	Tr	·05	·12	—	·31	—	·05	·11	—	·52	—		17
18	—	—	Tr	·29	·03	·07	—	—	·70	·15	·01	—		18
19	—	—	—	·13	·33	·03	·03	—	·29	—	·18	—		19
20	—	·65	—	·05	·12	·07	·13	—	·07	—	·21	—		20
21	·02	·39	—	·03	Tr	Tr	—	—	·02	·15	·04	·01		21
22	—	·18	·02	·01	—	—	—	·36	·12	—	·01	·01		22
23	—	·12	·03	—	—	—	—	·26	Tr	Tr	Tr	·19		23
24	·04	·93	—	—	·33	—	—	1·41	·72	·01	—	·52		24
25	·12	·50	—	·16	·04	·58	—	—	·02	—	·01	·40		25
26	·01	·11	—	—	—	·03	—	·21	·05	·04	·01	·32		26
27	·16	·43	·01	—	—	—	—	·34	·08	Tr	·23	·32		27
28	—	·10	—	—	·03	—	—	·06	·02	·03	·04	·27		28
29	—	×	—	—	—	—	—	·19	·24	Tr	—	·41		29
30	·07	×	—	—	·02	—	—	1·60	·29	·14	·69	·32		30
31	—	×	—	×	·01	×	—	·03	×	·21	×	·67		31
TOTAL	1·05	4·72	-·76	3·63	1·11	2·36	·35	4·74	6·08	4·54	7·84	4·56	Year's Total 41·74	
*Days with ·01 in. or more.	18	20	13	20	11	18	6	12	23	21	27	22	211	
*Days with .04 in. or more.	9	16	4	15	6	12	3	11	17	14	20	16	143	

† Spare column, no entries required.

(Signed) Robt. Matthews

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 540

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hailsham

in the County of Sussex, East

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 105 ft.

File No. 165937/3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following recorded at 9 a.m.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·08	·02	·37	—	·12	·21	·87	—	Tr	·11	·09	1
2	·03	·03	·01	Tr	—	·29	·08	·10	—	—	Tr	·01	2
3	—	—	·01	32	—	·04	·15	Tr	·16	—	·51	Tr	3
4	·01	—	·09	Tr	—	·09	·02	·01	·20	—	·05	·03	4
5	·13	Tr	·01	—	—	·01	—	·05	·06	—	·29	·09	5
6	·30	—	—	—	—	·03	·01	·03	·17	·04	·29	·02	6
7	·50	—	·18	—	—	·04	·06	—	·01	·01	·61	—	7
8	·48	—	·05	—	—	—	·06	Tr	—	—	·46	·16	8
9	·26	—	·04	—	—	—	·38	·05	·05	Tr	·31	Tr	9
10	·04	—	Tr	—	—	Tr	·01	·17	·02	·03	·01	—	10
11	·05	·03	—	·06	—	—	·01	·01	—	—	1·10	Tr	11
12	—	Tr	—	—	·04	·13	·36	·02	·11	—	·07	·06	12
13	—	—	—	·02	—	·11	·04	Tr	·01	·01	·01	·26	13
14	Tr	·06	—	·03	—	·12	1·29	—	Tr	·02	·14	·14	14
15	—	·04	—	—	—	Tr	·03	—	—	—	·18	·48	15
16	·21	·11	—	Tr	·16	—	—	—	·02	—	·11	·12	16
17	·04	·78	—	—	—	·11	Tr	—	·02	·06	·18	·84	17
18	·11	·09	—	—	—	·07	·11	·02	·03	·02	·08	·04	18
19	·23	·05	·02	·01	—	·66	·02	·12	Tr	—	·01	—	19
20	·34	·06	·02	·46	—	·13	—	Tr	·29	—	—	—	20
21	Tr	·02	—	·61	—	·37	·20	—	·06	—	Tr	—	21
22	·10	·37	·09	—	·05	·07	·07	—	·02	—	Tr.	·06	22
23	·09	·10	·09	·12	Tr	Tr	·13	—	Tr	·03	Tr	Tr	23
24	·12	·04	·01	·01	—	—	·01	—	·10	·11	—	·01	24
25	·22	·03	·14	·13	·03	·02	·05	—	·25	·07	—	—	25
26	·01	·15	·22	·02	—	·03	·01	—	·11	·29	—	—	26
27	·22	·01	·03	·01	—	—	·06	—	·16	·10	Tr	—	27
28	·53	—	·16	—	—	·46	·05	—	·02	Tr	·01	·05	28
29	·04	·06	·17	—	—	·20	·03	—	—	·05	·08	·01	29
30	·14	×	·01	—	·27	·21	Tr	—	—	·02	—	Tr	30
31	·18	×	·12	×	·05	×	·25	—	×	·33	×	·19	31
TOTAL	4·53	2·11	1·49	2·17	·60	3·31	3·70	1·45	1·81	1·19	4·61	2·66	YEAR'S TOTAL ✓ 29·63
*Days with ·01 in. or more.	25	18	20	13	6	21	26	11	20	15	20	18	✓ 213
*Days with ·04 in. or more.	21	13	11	7	5	17	17	6	12	8	16	13	✓ 146

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Robt. Matthews

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 540

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals ✓ Mj

Kept at Hailsham

in the County of E Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 105 ft.

R Matthews
34 North Street
Hailsham

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·88	·05	—	·10	—	—	—	—	—	Tr	·78	·09		1
2	·01	·42	·06	·42	—	—	—	Tr	—	Tr	·02	·75		2
3	·19	·14	·01	—	—	—	—	—	—	·02	Tr	·21		3
4	·01	1·03	—	Tr.	—	—	—	—	—	Tr	—	·36		4
5	·23	·06	·27	—	—	—	·24	—	—	·03	Tr	Tr		5
6	·05	·01	·63	Tr.	·34	—	·04	—	—	·02	—	—		6
7	—	1·02	·06	·12	·06	—	—	—	Tr	—	—	·34		7
8	·01	·05	·14	Tr.	·14	·08	Tr.	—	·02	Tr	·05	·21		8
9	—	·01	Tr	·48	·27	·04	·11	—	·44	·02	Tr	Tr		9
10	Tr.	—	·40	·08	·11	·29	·02	·02	—	—	—	·48		10
11	—	—	·48	Tr	·02	·02	·05	·01	—	Tr	—	·23		11
12	·59	·29	·28	·08	·44	·34	·01	·67	·14	Tr.	—	·09		12
13	·33	·06	·53	·15	·07	·18	—	Tr.	·04	—	—	·71		13
14	·05	·02	·15	·01	·17	Tr	—	·28	·16	—	Tr	·19		14
15	·14	·42	Tr.	·32	Tr	—	·34	—	·14	—	—	·01		15
16	·02	·04	·17	·12	—	·12	—	·68	·10	—	—	·01		16
17	·40	Tr	·02	·05	—	—	—	Tr	·45	—	·17	—		17
18	·38	·08	·01	·05	·55	·24	—	Tr	·51	Tr.	·15	·02		18
19	·04	·19	·04	·27	·02	·04	—	—	·07	Tr.	·07	·20		19
20	·39	Tr.	·18	·32	·76	·14	Tr.	—	·01	·01	·02	·01		20
21	·36	·30	·02	·09	·02	Tr	·01	·01	·01	·01	·28	·07		21
22	·34	·07	—	Tr	·04	·01	Tr	—	—	·97	·17	·10		22
23	·13	·06	·02	—	—	Tr	·29	—	—	·44	·15	·02		23
24	·49	·32	Tr	—	·04	—	—	—	Tr	·15	Tr	·01		24
25	·13	·30	·33	—	—	—	—	—	·04	·16	—	Tr		25
26	·03	·72	·08	—	—	—	—	—	—	·31	Tr	—		26
27	—	·28	Tr	·28	·01	—	—	—	·01	·14	—	—		27
28	·18	·15	·01	·03	—	·03	—	—	—	·03	—	Tr		28
29	·09	X	·01	—	—	—	—	—	·01	·16	·04	·01		29
30	·23	X	—	—	—	Tr	—	·01	Tr	·57	·07	·02		30
31	·35	X	—	X	—	X	Tr.	Tr.	X	·49	X	·02		31
TOTAL	6·05	5·79	3·90	2·97	3·06	1·53	1·11	1·68	2·15	3·53	1·97	4·16	Year's Total 37·90 ✓	
* Days with .01 in. or more.	26	24	22	17	16	12	9	7	15	16	12	23	199 ✓	
* Days with .04 in. or more.	21	21	15	15	12	9	6	3	10	9	10	14	145 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Robt Matthews [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 540

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hailsham

in the County of East Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 105 ft.

Robert Matthews
St. Wilfrid's Green
Hailsham

Totals agn

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·01	—	—	·12	·20	·19	—	·52	·11	·10	·07		1
2	·01	Tr	—	—	·01	·01	·71	—	—	·39	—	·02		2
3	—	—	—	—	·03	—	·10	—	—	·77	·25	·01		3
4	Tr	—	·01	—	—	·03	·13	·15	—	·29	·01	·21		4
5	—	—	·01	—	—	—	·27	·03	·01	·42	·01	·01		5
6	·27	—	—	—	Tr.	—	·22	—	·17	·01	·06	·04		6
7	·02	—	Tr	—	—	Tr	·14	·35	·01	·31	·02	·13		7
8	·20	—	—	—	—	—	·10	·01	·02	·19	Tr	·04		8
9	·18	·02	—	—	—	—	—	—	—	·56	—	·48		9
10	·15	·12	—	—	—	·02	·03	·02	—	·01	—	·42		10
11	·47	·01	—	—	—	—	·01	—	—	—	·09	·21		11
12	·40	·01	—	—	Tr	·04	·01	·01	—	·03	·01	·01		12
13	·40	·13	—	—	—	·01	—	—	Tr	·19	·18	·10		13
14	·25	—	—	—	·81	—	—	·01	·01	—	·01	·08		14
15	·10	·08	—	—	·01	—	1·20	—	—	·12	·03	·14		15
16	·21	·21	·03	—	·01	—	·02	·04	—	·14	·01	·33		16
17	—		·07	—	·12	—	—	—	·01	·13	·02	—		17
18	·07	·01	—	—	·04	—	—	—	·10	·02	·45	—		18
19	·02	—	—	—	·01	—	—	·09	·06	—	·17	—		19
20	—	—	—	—	·04	—	—	—	·14	—	·51	4		20
21	·04	—	—	·02	Tr	—	Tr	—	·20	·01	·02	[illegible]		21
22	—	—	—	—	—	·04	—	·17	·01	—	·51			22
23	·03	Tr	—	·04	—	—	—	Tr.	Tr.	·01	·03			23
24	—	·01	—	—	·04	—	—	—	·07	—	·39			24
25	·15	·01	·51	·08	·08	—	·05	—	·17	·02	·53			25
26	·50	·12	—	·01	·01	—	Tr	·09	·50	·26	·01	[illegible]		26
27	·13	·08	·07	—	·27	·23	·39	—	1·71	·09	·24	81 ~~·01~~		27
28	·04	·06	Tr	—	·62	·10	Tr	·57	·03	Tr	Tr	·01		28
29	·18	X	—	·03	·31	·03	—	·01	·01	·01	·10	·26		29
30	·08	✕	—	·34	·35	·02	—	—	·06	·03	·32	—		30
31	·31	✕	—	✕	·14	✕	—	—	✕	·17	✕	·22		31
TOTAL	4·~~7~~32	·88	·65	·52	3·02	·73	2·57	1·55	3·81	4·29	4·08	3·60 3·61	29·92 ~~30·88~~	
* Days with .01 in. or more.	24	14	6	6	18	11	15	13	19	24	25	26	201	
* Days with .04 in. or more.	19	7	2	3	12	5	12	7	12	15	14	~~19~~ 17	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Robt. Matthews [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 540

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hailsham

in the County of E Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level ft.

ar

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	—	·05	·18	·16	—	Tr	·21	·19	—	·01	·04		1
2	·02	—	·02	·01	·02	—	—	·19	·02	·02	·02	—		2
3	·43	—	·01	·28	—	—	—	·02	Tr	·01	·09	·30		3
4	·27	·02	·53	·09	—	—	—	·18		·70	·19	—		4
5	—	—	·08	·18	·07	—	·10	·01	—	·20	·63	·14		5
6	·44	·01	·05	·01	—	—	·09	·05	—	·38	·50	—		6
7	·11	·07	Tr	Tr	—	—	·12	·09	·01	·02	·27	·21		7
8	·01	·11	·08	—	—	—	—	·01	—	·32		·24		8
9	·01	·06	·01	—	—	—	—	·13	—	·64	~~·85~~ ·83	·18		9
10	·18	—	·01	—	—	·28	—	·26	·25	·47	·01	—		10
11	·19	·02	·23	—	·02	·02	—	—	·01	·89	·01	—		11
12	—	—	Tr	—	—	·10	—	—	—	·01	—	·08		12
13	·08	—	~~Tr~~ ·03	·02	—	—	—	—	—	2.10	—	·02		13
14	1·03	—	—	·06	Tr	·11	·07	—	—	·18	·46	·03		14
15	·57	—	—	·01	·55	·04	—	·01	·02	·27	·11	—		15
16	·21	·02	·07	·16	·21	·14	·38	—	·01	·01	·52	—		16
17	·12	·06	—	·05	·22	—	—	—	—	—	·14	—		17
18	·01	—	·03	—	—	·11	·11	—	—	·38	·65	—		18
19	·30	—	·01	·01	—	—	·16	·01	—	—	·01	—		19
20	·21	—	—	—	—	—	·01	Tr	—	—	—	·02		20
21	·07	—	·16	—	—	—	·32	—	·04	—	—	—		21
22	·23	·23	·10	·03	—	·17	·05	—	·01	·01	—	—		22
23	·01	·01	·06	·09	—	·01	·12	·01	Tr	·09	·41	—		23
24	·19	·05	~~·24~~	·24	—	—	·35	—	—	·03	·05	—		24
25	1·58	·04	·19	·50	—	—	·53	—	—	·07	1·01	·02		25
26	·08	·54	·07	·01	—	—	·02	—	—	·02	·33	—		26
27	·10	·11	·02	·01	Dew	—	—	—	—	·22	·34	—		27
28	·01	·36	·02	·01	—	·09	—	—	—	·02	·24	—		28
29	—	—	·01	·08	—	·01	—	—	—	·05	·03	·40	Snow	29
30	—	×	—	·74	—	·04	·03	—	·05	·04	·01	—		30
31	—	×	—	×	—	×	·01	·54	×	·01	×	—	Sc. fell	31
TOTAL	6·54	1·71	1.84	2·77	~~1·35~~ 1·25	1·12	2·47	1·72	·61	7·16	6·97	1·68	Year's Total 35·94	
* Days with .01 in. or more.	26	15	22	21	7	12	16	14	10	26	25 ~~24~~	12	~~205~~ 206	
* Days with .04 in. or more.	20	10	13	12	5	9	11	8	4	16	19 ~~18~~	8	~~134~~ 135	

[illegible]are column, no ent[illegible]required.

* See Instruction 3 (f) on other side.

(*Signed*) Robt. Matthews [P.T.O.

542

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090. **REGIS** 31 .

542

MAGHAM DOWN

1931- 1940

780111

Kept at Magham D

in the County of Suss

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS AY.

An observer who does not conform to … *e following year in the space on the right of th*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	·01	·12	–	–	–	·10	}·53	–	–	–	1
2	·12	·08	–	}·32	·03	–	–	–		–	–	–	2
3	·09	–	·19		·51	–	–	–	·37	–	–	·26	3
4	–	–		–	–	–	·02	–	·28	·04	·06	–	4
5	–	·04	–	·12	–	·56	·16	·27	·03	–	–	·28	5
6	–	·08	–	·12	–	·02	–	·33	–	·25	·41	·27	6
7	–	·01	–	·01	·08	·11	–	·19	·03	·04	·30	–	7
8	–	·12	–	–	–	·21	·18	–	–	–	·09	·13	8
9	–	·17	–	–	–	·03	}·18	–	–	–	1·10	·01	9
10	–	·08	·06	–	–	·09		·27	–	–	1·73	–	10
11	·16	·54	–	–	·01	–	–	–	Tr.	–	·32	–	11
12	·07	–	–	–	–	Tr.	–	–	·20	·02	–	–	12
13	·06	–	–	–	·19	–	·02	–	–	–	–	–	13
14	–	·10	·05	–	–	·07	·58	·47	–	–	–	–	14
15	–	·03	–	·09	·08	–	·07	·15	–	–	·02	·07	15
16	–	–	–	·13	·26	·02	·01	·02	–	–	–	–	16
17	–	·21	–	·31	–	–	·53	–	·06	–	–	–	17
18	–	·17	·03	·24	–	·02	}1·00	·37	–	–	·36	–	18
19	·13	–	–	·38	–	–		·52	·18	–	–	–	19
20	–	·04	–	·06	·01	·01	·14	·40	–	–	·01	–	20
21	–	·14	·01	–	·47	–	–	–	–	–	–	–	21
22	·45	–	·14	–	–	–	–	–	·02	–	–	–	22
23	·45	·05	·06	–	·08	·18	–	–	–	–	·27	–	23
24	–	–	–	·84	·01	·02	·10	·33	–	–	–	–	24
25	·13	·01	–	·35	–	–	·09	–	–	–	·03	–	25
26	–	·04	–	·20	·01	–	·30	–	–	·02	·32	–	26
27	·20	·30	–	·06	·17	–	·10	–	–	–	·03	–	27
28	·11	·15	–	·03	–	–	–	–	–	·06	–	–	28
29	·17	×	–	·01	·15	–	·09	–	–	·15	–	–	29
30	}·37	×	–	–	·02	–	·01	·02	–	–	–	–	30
31		×	–	×	Tr.	×	–	–	×	–	×	–	31
TOTAL	2·53	2·42	·55	3·39	2·08	1·34	3·58	3·44	1·70	·58	5·05	1·02	YEAR'S TOTAL 27·68
*Days with ·01 in. or more.	15	20	8	18	15	12	19	13	10	7	14	6	157
*Days with ·04 in. or more.	14	17	5	16	9	6	15	11	7	5	10	5	120

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) E. M. Bean

P.T.O.

542

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Magham Down

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	·01	·12	–	–	–	·10	} ·53	–	–	–	1
2	·12	·08	–	} ·32	·03	–	–	–		–	–	–	2
3	·09	–	·19		·51	–	–	–	·37	–	–	·26	3
4	–	–		–	–	–	·02	–	·28	·04	·06	–	4
5	–	·04	–	·12	–	·56	·16	·27	·03	–	–	·28	5
6	–	·08	–	·12	–	·02	–	·33	–	·25	·41	·27	6
7	–	·01	–	·01	·08	·11	–	·19	·03	·04	·30	–	7
8	–	·12	–	–	–	·21	·18	–	–	–	·09	·13	8
9	–	·17	–	–	–	·03	} ·18	–	–	–	1·10	·01	9
10	–	·08	·06	–	–	·09		·27	–	–	1·73	–	10
11	·16	·54	–	–	·01	–	–	–	Tr.	–	·32	–	11
12	·07	–	–	–	–	Tr.	–	–	·20	·02	–	–	12
13	·06	–	–	–	·19	–	·02	–	–	–	–	–	13
14	–	·10	·05	–	–	·07	·58	·47	–	–	–	–	14
15	–	·03	–	·09	·08	–	·07	·15	–	–	·02	·07	15
16	–	–	–	·13	·26	·02	·01	·02	–	–	–	–	16
17	–	·21	–	·31	–	–	·53	–	·06	–	–	–	17
18	–	·17	·03	·24	–	·02	} 1·00	·37	–	–	·36	–	18
19	·13	–	–	·38	–	–		·52	·18	–	–	–	19
20	–	·04	–	·06	·01	·01	·14	·40	–	–	·01	–	20
21	–	·14	·01	–	·47	–	–	–	–	–	–	–	21
22	·45	–	·14	–	–	–	–	–	·02	–	–	–	22
23	·45	·05	·06	–	·08	·18	–	–	–	–	·27	–	23
24	–	–	–	·84	·01	·02	·10	·33	–	–	–	–	24
25	·13	·01	–	·35	–	–	·09	–	–	–	·03	–	25
26	–	·04	–	·20	·01	–	·30	–	–	·02	·32	–	26
27	·20	·30	–	·06	·17	–	·10	–	–	–	·03	–	27
28	·11	·15	–	·03	–	–	–	–	–	·06	–	–	28
29	·17	×	–	·01	·15	–	·09	–	–	·15	–	–	29
30	} ·37	×	–	–	·02	–	·01	·02	–	–	–	–	30
31		×	–	×	Tr.	×	–	–	×	–	×	–	31
TOTAL	2·53	2·42	·55	3·39	2·08	1·34	3·58	3·44	1·70	·58	5·05	1·02	YEAR'S TOTAL 27·68
*Days with ·01 in. or more.	15	20	8	18	15	12	19	13	10	7	14	6	157
*Days with ·04 in. or more.	14	17	5	16	9	6	15	11	7	5	10	5	120

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) E M Bear

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Magham Down
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	-	-	·17	·84	—	·01	-	—	·08	·07	-	1
2	·03	-	-	·25	Tr.	—	-	·02	·05	—	-	·21	2
3	—	-	—	·09	·09	·48	-	·01	·21	-	-	Tr.	3
4	—	-	-	-	-	·07	-	-	—	-	·01	-	4
5	·36	-	·01	-	·02	·02	·13	-	·14	-	-	-	5
6	·53	-	Tr.	·05	-	—	-	-	·14	-	-	-	6
7	·05	-	·02	-	·03	-	-	-	-	} 1·12	-	-	7
8	·01	-	·32	·05	·22	-	-	-	·08	}	-	-	8
9	·11	-	-	·13	·53	-	—	-	-	·01	-	-	9
10	·61	-	-	·35	·16	-	-	-	} ·07	·13	·01	-	10
11	·47	·11	-	·15	·02	-	—	-	}	-	-	-	11
12	·28	-	-	—	-	·08	-	·02	·02	·24	-	-	12
13	·12	-	-	·10	·06	-	-	-	-	1·08	-	·05	13
14	·25	-	-	·10	·18	—	—	-	-	—	-	-	14
15	·05	-	-	·06	·10	-	-	-	-	-	-	-	15
16	·02	-	-	·16	-	-	-	-	—	—	-	-	16
17	—	-	-	·01	-	-	Tr.	-	-	-	-	-	17
18	·02	-	-	-	-	-	-	-	·07	-	·12	-	18
19	·03	-	-	·01	·02	-	-	-	·03	·45	·08	-	19
20	-	-	-	·09	·14	-	·08	·03	-	1·12	·32	-	20
21	-	-	-	-	·29	-	·03	-	-	·28	·01	·02	21
22	·05	·01	·25	-	·23	-	·28	·07	·84	·25	·40	-	22
23	-	·06	·03	·01	·01	-	-	-	·29	1·11	-	·09	23
24	-	-	-	-	-	-	1·16	-	·07	-	-	-	24
25	-	-	-	—	-	-	1·22	-	-	·22	·17	-	25
26	—	—	·01	·05	-	-	·12	·25	-	·01	·02	-	26
27	-	-	·24	·18	·11	·01	·02	—	-	·70	·03	-	27
28	-	-	·01	·02	·06	-	·21	Tr.	-	·13	-	-	28
29	-	-	·40	·01	·11	-	Tr.	·38	·36	·56	-	·05	29
30	·01	✕	·01	-	·01	·61	-	-	-	·01	Tr.	·02	30
31		✕	·04	✕	-	✕	·18	-	✕	-	✕	·06	31
TOTAL	3·14	·18	1·34	2·04	3·23	1·27	3·44	·78	2·37	7·50	1·24	·50	YEAR'S TOTAL 27·03
*Days with ·01 in. or more.	18	3	11	20	20	6	11	7	14	18	11	7	146
*Days with ·04 in. or more.	12	2	5	15	14	4	8	3	11	15	6	5	100

40-9999

*See Instruction 2 (f) on other side. M

(Signed) E M Bear.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Magham Down

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·40	·19	-	-	-	-	-	-	·01	·02	-		1
2	·15	-	·55	-	·06	-	-	-	-	-	Tr.	-		2
3	·03	·15	·07	-	-	-	-	-	-	Tr.	-	-		3
4	·05	·03	-	-	·22	-	-	-	-	-	-	-		4
5	·41	-	·22	-	·08	-	-		-	-	-	-		5
6	-	·11	·09	-	·44	-	-	-	-	-	-	-		6
7	·05	·08	·01	-	·05	-	-	-	-	·26	·09	·02		7
8	·15	·01	-	-	·01	-	·50	-	-	·01	-	-		8
9	-	-	-	-	·05	-	·05	-	-	·26	·34	-		9
10	-	·39	-	-	-	·04	·13 ~~[illegible]~~	·04	-	-	-	-		10
11	·13	-	-	-	·02	·09	·11 ~~[illegible]~~	·04	·31	·17	-	-		11
12	-	-	-	·06	-	·20	Tr. ~~[illegible]~~	-	1·33	-	-	-		12
13	·04	-	-	-	·06	·03	·27	-	·27	·12	·16	-		13
14	-	-	-	-	-	-	·01	-	-	·48	·33	-		14
15	·41	-	·61	-	-	-	·20	·20	-	·12	·18	·01		15
16	·01	-	—	-	-	·18	·08	-	-	·07	·02	-		16
17	·03	-	·17	-	-	·15	~~[illegible]~~	·11	·12	-	·01	-		17
18	·08	-	·10	-	-	·21	-	-	-	-	-	-		18
19	-	·03	·11	·09	-	·54	-	-	·08	-	-	-		19
20	-	·02	·11	-	-	·28	-	·01	·30	-	·01	-		20
21	-	·07	-	-	-	·02	-	-	·15	-	-	-		21
22	-	-	-	-	-	·01	-	·33	·09	·05	-	-		22
23	-	-	-	·15	-	·05	-	-	-	·01	-	-		23
24	-	·14	-	·24	-	-	-	-	·28	-	·02	-		24
25	-	·06	-	·37	-	-	-	-	·06	-	·11	·08		25
26	-	·49	-	·03	-	·07	-	-	-	·01	·02	·12		26
27	-	·01	-	·01	·05	·01	-	-	·02	·22	-	·16		27
28	-	-	-	-	·04	-	·19	-	-	·16	-	·64		28
29	·10		-	-	·46	-	-	-	-	·02	-			29
30	·07	✕	-	-	-	-	·02	-	·19	-	-	·11		30
31	·13	✕	-	✕	-	✕	-	·02	✕	-	✕			31
TOTAL	1·85	1·99	2·23	0·95	1·54	1·88	1·53	0·75	3·20	1·97	1·31	1·14	Year's Total 20·34	
*Days with ·01 in. or more.	16	14	12	7	12	14	10	7	12	15	12	7	138	
*Days with ·04 in. or more.	12	9	11	5	10	10	8	4	11	10	6	5	101	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) E W Bean

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Magham Down

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	–	–	–	·15	–	·09	–	·37	–	·40		1
2	·04	–	·10	–	–	Tr.	–	–	·11	·23	–	·49		2
3	·06	–	–	·14	–	–	–	–	–	·32	–	·18		3
4	·34	–	·02	–	–	–	–	–	–	·31	·33	1·01		4
5	–	–	·03	–	·16	–	–	·03	–	–	–	·40		5
6	–	–	·39	–	·16	·10	–	·11	–	·32	–	·47		6
7	–	–	–	·05	–	·01	–	–	–	·06	–	·16		7
8	–	·16	–	·17	·15	–	–	·02	·02	–	1·61	Tr.		8
9	–	–	·13	–	–	–	–	–	–	–	·60	·20		9
10	–	–	·25	·17	–	–	–	·10	–	–	·20	–		10
11	·81	–	·53	·05	–	–	·05	·65	–	–	–	·44		11
12	·11	–	·15	–	–	–	·23	·04	–	–	·07	·17		12
13	·49	–	·15	·17	–	–	·06	–	–	–	·04	·02		13
14	·23	–	·42	·03	–	–	–	–	–	–	·52	·45		14
15		–		–	–	–	–	–	·31	·03	·11	·76		15
16	·20	–	·49	·12	·07	–	–	–	–	·03	–	–		16
17	·09	–	·38	·03	–	–	–	–	–	–	·02	·40		17
18	–	–	·05	·23	–	–	·04	–	–	–	–	·41		18
19	–	–	·27	·01	–	–	–	–	·29	–	–	·43		19
20	–	–	·04	–	–	–	·22	–	–	·02	–	·02		20
21	–	–	–	·15	–	·11	–	·18	–	·04	–	–		21
22	–	–	–	–	–	–	·05	·22	·31	–	–	·11		22
23	–	–	–	·47	–	·21	–	–	–	–	–	·20		23
24	–	·04	–	·24	–	·19	·36	–	·08	–	–	–		24
25	·07	–	–	·15	–	–	–	–	–	·12	–	·60		25
26	·07	–	–	·08	–	·16	–	–	·03	–	–	·02		26
27	·03	–	–	·25	–	·03	–	–	–	–	–	·25		27
28	–	·05	–	·06	–	·15	·01	·64	–	–	–	·26		28
29	–	–	–	–	–	–	–	1·19	–	–	–	–		29
30	–	×	–	–	–	–	–	–	–	–	–	·46		30
31	–	×	–	×	–	×	–	–	×	–	×	·23		31
TOTAL	2·55	·25	3·40	2·57	0·54	1·11	1·02	3·27	1·15	1·85	3·50	8·54	Year's Total 29·75	
*Days with ·01 in. or more.	13	3	15	18	4	9	8	11	7	11	9	25	133	
*Days with .04 in. or more.	11	3	13	15	4	6	7	8	5	8	8	22	110	

† Spare column, no entries required.

(*Signed*) Bean

P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

M

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Magham Down, ~~[illegible]~~

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 90 ft.

Afec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·01	–	–	·05	–	·01	–	·05	·06	·26	–		1
2	·13	–	–	·07	–	–	Tr	–	·08	·60	·05	–		2
3	–	–	·25	·02	–	–	–	–	·12	·13	·09	–		3
4	–	·07	·03	·30	–	·16	–	–	·62	·46	–	} ✓		4
5	–	·35	–	·03	–	·01	–	–	·60	·89	–	} ·31 ✓		5
6	–	·14	·02	·27	–	·27	–	–	–	·26	·49	–		6
7	–	·03	–	·29	–	·04	–	–	–	–	1·34	·10		7
8	–	–	–	·27	–	–	–	·12	–	·57	·51	·02		8
9	–	–	–	·23	–	–	–	–	–	·72	·14	–		9
10	·12	–	·26	·01	–	·07	–	–	–	·01	·08	·30		10
11	·10	–	–	–	–	·02	·09	–	–	–	·46	·01		11
12	–	·11	–	–	–	·23	–	·14	·08	–	·48	–		12
13	·06	·19	–	·21	–	–	–	–	–	–	·34	·13		13
14	–	–	–	–	·18	·10	–	–	·02	·04	–	·11		14
15	–	} ·15 ✓	–	·62	–	–	–	–	·80	·01	·53	·17		15
16	–	} ✓	–	·20	–	·01	–	–	·77	–	·98	–		16
17	·01	–	·06	·10	–	·31	–	·06	·08	–	·45	–		17
18	–	–	–	·24	–	·04	–	–	·63	·12	–	–		18
19	–	–	–	·11	·38	·03	·03	–	·19	–	·16	–		19
20	–	·58	–	·06	–	·05	·01	–	·03	–	·21	–		20
21	–	} ✓	–	·03	–	–	–	–	·01	·12	·03	–		21
22	–	} ·47 ✓	–	–	–	–	–	·31	·11	–	–	–		22
23	–	–	·04	–	–	–	–	·68	·01	–	–	·24		23
24	·06	·84	–	–	·61	–	–	1·15	·72	·01	–	·43		24
25	·11	·44	–	·17	·04	·49	–	–	–	–	–	·14		25
26	·01	·18	–	–	–	·05	–	·17	·04	·04	·01	·21		26
27	·07	·35	–	–	–	–	–	·29	·09	–	·17	·39		27
28	–	·02	–	–	·04	–	–	·19	·03	·02	·02	·19		28
29	–	×	–	–	–	–	–	·09	·30	–	–	·42		29
30	·08	×	–	·04	·03	–	–	1·35	·20	·19	·67	·42		30
31	–	×	–	×	·01	×	–	·01	×	·20	×	·53		31
TOTAL	0·90	3·93	0·66	3·27	1·34	1·88	0·14	4·56	5·58	4·45	7·47	4·12	Year's Total 38·30	✓
* Days with .01 in. or more.	11	~~18~~ 17	6	19	8	15	4	12	22	18	21	18	171	
* Days with .04 in. or more.	9	12	4	15	6	10	1	11	17	14	18	15	135 4	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hailsham Magham Down

in the County of Sussex

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Form 906 sent re Sept 28/1/37. KG

Observer cannot make any alterations - see f 943415/29. KJ.

Copy by B.R.O.

Sept. days allocated from Hailsham (North St.) HM

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·07	·01	·32		·16	·21	·41	·	—	·12	·05		1
2	·03	·04				·30	·06	·10	·	—	—	-		2
3				·23		·06	·14		· ×	—	·51	-		3
4	·01		·09			·07	·01		·31 ×	—	·03	·09		4
5	·13							·06	·12 ×	—	·26	·09		5
6	·25					·02		·04	· ×	·07	·28	-		6
7	·43		·14			·04	·08		·	—	·71	-		7
8	·43		·03				·06		·	—	·49	·23		8
9	·30		·04				·35	·18	·06 ×	—	·27	-		9
10	·12			·06			·05	·15	· ✓	·07	—	-		10
11	·09						·01		·	—	1·05	-		11
12						·20	·36	·01	· ×	—	·09	·07		12
13				·03	·01	·06	·04		· ✓	—	·01	·27		13
14		·10				·10	1·21		·	·01	·12	·16		14
15		·13					·01		·	—	·14	·57		15
16	·22				·16				· ✓	—	·12	·07		16
17	·03	·79				·12		·01	· ✓	—	·19	·83		17
18	·09	·09				·27	·11		· ✓	—	·09	·04		18
19	·23	·04	·01			2·20	·06	·12	·	·04	·01	-		19
20	·34	·07	·02	× ·98 ×		·05			·41 ×	—	-	-		20
21		·02					·17		·09 ×	—	-	-		21
22	·12	·35	·08		·05	·09	·08		· ✓	—	-	·06		22
23	·11	·10	·08	·11			·04		·	·01	-	-		23
24	·11	·09							·08	·13	-	-		24
25	·27		·18	·12	·05	·36	·04		·31 ×	·19	-	-		25
26		·14	·17	·03		·02			· ×	—	-	-		26
27	·21		·01				·13		·15	·29	-	-		27
28	·49		·22			·17	·06		·	—	-	·05		28
29	·08	·06	·08			·04	·18		·	·04	·08	-		29
30	·13	✕			·22	·16	·01		·	·01	-	-		30
31	·16	✕	·16	✕	·16	✕	·24		✕	·49	✕	·19		31
TOTAL	4·57	2·09	1·32	1·88	·65	4·49	3·71	1·08	1·53 ✓	1·35	4·57	2·77	Year's Total 30·01	✓
* Days with .01 in. or more.	24	14	15	9	6	19	24	9	8 18 ✓	11	18	14	~~171~~ ✓	✓ 181
* Days with .04 in. or more.	21	13	10	7	5	17	20	7	8 12 ✓	8	14	14	~~144~~ ✓	✓ 148

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]090.

REGISTER OF RAINFALL IN 1937.

Kept at Hailsham, Magham Down

in the County of Sussex

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

Checked by 552 550/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·93	·01	–	·15	–	–	–	–	–	–	·79	·20		1
2		·40	08	·36	–	–	–	–	–	–		·88		2
3	·01	·11	·01	–	–	–	–	–	–	–		4)		3
4	·10	1·06	–	–	–	–	–	–	–	–		·46		4
5	·21	·04	28	–	–	–	·24	–	–	·05				5
6	·05	·02	68	·01	·26	–	–	–	–	–				6
7		1·02	08	·10	·15	–	–	–	–	–		18		7
8		·01	16	–	·12	·11	–	–	–	–		·28		8
9			–	·55	·27	·03	·11	–	·40	·04				9
10			33	·13	·08	·36	–	·04	–	–		·55		10
11			53	–	·01	02	·07	–	–	–		·23		11
12	·57	·30	34	–	·47	·36	–	87	·13	–		·30		12
13	·31	·04	53	·11	·03	18	–	–	·15	–		·61		13
14	·04	·03	12	–	·14	–	–	24	·15	–		·14		14
15	·14	·12	–	·30	–	–	·29	–	·11	–				15
16	·01		·19	·16	–	·10	–	·70	·01	–				16
17	·34		–	·04	–	–	–	–	·58	–	·19			17
18	·40	·11	–	·01	·38	·26	–	–	·59	–	·08	·05		18
19		·15	04	·22	–	·06	–	–	·01	–	·05	·15		19
20	·36		15	·29	·66	·08	–	–	–	–		·01		20
21	·40	·30	–	·10	–	–	·01	–	–	–	·16	·05		21
22	·39	·06	–	–	·04	–	·11	–	–	1·02	·06	·09		22
23	·07	·04	–	–	–	–	·13	–	–	·37	·20	·01		23
24	·43	·32	–	–	·03	–	–	–	·05	·13				24
25	·13	·42	33	–	–	–	–	–	–	·33				25
26	·01	·66	07	–	–	–	–	–	–	·20				26
27		·14	–	·29	–	–	–	–	·01	·14				27
28	·16	·13	–	·02	–	·03	–	–	–	·02		·01		28
29	·01		01	–	–	–	–	–	–	·35	·05			29
30	·23	✕	–	–	–	·01	–	–	–	·39	·10	04		30
31	·26	✕	–	✕	–	✕	–	–	✕	·37	✕	·01		31
TOTAL	5·56	5·49	3·93	2·84	2·64	1·60	·96	1·85	2·19	3·41	1·68	4·25	Year's Total 36·40	✓
* Days with .01 in. or more.	23	22	17	16	13	12	7	4	11	12	9	20	166	✓
* Days with .04 in. or more.	19	18	15	13	10	8	6	4	8	11	9	16	137	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at Hailsham, Magham Down

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·02			·14	·22	·17	–	·50		·04	·03		1
2	–	–		·05	·01		·46	–	–	·45	–	–		2
3	–	–			·02		·10	–	–	·84	·22	–		3
4	·03	–				·03	·24	·13	–	·37	–	·19		4
5	–	–					·06	·02	–	·39	·01	·01		5
6	·28	–					·09	·02	·13	·02	·07	·03		6
7	–	–					·18	·39	–	·14?	–	·14		7
8	·22	–					·10	–	·02	·21	·02	·03		8
9	·16	·01					tr	–	–	·38	–	·54		9
10	·15	·18					·01	·01	–	–	–	·36		10
11	·44	–				·02	tr	–	–	–	·10	·20		11
12	·44	–					–	·02	–	·06	–	tr		12
13	·46	·10					–	–	–	·13	·16	·13		13
14	·24	·03			76		–	–	·01	·15	·01	·02		14
15	·02	·11			·01		·24	–	–	–	·02	·12		15
16	·43	·08	·05		·05		·01	–	–	·10	·02	·25		16
17	–	·13	·01		·10		–	–	–	·17	·01	–		17
18	·06	–			·02		–	–	·13	·02	·49	–		18
19	·01	–					–	·14	·02	–	·13	·01		19
20	–	–			·08		–	–	·17	–	·48	·22		20
21	·04	–					–	–	·18	–	–	·09		21
22	·01	–				·06	–	·16	–	–	·45	·09		22
23	·01	–		·03			–	–	–	–	·02	–		23
24	–	–	·27				–	–	·07	–	·35	·11		24
25	·13	–	·24	·10	·10		·04	–	·18	·02	·51	·02		25
26	·49	·15	·09		·01		–	·05	·48	·27	–	·44	✓	26
27	·11	·09			·28	·21	·37	–	1·95	·11	·27	–		27
28	·04	·05			·58	·08	–	·51	·03	–	Tr	–		28
29	·19	X		·01	·30	·02	–	–	–	–	·15	·27		29
30	·07	✕		·31	·32		–	–	·14	–	·28	–		30
31	·20	✕		✕	·13	✕	–	–	✕	·23	✕	·22		31
TOTAL	4·24	·95	·66	~~·49~~ ·50	2·91	·64	2·07	1·45	4·01	4·06	3·81	3·52	Year's Total 28·82	✓
* Days with .01 in. or more.	24	11	5	5	16	7	13	10	14	19	21	22	167	✓
* Days with .04 in. or more.	18	8	4	3	11	4	11	6	10	16	14	15	120	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) E. M. Bear Esq. [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 542

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hailsham, Magham Down

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

Mar. adj by sum'd etms to agree with observer's total.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·07	·18	·17	–	–	·01	·21	·06	·01	·02		1
2	·02	—	—	·01	·01	–	–	·26	·01	–	·03	–		2
3	·37	—	—	·26	—	–	–	·17	—	–	·27	·25		3
4	·23	—	·42	·10	—	–	·08	·26	—	·70	·23	·08		4
5	–	—	·07	·19	·07	–	–	tr	—	·31	·54	·08		5
6	·42	—	·05	–	—	–	·11	·01	—	·17	·73	–		6
7	·10	·09	—	–	—	–	·05	·04	—	·01	·11	·17		7
8	–	·09	·09	–	—	–	–	–	—	·48	–	·49		8
9	·04	·04	—	–	—	–	–	·11	—	·55	·67	·13		9
10	·16	—	—	–	–	·26	–	·23	·21	·49	·01	–		10
11	·16	·01	·11	–	·04	·01	–	–	—	·97	·01	–		11
12	–	—	·01	–	·01	·06	–	–	—	tr	–	·01		12
13	·08	—	·02	·02	—	·03	–	–	—	1·95	–	·09		13
14	·93	—	—	·05	—	·05	·09	–	—	·17	·46	·02		14
15	·53	—	—	–	·65	·03	·01	–	·03	·34	·27	–		15
16	·17	·01	·11	·14	·11	·14	·33	–	—	·10	·43	–		16
17	·13	·07	·01	·08	·20	–	·04	–	—	—	–	–		17
18	·20	—	·01	–	TR	·10	·08	–	—	·03	·60	–		18
19	·21	—	—	–	—	–	·17	–	tr	·43	–	–		19
20	·22	—	) –	–	—	–	·03	–	—	—	–	–		20
21	·15	—	} ·15x	–	—	–	·27	–	·04	—	–	–		21
22	·20	·23	·19	·03	—	·26	·03	–	—	—	·01	–		22
23	TR	—	·01	·17	—	·01	·16	·01	—	·09	·44	–		23
24	·23	—	·~~2~~922	·12	—	tr	·06	–	—	·07	—	–		24
25	1·55	·50	·08	·26	—	–	·43	·01	—	—	·82	·03		25
26	·06	—	·02	TR	—	–	tr	–	—	·11	·32	–		26
27	·07	·11	·02	·01	—	–	–	–	—	·28	·19	–		27
28	–	·34	–	—	–	·07	–	–	—	·03	·22	·17		28
29	–	+	—	·10	—	tr	–	–	—	·07	·01	–		29
30	–	✕	–	·63	—	·03	·01	·46	—	·03	Jn.	–		30
31	–	✕	—	✕	—	✕	·01	·01	✕	·07	✕	·02		31
TOTAL	6·28	1·49	1·46	2·35	1·26	1·05	1·96	1·58	·50	7·51	6·38	1·56	Year's Total 3338	
* Days with .01 in. or more.	23	1~~0~~1	1~~9~~8	16	8	12	17	12	5	23	22	13	180	
* Days with .04 in. or more.	22	~~8~~9	1~~2~~0	12	6	7	12	7	3	19	16	8	131	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Hailsham (Magham Down)

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 90 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.06	-	.02	-	-	-	-	-	-	.08	-		1
2	-	.36	-	.11	.02	-	.04	-	-	.09	.40	-		2
3	-	.18	-	.03	-	-	.03	-	-	.05	1.51	.25		3
4	-	.01	-	.01	-	-	.12	-	-	.23	.13	.12		4
5	-	.01	-	-	-	-	.02	-	-	-	.68	.12		5
6	-	.15	-	-	.01	-	.26	-	-	.40	.05	-		6
7	.32	.13	-	-	-	-	.06	-	-	-	-	-		7
8	-	.01	-	-	-	-	tr	-	.20	.38	-	.54		8
9	-	-	-	-	-	-	-	-	.02	.43	.49	.24		9
10	-	-	-	-	-	-	.32	-	tr	.14	.14	-		10
11	-	.07	-	-	-	-	-	-	-	-	1.09	-		11
12	-	.04	.18	-	-	-	.20	-	.23	-	-	-		12
13	-	.01	.48	-	-	.19	.01	-	.41	-	1.02	-		13
14	-	-	.27	.04	-	-	.03	-	-	-	.03	.65		14
15	-	-	-	-	.24	-	.86	-	-	.05	.03	.01		15
16	.34	.05	.23	-	TR	.02	.04	-	.16	1.06	.70	-		16
17	-	-	.29	-	-	-	+	-	-	-	.04	-		17
18	-	.26	-	.35	-	-	+ .20	-	-	.04	.01	.11		18
19	-	.07	.44	-	-	-	.03	-	.46	-	.36	.05		19
20	-	.03	.03	-	-	-	-	tr	.04	.08	.07	-		20
21	.01	-	-	-	.61	-	-	-	.06	-	.44	-		21
22	-	-	.03	-	.13	.10	-	-	.06	-	-	-		22
23	-	.22	.04	.33	-	-	.03	-	-	-	.04	-		23
24	-	-	-	.31	-	-	.20	-	-	-	-	-		24
25	-	-	.43	-	.04	-	.08	-	-	-	-	-		25
26	.75	.19	.14	-	.18	.12	.06	-	-	.13	-	-		26
27	.42	.14	-	-	-	-	.02	-	-	-	-	-		27
21·3 28	.27	-	-	.02	.18	-	-	-	-	-	-	-		28
2b 29	.56	.12	.16	-	.44	-	-	-	-	-	-	.23		29
30	.09	✕	-	.16	-	-	-	-	-	.19	-	.03		30
31	.04	✕	-	✕	-	✕	-	-	✕	.42	✕	.15		31
TOTAL	2.80	2.11	2.72	1.38	1.85	.43	2.61	-	1.64	3.99	7.31	2.50	Year's Total 29.34	✓
* Days with .01 in. or more.	9	19	12	10	~~8~~ 9	4	20	-	9	14	19	12	137	✓
* Days with .04 in. or more.	8 ✓	14 ✓	10 ✓	6 ✓	~~5~~ 7 ✓	3 ✓	13 ✓	- ✓	8 ✓	14 ✓	16	10	109	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. M. Bear, Esq.

[P.T.O.

Circ A. HELLINGLY (L.A

542/3.

HELLINGLY HOSP.

1937 – 40

780111

Section **A** for the entry of

AIR MINISTR

Station No. 542/3

AINFALL ORGANIZATION

FORM 1090

REGIS 1937

Kept at HELLINGLY

in the County of SUSSE

Diameter of Funnel of Gauge...... 5

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·98	·01	—	·01	—	—	—	—	—	—	·80	·11		1
2	—	·45	·06	·39	—	—	—	—	—	—	·02	·86		2
3	·02	·12	—	—	—	—	—	—	—	—	—	·25		3
4	·12	1·06	—	—	—	—	—	—	—	—	—	·27		4
5	·23	·03	·95	—	—	—	·24	—	—	·04	—	—		5
6	·06	·02	·10	—	·28	—	·06	—	—	·01	—	—		6
7	—	·96	·12	·10	·12	—	—	—	·02	·01	—	·20		7
8	—	·02	—	—	14 ~~[illegible]~~	·08	·01	—	·42	—	·04	·24		8
9	—	—	—	·56	·25	·04	·12	—	—	·01	—	—		9
10	—	—	·50	·19	·10	·32	—	·04	·17	—	—	·63		10
11	—	—	·49	—	·02	·03	·06	—	·09	—	—	·20		11
12	·51	·34	·57	—	·42	·35	—	1·15	·16	—	—	·21		12
13	·31	·06	·58	·11	·04	·17	—	·02	·12	—	—	·59		13
14	·05	·03	·13	—	·13	·01	—	·26	·07	—	—	·11		14
15	·15	·13	—	·31	—	—	·31	·01	·58	—	—	—		15
16	·01	·09	·15	·20	—	·10	—	·70	—	—	—	·05		16
17	·36	—	·01	·03	—	—	—	—	·30	—	—	—		17
18	·34	·12	—	·02	·38	·30	—	—	·24	—	·30	·03		18
19	·05	·16	·04	·22	·01	·05	—	—	·07	—	·05	·18		19
20	·34	—	·24	·33	·66	·12	—	—	—	—	—	·02		20
21	·39	·40	·01	·09	·03	—	·01	·01	—	—	·25	·06		21
22	·41	·05	—	·01	—	—	·03	—	—	1·08	·16	·08		22
23	·06	·04	·02	—	—	—	·23	—	—	·38	·27	·03		23
24	·42	·32	—	—	·04	—	—	—	—	·16	·01	—		24
25	·13	·30	·32	—	—	—	—	—	·03	·33	—	—		25
26	·01	·71	·06	—	—	—	—	—	—	·25	—	—		26
27	—	·25	—	·28	—	—	—	—	·01	·16	—	—		27
28	·03	·15	—	·02	—	·02	—	—	—	·03	—	·01		28
29	—	✕	—	—	—	—	—	—	—	·30	·05	—		29
30	·25	✕	—	—	—	—	—	—	—	·39	·10	·06		30
31	·37	✕	—	✕	—	✕	—	—	✕	·49	✕	·01		31
TOTAL	5·60	5·82	4·35	2·87	2·62	1·59	1·07	2·19	2·28	3·64	2·05	4·20	Year's Total 38·28	
* Days with .01 in. or more.	23	23	17	16	14	12	9	7	13	14	11	21	180	
* Days with .04 in. or more.	19	18	14	11	11	9	6	4	10	10	9	16	137	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N.

(*Signed*) .... [P.T.O.

X THE MEDICAL SUPERINTENDENT

Circ A HELLINGLY (E

FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 542/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HELLINGLY

in the County of SUSSEX

Diameter of Funnel of Gauge 4⅞" in.

Height of top of Gauge above Ground ....ft. 7" in.

,, Ground ,, Sea Level appx 140 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·98	·01	—	·01	—	—	—	—	—	—	·80	·11		1
2	—	·45	·06	·39	—	—	—	—	—	—	·02	·86		2
3	·02	·12	—	—	—	—	—	—	—	—	—	·25		3
4	·12	1·06	—	—	—	—	—	—	—	—	—	·27		4
5	·23	·03	·95	—	—	—	·24	—	—	·04	—	—		5
6	·06	·02	·10	—	·28	—	·06	—	—	·01	—	—		6
7	—	·96	·12	·10	·12	—	—	—	·02	·01	—	·20		7
8	—	·02	—	—	·14	·08	·01	—	·42	—	·04	·24		8
9	—	—	—	·56	·25	·04	·12	—	—	·01	—	—		9
10	—	—	·50	·19	·10	·32	—	·04	·17	—	—	·63		10
11	—	—	·49	—	·02	·03	·06	—	·09	—	—	·20		11
12	·51	·34	·57	—	·42	·35	—	1·15	·16	—	—	·21		12
13	·31	·06	·58	·11	·04	·17	—	·02	·12	—	—	·59		13
14	·05	·03	·13	—	·13	·01	—	·26	·07	—	—	·11		14
15	·15	·13	—	·31	—	—	·31	·01	·58	—	—	—		15
16	·01	·09	·15	·20	—	·10	—	·70	—	—	—	·05		16
17	·36	—	·01	·03	—	—	—	—	·30	—	—	—		17
18	·34	·12	—	·02	·38	·30	—	—	·24	—	·30	·03		18
19	·05	·16	·04	·22	·01	·05	—	—	·07	—	·05	·18		19
20	·34	—	·24	·33	·66	·12	—	—	—	—	—	·02		20
21	·39	·40	·01	·09	·03	—	·01	·01	—	—	·25	·06		21
22	·41	·05	—	·01	—	—	·03	—	—	1·08	·16	·08		22
23	·06	·04	·02	—	—	—	·23	—	—	·38	·27	·03		23
24	·42	·32	—	—	·04	—	—	—	—	·16	·01	—		24
25	·13	·30	·32	—	—	—	—	—	·03	·33	—	—		25
26	·01	·71	·06	—	—	—	—	—	—	·25	—	—		26
27	—	·25	—	·28	—	—	—	—	·01	·16	—	—		27
28	·03	·15	—	·02	—	·02	—	—	—	·03	—	·01		28
29	—	✕	—	—	—	—	—	—	—	·30	·05	—		29
30	·25	✕	—	—	—	—	—	—	—	·39	·10	·06		30
31	·37	✕	—	✕	—	✕	—	—	✕	·49	✕	·01		31
TOTAL	5·60	5·82	4·35	2·87	2·62	1·59	1·07	2·19	2·28	3·64	2·05	4·20	Year's Total 38·28	
* Days with .01 in. or more.	23	23	17	16	14	12	9	7	13	14	11	21	180	
* Days with .04 in. or more.	19	18	14	11	11	9	6	4	10	10	9	16	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N.

(*Signed*) .... [P.T.O.

—X THE MEDICAL SUPERINTENDENT

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hellingly Mental Hospital.

in the County of Sussex

Diameter of Funnel of Gauge 4⅞ in.

Height of top of Gauge above Ground ft. 7 in.

,, Ground ,, Sea Level approx 140 ft.

Aus

notified w/L7

corr. for Dec 19 - 27 snow.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.31	.05	-	.15	.20	.18	-	.53	.07	.04	.10		1
2	-	.05	-	.04	.02	.01	.30	-	-	.47	-	.01		2
3	.02	-	-	-	.01	-	.10	-	-	.96	.20	-		3
4	-	-	-	-	-	.03	.11	.15	-	.46	-	.20		4
5	-	-	-	-	-	-	.32	.03	.17	.42	-	-		5
6	.01	-	-	-	-	-	.04	-	-	.01	.07	.06		6
7	.36	-	-	-	-	-	.16	.40	.01	.37	.01	.13		7
8	-	-	-	-	-	-	.10	-	-	.24	.01	.03		8
9	.24	-	-	-	-	-	-	-	-	.38	-	.47		9
10	.21	.01	-	-	-	.02	-	.44	-	.01	-	.38		10
11	.14	.21	-	-	-	-	-	-	-	-	.10	.22		11
12	.45	-	-	-	-	.05	.08	.01	-	.05	.03	.01		12
13	.51	-	-	-	-	-	-	-	-	.16	.14	.10		13
14	.46	.11	-	-	.83	-	-	-	.02	-	-	.04		14
15	.26	.03	-	-	-	-	.18	-	-	.12	.02	.17		15
16	.03	.15	-	-	.02	-	.02	.04	-	.12	-	.27		16
17	.49	.02	.04	-	.11	-	-	-	.01	.11	.02	-		17
18	-	.11	.01	-	.02	-	-	-	.18	.01	.56	—		18
19	.08	-	-	-	-	-	-	.10	.08	-	.15	—		19
20	.03	-	-	-	.06	-	-	-	.13	-	.70	15 MM		20
21	-	-	-	.03	-	-	-	-	.22	-	.02	10 MM		21
22	.05	-	-	-	-	.05	-	.16	.01	-	.41	~~1.00~~ 10. MM		22
23	-	-	-	.02	-	-	-	-	-	-	.04	Snow —		23
24	-	-	-	-	.01	-	-	-	.10	-	.36	15 MM		24
25	-	-	.27	.07	.09	-	.04	-	.27	.03	.43	—		25
26	.14	-	.27	.02	-	-	-	.09	.70	.32	-	50 MM		26
27	.59	.26	.09	-	.29	.19	.38	-	1.78	.11	.25	~~.65~~	●	27
28	.10	.10	.01	-	.49	.10	-	.53	.20	-	-	.01		28
29	.04	×	-	.01	.28	.02	-	-	-	-	.14	.27		29
30	.19	×	-	.36	.21	.01	-	-	.05	.02	.32	-		30
31	.09	×	-	×	.12	×	-	-	×	.25	×	.21		31
TOTAL	4.50	1.36	.74	.55	2.71	.68	2.01	1.95	4.46	4.69	4.02	~~3.72~~ ~~3.37~~ 3.68	Year's Total ~~31.00~~	31.35
* Days with .01 in. or more.	22	~~7~~ 10	7	7	15	10	13	10	16	21	21	~~18~~ 24	167	176
* Days with .04 in. or more.	17	~~6~~ 8	5	3	10	5	12	8	12	16	15	~~14~~ 18	123	127

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) B. Read [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Hellingly Mental Hospital

in the County of Sussex

Diameter of Funnel of Gauge 4 7/8 in.

Height of top of Gauge above Ground ... ft. 7 in.

,, Ground ,, Sea Level approx. 140

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	-	.05	.22	.21	-	-	-	-	.02	-	.04		1
2	.02	-	-	.16	.01	-	-	.49	-	.01	.02	-		2
3	.32	-	-	.12	-	-	-	.19	-	.02	.27	.22		3
4	.31	-	.45	.11	-	-	-	.21	-	.55	.18	.06		4
5	-	-	.07	.20	.06	-	.06	-	-	.21	.42	.09		5
6	.45	-	.06	.01	-	-	.03	.03	-	.14	.62	-		6
7	.10	.07	-	-	-	-	.12	.07	-	.01	.20	.15		7
8	-	.11	.10	-	-	-	.06	-	-	.40	.01	.57		8
9	.06	.06	-	-	-	-	-	.08	-	.62	.58	.14		9
10	.18	-	-	-	-	.31	-	.24	.16	.42	-	-		10
11	.12	.01	.22	-	.04	.02	-	-	-	1.00	.02	.01		11
12	.03	.04	.01	-	.02	.06	-	-	-	-	-	-		12
13	.06	-	.03	.02	-	.03	.01	-	-	3.80	-	.10		13
14	.98	-	-	.06	-	.03	.05	-	-	.17	.48	.03		14
15	.59	-	-	-	.75	.05	.01	-	.03	.26	.21	-		15
16	.17	-	.08	.15	.18	.14	.36	-	-	.07	.49	-		16
17	.09	.10	.02	.10	.24	-	.04	-	-	-	.12	-		17
18	.17	-	.01	-	.01	.15	.11	-	-	.03	.55	-		18
19	.24	-	-	-	-	-	.27	-	.02	.46	-	-		19
20	.15	-	-	-	-	-	.04	-	.01	-	-	-		20
21	.15	-	.14	-	-	-	.29	-	.02	-	-	-		21
22	.21	.17	.18	.03	-	.29	.03	-	.02	-	-	-		22
23	.01	-	.02	.10	-	.01	.20	-	-	.07	.50	-		23
24	.20	.04	-	.20	-	-	.07	-	-	.07	.02	-		24
25	1.51	.45	.21	.31	-	-	.54	-	-	-	.74	.02		25
26	.05	.10	.07	.01	-	-	.01	-	-	.10	.28	-		26
27	.05	.12	.02	.01	-	-	-	-	-	.26	.23	-		27
28	-	.33	.04	-	-	.13	-	-	-	.03	.23	-		28
29	-	X	-	.21	-	-	-	-	-	.10	.02	-		29
30	-	X	-	.52	-	.04	.03	-	-	.04	-	-		30
31	-	X	-	X	-	X	.01	-	X	.09	X	.19		31
TOTAL	6.29	1.60	1.78	2.54	1.52	1.26	2.34	1.~~[illegible]~~ 31	.26	8.95	6.19	1.62	Year's Total ~~[illegible]~~	35.~~57~~ 66
* Days with .01 in. or more.	25	12	18	18	9	12	20	7	6	25	21	12	185	
* Days with .04 in. or more.	22	11	12	13	6	8	13	6	1	19	16	8	135	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... Med. Supt.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Hellingly Mental Hospital.
in the County of Sussex.
Diameter of Funnel of Gauge 4 7/8 in.
Height of top of Gauge above Ground ft. 7 in.
,, Ground ,, Sea Level 140 ft approx.

Jan 16th estd from nearby stns

Totals Ack.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.01	Tr	.01	-	-	-	-	-	-	.09	-		1
2	-	.04	-	.11	.02	-	.05	-	-	.10	.31	Tr.		2
3	-	.40	-	.03	-	-	.05	-	-	.04	1.57	.18		3
4	Tr.	.11	-	.01	-	-	.14	-	-	.24	.06	.17		4
5	-	Tr	-	-	-	-	.04	Tr	-	.01	.82	.20		5
6	.14	.15	-	-	.01	-	20	-	-	.75	.06	-		6
7	.19	.13	-	-	-	-	06	-	-	.01	-	Tr.		7
8	.01	.01	-	-	-	-	.01	-	.13	.37	-	.44		8
9	-	Tr.	-	-	-	-	-	-	.01	.18	.50	.33		9
10	-	-	Tr	-	-	-	.24	-	.02	.44	.10	Tr		10
11	-	-	.01	Tr	-	-	Tr	-	Tr	.01	1.10	Tr		11
12	-	-	.16	.01	-	-	.26	-	.08	Tr	-	-		12
13	Tr	.10	.42	—	-	.20	-	-	.68	-	1.10	Tr		13
14	-	Tr	.28	05	-	-	.03	-	-	.03	Tr	.64		14
15	-	-	.01	01	.29	-	.87	-	.02	.02	.13	.02		15
16	~~.04~~ .34	.26	.19	-	.01	.05	.05	-	.10	1.12	.80	.03		16
17	.03	Tr	.30	—	-	-	.04	-	.04	.01	.07	Tr.		17
18	.01	.26	.44	35	-	-	.07	Tr.	.01	.16	.01	.08		18
19	-	.06	.03	01	-	-	-	-	1.09	-	.25	.05		19
20	-	.02	Tr	01	-	-	-	Tr	.01	.07	.23	Tr		20
21	.03	.01	-	—	.46	-	.01	-	.02	.02	.39	-		21
22	.01	-	.02	.01	.30	.07	-	-	.08	Tr.	Tr.	-		22
23	-	.25	.04	.28	-	-	.03	-	-	Tr.	.04	.01		23
24	-	Tr	-	.31	-	-	.11	-	-	.01	.01	-		24
25	-	Tr	.45	Tr	-	-	.15	-	-	.02	Tr.	-		25
26	.75	.18	.14	-	.22	.12	.06	-	-	.11	-	Tr.		26
27	.39	.12	-	~~.08~~	.01	-	.02	-	-	Tr.	.01	Tr.		27
28	.28	.03	-	.02	.16	-	-	-	-	-	-	-		28
29	.31	.10	.16	Tr	.43	-	-	-	-	-	-	.24		29
30	.13	✕	-	.16	.01	-	-	-	-	.13	-	.01		30
31	.03	✕	-	✕	-	✕	-	-	✕	.40	✕	.15		31
TOTAL	6 2.~~3~~7	2.24	2.65	1.38	1.92	.44	2.49	-	2.29	2 4.~~[illegible]~~5	6 7.~~7~~5	2.55	Year's Total ~~30.43~~	30·~~73~~ 5
* Days with .01 in. or more.	15	18	14	15	11	4	~~19~~ 20	-	13	24	20	~~13~~ 14	168	
* Days with .04 in. or more.	9	13	10	6	6	4	~~14~~ 15	-	6	13	17	~~11~~ 16	169	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

542/5

HAZARDS GREEN P. S

1931 -40

780111

Section **A** for the entry o

AIR MINISTR ALL ORGANIZATION.

FOR OFFICIAL USE.

Sussex 3/5

FORM 1090.

REGIS 31.

Kept at Hazards Gree

in the County of S

Cin 1930

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS AY.

An observer who does not conform t e following year in the space on the right of t

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·06	·10				·09	·01				1
2	·11	·09		·24	·01				·35				2
3	·10		·21	·07	·68				·53			·20	3
4		·08					·02		·12	·03	·04		4
5				·13		·56	·09	·10	·02			·18	5
6		·05		·11				·33		·17	·27	·36	6
7		·05			·08	·14		·10	·09	·03	·31		7
8		·10				·16	·05	·03			·04	·17	8
9		·14				·13					·89		9
10		·09	·05			·08	·06	·22			1·49	·01	10
11	·13	·34									·42	·02	11
12	·12								·29				12
13	·14				·09		·02	·28					13
14		·09				·09	·51	·25			·01		14
15		·05		·08	·06		·14	·14				·04	15
16		·01		·11	·29	·01		·02					16
17	·05	·18		·13			·43		·05				17
18		·25	·02	·27		·01	·13	·27		·02	·34		18
19	·07			·43			·74	·41	·06				19
20		·10		·06	·06		·03	·35				·01	20
21		·06	·01		·43								21
22	·16		·16		·04				·01				22
23	·50	·01	·09		·07	·13			·03		·19		23
24		·01		·82		·09	·08	·37					24
25	·08			·39			·05				·04		25
26		·06		·16	·02		·30			·02	·34		26
27	·16	·30		·07	·23		·05				·05		27
28	·13	·08		·02						·05			28
29	·13	X		·16			·06			·19			29
30	·02	X			·13		·01	·01					30
31	·34	X		X		X			X		X		31
TOTAL	2·27	2·14	·60	3·35	2·19	1·40	2·44	2·97	1·56	·51	4·43	·99	YEAR'S TOTAL 25·18
*Days with ·01 in. or more.	~~16~~	~~20~~	~~7~~	~~17~~	~~13~~	~~10~~	~~17~~	~~15~~	~~11~~	~~7~~	~~13~~	~~8~~	~~154~~
*Days with ·04 in. or more.	14	17	5	16	11	8	13	12	7	3	12	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) V BEXHILL W. W X [P.T.O.

(542/5)

6428/30

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Sussex

[illegible] 1930

Kept at Hazards Green Pumping Station
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
,, Ground ,, Sea Level 74·04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·06	·10				·09	·01				1
2	·11	·09		·24	·01				·35				2
3	·10		·21	·07	·68				·53			·20	3
4		·08					·02		·12	·03	·04		4
5				·13		·56	·09	·10	·02			·18	5
6		·05		·11				·33		·17	·27	·36	6
7		·05			·08	·14		·10	·09	·03	·31		7
8		·10				·16	·05	·03			·04	·17	8
9		·14				·13					·89		9
10		·09	·05			·08	·06	·22			1·49	·01	10
11	·13	·34									·42	·02	11
12	·12								·29				12
13	·14				·09		·02	·28					13
14		·09				·09	·51	·25			·01		14
15		·05		·08	·06		·14	·14				·04	15
16		·01		·11	·29	·01		·02					16
17	·05	·18		·13			·43		·05				17
18		·25	·02	·27		·01	·13	·27		·02	·34		18
19	·07			·43			·74	·41	·06				19
20		·10		·06	·06		·03	·35				·01	20
21		·06	·01		·43								21
22	·16		·16		·04				·01				22
23	·50	·01	·09		·07	·13			·03		·19		23
24		·01		·82		·09	·08	·37					24
25	·08			·39			·05				·04		25
26		·06		·16	·02		·30			·02	·34		26
27	·16	·30		·07	·23		·05				·05		27
28	·13	·08		·02						·05			28
29	·13	✕		·16			·06			·19			29
30	·02	✕			·13		·01	·01					30
31	·34	✕		✕		✕			✕		✕		31
													YEAR'S TOTAL
TOTAL	2·27	2·14	·60	3·35	2·19	1·40	2·77	2·97	1·56	·51	4·43	·99	25·18
*Days with ·01 in. or more.	~~16~~	~~20~~	~~7~~	~~17~~	~~13~~	~~10~~	~~17~~	~~15~~	~~11~~	~~7~~	~~13~~	~~8~~	~~154~~
*Days with ·04 in. or more.	14	17	5	16	11	8	13	12	7	3	12	5	123

40-9999

(Signed) X BEXHILL W W X

[P.T.O.

*See Instruction 2 (*f*) on other side.

542/5

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hazards Green Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 74·04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	–	–	·15	·26	–	–	–	–	·27	·08	–	1
2	·03	–	–	·25	–	–	–	–	·03	–	–	·11	2
3	–	–	–	·10	·10	·37	–	–	·19	–	–	–	3
4	–	–	–	–	–	·15	–	–	–	–	–	–	4
5	·25	–	·02	–	·02	·06	·13	–	·10	–	–	–	5
6	·43	–	–	·06	·02	–	–	–	·06	–	–	–	6
7	·04	–	·03	·02	·07	–	–	–	–	·01	–	·04	7
8	–	–	·31	·05	·19	–	–	–	·07	1·18	–	–	8
9	·06	–	–	·12	·45	–	–	·03	–	–	–	–	9
10	·44	–	–	·36	·15	–	–	–	·02	·14	·02	–	10
11	·23	–	–	·18	·01	·47	–	–	·03	·04	–	·02	11
12	·22	·11	–	–	–	–	–	·01	·02	·13	–	–	12
13	·09	–	–	·11	·03	–	–	–	·01	1·00	–	·01	13
14	·25	–	–	·09	·17	–	–	–	–	·08	–	–	14
15	·02	–	–	–	·06	–	–	–	–	·09	–	–	15
16	·01	–	–	·28	–	–	–	–	–	–	–	–	16
17	–	–	–	·02	–	–	–	–	–	·11	–	–	17
18	·01	–	–	–	–	–	–	–	·03	–	·11	–	18
19	·01	–	–	–	–	–	–	–	·03	·24	·13	–	19
20	–	–	–	·09	·25	–	·04	·11	·01	·94	·24	–	20
21	–	–	–	–	·22	–	·07	–	–	·19	–	–	21
22	·04	–	·28	–	·15	·05	·16	·08	1·24	·16	·32	–	22
23	–	·06	·10	–	–	–	–	–	·28	·85	–	·04	23
24	–	–	–	–	–	–	·98	–	·07	·03	–	–	24
25	–	–	–	–	–	–	1·33	–	·19	·67	·03	–	25
26	–	–	–	·10	–	–	·15	·21	–	–	·07	–	26
27	–	–	·17	·19	·08	–	–	–	–	·86	·03	–	27
28	–	–	·03	–	·01	–	·20	–	–	·13	–	·03	28
29	–	–	·38	·03	–	–	–	·33	·29	·41	–	·04	29
30	–	×	·01	–	–	·50	–	–	·03	–	·12	·01	30
31	–	×	·04	×	–	×	·21	–	×	–	×	·03	31
TOTAL	2·25	·17	1·37	2·20	2·24	1·60	3·27	·77	2·70	7·53	1·15	·33	YEAR'S TOTAL 25·58
*Days with ·01 in. or more.	16	2	10	17	17	6	9	6	18	20	10	9	140
*Days with ·04 in. or more.	11	2	6	14	12	6	9	4	9	18	7	4	102

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [illegible] Pollard

Water Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 542/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hazards Green Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 74·04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·35	·17								·04		1
2	·14		·46		·07								2
3	·09	·17	·07										3
4	·03	·03											4
5	·35		·13		·29					·01			5
6		·09	·08		·48					·01	·05		6
7	·28	·04			·08					·19		·03	7
8	·13	·01					·56						8
9					·04		·02			·16	·31		9
10		·21				·05	·10			·18			10
11	·13				·01	·04	·07	·04	·16	·03			11
12				·09		·22			1·22				12
13	·05				·03	·05	·29		·38	·11	·21		13
14							·01	·01		·42	·35		14
15	·38		·04				·21	·17		·10	·22		15
16	·04		·48			·16	·03			·02	·02		16
17	·02		·15			·07		·09	·11				17
18	·10	·02	·07			·20							18
19	·05	·05	·06	·04		·17			·15			·03	19
20		·05	·06	·23		·15		·01	·19				20
21		·09						·03	·23				21
22						·88		·39	·06	·01	·01		22
23				·12	·05	·04			·83	·02			23
24		·13		·23	·05	·03			·27	·01	·03		24
25		·04		·38					·18		·26	·08	25
26		·35		·01		·06				·01	·02	·13	26
27					·15				·01	·23	·01	·16	27
28		·01		·01	·03		·12			·12		·68	28
29	·11	X			·53		·03			·03			29
30	·07	X					·01		·19			·11	30
31	·07	X		X		X		·03	X		X		31
TOTAL	2·06	1·64	1·77	1·11	1·81	2·12	1·45	·77	3·98	1·66	1·53	1·22	YEAR'S TOTAL 21·12
*Days with ·01 in. or more.	17	15	11	8	12	13	11	8	13	17	12	7	144
*Days with .04 in. or more.	14	11	11	6	9	12	6	4	12	8	7	5	105

40-9999

*See Instruction 2 (*f*) on other side, D

(*Signed*) pp E. Pollard

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 542/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hazards Green Pumping Station,
in the County of Sussex

Days

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
,, Ground ,, Sea Level 74·04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·07	–	·10	–	·31	–	·25		1
2	·04	–	·09	–	–	–	–	–	·13	·59	·04	·39		2
3	·03	–	–	·13	–	–	–	–	–	·56	–	·20		3
4	·31	–	·02	–	–	–	–	–	–	·31	·13	·64		4
5	–	–	·04	–	·09	–	–	·01	–	–	·03	·42		5
6	–	–	·43	·05	·16	·14	–	·16	–	·23	·02	·35		6
7	·01	–	–	·02	–	–	–	–	–	·04	–	·16		7
8	–	·03	–	·24	·12	–	–	·01	–	–	1·25	–		8
9	–	–	·13	–	–	–	–	–	·02	–	·23	·11		9
10	–	–	·20	·17	–	–	–	·06	–	·02	·04	·01		10
11	·69	–	·38	·07	–	–	·07	·48	–	–	–	·33		11
12	·09	·02	·10	–	–	–	·17	·03	–	–	–	·08		12
13	·37	–	·01	·04	–	–	·03	–	–	–	·12	–		13
14	·25	–	·27	·13	–	–	–	–	–	·07	1·00	·30		14
15	–	–	–	–	–	–	–	–	–	–	·16	·71		15
16	·14	–	·31	·04	·05	–	–	–	–	·02	–	·02		16
17	·09	–	·26	·03	–	–	–	–	–	·02	·03	·19		17
18	·03	–	·07	·13	–	–	·02	–	–	–	·01	·68		18
19	–	–	·22	–	–	·01	–	–	·21	·01	–	·24		19
20	–	–	·04	–	–	–	·21	–	–	·04	–	·01		20
21	–	·01	–	·16	–	·08	–	–	–	·02	–	–		21
22	–	–	–	–	–	–	·35	·19	·28	–	–	·11		22
23	–	·01	–	·40	–	·21	–	–	–	·02	–	·31		23
24	–	–	–	·20	–	·39	·55	–	·07	–	–	–		24
25	·07	–	–	·16	–	–	–	–	–	·07	·01	·59		25
26	·06	–	–	·06	–	·11	–	–	–	–	–	–		26
27	·03	–	–	·15	–	·17	–	–	–	·01	–	·16		27
28	–	·09	–	·02	–	·30	–	·52	–	–	–	·19		28
29	–	×	–	–	–	–	·01	1·33	·29	–	·01	–		29
30	·11	×	–	–	–	–	–	–	–	–	–	·37		30
31	·02	×	–	×	–	×	–	–	×	·12	×	·21		31
TOTAL	2·34	·16	2·57	2·20	·42	1·48	1·41	2·89	1·00	2·46	3·08	7·03	Year's Total 27·04	
*Days with ·01 in. or more.	16	5	15	18	4	9	8	10	6	17	14	25	147	
*Days with .04 in. or more.	11	1	13	15	4	8	5	7	5	10	8	22	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

542/5

✓

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935 .

Kept at Hazards Green Pumping Station,
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
,, Ground ,, Sea Level 74.04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	–	·07	–	·01	·04	–	–	–	·11	·19	–	1
2	·17	–	–	·12	–	–	·01	–	·10	·37	·05	–	2
3	–	–	·12	·02	–	–	–	–	·04	·21	·09	–	3
4	–	·07	–	·25	–	·11	–	–	·48	·42	–	·27	4
5	–	·34	·02	·17	–	–	–	–	·57	·55	–	·01	5
6	–	·19	·01	·30	–	·10	–	–	–	·24	·48	·02	6
7	·10	–	–	·25	–	·15	–	–	–	–	1·02	·09	7
8	–	·07	–	·27	–	–	–	·16	–	·39	·24	·03	8
9	–	–	–	·19	–	·21	–	–	–	·74	·21	–	9
10	·20	·01	·16	–	–	·06	–	–	–	–	·08	·28	10
11	·07	–	·01	–	–	–	·10	–	–	–	·37	–	11
12	–	·07	–	–	–	·16	–	·08	·03	–	·36	–	12
13	·06	·20	–	·25	–	–	–	–	–	–	·45	·05	13
14	–	–	–	–	·17	·08	–	–	–	–	–	·09	14
15	–	·11	–	·56	·03	·04	–	–	·65	–	·50	·14	15
16	–	·05	·01	·13	–	–	–	–	·26	–	·93	–	16
17	·03	–	·01	·09	·05	·36	–	·05	·07	–	·44	–	17
18	–	–	–	·15	·05	·03	–	–	·46	·15	–	–	18
19	–	–	–	·07	·26	·02	·03	–	·14	–	·15	–	19
20	–	·55	–	·06	·04	·05	·01	–	·02	–	·15	–	20
21	·01	·38	–	·02	–	–	–	–	–	·10	·02	–	21
22	–	·12	·02	–	–	–	–	·24	·08	–	–	–	22
23	–	·01	·02	–	–	–	–	·40	–	–	–	·22	23
24	·04	·49	–	–	·70	–	–	1·41	·48	–	–	·43	24
25	·10	·62	–	·15	·04	·14	–	·21	–	–	·01	·38	25
26	–	·13	–	–	–	–	–	–	·01	·03	·01	·24	26
27	·02	·23	–	–	–	–	–	·21	·17	–	·10	·25	27
28	·07	·07	–	–	·01	–	–	·22	–	·01	·02	·17	28
29	–	×	–	–	·06	–	–	–	·19	–	–	·40	29
30	·06	×	–	·04	·06	–	–	1·33	·19	·06	·91	·21	30
31	–	×	–	×	·01	×	–	·08	×	·11	×	·46	31
TOTAL	1·08	3·71	·45	3·09	1·49	1·55	·15	4·39	3·94	3·49	6·78	3·74	YEAR'S TOTAL 33·86
Days with ·01 in. or more.	13	18	10	18	13	14	4	11	17	14	22	18	172
Days with ·04 in. or more.	10	16	3	16	9	12	1	11	14	12	15	15	137

40-9999

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 542/5

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Hazards Green Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

,, Ground ,, Sea Level 74.04 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·10	–	·19	–	·19	·13	·29	–	–	·09	·10		1
2	–	·08	–	–	–	·25	·03	·08	–	–	–	–		2
3	–	–	–	·31	–	·02	·09	–	·06	–	·46	–		3
4	–	–	·07	–	–	·13	–	·01	·19	–	·04	·06		4
5	·11	–	–	–	–	–	–	·03	·21	–	·11	·02		5
6	·28	–	–	–	–	·02	–	·02	·16	·04	·21	·03		6
7	·43	–	·14	–	–	·01	·07	–	–	·03	·48	–		7
8	·33	–	·01	–	–	–	·08	–	–	–	·42	·17		8
9	·31	–	·01	–	–	–	·22	·14	·10	–	·32	–		9
10	·03	–	–	–	–	–	·05	·24	·01	·10	–	–		10
11	·02	–	–	·02	–	–	–	·01	–	–	·87	–		11
12	–	–	–	·01	–	·20	·24	·01	–	–	·11	·09		12
13	–	–	–	–	–	·08	·01	–	–	–	–	·28		13
14	–	·08	–	·03	–	·07	1·21	–	–	–	·10	·76		14
15	–	·05	–	·01	–	–	–	–	–	–	·12	·21		15
16	·38	·11	–	–	·11	–	–	–	–	–	·10	·07		16
17	·03	·62	–	–	–	·03	–	–	·01	·04	·14	·59		17
18	·08	·09	–	–	–	–	·09	–	·01	–	·12	·05		18
19	·28	·01	–	·01	–	·35	·09	·07	–	–	–	–		19
20	·28	·08	–	·34	–	–	–	–	·23	–	–	–		20
21	–	·03	·01	·56	–	·56	·18	–	·06	–	–	–		21
22	·13	·31	·06	–	–	·09	·05	–	–	–	–	·05		22
23	·02	·05	·08	·12	·03	–	·06	–	–	·01	–	–		23
24	·09	·06	–	–	–	–	–	–	·09	·08	–	–		24
25	·34	·01	·17	·07	·05	·08	–	–	·81	·07	–	–		25
26	–	·10	·13	–	–	·05	–	–	·05	·18	–	–		26
27	·15	·03	–	–	–	–	·47	–	·09	·09	–	–		27
28	·49	–	·12	–	–	·29	·06	–	·03	–	–	·02		28
29	·01	·04	·14	–	–	·08	·11	–	–	·03	·07	–		29
30	·11	✕	–	–	·17	·17	–	–	–	·07	–	–		30
31	·15	✕	·13	✕	·09	✕	·21	–	✕	·45	✕	·08		31
													Year's Total	
TOTAL	4·21	1·85	1·07	1·67	·45	2·67	3·45	·90	2·11	1·19	3·76	2·58	25·91	✓
* Days with .01 in. or more.	22	17	12	11	5	18	19	10	15	12	16	15	172	✓
* Days with .04 in. or more.	17	13	9	6	4	14	17	5	11	9	16	12	133.	✓

† Spare column, no entries required.

(Signed) J. Pollard [P.T.O.

* See Instruction 3 (f) on other side.

542/5

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Hazards Green Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 74·04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·72	·07	–	·14	–	–	–	–	–	–	·66	·13	1
2	–	·28	·17	·48	–	–	–	–	–	·04	·01	·74	2
3	·01	·10	–	–	–	–	–	–	–	–	–	·19	3
4	·07	·95	–	–	–	–	–	–	–	–	–	·22	4
5	·24	·01	·33	–	–	–	·21	–	–	·07	–	–	5
6	·03	·01	·75	–	·21	–	·01	–	–	·01	–	–	6
7	–	·97	·09	·09	·02	–	–	–	·02	–	–	·26	7
8	–	–	·15	–	·09	·08	–	–	–	–	·09	·15	8
9	–	–	–	·45	·23	·05	·09	–	·32	–	–	·02	9
10	–	–	·39	·13	·24	·64	–	–	–	–	–	·52	10
11	–	–	·62	–	·01	·01	·05	·01	–	–	–	·21	11
12	·47	·28	·18	–	·38	·28	–	·68	·16	–	–	·07	12
13	·39	·03	·55	·06	·01	·24	–	–	·06	–	–	·75	13
14	·06	·02	·11	–	·15	–	–	·22	·10	–	–	·09	14
15	·09	·10	–	·24	–	·06	·33	–	·01	–	–	–	15
16	–	·04	·14	·18	–	·06	–	·65	·06	–	·02	–	16
17	·25	–	–	·02	–	·01	–	–	·36	–	·16	·01	17
18	·24	·10	·03	–	·16	·12	–	–	·58	–	·12	·01	18
19	·04	·11	·08	·15	·01	·04	–	–	·03	–	·05	·17	19
20	·29	–	·12	·24	·71	·08	–	–	·01	–	–	·03	20
21	·33	·37	–	·12	–	–	–	–	–	–	·10	·03	21
22	·34	·04	–	–	·02	–	·03	–	–	·84	·10	·05	22
23	·04	·03	–	–	–	–	·22	–	–	·39	·03	·02	23
24	·41	·27	–	–	·03	–	–	–	–	·07	–		24
25	·11	·33	·34	–	–	–	–	–	·05	·37	–		25
26	–	·54	·02	–	–	–	–	–	–	·29	·01		26
27	–	·06	–	·28	–	–	–	–	·01	·16	–		27
28	·02	·10	–	·02	–	·03	–	–	–	·01	–	·02	28
29	·07	×	·02	–	–	–	–	–	–	·16	·04	·01	29
30	·27	×	–	–	–	–	–	–	–	·41	·15	·02	30
31	·28	×	–	×	–	×	·01	–	×	·71	×	·04	31
TOTAL	4·77	4·81	4·09	2·60	2·27	1·70	·95	1·56	1·77	3·53	~~1·45~~ 1·54	3·76	YEAR'S TOTAL 33·26
Days with ·01 in. or more.	22	22	17	14	14	13	8	4	13	13	13	23	176
Days with ·04 in. or more.	19	17	14	12	8	10	5	3	8	11	8	14	129

40-9999

(Signed) E. Pollard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 542/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Hazards Green Pumping Station.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

,, Ground ,, Sea Level 74·04 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	·01	—	·11	·50	·21	—	·43	·08	·05	·05		1
2	·02	—	—	·03	·01	—	·09	—	—	·31	—	·02		2
3	—	—	·01	—	·01	—	·13	—	—	·68	·12	—		3
4	·04	—	·01	—	—	·04	·11	·25	—	·33	—	·10		4
5	—	—	—	—	—	—	·20	·01	—	·32	—	·01		5
6	·24	—	·01	—	—	—	·07	·01	·11	·01	·04	·02		6
7	—	—	·01	—	—	—	·13	·48	—	·31	—	·13		7
8	·20	—	—	—	—	—	·07	·03	·01	·10	—	·03		8
9	·18	—	—	—	—	—	—	·01	—	·29	—	·27		9
10	·14	·08	—	—	—	—	·01	—	—	—	—	·27		10
11	·38	—	—	—	—	—	—	—	—	—	·07	·17		11
12	·34	—	—	—	—	·09	·01	·03	—	·04	—	·01		12
13	·47	·09	—	—	—	—	—	—	—	·06	·13	·03		13
14	·20	·14	—	—	·60	—	—	—	·01	—	·01	·06		14
15	·01	·06	—	—	—	—	·15	—	—	·09	·02	·16		15
16	·31	·09	·04	—	·03	—	—	·01	—	·14	·03	·23		16
17	—	·14	—	—	·14	—	—	—	—	·06	—	—		17
18	·05	·01	—	—	·02	—	—	—	·20	·01	·46	—		18
19	—	—	—	—	—	—	—	·05	·08	—	·08	—		19
20	—	—	—	—	·01	—	—	—	·19	—	·51	·20		20
21	·04	—	—	·02	—	—	—	—	·17	—	·01	·04		21
22	—	—	—	—	—	·04	—	·11	—	—	·29	·09		22
23	—	—	·01	·02	—	—	—	—	—	—	·04	—		23
24	—	—	·20	—	—	—	—	—	·05	—	·35	·12		24
25	·13	—	·26	·08	·18	—	·04	—	·14	·02	·50	—		25
26	·55	·10	·10	·01	·01	·16	·02	·04	·39	·25	—	·42		26
27	·08	·08	—	—	·22	—	·25	—	·97	·18	·21	—		27
28	·04	·05	—	—	·34	·06	—	·62	·05	—	—	—		28
29	·20	×	—	—	·29	·05	—	—	—	—	·11	·24		29
30	·04	×	—	·34	·21	—	—	—	·10	·04	·23	—		30
31	·18	×	—	×	·09	×	—	—	×	·12	×	·16		31
													Year's Total	
TOTAL	3·86	·85	·66	·50	2·27	·94	1·49	1·65	2·90	3·44	3·26	2·83	24·65	✓
*Days with ·01 in. or more.	22	11	10	6	15	7	14	12	14	20	19	22	172	✓
*Days with ·04 in. or more.	19	9	4	2	9	7	11	6	12	17	15	16	127	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Pollard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542/5 ~~447~~/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Hazards Green Pumping Station

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

„ Ground „ Sea Level 74·04 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	·02	·12	·15	—	·04	·01	·10	·07	—	·02		1
2	—	—	—	—	—	—	—	·17	—	·04	—	—		2
3	·40	·02	—	·20	—	—	—	·14	—	·02	·27	·26		3
4	·12	—	·44	·09	—	—	·07	·33	·01	·59	·21	·06		4
5	—	—	·08	·23	·06	—	·06	—	—	·20	·32	·13		5
6	·38	—	·05	—	—	—	·06	·01	—	·10	·53	—		6
7	·08	·07	—	—	—	—	·03	·05	—	·16	·30	·09		7
8	—	·05	·09	—	—	—	—	—	—	·49	—	·40		8
9	·02	·03	—	—	—	—	—	·03	—	·56	·43	·12		9
10	·12	—	—	—	—	·27	—	·21	·17	·52	·06	—		10
11	·19	·01	·18	—	—	·03	—	—	—	·67	— ~~·67~~	—		11
12	—	·01	—	—	·01	·10	—	—	—	—	—	·01		12
13	·12	—	·03	·01	—	·09	—	—	—	1·95	—	·07		13
14	·72	—	—	·01	—	·02	·04	—	·05	·16	·44	·01		14
15	·38	—	—	—	·70	·01	—	—	·01	·30	·11	—		15
16	·12	·01	·07	·13	·21	·28	·46	—	—	·02	·40	—		16
17	·19	·09	—	—	·01	—	—	—	—	—	·09	—		17
18	·14	—	·02	—	—	·06	·10	—	—	·04	·48	—		18
19	·24	—	—	—	—	—	·13	—	·01	·53	—	—		19
20	·23	—	—	—	—	—	·02	·01	·01	—	—	—		20
21	·15	—	·17	—	—	—	·23	—	·06	—	—	—		21
22	·15	·20	·15	·01	—	·20	·02	—	—	·01	·01	—		22
23	·01	·01	—	·05	—	—	·10	·01	—	·07	·43	—		23
24	·20	·05	—	·15	—	·01	·02	—	—	·15	·05	—		24
25	1·66	·44	·29	·24	·02	—	·67	—	—	—	·80	·03		25
26	·07	—	·22	—	—	—	—	—	—	·15	·25	·01		26
27	·07	·05	·05	—	—	—	—	—	—	·50	·22	—		27
28	—	·26	·03	—	—	·06	—	—	—	·02	·16	·07		28
29	—	×	—	·19	—	—	—	—	—	·03	·02	—		29
30	—	×	—	·60	—	·03	·02	·17	—	·03	·01	—		30
31	—	×	—	×	—	×	·01	·24	×	·04	×	—		31
													Year's Total	
TOTAL	5·82	1·30	1·89	2·03	1·16	1·16	2·08	1·38	·42	7·42	5·59	1·28	31·53	✓
* Days with .01 in. or more.	23	14	15	13	7	12	17	12	8	26	21	13	181	✓
* Days with .04 in. or more.	21	8	11	10	4	7	11	7	4	20	18	18	129	✓

† Spare column, no entries required.

(*Signed*) B. Holland

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542/S

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Bexhill Water Dept Hazard's Green, Pumping St.

in the County of Sussex.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	·01	-	-	-	-	-	·04	·05	·02		1
2	-	·06	-	·11	·06	-	·03	-	-	·13	·27	·24		2
3	-	·30	-	·08	-	-	-	-	-	·17	1·78	·17		3
4	-	·10	-	-	-	-	·10	-	-	-	·16	·17		4
5	-	·04	-	-	-	-	·02	-	-	·52	·84	-		5
6	·20	·14	-	-	-	-	·20	-	-	-	·05	-		6
7	·17	·09	-	-	-	-	·10	-	-	·34	-	·43		7
8	-	-	-	-	-	-	-	-	·34	·39	-	·33		8
9	-	-	-	-	-	-	-	-	·07	·18	·43	-		9
10	-	-	-	-	-	-	·35	-	·03	-	·09	-		10
11	-	·04	·01	·01	-	-	-	-	-	-	·85	-		11
12	-	·04	·12	-	-	-	·14	-	·07	-	·01	-		12
13	-	·01	·34	-	-	·18	-	-	·49	-	1·19	-		13
14	-	-	·31	·06	-	-	-	-	-	-	-	·54		14
15	-	-	-	-	·29	-	·83	-	·01	-	·30	·03		15
16	-	-	·19	·01	-	·02	·07	-	·10	·82	·74	-		16
17	·43	-	·34	-	-	-	·02	-	-	-	·05	-		17
18	-	·27	·28	·35	-	-	·09	-	·01	·16	-	·07		18
19	-	·07	·01	-	-	-	-	-	1·04	-	-	·07		19
20	-	·02	-	·02	-	-	·09	-	·04	-	·10	-		20
21	·01	-	-	-	·55	-	-	-	·02	·02	·23	-		21
22	-	-	·02	·02	·29	·20	-	-	-	·01	·25	-		22
23	-	·30	·04	·27	-	-	·03	-	·02	-	-	·02		23
24	-	-	-	·32	-	-	·16	-	-	-	·02	-		24
25	-	-	·38	-	·01	-	·21	-	-	·01	-	-		25
26	·74	·19	·18	-	·14	·18	·04	-	-	·04	·01	-		26
27	·44	·12	-	-	-	-	·08	-	-	·08	-	·01		27
28	·25	·01	-	·01	·03	-	-	-	-	-	-	-		28
29	·13	·13	·14	-	·46	-	-	-	-	-	-	·24		29
30	·12	✕	-	·27	-	-	-	-	-	·08	-	-		30
31	·06	✕	-	✕	-	✕	-	-	✕	·40	✕	·17		31
TOTAL	2·55	1·93	2·36	1·54	1·83	·58	2·56	-	2·24	3·39	7·42	2·51	Year's Total 28·91	✓
* Days with .01 in. or more.	10	17	13	13	8	4	17	-	12	16	19	14	143	✓
* Days with .04 in. or more.	9	14	10	7	6	3	13	-	7	13	16	10	108	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... F. Pollard .... [P.T.O.

542/8

HASTINGS BEECHWOOD

1933 - 1939

780111

No. 78476 3/27 542/8

Section **A** **for the entry** … **Station No.** ~~160~~

AIR MINIS… …FALL ORGANIZATION.

FORM 1090.

REG… …93 3.

~~HASTINGS~~

Kept at Beechwood … S…

in the County of…

Diameter of Funnel of Gauge…

Height of top of Gauge above Gro…

,, Ground ,, Sea…

THE MORNING MEA… …**DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Wimbledon (1st to 22nd Jany.)

Taken at Wolfe Road 2.00

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓ ~~-~~ ·01	·47	·14	-	-	-	-	-	Tr	Tr	·04	-	1
2	✗ ~~Tr~~ ·12	Tr	·47	-	·20	-	-	-	-	·02	·01	-	2
3	-	·19	·07	-	Tr	-	-	-	-	Tr	-	-	3
4	✗ ~~·09~~ ·15	·04	Tr	-	·01	-	-	-	-	-	-	-	4
5	✗ ~~·03~~ ·35	-	·14	-	·12	-	-	-	-	-	Tr	-	5
6	-	·11	·17	-	·48	-	-	-	-	·01	·09	-	6
7	✗ ~~·20~~ ·33	·04	-	-	·10	-	-	-	-	·21	-	·03	7
8	✗ ~~·05~~ ·14	·02	Tr	Tr	Tr	-	·20	-	-	·01	-	-	8
9	-	·02	-	-	·10	-	·01	-	-	Tr	·43	-	9
10	~~Tr~~	·55	-	-	Tr	Tr	·15	·02	-	·17	·01	-	10
11	✗ ~~Tr~~ ·19	·01	-	-	·01	Tr	·09	·12	·21	·18	Tr	-	11
12	-	-	-	·04	-	·30	Tr	-	1·02	-	-	-	12
13	✓ ~~·09~~ ·01	-	-	-	·04	Tr	·22	·05	·46	·23	·26	-	13
14	-	-	-	-	·01	-	Tr	-	-	·74	·28	-	14
15	✗ ~~Tr~~ ·31	-	·06	-	-	-	·20	·12	-	·21	·48	·06	15
16	✗ ~~·03~~ ·07	-	·51	-	-	·21	·31	-	-	·01	·07	-	16
17	✗ ~~·07~~ ·06	Tr	·25	-	-	·03	-	·09	·16	-	Tr	-	17
18	✗ ~~·09~~ ·26	Tr	·08	} ·03	-	·41	-	-	·01	-	Tr	-	18
19	-	·10	·14	~~·7~~	-	·10	-	-	·06	-	·01	·01	19
20	-	·02	·05	·19	-	·06	-	·20	·10	-	Tr	-	20
21	-	·14	-	·01	Tr	Tr	-	·07	·56	-	Tr	-	21
22	-	·02	-	-	-	·03	-	·61	·02	·01	·01	-	22
23	-	Tr	-	·13	Tr	·06	-	-	·73	-	Tr	-	23
24	~~Tr~~	·14	-	·33	·03	·02	-	-	·82	-	·11	-	24
25	-	Tr	-	·46	·02	-	-	-	·02	·01	·34	·08	25
26	-	·22	-	·01	-	·03	-	-	-	·21	·03	·04	26
27	-	Tr	-	·01	·15	-	-	-	Tr	·01	Tr	·08	27
28	-	Tr	-	Tr	-	·01	·10	-	-	·12	-	·37	28
29	·13		-	-	·37	-	·03	-	-	·01	-	Tr	29
30	·07	✕	·03	-	Tr	-	·03	-	·49	·01	-	·16	30
31	·10	✕	-	✕	Tr	✕	-	·03	✕	Tr	✕	-	31
TOTAL	(2·30) ~~1·20~~	2·09	2·11	1·21	1·64	1·26	1·34	1·31	4·66	2·17	2·17	·83	YEAR'S TOTAL (23·09) ~~22·09~~
*Days with ·01 in. or more.	(15) ~~14~~	15	12	9	13	11	10	9	13	17	14	8	(146) ~~145~~
*Days with ·04 in. or more.	(13) ~~11~~	10	11	5	8	6	7	7	10	8	9	6	(100) ~~98~~

OK point "d"

40-9999

*See Instruction 2 (*f*) on other side,

D N

(*Signed*) X N. Lang Smith Esq. X [P.T.O.

28 Jany 1934

No. 784763/27 (542/8)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No ~~160~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

X HASTINGS
Kept at (Beechwood) X ~~Hastings~~
in the County of Sussex
Diameter of Funnel of Gauge ~~[illegible]~~ 8" in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 128 ft.

cf 543-5

Delete Wimbledon [illegible] & substitute values for Hastings for 1-22 [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Taken at Worple Rd. 2·30 Wimbledon (1st to 22 Jany.)

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓ – ·01	·47	·14	–	–	–	–	–	Tr	Tr	·04	–	1
2	✗ ~~·10~~ ·12	Tr	·47	–	·20	–	–	–	–	·02	·01	–	2
3	–	·19	·07	–	Tr	–	–	–	–	Tr	–	–	3
4	✗ ~~·09~~ ·15	·04	Tr	–	·01	–	–	–	–	–	–	–	4
5	✗ ~~·03~~ ·35	–	·14	–	·12	–	–	–	–	–	Tr	–	5
6	–	·11	·17	–	·48	–	–	–	–	·01	·09	–	6
7	✗ ~~·20~~ ·33	·04	–	–	·10	–	–	–	–	·21	–	·03	7
8	✗ ~~·05~~ ·14	·02	Tr	Tr	Tr	–	·20	–	–	·01	–	–	8
9	–	·02	–	–	·10	–	·01	–	–	Tr	·43	–	9
10	Tr	·55	–	–	Tr	Tr	·15	·02	–	·17	·01	–	10
11	✗ ~~Tr~~ ·19	·01	–	–	·01	Tr	·09	·12	·21	·18	Tr	–	11
12	–	–	–	·04	–	·30	Tr	–	1·02	–	–	–	12
13	✓ ~~·09~~ ·01	–	–	–	·04	Tr	·22	·05	·46	·23	·26	–	13
14	–	–	–	–	·01	–	Tr	–	–	·74	·28	–	14
15	✗ ~~Tr~~ ·31	–	·06	–	–	–	·20	·12	–	·21	·48	·06	15
16	✗ ~~·03~~ ·07	–	·51	–	–	·21	·31	–	–	·01	·07	–	16
17	✗ ~~·07~~ ·06	Tr	·25	–	–	·03	–	·09	·16	–	Tr	–	17
18	✗ ~~·09~~ ·26	Tr	·08	} ·03	–	·41	–	–	·01	–	Tr	–	18
19	–	·10	·14	=	–	·10	–	–	·06	–	·01	·01	19
20	–	·02	·05	·19	–	·06	–	·20	·10	–	Tr	–	20
21	–	·14	–	·01	Tr	Tr	–	·07	·56	–	Tr	–	21
22	–	·02	–	–	–	·03	[illegible]	·61	·02	·01	·01	–	22
23	–	Tr	–	·13	Tr	·06	[illegible]	–	·73	–	Tr	–	23
24	Tr	·14	–	·33	·03	·02	–	–	·82	–	·11	–	24
25	–	Tr	–	·46	·02	–	[illegible]	–	·02	·01	·34	·08	25
26	–	·22	–	·01	–	·03	–	–	–	·21	·03	·04	26
27	–	Tr	–	·01	·15	–	–	–	Tr	·01	Tr	·08	27
28	–	Tr	–	Tr	–	·01	·10	–	–	·12	–	·37	28
29	·13		–	–	·37	–	·03	–	–	·01	–	Tr	29
30	·07	×	·03	–	Tr	–	·03	–	·49	·01	–	·16	30
31	·10	×	–	×	Tr	×	–	·03	×	Tr	×	–	31
TOTAL	(2·30) ~~1·30~~	2·09	2·11	1·21	1·64	1·26	1·34	1·31	4·66	2·17	2·17	·83	YEAR'S TOTAL (23·09) ~~22·09~~
*Days with ·01 in. or more.	(15 ~~14~~)	15	12	9	13	11	10	9	13	17	14	8	(146) ~~145~~
*Days with ·04 in. or more.	(13 ~~11~~)	10	11	5	8	6	7	7	10	8	9	6	(100) ~~98~~

OK [illegible] "d"

40-9999
*See Instruction 2 (f) on other side,

D N

(Signed) X N. [illegible] ESQ X

28 Jany 1934

P.T.O.

~~File No 784763/27~~

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. 542/8 Station No 542/8.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Beechwood, Hastings
in the County of Sussex
Diameter of Funnel of Gauge nine in.
Height of top of Gauge above Ground one ft in.
,, Ground ,, Sea Level 128 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	-	·40	-	·20	·01	·24	-	·37		1
2	·05	-	·10	-	tr	·03	-	tr	·08	·62	·02	·53		2
3	·04	·01	-	·01	-	-	-	-	tr	·57	·01	·23		3
4	·29	-	·02	-	-	-	-	-	-	·24	·15	·65		4
5	tr	-	·06	-	·10	-	-	·01	-	tr	·10	·47		5
6	-	-	·48	·18	·14	·26	-	·09	-	·24	·08	·46		6
7	·01	-	-	·03	·01	·01	-	-	-	·06	-	·22		7
8	-	·01	-	·31	·12	tr	-	·03	-	tr	2·18	tr		8
9	-	-	·11	-	tr	-	-	·01	tr	-	·11	·14		9
10	-	-	·10	·22	-	-	-	·05	-	·05	·03	tr		10
11	1·11	-	·37	·20	-	-	-	·48	-	-	-	·27		11
12	·13	-	·10	-	-	-	·11	·04	-	-	·14	·11		12
13	·46	-	tr	·07	-	-	·04	·15	-	tr	·09	·01		13
14	·30	-	·31	·11	·01	-	·01	tr	-	·07	·42	·36		14
15	tr	-	tr	-	tr	-	-	-	-	tr	·22	·36		15
16	·18	-	·34	·07	·15	-	-	-	-	·01	tr	·04		16
17	·16	-	·38	·02	-	-	-	-	·12	·03	·04	·22		17
18	·07	-	tr	·13	-	-	tr	-	-	-	·01	·59		18
19	-	-	·20	tr	·01	·02	-	-	·17	tr	-	·24		19
20	-	-	·02	·13	·01	·06	·21	tr	-	·03	-	-		20
21	-	-	-	-	-	·10	-	tr	-	·02	-	-		21
22	-	-	-	·47	-	-	·13	·19	·29	·01	-	·10		22
23	-	·02	-	·23	-	·20	-	-	-	·02	-	·64		23
24	-	·02	-	·17	-	·46	·49	-	·04	tr	-	tr		24
25	·07	-	-	·07	-	tr	-	-	tr	·05	-	·53		25
26	·11	-	-	·05	-	·13	-	-	tr	·02	-	·01		26
27	·04	·01	-	·07	-	·33	-	-	-	tr	-	·32		27
28	tr	·13	-	·02	-	·33	tr	·56	-	-	tr	·20		28
29	-		-	-	-	-	-	·40	·42	-	·01	tr		29
30	·11	X	-	-	-	-	-	tr	tr	tr	·03	·57		30
31	·05	X	-	X	-	X	-	tr	X	·23	X	·20		31
TOTAL	3·18	·21	2·59	2·56	·55	2·33	·99	2·21	1·13	2·51	3·64	7·84	Year's Total. 29·74	
* Days with .01 in. or more.	16	7	13	19	8	12	6	12	7	17	16	25	158	
* Days with .04 in. or more.	15	1	11	15	4	9	5	9	6	10	10	23	118	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(*Signed*) N. Langsmith

P.T.O.

File No. 784763/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 542/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Beechwood, Baldslow Rd, Hastings

in the County of Sussex

Diameter of Funnel of Gauge ~~8~~ 9 in.

Height of top of Gauge above Ground 1 ft ' in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	·01	·05	–	·01	·07	·01	–	·09	·20	·15	tr		1
2	·22	–	tr	·09	–	–	tr	–	tr	·46	·05	–		2
3	·01	tr	·18	·08	–	·01	·01	–	·01	·46	·15	–		3
4	–	·10	–	·28	–	·13	–	–	·65	·40	·05	·13		4
5	–	·42	·03	·09	–	·01	–	–	·69	·30	–	·01		5
6	·01	·14	·01	·38	–	·04	–	–	–	·15	·40	·12		6
7	·14	·04	–	·27	–	·18	–	–	–	–	·80	·09		7
8	–	–	tr	·32	–	–	–	·34	–	·45	·15	·05		8
9	–	tr	tr	·23	–	·84	–	–	–	·92	·16	·04		9
10	·09	·03	·24	·09	–	·08	–	–	–	–	·14	·25		10
11	·09	tr	tr	–	–	tr	·51	–	–	–	·33	tr		11
12	–	·10	–	–	tr	·16	–	·62	·01	tr	·41	–		12
13	·07	·30	–	·16	tr	·02	–	–	·02	–	·63	tr		13
14	tr	tr	–	tr	·28	·14	–	–	tr	tr	–	·14		14
15	–	·20	–	·52	tr	·01	–	–	·57	·01	·22	·12		15
16	–	·04	·02	·12	tr	·06	–	–	·23	·01	·87	tr		16
17	·03	–	·02	·16	tr	·44	–	·03	·28	–	·51	–		17
18	–	tr	–	·22	·01	·06	–	tr	·55	·11	·01	–		18
19	–	–	–	·07	·38	·02	·03	–	·18	tr	·11	tr		19
20	tr	·43	–	·22	·07	·06	·02	–	·04	·01	·14	–		20
21	·02	·18	–	·02	–	–	–	–	tr	·11	·05	–		21
22	–	·10	·02	tr	–	–	–	·03	·12	–	·01	–		22
23	–	·05	·02	–	·01	–	–	·72	–	–	·01	·23		23
24	·06	·42	–	–	·41	–	–	1·40	·60	·13	–	·51		24
25	·12	1·08	–	·14	·06	·05	–	–	–	–	–	·41		25
26	·02	·11	–	–	–	·08	–	·19	·03	·07	tr	·18		26
27	·24	·28	–	–	tr	–	tr	·13	·13	tr	·15	·20		27
28	·07	·14	–	–	·12	–	–	·07	tr	·02	·06	·24		28
29	tr		–	–	·12	–	–	tr	·35	tr	·01	·48		29
30	·07	×	–	·16	·04	–	–	1·65	·62	·11	·72	·31		30
31	–	×	–	×	·02	×	–	·05	×	·26	×	·43		31
TOTAL	1·38	4·17	·59	3·62	1·53	2·46	·58	5·23	5·17	4·18	6·29	3·94	Year's Total. 39·14	
* Days with .01 in. or more.	16	19	9	19	12	19	5	11	18	18	25	18	189	
* Days with .04 in. or more.	11	17	3	18	8	14	1	9	14	14	21	17	147	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Lacy Smith

[P.T.O.

COPY FOR OFFICIAL USE File No. 764763/27

Section **A** for the entry of Daily Observations

Station No. 542|8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Beechwood, Baldslow Road, Hastings

in the County of Sussex

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	·22	·04	·28	–	·25	·10	·61	–	–	·10	·12		1
2	·05	·03	tr	tr	–	·19	·10	·10	–	–	–	–		2
3	tr	tr	–	·40	–	·01	·15	tr	·09	–	·53	tr		3
4	·03	–	·09	tr	–	·19	·06	tr	·30	–	·03	·06		4
5	·14	–	tr	·01	–	–	tr	·03	·17	tr	·16	·05		5
6	·38	–	–	–	–	·04	–	·03	·15	·16	·42	·02		6
7	·40	–	·15	–	–	·01	·09	–	tr	·02	·52	·01		7
8	·42	–	·02	–	–	–	·07	–	–	tr	·78	·23		8
9	·37	–	·02	–	–	–	·37	·04	·66	·02	·23	–		9
10	·02	–	tr	–	–	·23	·07	·44	·02	·03	–	–		10
11	·02	–	–	·11	–	tr	tr	·06	–	–	·95	–		11
12	tr	–	–	·04	–	·17	·30	·07	tr	–	·08	·09		12
13	–	–	–	–	–	·05	·01	–	–	·01	tr	·07		13
14	–	·10	–	·04	–	·04	1·23	–	–	·01	·10	·28		14
15	–	·06	–	·01	–	–	·42	–	·15	–	·18	·29		15
16	·49	·12	–	tr	·01	–	–	–	tr	–	·13	·17		16
17	·05	·58	–	–	–	·20	tr	–	·02	·06	·18	·61		17
18	·13	·05	–	–	–	·05	·14	tr	tr	·02	·08	·05		18
19	·28	·08	–	·01	–	·32	·26	·06	–	·01	·02	–		19
20	·37	·04	·01	·45	–	–	–	–	·17	–	–	–		20
21	–	·04	–	·71	–	·56	·16	–	·14	tr	–	–		21
22	·12	·32	·03	tr	·01	·04	·06	–	–	–	–	·05		22
23	·04	·07	·04	·14	–	–	·09	–	–	tr	–	–		23
24	·09	·15	–	tr	–	–	–	–	·03	·18	–	–		24
25	·43	·03	·14	·07	tr	·20	–	–	·37	·05	·01	–		25
26	tr	·12	·24	tr	–	·09	–	–	·11	·22	–	tr		26
27	·17	·15	·05	–	–	–	·31	–	·15	·08	·01	–		27
28	·43	–	·14	–	–	·44	·02	–	·05	–	–	·03		28
29	·01	·05	·16	–	–	·10	·44	–	tr	·04	·14	tr		29
30	·15	×	·03	–	·04	·30	–	–	–	·02	–	tr		30
31	·15	×	·14	×	·06	×	·21	–	×	·62	×	·09		31
													Year's Total	
TOTAL	4·93	2·21	1·30	2·27	·12	3·48	4·66	1·44	1·98	1·55	4·59	2·22	30·75	✓
* Days with .01 in. or more.	24	17	15	12	4	20	21	9	15	16	19	16	188	✓
* Days with .04 in. or more.	20	15	10	9	2	18	19	7	12	8	15	13	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

File No. 784763/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Beechwood, Baldslow Road, Hastings
in the County of Sussex
Diameter of Funnel of Gauge nine in.
Height of top of Gauge above Ground 1 ft. : in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·75	tr	tr	·20	–	–	–	–	–	–	·36	·50		1
2	tr	·24	·01	·45	–	–	–	–	–	·04	–	·51		2
3	–	·09	–	–	–	–	–	–	–	–	–	·11		3
4	·07	1·27	–	–	–	–	–	–	–	–	–	·30		4
5	·34	·02	·40	–	–	–	·23	–	–	·35	–	–		5
6	·03	tr	·80	·03	·22	–	·01	–	–	·01	–	·10		6
7	–	1·16	·12	·09	·04	–	–	–	–	tr	–	·25		7
8	–	·02	·35	–	·04	·09	–	–	·01	–	·10	·28		8
9	–	tr	tr	·50	·18	·07	·05	–	·30	tr	–	·11		9
10	–	–	·50	·05	·17	·55	·06	·03	–	–	–	·55		10
11	–	–	·96	–	·06	·01	–	–	–	–	–	·26		11
12	·53	·33	·15	·01	·28	·14	–	·80	·13	–	–	·01		12
13	·56	·04	·50	·08	·07	·34	–	tr	·09	–	–	·72		13
14	·06	·01	·01	–	·27	tr	–	·34	·07	–	–	·36		14
15	·10	·12	–	·24	tr	·04	·63	–	·06	–	–	tr		15
16	·06	·04	·15	·20	–	·02	–	·86	·04	–	–	–		16
17	·29	·01	tr	·04	–	·25	–	–	·88	–	·27	–		17
18	·18	·12	–	–	·08	·07	–	–	1·15	–	·21	tr		18
19	·04	·12	·05	·20	·09	·03	–	–	·09	–	·08	·11		19
20	·25	tr	·15	·30	·61	·05	tr	–	·11	–	–	·01		20
21	·32	·41	·02	·10	tr	tr	–	·04	tr	–	tr	·05		21
22	·29	·04	tr	–	·03	·04	·02	–	–	1·34	·17	·08		22
23	·02	tr	–	–	–	–	·40	–	–	·43	·04	·04		23
24	·55	·33	tr	–	–	–	–	–	–	·07	tr	tr		24
25	·13	·42	·35	–	–	–	–	–	·04	·57	–	–		25
26	·01	·60	·02	–	–	–	–	–	–	·50	–	tr		26
27	~~·09~~	·15	–	·24	–	–	–	–	·01	·12	–	–		27
28	·09	·17	–	·04	–	·04	–	–	–	·01	–	·08		28
29	·13	...	·01	–	–	tr	–	–	–	·10	tr	–		29
30	·19	×	–	–	–	–	–	–	–	·06	·12	·04		30
31	·28	×	–	×	–	×	·01	–	×	·05	×	·03		31
TOTAL	5·27	5·71	4·55	2·77	2·14	1·74	1·41	2·07	2·98	3·65	1·35	4·50	Year's Total 38·14	✓
* Days with .01 in. or more.	23	21	17	16	13	14	8	5	13	13	8	21	172	✓
* Days with .04 in. or more.	20	17	12	14	12	11	5	4	11	11	8	18	143	✓

† Spare column, no entries required.

(*Signed*) A. Lang Smith [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 542/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No 784763/27

Kept at Beechwood Baldslow Road, Hastings

in the County of Sussex

Diameter of Funnel of Gauge nine in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 120 ft.

Examined for Dec 19th; see letter 52a in [file. w.g.h.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	tr	–	–	·10	·26	·10	–	·27	·10	·08	·07		1
2	–	–	tr	·08	·03	–	·26	–	–	·40	–	·03		2
3	–	–	–	–	–	–	·18	–	–	·51	·14	–		3
4	·03	–	–	–	–	·03	·14	·22	tr	·30	tr	·11		4
5	–	–	–	–	–	–	·23	tr	–	·30	tr	·02		5
6	·17	–	–	–	–	–	·01	–	·14	tr	·05	·02		6
7	tr	–	–	–	–	·01	·03	·60	·02	·27	·02	·15		7
8	·20	–	–	–	–	tr	·08	–	·02	·17	–	·09		8
9	·28	·03	–	–	–	–	tr	·03	·01	·20	–	·38		9
10	·16	·05	–	–	–	·01	·03	tr	tr	–	–	·30		10
11	·39	tr	–	–	–	–	tr	–	–	–	·07	·16		11
12	·36	·01	–	–	–	tr	tr	·02	–	·07	tr	·01		12
13	·43	·25	–	–	tr	–	–	–	tr	·12	·12	–		13
14	·25	·10	–	–	·54	–	–	tr	·04	–	tr	·09		14
15	tr	·18	–	–	·01	–	·15	–	–	·08	·02	·15		15
16	·32	·02	·06	–	·03	–	·02	·03	–	·15	·12	·34		16
17	tr	·30	·01	–	·28	–	–	–	tr	·06	·02	–		17
18	·09	–	–	tr	·02	tr	–	–	·15	·01	·50	tr		18
19	–	–	–	–	tr	tr	–	·03	·01	–	·19	·60		19
20	tr	–	–	–	·05	~~tr~~	–	–	·38	–	·37	–		20
21	·08	tr	–	·07	–	–	–	tr	·22	–	·03	·10		21
22	tr	–	–	–	–	·06	–	·21	–	–	·37	·13		22
23	–	–	–	tr	–	–	–	–	–	–	·11	–		23
24	tr	–	·20	·01	–	–	–	–	·05	–	·49	·18		24
25	·12	–	·30	·15	·14	–	·03	–	·13	·01	·67	tr		25
26	·50	·12	·09	·05	–	–	·05	·02	·28	·24	–	·52		26
27	·06	·08	tr	–	·57	·14	·28	–	·38	·38	·35	–		27
28	·03	·05	–	–	·25	·02	–	·73	·27	–	·02	–		28
29	·35		–	·04	·20	–	–	tr	–	–	·07	·25		29
30	·04		–	·38	·33	·04	–	–	·05	·01	·25	–		30
31	·16		–		·10		–	–		·11		·18		31
TOTAL	4·05	1·19	·66	·78	2·65	·57	1·59	1·89	2·42	3·49	4·06 4·06	3·68	Year's Total 27·23	✓
* Days with .01 in. or more.	20	11	5	7	14	8	14	9	16	19	21	21	165	✓
* Days with .04 in. or more.	17	8	4	6	10	4	9	4	12	16	16	17	123	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Langsmith

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 542/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No 784763/27

Kept at Beechwood, Baldslow Rd. Hastings

in the County of Sussex

Diameter of Funnel of Gauge nine in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 120 ft.

Jne

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	-	·02	·16	·16	-	·04	·07	·03					1
2	tr	-	tr	·02	tr	-	·03	·12	·01					2
3	·47	·01	·01	·26	-	-	-	·18	-					3
4	·07	-	·49	·12	·06	-	·02	·53	-					4
5	-	tr	·10	·46	-	-	·10	·03	-					5
6	·40	·01	·08	tr	-	-	·03	·02	-					6
7	·09	·05	-	-	-	-	·05	-	-					7
8	tr	·09	·10	-	-	-	·01	-	-					8
9	·04	·04	tr	-	-	-	-	-	~~·22~~					9
10	·20	-	-	-	-	·25	-	·36	·22					10
11	·30	·02	·28	-	tr	·04	-	-	-					11
12	tr	tr	tr	-	·02	·04	-	-	-					12
13	·56	-	·03	-	-	·02	-	-	-					13
14	·51	-	-	tr	tr	·03	·12	-	-					14
15	·14	tr	-	tr	·52	·01	tr	-	·01					15
16	·09	·02	·15	·12	·18	·32	·28	-	tr					16
17	·04	·10	·05	tr	-	-	·04	-	·01					17
18	·19	-	·02	-	-	·04	·16	-	·10					18
19	·24	-	·02	-	-	-	·32	-	·03					19
20	·32	-	-	-	-	·02	tr	tr	·05					20
21	·16	-	·23	-	-	tr	·10	-	·24					21
22	·25	·18	·07	·01	-	·38	·06	-	·01					22
23	·11	-	-	·04	-	·01	·19	·01	·01					23
24	·20	·08	-	·14	-	-	·02	-	tr					24
25	1·25	·46	·29	·20	-	tr	·30	-	-					25
26	·07	-	·36	tr	-	-	tr	-	·05					26
27	·22	·07	·12	-	-	-	-	-	tr					27
28	-	·60	·03	-	-	·17	-	-	tr					28
29	-		-	·25	-	·01	-	-	-					29
30	-	×	-	·78	-	·02	tr	tr	tr					30
31	-	×	-	×	-	×	·04	·47	×		×			31
TOTAL	6·10	1·73	2·45	2·56	·94	1·36	1·91	1·79	·77				Year's Total ..	~~19·61~~
* Days with .01 in. or more.	23	13	18	12	5	14	18	9	12				..	~~124~~
* Days with .04 in. or more.	23	9	12	10	4	7	13	6	5				..	~~89~~

Remainder of observations recorded at Wittersham, Kent, on separate form

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Langsmith

[P.T.O.

543

Section **A** for the
AIR M

FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.
RE

931.

543 — 309040

HASTINGS — NEWGATE

1931 — 1940

780111

Kept at newgate

in the County of

Diameter of Funnel of Ga

Height of top of Gauge abo

,, Ground ,,

THE MORNING **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·06	·10	·22	—	—	—	·10	—	—	—	—	1
2	—	·10	·19	·37	·05	—	—	—	·37	·03	—	—	2
3	·20	·12	—	·15	·69	—	~~trace~~	·01	·48	—	~~trace~~	·16	3
4	—	·01	—	—	—	—	·02	·02	·12	·04	·04	—	4
5	—	—	—	·12	—	·33	·08	·66	—	—	—	·15	5
6	—	·05	—	·12	—	—	—	·07	—	·22	·35	·04	6
7	—	·05	—	·02	·03	·13	—	·11	—	·02	·27	—	7
8	—	·05	·02	—	—	·12	·01	·04	—	~~trace~~	·22	·25	8
9	·03	·12	—	—	—	·15	·02	—	·03	—	·67	~~trace~~	9
10	—	·08	·08	—	—	·05	·04	·21	—	—	·96	·01	10
11	·11	·30	—	—	—	—	~~trace~~	—	—	—	·91	~~trace~~	11
12	·28	—	—	—	—	—	~~trace~~	—	·43	—	—	—	12
13	·17	—	—	—	·07	—	~~trace~~	·03	—	—	—	—	13
14	—	·12	—	—	—	·02	·47	·50	~~trace~~	—	·02	—	14
15	·01	·03	—	·15	·06	—	·16	·07	~~trace~~	—	—	·05	15
16	—	·04	—	·10	·20	—	·01	·06	—	—	—	—	16
17	—	·05	—	·24	—	·01	·44	—	·03	·01	—	—	17
18	·02	·30	·02	·30	—	·02	·10	·35	—	·05	·34	—	18
19	·05	—	—	·84	—	·01	·45	·65	·15	—	—	—	19
20	—	·15	—	·10	·05	—	·01	·45	—	—	—	—	20
21	—	—	—	—	·47	—	—	—	—	—	—	—	21
22	·19	—	·10	—	·01	—	—	—	·02	—	—	—	22
23	·48	—	·04	—	·07	·04	—	—	·03	—	·27	—	23
24	·04	—	·01	·35	—	·08	—	·45	—	—	—	—	24
25	·01	·02	—	·30	—	—	·20	—	—	—	·02	—	25
26	—	·07	—	·05	—	—	·28	—	—	·02	·26	—	26
27	·13	·24	—	—	·23	—	·07	—	—	—	·44	—	27
28	·11	—	—	·06	—	—	—	—	—	·06	·04	·01	28
29	·12	×	—	·06	·17	—	·06	—	—	·21	·01	—	29
30	·03	×	—	—	·02	—	·03	—	—	—	—	—	30
31	·16	×	—	×	—	×	—	·01	×	—	×	—	31
99 TOTAL	2·24	1·96	0·56	3·55	2·12	0·96	2·45	3·79	1·66	·66	4·82	·67	YEAR'S TOTAL 35·44
Days with ·01 in. or more.	18	19	8	14	13	11	14	14	9	9	15	7	160
Days with ·04 in. or more.	13	16	5	16	10	7	11	13	5	5	12	5	118

40-9999

(Signed) .... [P.T.O.

543

Section **A** for the

FOR OFFICIAL USE.

AIR MI~~NISTRY. METEOROLOGICAL OFFICE. BRITISH RA~~INFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Newgate - Hastings
in the County of Sussex
Diameter of Funnel of Gauge 8 ins
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·06	·10	·22	–	–	–	·10	–	–	–	–	1
2	–	·10	·19	·37	·05	–	–	–	·37	·03	–	–	2
3	·20	·12	–	·15	·69	–	~~Trace~~	·01	·48	–	~~Trace~~	·16	3
4	–	·01	–	–	–	–	·02	·02	·12	·04	·04	–	4
5	–	–	–	·12	–	·33	·08	·66	–	–	–	·15	5
6	–	·05	–	·12	–	–	–	·07	–	·22	·35	·04	6
7	–	·05	–	·02	·03	·13	–	·11	–	·02	·27	–	7
8	–	·05	·02	–	–	·12	·01	·04	–	~~Trace~~	·22	·25	8
9	·03	·12	–	–	–	·15	·02	–	·03	–	·67	~~Trace~~	9
10	–	·08	·08	–	–	·05	·04	·21	–	–	·96	·01	10
11	·11	·30	–	–	–	–	~~Trace~~	–	–	–	·91	~~Trace~~	11
12	·28	–	–	–	–	–	~~Trace~~	–	·43	–	–	–	12
13	·17	–	–	–	·07	–	~~Trace~~	·03	–	–	–	–	13
14	–	·12	–	–	–	·02	·47	·50	~~Trace~~	–	·02	–	14
15	·01	·03	–	·15	·06	–	·16	·07	~~Trace~~	–	–	·05	15
16	–	·04	–	·10	·20	–	·01	·06	–	–	–	–	16
17	–	·05	–	·24	–	·01	·44	–	·03	·01	–	–	17
18	·02	·30	·02	·30	–	·02	·10	·35	–	·05	·34	–	18
19	·05	–	–	·84	–	·01	·45	·65	·15	–	–	–	19
20	–	·15	–	·10	·05	–	·01	·45	–	–	–	–	20
21	–	–	–	–	·47	–	–	–	–	–	–	–	21
22	·19	–	·10	–	·01	–	–	–	·02	–	–	–	22
23	·48	–	·04	–	·07	·04	–	–	·03	–	·27	–	23
24	·04	–	·01	·35	–	·08	–	·45	–	–	–	–	24
25	·01	·02	–	·30	–	–	·20	–	–	–	·02	–	25
26	–	·07	–	·05	–	–	·28	–	–	·02	·26	–	26
27	·13	·24	–	–	·23	–	·07	–	–	–	·44	–	27
28	·11	–	–	·06	–	–	–	–	–	·06	·04	·01	28
29	·12	×	–	·06	·17	–	·06	–	–	·21	·01	–	29
30	·03	×	–	–	·02	–	·03	–	–	–	–	–	30
31	·16	×	–	×	–	×	–	·01	×	–	×	–	31
TOTAL 99	2·24	1·96	0·56	3·55	2·12	0·96	2·45	3·79	1·66	·66	4·82	·67	YEAR'S TOTAL 25·44
Days with ·01 in. or more.	18	19	8	17	13	11	17	14	9	9	15	7	160
Days with ·04 in. or more.	13	16	5	16	10	7	11	13	5	5	12	5	118

40-9999

(Signed) .... [P.T.O.

Section **A** **COPY FOR OFFICIAL USE.**
for the entry of Daily Observations. **Station No** 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at NEWGATE - HASTINGS

in the County of SUSSEX

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

NOTE

Details of Gauge are as supplied previously

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following /

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	/	/	·09	·24	/	~~TRACE~~	/	/	·43	·11	/	1
2	·04	/	/	·36	·01	/	/	~~TRACE~~	·01	·01	~~TRACE~~	·05	2
3	/	/	/	·15	·14	·62	/	·01	·19	/	/	/	3
4	·01	/	/	/	/	·25	/	~~TRACE~~	/	/	·01	~~TRACE~~	4
5	·32	/	·01	/	·09	·07	·07	/	·08	/	/	/	5
6	·61	/	/	·10	·05	/	/	/	·04	·01	/	~~TRACE~~	6
7	·02	/	·24	·06	·12	/	/	/	~~TRACE~~	/	/	·04	7
8	·01	·03	·01	·08	·40	/	/	~~TRACE~~	·07	1·03	/	/	8
9	·06	·02	/	·13	·38	/	/	~~TRACE~~	/	·01	/	/	9
10	·45	/	/	·35	·13	/	/	/	·02	·13	·01	/	10
11	·25	·06	/	·25	·01	·17	·01	/	·04	·02	/	·04	11
12	·19	·05	/	/	/	/	/	·01	·04	·12	/	~~TRACE~~	12
13	·09	/	/	·06	·04	/	/	/	·01	1·21	/	~~TRACE~~	13
14	·03	/	/	·08	·09	/	/	/	/	·19	/	·01	14
15	·01	·01	/	·10	·13	/	/	/	/	·06	/	/	15
16	·01	/	/	·20	·11	/	/	/	/	/	/	·01	16
17	/	/	/	·03	/	/	~~TRACE~~	/	/	·05	/	~~TRACE~~	17
18	·02	/	/	/	/	/	/	/	·06	/	·15	~~TRACE~~	18
19	/	/	/	/	·01	/	/	/	·03	·16	·25	/	19
20	/	/	/	·08	·14	/	·22	·02	·02	·88	·26	/	20
21	/	/	·01	/	·15	/	·03	~~TRACE~~	/	·22	/	·02	21
22	·02	/	·28	/	·20	·01	·63	·10	·58	·06	·43	/	22
23	/	·06	·09	·01	/	/	/	/	·44	·95	/	·04	23
24	·01	·02	/	/	/	/	·90	/	·04	·02	/	/	24
25	/	/	/	/	/	/	1·55	/	·28	·75	·04	/	25
26	/	/	·02	·10	/	/	·10	·30	/	·01	·04	/	26
27	/	/	·21	·20	·05	/	/	/	·06	·90	·03	·01	27
28	/	/	·05	·01	·03	/	·19	/	/	·12	/	~~TRACE~~	28
29	/	/	·48	·01	/	/	/	·31	·21	·53	/	·07	29
30	/	×	·01	/	/	·52	/	/	·03	/	·11	·02	30
31	/	×	·04	×	/	×	·02	/	×	/	×	·02	31
99 TOTAL	2·16	·25	1·45	2·45	2 2·58	1·64	3·72	·75	2·25	7·87	1·44	·33	YEAR'S TOTAL 26·83
*Days with ·01 in. or more.	18	7	13	20	20	6	10	6	19	23	11	11	163
*Days with .04 in. or more.	8	3	7	16	16	5	7	3	13	17	8	5	108

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*)..........

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at NEWGATE HASTINGS.

in the County of Sussex

Diameter of Funnel of Gauge 8 ins

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·43	·16	—	—	—	—	—	—	~~Trace~~	·05	—		1
2	12	—	·45	—	·19	—	—	—	—	·01	—	—		2
3	~~Trace~~	·19	·07	—	—	—	—	~~Trace~~	—	—	—	—		3
4	·14	·02	~~Trace~~	—	·01	—	—	—	—	~~Trace~~	—	—		4
5	·34	—	·15	—	·13	—	—	—	—	—	—	—		5
6	~~Trace~~	·11	·17	—	·46	—	—	—	—	~~Trace~~	·06	—		6
7	·32	·03	~~Trace~~	—	·04	—	—	—	—	·18	—	·03		7
8	·14	·02	~~Trace~~	—	~~Trace~~	—	·13	—	—	·01	—	—		8
9	—	·02	—	~~Trace~~	·13	—	·01	—	—	~~Trace~~	·47	—		9
10	—	·52	—	—	—	—	·12	·02	—	·18	—	—		10
1·94 11	·18	~~Trace~~	—	—	·01	·01	·09	~~·09~~ ·11	·19	·15	—	—		11
12	—	—	—	·11	—	·27	~~Trace~~	—	1·00	—	Trace	—		12
13	·01	—	—	—	·02	~~Trace~~	·19	·10	·37	·31	·24	—		13
14	—	—	—	—	·03	—	·01	—	—	·56	·30	~~Trace~~		14
15	·30	—	·07	—	—	—	·21	·11	—	·20	·58	·07		15
16	·07	—	·50	—	—	·20	·27	—	—	~~Trace~~	·07	·01		16
17	·06	~~Trace~~	·25	—	—	·07	—	·05	·14	—	~~Trace~~	—		17
18	·25	—	·10	~~Trace~~	—	·38	—	—	—	—	~~Trace~~	—		18
19	—	·08	·11	·03	—	·08	—	—	·07	—	~~Trace~~	·01		19
20	—	·01	·04	·15	—	·06	—	·17	·12	—	·01	~~Trace~~		20
21	—	·09	—	~~Trace~~	—	—	—	·05	·55	—	~~Trace~~	~~Trace~~		21
22	—	·01	—	—	—	·02	—	·56	·01	·01	·01	—		22
23	—	—	—	·15	·01	·05	~~Trace~~	—	·57	~~Trace~~	—	—		23
24	—	·12	—	·27	·02	·02	—	—	·65	—	·10	—		24
25	—	·01	—	·57	~~Trace~~	—	—	—	·03	—	·26	·09		25
26	—	·27	—	·01	—	·03	—	—	·01	·01	·03	·03		26
27	—	~~Trace~~	—	—	·16	—	—	—	—	·20	—	·06		27
28	—	—	—	—	~~Trace~~	~~Trace~~	·10	—	—	·10	—	·33		28
29	·11	×	—	—	·32	—	·02	—	—	·01	—	—		29
30	·08	×	·02	—	—	—	·04	—	·55	·01	—	·12		30
31	·10	×	—	×	—	×	—	·03	×	~~Trace~~	×	—		31
99 TOTAL	2·23	1·93	2·09	1·29	1·53	1·14	1·19	1·20	4·26	1·94	2·13	·75	Year's Total 21·68	
*Days with ·01 in. or more.	15	15	12	7	13	11	11	9	13	14	12	9	141	
*Days with .04 in. or more.	12	9	11	5	7	6	8	7	10	8	9	5	97	

† Spare column, no entries required.

(*Signed*) ....

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ·543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at NEWGATE RESERVOIRS, HASTINGS

in the County of SUSSEX

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 243 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	~~Trace~~	-	·01	·34	-	·20	~~Trace~~	·25	-	·36		1
2	·06	-	·11	-	-	·02	-	-	·14	·50	·02	·44		2
3	·04	~~Trace~~	-	·01	-	-	-	-	-	·59	·05	·16		3
4	·27	·01	·01	-	~~Trace~~	-	-	-	-	·26	·12	·62		4
5	~~Trace~~	-	·06	-	·09	-	-	·02	-	-	·09	·45		5
6	-	-	·48	·20	·08	·25	-	·08	-	·24	·06	·45		6
7	·01	-	~~Trace~~	·01	·02	·01	-	-	-	·07	-	·18		7
8	-	·02	-	·28	·11	~~Trace~~	-	~~Trace~~	~~Trace~~	-	2·05	-		8
9	-	~~Trace~~	·11	-	~~Trace~~	-	-	~~Trace~~	~~Trace~~	-	·17	·13		9
10	-	-	·09	·18	-	-	-	·05	-	·03	·04	·01		10
11	1·00	~~Trace~~	·34	·13	-	-	-	·44	-	-	-	·34		11
12	·09	-	·09	-	-	-	·11	·05	-	~~Trace~~	·18	·05		12
13	·43	-	-	·05	-	-	·05	·12	-	-	·07	·04		13
14	·33	-	·34	·12	·01	-	~~Trace~~	-	-	·08	·32	·34		14
15	-	~~Trace~~	~~Trace~~	-	-	-	-	-	-	-	·21	·35		15
16	·17	~~Trace~~	·32	·06	·16	-	-	-	-	·02	-	·02		16
17	·13	-	·34	·02	-	-	-	-	·03	·03	·03	·21		17
18	·05	-	-	·16	-	-	-	-	~~Trace~~	-	·01	·60		18
19	-	-	·18	~~Trace~~	-	·01	~~Trace~~	-	·16	~~Trace~~	-	·22		19
20	-	-	·02	~~Trace~~	·01	·02	·20	~~Trace~~	-	·02	~~Trace~~	~~Trace~~		20
21	-	-	~~Trace~~	·11	-	·08	-	-	~~Trace~~	·02	-	~~Trace~~		21
22	-	-	-	-	-	-	·11	·16	·27	·01	~~Trace~~	·08		22
23	-	~~Trace~~	~~Trace~~	·45	-	·16	-	-	-	·03	~~Trace~~	·52		23
24	-	·02	-	·19	-	·23	·50	-	·06	-	-	-		24
25	·07	~~Trace~~	-	·16	-	-	-	-	-	·05	-	·43		25
26	·11	-	-	·07	-	·11	-	~~Trace~~	~~Trace~~	·02	-	·02		26
27	·03	~~Trace~~	-	·02	-	·37	-	-	·01	·01	-	·30		27
28	·01	·16	-	·03	-	·32	-	·39	-	~~Trace~~	~~Trace~~	·20		28
29	-	✕	-	-	-	-	~~Trace~~	·32	·35	-	·02	-		29
30	·11	✕	-	-	-	-	-	~~Trace~~	-	-	-	·38		30
31	·04	✕	-	✕	-	✕	-	-	✕	·26	✕	·33		31
TOTAL 9	2·95	0·22	2·49	2·25	0·49	1·92	0·97	1·83	1·02	2·49	3·44	7·23	Year's Total. 27·30	
* Days with .01 in. or more.	17~~3~~	5 ~~4~~	13~~2~~	18~~8~~	8~~4~~	12~~4~~	5~~8~~	10~~4~~	7~~2~~	18~~9~~	15~~4~~	26	154	
* Days with .04 in. or more.	14	1	11	13	4	8	5	9	5	9	11	23	113	

ackd 23.1.35 AL

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Simmonds. Meteorologist

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

W. W. SR.

dfp

Kept at Newgate Reservoirs Hastings
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 243 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·01	·04	·01	-	·12	·01	-	·08	·21	·14	-		1
2	·19	-	-	·09	-	-	·01	-	-	·44	·05	-		2
3	-	~~tr~~	·17	·06	-	~~tr~~	-	-	·02	·45	·15	-		3
4	~~tr~~	·08	-	·25	-	·15	-	-	·63	·33	·03	·15		4
5	-	·43	·02	·12	-	·01	-	-	·60	·37	-	·01		5
6	·02	·14	·02	·38	-	·04	-	-	-	·14	·36	·11		6
7	·13	·03	~~tr~~	·28	-	·22	-	-	-	~~tr~~	·78	·08		7
8	~~tr~~	-	-	·24	-	-	-	·29	-	·43	·17	·05		8
9	·01	-	~~tr~~	·26	-	·61	-	-	-	·92	·15	·03		9
10	·09	·02	·16	·12	-	·09	-	-	-	·12	·12	·24		10
11	·08	·01	-	-	-	·01	·40	-	-	-	·35	-		11
12	-	·10	-	-	~~tr~~	·15	-	·53	·03	~~tr~~	·37	-		12
13	·07	·27	·01	·14	-	·02	-	-	~~tr~~	~~tr~~	·61	~~tr~~		13
14	~~tr~~	~~tr~~	~~tr~~	-	·25	·10	-	-	-	·01	-	·16		14
15	-	24 ·24	-	·46	-	·02	-	-	·54	·02	·21	·12		15
16	-	·05	·02	·10	-	·09	-	-	·20	·01	·80	·14		16
17	·02	-	·02	·12	-	·42	-	-	·27	-	·47	·02		17
18	-	-	-	·22	·01	·05	-	·03	·56	·09	·02	-		18
19	-	-	-	·08	·40	·03	·07	-	·14	·01	·11	·01		19
20	~~tr~~	·44	-	·14	·03	·05	·02	-	·03	-	·14	-		20
21	·02	·18	-	·01	-	-	-	-	~~tr~~	·10	·05	-		21
22	~~tr~~	·11	·02	-	-	-	-	·02	·12	-	·02	-		22
23	~~tr~~	·04	·01	-	·01	-	-	1·02	-	-	·02	·14		23
24	·06	·42	-	-	·40	-	-	1·13	·61	·13	-	·50		24
25	·09	1·15	·01	·14	·06	·08	-	~~tr~~	~~tr~~	-	-	·36		25
26	·05	·09	~~tr~~	-	~~tr~~	·10	-	·18	·01	·06	·01	·20		26
27	·15	·27	-	-	~~tr~~	-	-	·12	·15	~~tr~~	·15	·19		27
28	·04	·12	-	-	·10	-	-	·03	·16	·03	·06	·17		28
29	-	×	-	-	·10	-	-	-	·37	-	·01	·36		29
30	·06		-	·17	·06	-	-	1·62	·40	·12	·80	·22		30
31	-		-		~~tr~~		×	·02		·25		·34		31
TOTAL 99	1·22	4·20	0·50	3·39	~~·52~~ ~~1·48~~	2·36 ~~2·37~~	0·51	4·99	4·92	424	6·15	3·58 ~~3·68~~	Year's Total 37·58 ~~37·[illegible]~~	
* Days with .01 in. or more.	~~4~~ 16	~~4~~ 20	~~8~~ 11	~~2~~ 20	~~3~~ 10	~~4~~ 19	~~3~~ 5	~~4~~ 11	~~4~~ 18	~~3~~ 20	~~6~~ 26	~~5~~ 21	197 52	
* Days with .04 in. or more.	12 ✓	16 ✓	3 ✓	18 ✓	4 ✓	14 ✓	2 ✓	4 ✓	14 ✓	~~14~~ 15	~~19~~ 20	16 ✓	1424	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. W. Summonds [P.T.O.

S. Little [illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Mengate Rest Hastings

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 243 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·22	·06	·29	-	·33	·09	·77	-	-	·09	·11		1
2	·05	·04	-	·35	-	·20	·10	·10	-	-	-	-		2
3	tr	-	-	-	-	·02	·13	-	·09	-	·52	-		3
4	·01	-	·09	-	-	·19	·06	-	·33	-	·02	·05		4
5	·13	-	·01	·01	-	-	-	·04	·12	-	·07	·11		5
6	·37	-	·02	-	-	·05	tr	·04	·13	·17	·42	·03		6
7	·40	-	·13	-	-	·01	·10	-	-	·03	·47	-		7
8	·44	-	·05	-	-	-	·08	-	-	-	·72	·19		8
9	·38	-	·02	-	-	-	·35	·02	·07	·01	·27	-		9
10	·03	-	·02	-	-	·24	·06	·45	-	·03	·91	tr		10
11	·02	-	-	·05	-	-	tr	·07	·01	-	·08	-		11
12	-	-	-	·05	-	·16	·28	·05	tr	tr	tr	-		12
13	-	-	-	-	-	·04	·01	-	tr	tr	tr	·07		13
14	-	·10	-	·03	-	·05	1·15	tr	·15	·01	·09	·29		14
15	-	·06	-	tr	-	-	·50	-	-	-	·18	·28		15
16	·35	·13	-	tr	·01	-	-	-	-	-	·08	·21		16
17	·05	·56	-	-	-	·22	-	tr	·02	-	·08	·62		17
18	·11	·07	-	-	-	·01	·15	-	tr	·03	·11	·05		18
19	·27	·08	·01	·01	-	·28	·30	·05	-	·01	·01	-		19
20	·35	·04	·01	·44	-	-	-	-	·14	-	-	-		20
21	tr	·02	-	·51	tr	·53	·16	-	·15	tr	tr	·05		21
22	·13	·31	·04	·03	·01	·05	·06	-	tr	-	tr	-		22
23	-	·09	·06	·13	-	-	·08	-	-	tr	-	-		23
24	·09	·15	·05	·18	-	-	-	-	·02	·13	-	-		24
25	·43	·05	·13	·08	tr	·14	-	-	·39	·04	·01	-		25
26	·01	·13	·23	tr	tr	·08	-	-	·06	·20	-	-		26
27	·16	·15	·03	-	-	-	·35	tr	·11	·08	·01	-		27
28	·43	-	·17	-	-	·44	·02	-	·06	-	-	·02		28
29	·02	·03	·15	-	-	·08	·37	-	-	·03	·12	tr		29
30	·17	X	·02	-	·06	·33	-	-	-	·03	-	tr		30
31	·16	X	·13	X	·05	X	·22	-	X	·50	X	·10	Year's Total	31
99 TOTAL	4·70	2·24	1·44	2·16	0·12	3·45	4·62	1·59	1·86	1·30	4·26	2·18	29·92	✓
* Days with .01 in. or more.	23	16	19	13	4	20	21	9	15	14	19	14	~~12~~	187
* Days with .04 in. or more.	19	14	12	9	2	14	19	8	12	6	15	12	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~A. S. Simmonds~~ [P.T.O.

X S. Little Esq CE X

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hengate Reservoirs
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 243 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.85	~~trace~~	-	.21	-	-	-	~~trace~~	.01	-	.32	.41		1
2	-	.26	-	.45	-	-	-	~~trace~~	-	.03	.01	.47		2
3	.05	.10	-	-	-	-	-	-	-	-	-	.11		3
4	.07	1.29	-	-	-	-	-	-	-	-	-	.32		4
5	.32	.01	.42	-	-	-	.23	-	-	.36	-	-		5
6	.02	-	.86	.03	.25	-	.01	-	-	.01	-	.11		6
7	-	1.13	.12	.10	.04	-	-	-	~~trace~~	~~trace~~	-	.18		7
8	-	.01	.39	-	.07	.08	-	-	~~trace~~	~~trace~~	.14	.24		8
9	-	-	~~trace~~	.47	.14	.06	.09	-	.31	-	-	.08		9
10	-	-	.51	-	.11	.47	.10	.05	-	-	-	.77		10
11	-	-	.92	.04	.02	~~trace~~	.02	-	-	-	-	-		11
12	.54	.39	.14	~~trace~~	.28	.20	-	.69	.15	-	-	.22		12
13	.59	.04	.49	.08	.04	.23	-	.01	.08	-	-	.72		13
14	.07	.02	-	~~trace~~	.23	.02	-	.22	.08	-	-	.47		14
15	.10	.13	-	.25	.29	~~trace~~	-	-	.06	-	-	~~trace~~		15
16	.05	.03	.15	.19	-	.04	.68	1.00	.06	-	~~trace~~	-		16
17	.30	.01	-	.07	-	.27	-	-	.98	~~trace~~	.23	-		17
18	.16	.15	~~trace~~	~~trace~~	.07	.07	-	-	.93	-	.17	-		18
19	.03	.12	.06	.23	.07	.07	-	-	.10	-	.04	.11		19
20	.25	~~trace~~	.25	.35	.68	.02	-	-	.03	~~trace~~	~~trace~~	-		20
21	.40	.53	~~trace~~	.11	-	-	~~trace~~	.03	-	~~trace~~	.01	-		21
22	.28	.03	~~trace~~	~~trace~~	.02	-	.01	-	-	1.35	.19	.07		22
23	.02	.01	-	-	-	.04	.41	-	-	.26	.05	.05		23
24	.58	.40	-	-	-	-	-	-	~~trace~~	.10	~~trace~~	.03		24
25	.16	.45	.34	-	-	-	-	-	.05	.50	-	-		25
26	.02	.63	~~trace~~	-	-	-	-	-	-	.48	~~trace~~	-		26
27	-	.23	-	.25	~~trace~~	-	-	-	~~trace~~	.12	-	-		27
28	.10	.13	-	.02	-	.04	-	-	-	~~trace~~	-	.05		28
29	-	×	.01	-	-	-	-	-	~~trace~~	.11	~~trace~~	.02		29
30	.25	×	-	-	-	-	-	-	-	.05	.11	.02		30
31	.31	×	-	×	-	×	-	-	×	.08	×	.02		31
99 TOTAL	5.52	6.10	4.66	2.85	2.34	1.61	1.55	2.00	2.84	3.45	1.27	4.47	Year's Total 38.66	✓
* Days with .01 in. or more.	23 ~~4~~	22 ~~7~~	13 ~~1~~	15 ~~2~~	14 ~~2~~	13 ~~2~~	8 ~~3~~	6 ~~2~~	12 ~~2~~	12 ~~2~~	10 ~~2~~	20 ~~1~~	168	✓
* Days with .04 in. or more.	19	15	12	13	12	11	5	4	10	10	8	16	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. V. Simmonds

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hewgate Reservoir

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 243 ft.

w.J.H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~tr~~	~~tr~~	-	·07	·08	·36	·15	-	·25	·08	·08	·07		1
2	-	~~tr~~	-	-	·02	-	·36	-	-	·28	-	·03		2
3	-	-		-	~~tr~~	-	·23	-	-	·85	·13	-		3
4	·03	-	~~tr~~	-	-	·02	·15	·29	-	·15	~~tr~~	·13		4
5	-	~~tr~~	~~tr~~	-	-	-	·27	~~tr~~	-	·49	~~tr~~	·02		5
6	·22	~~tr~~	-	-	-	·01	·01	·06	·13	·01	·04	·01		6
7	~~tr~~	-	~~tr~~	-	-	~~tr~~	·04	·53	·02	·29	·01	·13		7
8	·24	-	-	-	-	-	·07	-	~~tr~~	·14	-	·03		8
9	·32	·03	-	-	-	-	-	·03	~~tr~~	·28	-	·45		9
10	·15	·06	-	-	-	-	·02	-	-	~~tr~~	~~tr~~	·33		10
11	·40	~~tr~~	-	-	-	-	~~tr~~	-	-	-	·07	·17		11
12	·46	·01	-	-	~~tr~~	-	-	-	-	·11	-	·02		12
13	·51	·22	-	-	-	-	-	-	~~tr~~	·12	·13	·07		13
14	·29	~~tr~~	-	-	·61	-	-	~~tr~~	·06	-	·01	·06		14
15	·05	·22	-	-	·01	-	·21	~~tr~~	-	-	·11	·14		15
16	·31	·07	·05	-	·05	-	·01	·03	-	·22	·01	·31		16
17	-	·12	·01	-	·26	-	-	-	~~tr~~	·03	·02	-		17
18	·05	-	~~tr~~	~~tr~~	·03	-	-	-	·28	·02	·51	-		18
19	~~tr~~	-	-	-	~~tr~~	~~tr~~	-	·02	·01	~~tr~~	·22	~~tr~~		19
20	~~tr~~	-	-	-	·05	-	-	-	·37	-	·44	·30		20
21	·05	-	-	·08	-	-	-	~~tr~~	·20	-	·02	·08		21
22	~~tr~~	-	~~tr~~	~~tr~~	-	·05	-	·18	~~tr~~	-	·42	·12		22
23	·01	-	~~tr~~	·02	-	-	-	-	-	-	·12	-		23
24	-	-	·29	-	~~tr~~	-	-	-	·03	-	·47	·18		24
25	·09	~~tr~~	·31	·15	·17	-	·04	-	·13	·02	·67	·01		25
26	·45	·14	·11	·04	-	~~tr~~	·05	·02	·30	·25	-	·65		26
27	·08	·27	-	-	·54	·15	·34	-	·36	·36	·40	-		27
28	~~tr~~	·05	-	-	·32	·04	-	·72	·30	-	·01	-		28
29	·40		-	·03	·27	·02	-	-	-	-	·08	·25		29
30	·03		-	·34	·31	·04	-	-	·06	·01	·28	-		30
31	·16		-		·09		-	-		·15		·17		31
99 TOTAL	4·30	0·99	0·77	0·73	2·81	0·69	1·95	1·88	2·49	3·86	4·25	3·73	Year's Total 28·45	
* Days with .01 in. or more.	20	10	5	7	14	8	14	9	14	19	22	23		165
* Days with .04 in. or more.	17	8	4	5	11	5	11	5	11	14	16	17	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A.W. Simmonds

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Newgate Reservoir

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 243 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	~~tr~~	·02	·22	·16	-	·02	·07	·04	-	·01	·02		1
2	~~tr~~	·01	~~tr~~	-	-	-	-	·18	·01	·06	~~tr~~	-		2
3	·46	-	-	·25	-	-	-	·17	~~tr~~	·06	·22	·42		3
4	·06	-	·51	·12	-	-	·04	·53	·01	-	·05	·05		4
5	·35	·01	·13	·43	·07	-	·09	·02	-	·82	·65	·26		5
6	-	~~tr~~	·06	-	-	-	·05	~~tr~~	-	·48	·72	-		6
7	·11	·10	-	-	-	-	·01	·10	-	·15	·10	·09		7
8	-	·07	·08	-	-	-	-	-	-	·02	-	·54		8
9	·04	·03	-	-	-	-	-	·05	-	·15	·08	·10		9
10	·18	-	-	-	-	·37	-	·34	·25	1.17	·02	~~tr~~		10
11	·29	·01	·26	-	-	·08	-	~~tr~~	-	·59	-	·01		11
12	-	-	-	-	·01	·04	-	-	~~tr~~	·62	-	·02		12
13	·50	-	·03	~~tr~~	-	03 ·05	-	-	-	-	-	·17		13
14	·48	-	~~tr~~	~~tr~~	~~tr~~	·03	·16	-	-	1.56	·56	·01		14
15	·20	-	-	-	·56	·01	-	-	·01	·35	·15	-		15
16	·10	·01	·13	·12	·16	·43	·33	-	-	·41	·34	-		16
17	·05	·12	·02	~~tr~~	~~tr~~	-	-	-	-	-	·07	-		17
18	·19	-	-	-	-	·04	·17	-	·08	-	·69	-		18
19	·26	-	·01	-	-	-	·43	-	·02	·04	[illegible]	·04		19
20	·31	-	-	-	-	·02	-	·01	·04	[illegible]	-	·01		20
21	·24	-	·24	-	-	~~tr~~	·13	-	·23	-	·15	~~tr~~		21
22	·24	·21	·07	-	-	·33	·05	-	~~tr~~	-	~~tr~~	~~tr~~		22
23	·10	·02	~~tr~~	·04	-	~~tr~~	·18	·01	-	-	·70	-		23
24	·10	·05	~~tr~~	·15	-	-	~~tr~~	-	-	·12	·04	-		24
25	1·25	·52	·34	·26	-	-	·29	-	-	·08	1·15	·03		25
26	·06	-	·28	-	-	-	~~tr~~	-	·05	-	·29	·03		26
27	·19	·09	·11	-	-	-	-	-	-	·20	·25	-		27
28	-	·50	·06	-	-	17 ·17	-	-	-	-	·19	·15		28
29	-		-	·25	-	·01	-	-	-	·09	·22	-		29
30	-		-	·70	-	·03	~~tr~~	~~tr~~	-	·03	·02	-		30
31	-		-		-		·03	·45		·01		~~tr~~		31
99 TOTAL	5.93	1.75	2.35	2.54	0.96	1.59	1.98	1.93	0.74	7.56	6.52	1.95	Year's Total 35.80	
* Days with .01 in. or more.	~~8~~ 23	~~6~~ 14	~~4~~ 16	~~0~~ 10	~~x~~ 5	~~2~~ 13	~~8~~ 14	~~8~~ 11	~~4~~ 10	~~3~~ 21	~~4~~ 21	~~4~~ 16	174 ~~47~~	
* Days with .04 in. or more.	23	8	12	10	4	7	11	8	6	18	11	9	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. W. Simmonds

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 543

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at NEWGATE RESERVOIR

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 12 in.

,, Ground ,, Sea Level 243 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	tr	-	.03	.12	-	-	-	-	-	.09	tr		1
2	-	.05	-	.11	.15	-	.03	-	-	.13	.96	-		2
3	-	.32	-	.12	-	-	-	-	-	.13	1.63	.32		3
4	tr	.04	-	.01	-	-	.16	-	-	.21	tr	.25		4
5	tr	tr	-	-	-	-	tr	-	-	tr	.85	.22		5
6	.15	.12	-	-	-	-	.12	-	-	.68	.03	-		6
7	.21	.07	-	-	tr	-	.25	-	-	-	-	-		7
8	-	tr	-	-	-	-	-	-	.15	.31	-	.52		8
9	-	-	-	-	-	-	-	-	.01	.11	.50	.34		9
10	-	-	tr	-	-	-	.18	tr	.03	.56	.15	-		10
11	-	.03	.02	-	-	tr	-	-	-	-	1.14	-		11
12	-	.02	.10	.01	-	-	.12	-	.05	-	tr	-		12
13	-	.02	.34	-	-	1.00	-	-	.62	-	1.14	-		13
14	-	-	.31	.08	-	-	-	-	-	-	-	.50		14
15	-	-	-	-	.33	.02	.60	-	.01	-	.31	tr		15
16	.46	.13	.20	.03	-	.04	.03	-	.11	.45	.59	.05		16
17	.02	-	.40	-	-	-	.02	-	-	-	.04	-		17
18	.04	.25	.28	.37	-	-	.08	-	-	.40	tr	.06		18
19	-	07 .07	.01	-	-	-	-	-	1.00	-	.18	.05		19
20	-	.05	-	.02	-	-	.05	tr	tr	.18	.18	-		20
21	.04	-	-	-	.60	-	.06	-	.04	.03	.22	-		21
22	.01	.01	.01	-	.08	.12	-	-	.06	-	.02	-		22
23	-	.31	.03	.42	.01	-	.05	-	tr	.14	.03	.01		23
24	-	-	.33	.22	-	-	.28	-	-	-	tr	-		24
25	-	tr	.42	-	-	-	.23	-	-	.03	.01	-		25
26	.71	.24	.27	-	.06	.08	.05	-	-	-	-	tr		26
27	.37	.05	-	tr	-	-	.22	-	-	-	-	-		27
28	.13	tr	-	.02	-	-	tr	-	tr	-	-	-		28
29	.03	.10	.16	-	.07	-	-	-	tr	-	-	.33		29
30	.16	✕	-	.23	-	-	-	-	-	.12	-	.01		30
31	.06	✕	-	✕	-	✕	-	-	✕	.42	✕	.20		31
99 TOTAL	2.39	1.88	2.88	1.67	1.42	1.26	2.53	0.00	2.08	3.90	8.07	2.86	Year's Total 30.94	✓
~~* Days with~~ .01 in. or more.	13 3	17 ~~4~~	14 ~~4~~	13 ~~1~~	8 ~~1~~	5 ~~1~~	17 ~~3~~	-	10 ~~3~~	15 ~~2~~	18 ~~4~~	13 ~~2~~	~~33~~	143
* Days with .04 in. or more.	10	13	10	7	7	4	14	-	7	13	14	11	110	

1.46

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. W. Simmonds

[P.T.O.

543/5

Section **A** for the en

AIR MIN

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

FORM 1090.

REC

1931 .

Sussex/5

Kept at Clive Val

in the County of

1930

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

THE MORNING M

S DAY.

An observer who does not confo *of the following year in the space on the right of this paragraph.*

Jan. 1, following

543|5

HASTINGS CLIVE VALE

1931 - 1940

780111

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04	0·04	0·02	0·31	—	0·01	—	0·10	—	tr.	—	0·01 (w.+fe)	1
2	0·13	0·09	—	0·36	0·01	—	—	tr.	0·34	0·04	—	—	2
3	0·20	0·10	0·20	0·05	0·76	—	0·01 (fe)	0·01	0·45	0·01(w)	—	0·17	3
4	tr.(w)	0·01	—	—	—	—	0·03	0·04	0·09	0·04	0·09	0·01	4
5	0·01	—	—	0·16	—	0·43	0·09	0·90	0·02	tr.(w)	—	0·12	5
6	0·01	0·06	—	0·11	—	—	—	0·05	—	0·23	0·39	0·02	6
7	—	0·06	—	0·04	0·03	0·17	—	0·09	tr.(w)	0·02	0·27	—	7
8	—	0·08	0·02	—	—	0·15	0·01	0·05	—	tr(w)	0·25	0·30	8
9	0·02	0·13	0·01	—	—	0·18	0·02	—	0·04	tr(w)	0·48	—	9
10	—	0·04	0·04	—	—	0·05	0·05	0·23	—	0·01(w)	1·09	0·02	10
11	0·10	0·23	—	—	tr.(fe)	tr.	—	—	—	0·01(w)	1·06	tr.	11
12	0·21	—	—	—	tr.(fe)	0·01 (fe)	tr.	—	0·48	tr(w)	tr(w)	—	12
13	0·15	tr.	—	—	0·05	—	—	0·07	—	0·01(w)	tr(w)	—	13
14	—	0·06	0·01 (w.fe)	—	—	0·03	0·61	0·82	—	—	0·02	—	14
15	0·01	0·07	0·01(w)	0·15	0·05	—	0·13	0·07	tr.(w)	—	0·01	0·08	15
16	0·01	0·06	—	0·11	0·19	—	—	0·07	—	—	—	—	16
17	tr.	0·07	—	0·10	tr(w)	tr(w)	0·47	tr(w)	0·03	0·01	—	0·01(w)	17
18	0·01	0·22	0·01	0·30	—	0·01	0·27	0·35	—	0·06	0·38	—	18
19	0·05	tr.(w)	—	0·42	—	0·03	0·31	0·72	0·18	—	0·02	—	19
20	0·01	0·02	—	0·11	0·06	—	0·01	0·33	—	tr	—	tr.	20
21	—	0·10	tr.	—	0·40	tr.(w)	—	—	0·01	tr(w)	0·02	—	21
22	0·43	tr(w.)	0·12	—	0·01	—	—	—	0·04	—	—	—	22
23		—	0·06	—	0·09	—	—	—	0·05	—	0·21	—	23
24	—	—	0·01	0·40	0·01	0·15	0·03	0·35	0·01	tr(w)	—	tr.	24
25	0·05	0·02	—	0·40	—	—	0·16	0·02	tr.(w)	0·01(w)	0·02	tr(fe)	25
26	—	0·08	—	0·08	—	—	0·32	—	—	0·08	0·27	—	26
27	0·15	0·28	—	0·06	0·36	—	0·05	—	—	—	0·40	—	27
28	0·11	0·09	—	0·04	—	—	—	—	—	0·04	0·07	0·01	28
29	0·11	×	—	—	0·18	—	0·05	—	tr.(w)	0·24	tr(w)	tr	29
30	0·03	×	—	—	0·01	—	0·04	0·01	tr.	0·01	—	—	30
31	0·30	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·44	1·94	0·54	3·20	2·21	1·22	2·66	4·28	1·74	0·82	5·05	0·75	YEAR'S TOTAL 26·85
*Days with ·01 in. or more.	22	21	11	17	14	11	18	18	12	15	17	10	186
*Days with ·04 in. or more.	14	18	4	17	9	6	12	14	8	7	12	4	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A.E. Moon.

[P.T.O.

Section **A** **for the entry of Daily Observations.**

543/5

COPY FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Sussex/5

Kept at Clive Vale, Hastings

in the County of Sussex.

C late up 1930

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04	0·04	0·02	0·31	—	0·01	—	0·10	—	tr.	—	0·01	1
2	0·13	0·09	—	0·36	0·01	—	—	tr.	0·34	0·04	—	(w.+fe) —	2
3	0·20	0·10	0·20	0·05	0·76	—	0·01	0·01	0·45	0·01(w)	—	0·17	3
4	tr.(w)	0·01	—	—	—	—	(fe) 0·03	0·04	0·09	0·04	0·09	0·01	4
5	0·01	—	—	0·16	—	0·43	0·09	0·90	0·02	tr. (w)	—	0·12	5
6	0·01	0·06	—	0·11	—	—	—	0·05	—	0·23	0·39	0·02	6
7	—	0·06	—	0·04	0·03	0·17	—	0·09	tr. (w)	0·02	0·27	—	7
8	—	0·08	0·02	—	—	0·15	0·01	0·05	—	tr (w)	0·25	0·30	8
9	0·02	0·13	0·01	—	—	0·18	0·02	—	0·04	tr (w)	0·48	—	9
10	—	0·07	0·07	—	—	0·05	0·05	0·23	—	0·01(w)	1·09	0·02	10
11	0·10	0·23	—	—	tr. (fe)	tr.	—	—	—	0·01(w)	1·06	tr.	11
12	0·21	—	—	—	tr. (fe)	0·01	tr.	—	0·48	tr (w)	tr (w)	—	12
13	0·15	tr.	—	—	0·05	(fe) —	—	0·07	—	0·01(w)	tr (w)	—	13
14	—	0·06	0·01	—	—	0·03	0·61	0·82	—	—	0·02	—	14
15	0·01	0·07	(w.fe) 0·01(w)	0·15	0·05	—	0·13	0·07	tr. (w)	—	0·01	0·08	15
16	0·01	0·06	—	0·11	0·19	—	—	0·07	—	—	—	—	16
17	tr.	0·07	—	0·10	tr (w)	tr (w)	0·47	tr (w)	0·03	0·01	—	0·01(w)	17
18	0·01	0·22	0·01	0·30	—	0·01	0·27	0·35	—	0·06	0·38	—	18
19	0·05	tr. (w)	—	0·42	—	0·03	0·31	0·42	0·18	—	0·02	—	19
20	0·01	0·02	—	0·11	0·06	—	0·01	0·33	—	tr	—	tr.	20
21	—	0·10	tr.	—	0·40	tr. (w)	—	—	0·01	tr (w)	0·02	—	21
22	0·43	tr (w)	0·12	—	0·01	—	—	—	0·04	—	—	—	22
23		—	0·06	—	0·09	—	—	—	0·05	—	0·21	—	23
24	—	—	0·01	0·40	0·01	0·15	0·03	0·35	0·01	tr (w)	—	tr.	24
25	0·05	0·02	—	0·40	—	—	0·16	0·02	tr. (w)	0·01(w)	0·02	tr (fe)	25
26	—	0·08	—	0·08	—	—	0·32	—	—	0·08	0·27	—	26
27	0·15	0·28	—	0·06	0·36	—	0·05	—	—	—	0·40	—	27
28	0·11	0·09	—	0·04	—	—	—	—	—	0·04	0·07	0·01	28
29	0·11	×	—	—	0·18	—	0·05	—	tr. (w)	0·24	tr (w)	tr	29
30	0·03	×	—	—	0·01	—	0·04	0·01	tr.	0·01	—	—	30
31	0·30	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·44	1·94	0·54	3·20	2·21	1·22	2·66	4·28	1·74	0·82	5·05	0·75	YEAR'S TOTAL 26·85
*Days with ·01 in. or more.	22	21	11	17	14	11	18	18	12	15	17	10	186
*Days with ·04 in. or more.	14	18	4	17	9	6	12	14	8	7	12	4	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. E. Moon

P.T.O.

543/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Clive Vale, Hastings

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·11	trace	—	0·11	0·29	trace (w)	0·03	—	trace	0·53	0·09	0·02	1
2	0·04	trace	—	0·330	0·01	—	trace (w)	0·01	0·01	0·02	0·01	0·04	2
3	—	—	—	0·19	0·16	0·61	—	trace	0·23	0·01 (w)	—	trace (w)	3
4	0·01	—	—	—	trace	0·24	—	trace (w)	—	—	0·01	0·01 (w)	4
5	0·25	trace	0·02	—	0·11	0·10	0·08	0·01 (w)	0·09	—	—	0·01 (w)	5
6	0·49	trace (w)	trace	0·04	0·11	—	trace (w)	trace (w)	0·06	—	—	0·01	6
7	0·04	—	0·01	0·09	0·14	—	trace (w)	—	trace	—	—	0·04	7
8	0·01 (w)	0·01	0·42	0·08	0·40	—	—	trace (w)	0·04	1·00	—	—	8
9	0·11	0·04	0·03	0·12	0·54	—	—	0·01 (fe)	0·01 (w)	0·01	—	—	9
10	0·41	0·02	—	0·39	0·13	—	—	—	0·03	0·13	0·01	—	10
11	0·28	0·05	trace	0·25	0·04	0·19	0·01	—	0·05	0·03	—	0·06	11
12	0·12	0·06	trace	trace	—	—	trace (fe)	0·02	0·04	0·14	—	—	12
13	0·11	—	—	0·05	0·05	—	0·02	—	0·03	0·56	—	0·01	13
14	0·02	—	0·01 (w)	0·08	0·14	—	—	trace	0·01 (fe)	0·60	—	trace	14
15	0·05	0·01	—	0·03	0·15	—	trace	—	0·01 (w)	0·09	—	0·01	15
16	0·01	—	—	0·30	0·14	—	0·01	trace (fe)	trace (w)	—	—	0·01 (w)	16
17	—	trace	—	0·04	—	—	trace	trace (w)	—	0·05	—	trace	17
18	0·03	trace (w)	—	—	—	—	—	—	0·04	—	0·14	trace (w)	18
19	0·01	trace	—	—	0·02	trace	trace (w)	—	—	0·14	0·22	trace	19
20	0·01 (w)	trace	—	0·09	0·15	—	0·23	0·04	0·06	0·98	0·29	—	20
21	—	—	0·01	—	0·18	—	0·09	0·01	—	0·24	0·01	0·01	21
22	0·05	0·02	0·35	—	0·19	0·02	0·40	0·22	0·50	0·09	0·33	0·01	22
23	0·01 (w)	0·06	0·10	0·01	—	—	—	—	0·59	0·80	—	0·04	23
24	0·01 (w+fe)	0·04	—	—	0·01	trace	0·85	—	0·06	0·04	trace	0·01 (w)	24
25	trace (w)	0·02	—	—	trace	—	1·45	trace (w)	0·44	0·46	0·03	0·01 (fe)	25
26	—	—	0·02	0·14	—	—	0·11	0·38	—	0·01 (w)	0·05	trace (fe+w)	26
27	—	—	0·20	0·23	0·05	—	—	0·01 (fe)	0·06	0·99	0·03	0·01	27
28	—	—	0·04	0·02	0·02	trace (w)	0·22	trace (w)	0·01	0·08	0·01 (w)	0·01	28
29	—	—	0·34	0·01	—	—	trace	0·36	0·19	0·42	—	0·08	29
30	0·01	×	0·09	—	trace (w)	0·53	trace (w)	0·02	0·03	trace	0·10	0·03	30
31	trace	×	0·04	×	—	×	0·02	—	×	0·01 (w)	×	0·02	31
TOTAL	2·19	0·33	1·68	2·63	3·09	1·69	3·52	1·09	2·68	4·46	1·33	0·48	YEAR'S TOTAL 28·44 ins
*Days with ·01 in. or more.	22	10	14	20	21	6	13	11	22	24	14	20	197
*Days with .04 in. or more.	12	5	8	16	17	5	8	4	14	18	7	5	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) AE Moon

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at CLIVE VALE

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 328 ft.

f 134877/31.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	trace	0·50	0·14	—	—	—	—	—	trace	trace	0·02	—		1
2	0·04	—	0·42	—	0·04	—	trace (w)	—	trace (w)	0·03	trace	—		2
3	0·10	0·18	0·09	0·01 (w)	trace (w)	—	—	trace	—	trace	0·01 (w)	—		3
4	0·01	0·04	0·01	—	trace	—	—	—	—	trace (w)	0·01 (w)	—		4
5	0·56	—	0·10	—	0·13	—	—	—	—	trace (w)	trace (w)	trace (x)		5
6	0·01 (w)	0·04	0·19	—	0·54	—	—	—	—	trace.	0·09	trace (x)		6
7	0·26	0·09	—	—	0·10	—	—	—	—	0·23	trace	0·03		7
8	0·34	0·04	trace (fe)	trace (w)	0·01	—	0·12	—	—	0·01	—	—		8
9	trace (w)	0·03	—	trace.	0·20	—	0·01	—	—	trace	0·19	—		9
10	—	0·53	—	—	—	0·01	0·12	—	—	0·16	0·24	—		10
11	0·18	trace	—	—	0·01	trace	0·08	0·16	0·22	0·19	trace (w)	—		11
12	trace (w)	—	trace (w)	0·03	—	0·26	0·01	—	0·95	—	trace	—		12
13	0·02	—	—	—	0·03	0·06	0·19	0·02	0·58	0·11	0·26	—		13
14	0·01	—	trace (w)	—	0·01	—	trace	0·02	—	0·91	0·16	trace		14
15	0·21	trace (frost)	0·05	trace (w)	—	—	0·20	0·11	—	0·21	0·58	0·08		15
16	0·12	—	0·48	—	—	0·21	0·43	—	—	trace	0·05	trace		16
17	0·08	trace	0·26	—	—	0·03	—	0·08	0·13	—	trace	—		17
18	0·19	trace	0·05	trace	—	0·39	trace (fe)	trace (w)	trace	—	trace (w)	—		18
19	—	0·05	0·15	0·04	—	0·16	—	—	0·02	—	0·01 (w)	0·01		19
20	—	0·01	0·05	0·22	—	0·08	—	0·08	0·16	—	trace	trace (fe)		20
21	—	0·13	trace (w)	0·01	trace	trace	—	0·18	0·54	trace	trace	trace (w)		21
22	—	0·01	—	—	—	0·01	—	0·59	0·04	0·01	0·01	—		22
23	trace	trace	—	0·11	0·01	0·04	trace (fe)	—	0·66	trace	—	—		23
24	—	0·16	—	0·41	0·03	0·02	trace (fe)	trace (w)	0·81	trace	0·04	—		24
25	—	—	—	0·44	0·01	—	trace (fe)	—	0·01	0·01	0·24	0·08		25
26	—	0·29	trace (w)	0·02	—	0·04	—	—	0·04	—	0·03	0·06		26
27	—	0·02	—	0·02	0·15	trace (w?)	trace	—	trace	0·22	trace	0·04		27
28	trace	0·01 (w)	—	—	trace	0·02	0·04	—	—	0·13	—	0·34		28
29	0·08	*	—	—	0·35	—	0·08	—	trace (w)	0·01	—	—		29
30	0·13	✕	0·04	—	—	—	0·03	—	0·46	0·01	—	0·15		30
31	—	✕	—	✕	—	✕	0·01	0·03	✕	trace	✕	—		31
TOTAL	2·34	2·16	2·03	1·34	1·62	1·33	1·35	1·24	4·65	2·24	2·00	0·85	Year's Total 23·18	
*Days with ·01 in. or more.	16	16	13	10	14	13	12	9	13	14	15	8	153	
*Days with .04 in. or more.	12	11	12	5	4	8	8	6	11	8	9	6	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A.E. Moon

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at CLIVE VALE, HASTINGS,

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·01	trace(x)	—	trace	0·42	—	0·20	0·02	0·18	trace(w)	0·14		1
2	0·04	—	0·10	—	—	0·02	—	—	0·12	0·58	0·03	0·66		2
3	0·03	0·01	—	0·02	trace	—	—	—	0·01	0·56	0·03	0·25		3
4	0·29	0·01	trace	—	trace	—	—	trace(w)	trace(w)	0·25	0·14	0·63		4
5	0·01(w)	trace	0·04	—	0·09	—	—	0·01	—	trace(r+w)	0·04	0·41		5
6	—	—	0·44	0·14	0·12	0·24	—	0·06	—	0·26	0·08	0·46		6
7	0·01	—	—	0·04	trace	0·01	—	0·02	trace(w)	0·06	—	0·22		7
8	trace(x)	trace	—	0·30	0·12	trace	—	0·02	—	trace	2·12	—		8
9	trace(fe)	0·01(x)	0·09	—	trace	—	—	trace	trace	trace(w)	0·10	0·18		9
10	trace	trace(w)	0·08	0·18	—	—	—	0·04	trace(w)	0·05	0·05	0·01(w)		10
11	0·49	0·01(w)	0·31	0·22	—	—	trace	0·43	trace(w)	trace	0·01(w)	0·29		11
12	0·46	trace(w)	0·13	—	—	—	0·09	0·03	trace(w)	—	0·09	0·12		12
13	0·42	—	—	0·01	—	—	0·05	0·14	—	trace	0·08	trace		13
14	0·33	—	0·28	0·14	trace	trace	0·01	—	—	0·03	0·39	0·33		14
15	trace	trace(w)	0·02	—	—	—	—	trace(w)	—	trace(w)	0·23	0·22		15
16	0·13	trace(fe)	0·26	0·05	0·13	—	—	—	trace(w)	0·01	—	0·14		16
17	0·18	trace(fe)	0·40	0·03	—	—	—	trace(w)	0·25	0·03	0·05	0·22		17
18	0·04	trace(x)	trace	0·12	—	—	trace	trace(w)	—	—	0·03	0·42		18
19	—	—	0·20	—	0·01	0·01	—	—	0·15	trace(w)	0·01(w)	0·35		19
20	—	—	0·02	—	0·02	0·04	0·20	trace	—	0·02	trace(w)	trace(w)		20
21	—	0·01(x)	0·01	0·16	—	0·08	trace(fe)	trace	—	trace	—	0·01(w)		21
22	—	—	—	—	—	—	0·02	0·24	0·24	0·02	0·01(fe)	trace		22
23	0·01(x)	0·01(fe)	trace(w)	0·35	—	0·21	0·01	trace(w)	—	0·03	trace(fe)	0·68		23
24	—	0·02	—	0·21	—	0·39	0·49	trace(w)	0·05	—	—	—		24
25	0·04	0·01	trace(fe)	0·14	—	—	—	—	—	0·04	—	0·51		25
26	0·12	trace(s)	—	0·06	—	0·02	—	trace(w)	0·01 (w+d.)	0·03	—	0·01(w)		26
27	0·02	trace(s)	—	0·01	—	0·39	—	—	trace(w)	0·01	—	0·21		27
28	—	0·11	—	0·02	—	0·33	trace	0·43	—	trace	0·01	0·26		28
29	—	*	—	—	—	—	—	0·41	0·31	—	0·04	0·01(w)		29
30	0·12	×	—	—	—	—	—	trace	—	trace	—	0·29		30
31	0·02	×	—	×	—	×	trace	0·01(w)	×	0·14	×	0·38		31
TOTAL	3·15	0·21	2·44	2·29	0·49	2·19	0·84	2·10	1·16	2·33	3·54	4·44	Year's Total. 28·24	
* Days with .01 in. or more.	18	10	14	18	6	12	4	13	9	14	19	26	169	
* Days with .04 in. or more.	12	1	11	13	4	8	4	8	6	9	12	22	110	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A.E. Moon.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at CLIVE VALE, HASTINGS.

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·16	0·01	0·05	0·02	0·02	0·06	0·01	—	0·11	0·33	0·16	0·03		1
2	0·23	—	—	0·06	—	—	—	—	trace	0·40	0·05	—		2
3	0·01	trace	0·19	0·08	—	0·01	0·01	—	0·01	0·50	0·09	—		3
4	—	0·10	—	0·25	—	0·10	trace (w)	—	0·41	0·40	0·04	0·11		4
5	—	0·25	—	0·14	—	0·01	—	—	0·69	0·18	0·01	0·01		5
6	0·02	0·24	0·03	0·36	—	0·03	trace(w)	—	—	0·34	0·44	0·14		6
7	0·16	0·05	—	0·26	—	0·19	—	—	—	trace	0·82	0·08		7
8	0·01 (x)	trace	0·01	0·34	—	—	—	0·24	—	0·30	0·13	0·05		8
9	—	trace	trace	0·22	trace	0·66	—	—	—	0·35	0·22	0·06		9
10	0·04	0·02	0·18	0·11	—	0·04	—	—	—	0·49	0·13	0·24		10
11	0·09	0·01	0·03	—	—	0·05	0·36	trace	—	—	0·33	—		11
12	0·01	0·12	—	trace(w)	trace	0·14	—	0·44	0·01	trace(w)	0·36	—		12
13	0·06	0·26	0·01(fe)	0·15	—	0·01	—	—	0·02	trace	0·65	0·01		13
14	0·01	trace(w)	trace (x)	0·01(w)	0·23	0·13	—	—	trace	0·01	trace	0·10		14
15	trace(w)	0·23	—	0·52	0·01	0·01	—	—	0·59	0·02	0·04	0·16		15
16	—	0·05	0·01	0·13	—	0·08	—	—	0·21	0·01	0·49	trace		16
17	0·02	trace(w)	0·01	0·19	trace	0·45	—	0·03	0·30	—	0·61	—		17
18	—	trace	0·01(w)	0·19	0·01	0·09	trace(w)	trace	0·38	0·10	—	—		18
19	—	—	—	0·04	0·33	0·02	0·03	trace(w)	0·24	trace	0·13	trace		19
20	trace	0·39	trace(w)	0·12	0·12	0·05	0·03	—	0·05	0·01	0·15	0·01(x)		20
21	0·02	0·10	trace(w)	0·01	—	—	—	—	trace	0·09	0·04	0·01(x)		21
22	0·01	0·14	0·02	trace	—	—	—	0·02	0·14	—	0·02	—		22
23	trace(w)	0·04	0·03	—	0·01	—	—	0·38	trace(w)	—	0·03	0·13		23
24	0·06	0·34	trace	—	0·38	—	—	1·52	0·52	0·14	—	0·60		24
25	0·14	0·94	trace (fe)	0·14	0·05	0·01	—	0·01(w)	—	trace	trace(w)	0·28		25
26	0·02	—	trace(fe)	—	—	0·05	—	0·15	0·03	0·08	0·01	0·28		26
27	0·14	0·34	trace(w)	—	—	—	—	0·14	0·16	trace	0·10	0·19		27
28	0·04	0·13	—	—	0·08	—	trace	0·15	0·02	0·03	0·09	0·23		28
29	0·01	*	—	—	0·04	—	—	trace	0·29	0·01	0·01	0·49		29
30	0·04	X	—	0·11	0·01	—	—	1·54	0·51	0·11	0·65	0·21		30
31	—	X	—	X	0·05	X	—	0·05	X	0·26	X	0·44		31
TOTAL	1·39	3·82	0·58	3·48	1·34	2·22	0·44	5·03	4·99	4·19	6·13	3·89	Year's Total. 34·53	
* Days with .01 in. or more.	21	19	12	21	13	20	5	12	19	21	26	22	211	
* Days with .04 in. or more.	11	16	3	18	8	13	1	9	14	15	21	17	146	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. E. Moon F.R.Met.Soc.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at CLIVE VALE, HASTINGS

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·20	0·29	0·06	0·30	–	0·16	0·09	0·41	–	–	0·12	0·03		1
2	0·06	0·02	trace	trace	–	0·12	0·04	0·08	trace(w)	–	0·01(w)	0·11		2
3	–	trace	trace(fe)	0·45	trace	0·04	0·15	trace	0·09	–	0·44	–		3
4	0·05	–	0·06	–	trace (fe.)	0·19	0·04	trace	0·26	–	0·11	0·01		4
5	0·09	–	0·04	0·01	–	0·01	trace(w)	0·04	0·19	trace	0·09	0·11		5
6	0·26	–	0·01	–	–	0·05	0·01(fe)	0·05	0·15	0·24	0·38	0·03		6
7	0·44	–	0·16	–	–	0·01	0·13	trace	trace	0·02	0·41	–		7
8	0·41	–	0·04	–	trace	–	0·09	–	trace	–	0·82	0·28		8
9	0·34	–	0·02	–	trace	–	0·34	0·02	0·05	0·03	0·23	–		9
10	0·02	–	0·01	–	trace	0·11	0·08	0·38	0·04	0·04	trace(w)	trace		10
11	trace	–	–	0·04	–	–	0·01	0·08	–	–	0·91	–		11
12	0·02	–	–	0·10	–	0·11	0·24	0·08	0·01	–	0·09	0·10		12
13	trace(x)	–	–	–	trace(w)	0·05	0·01	trace	trace(w)	0·01	trace	0·05		13
14	–	0·11	trace	0·01	trace(w)	0·06	1·11	trace(w)	–	0·01	0·11	0·22		14
15	–	0·04	–	0·05	–	trace(w)	0·30	–	0·32	0·01(w)	0·19	0·16		15
16	0·34	0·13	–	–	0·01	–	–	–	trace	–	0·14	0·22		16
17	0·08	0·61	–	–	–	0·19	0·01	–	0·02	0·04	0·18	0·51		17
18	0·14	0·03	–	–	–	0·01	0·12	trace	0·01(fe)	trace	0·11	0·04		18
19	0·26	0·09	trace	–	–	0·24	0·31	0·06	trace(w)	0·04	0·02	–		19
20	0·25	0·04	0·02	0·44	trace	–	trace	–	0·14	–	–	–		20
21	0·12	–	trace	0·62	trace	0·50	0·21	–	0·17	–	0·01(w)	–		21
22	0·13	0·42	0·03	0·01	0·01	0·06	0·06	–	0·01(w)	–	trace(w)	0·05		22
23	0·02	0·06	0·04	0·13	–	–	0·10	–	–	trace	–	0·01(w)		23
24	0·10	0·20	–	trace	–	–	–	trace(w)	0·04	0·05	–	–		24
25	0·45	0·03	0·09	0·08	0·01	0·21	trace	–	0·34	0·04	0·01	–		25
26	0·01(w)	0·09	0·36	0·01	–	0·08	–	–	0·10	0·23	trace(w)	0·01		26
27	0·11	0·17	0·02	–	trace	–	0·24	trace(w)	0·18	0·08	0·02	–		27
28	0·42	0·01(x)	0·03	–	–	0·54	0·01	–	0·05	trace(w)	0·01(w)	0·03		28
29	0·03	0·04	0·32	–	–	0·28	0·44	–	0·01(w)	0·04	0·15	0·01		29
30	0·16	✕	0·04	–	0·04	0·31	–	–	trace	0·02	–	–		30
31	0·09	✕	0·10	✕	0·05	✕	0·23	–	✕	0·68	✕	0·04		31
													Year's Total	
TOTAL	4·66	2·41	1·48	2·28	0·12	3·39	4·43	1·20	2·24	1·64	4·59	2·05	30·49	✓
* Days with .01 in. or more.	26	17	18	13	5	21	24	9	19	16	22	19	209	✓
* Days with .04 in. or more.	21	13	11	9	2	18	19	8	14	10	16	12	153	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A.E. Moon (F.R.Met.Soc.)

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at (CLIVE VALE) HASTINGS

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·40	0·02	trace	0·14	–	–	trace (fe)	trace	trace	–	0·30	0·46		1
2	trace	0·19	0·03	0·61	–	–	–	0·01	trace (w)	0·02	0·01 (w+fe)	0·51		2
3	0·04	0·10	–	–	trace (w)	–	–	trace	–	trace	–	0·12		3
4	0·10	0·98	–	trace (fe)	–	–	–	–	trace (w)	–	trace (w)	0·29		4
5	0·26	0·19	0·44	–	–	–	0·21	trace	0·01 (w)	0·38	–	–		5
6	0·10	–	0·56	0·03	0·23	–	0·02	–	–	0·02	–	0·10		6
7	–	1·16	0·23	0·09	0·21	–	–	–	trace	0·01	–	0·23		7
8	–	0·08	0·24	–	0·03	0·08	–	–	0·01	0·01 (w)	0·11	0·33		8
9	–	trace	0·01	0·44	0·23	0·04	0·05	–	0·28	0·01 (w)	trace (w)	0·06		9
10	–	–	0·46	0·11	0·14	0·44	0·04	trace (fe+pr.)	–	–	trace	0·39		10
11	–	trace (rs+x)	1·02	trace	0·09	0·01	0·04	0·01 (fe)	–	trace	–	0·35		11
12	0·45	0·32	0·09	0·01	0·29	0·04	trace	0·49	0·14	trace	–	trace		12
13	0·60	0·04	0·51	0·06	0·05	0·54	trace (w)	0·11	0·09	–	–	0·61		13
14	0·10	0·03	0·08	trace	0·30	0·01	–	0·39	0·05	–	–	0·34		14
15	0·02	0·11	–	0·23	0·01	0·03	0·59	–	0·09	–	0·01 (w)	–		15
16	0·10	0·04	0·16	0·13	–	0·01	trace	0·83	0·03	–	–	–		16
17	0·25	0·01	trace	0·04	–	0·34	–	0·01 (w)	0·44	0·01 (w)	0·32	–		17
18	0·16	0·11	0·01	trace	0·10	0·04	–	–	1·00	–	0·22	trace		18
19	0·05	0·13	0·04	0·18	0·11	0·02	–	–	0·20	–	0·04	0·15		19
20	0·22	trace	0·32	0·29	0·62	0·04	trace (w)	–	0·04	0·01 (w)	0·01 (x)	–		20
21	0·29	0·28	0·02	0·10	0·01	trace	0·01	0·03	trace	–	trace	0·05		21
22	0·21	0·19	trace	trace (w)	0·02	–	trace	–	–	1·39	0·16	0·06		22
23	0·08	–	–	–	–	0·04	0·38	trace (w)	trace (w)	0·42	0·02	0·05		23
24	0·54	0·29	trace	–	trace	0·01	–	trace (w)	trace	0·08	0·01	0·02		24
25	0·13	0·34	0·36	–	–	–	–	–	0·05	0·40	–	trace (w)		25
26	0·03	0·54	0·01	–	–	–	–	–	–	0·59	0·01 (w)	trace		26
27	–	0·25	0·01 (x)	0·31	trace (w)	–	–	–	trace	0·10	–	–		27
28	0·11	0·16	trace (w)	0·06	–	0·05	trace (w)	–	–	0·01	–	0·05		28
29	0·10	*	0·03	–	–	trace	–	–	0·01 (w)	0·09	0·01	0·04		29
30	0·20	✕	trace	–	–	trace	–	0·01 (fe)	–	0·03	0·09	0·04		30
31	0·28	✕	trace (w)	✕	–	✕	0·01	–	✕	0·03	✕	0·05		31
													Year's Total	
TOTAL	5·12	5·59	4·69	2·86	2·44	2·19	1·38	1·89	2·44	3·61	1·35	4·33	38·22	✓ ✓
* Days with .01 in. or more.	24	22	20	16	15	16	9	9	14	18	14	21	198	✓ ✓
* Days with .04 in. or more.	22	19	13	14	11	10	6	4	10	8	7	20	144	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A E Moon [P.T.O.

2 January, 1938

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Clive Vale, Hastings

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·02	trace	trace	–	0·12	0·32	0·11	–	0·25	0·13	0·09	0·10		1
2	trace	0·01 (w)	trace (w)	0·09	0·03	–	0·81	–	–	0·34	–	0·04		2
3	–	0·01 (w)	0·01 (fe)	–	0·01	–	0·15	–	–	0·55	0·10	–		3
4	0·04	–	trace (w)	–	–	0·04	0·14	0·18	trace	0·14	0·02	0·09		4
5	trace	0·01 (w)	–	–	–	–	0·25	trace	trace	0·46	trace (fe)	0·05		5
6	0·18	–	–	–	–	–	0·01	0·01	0·16	0·01	0·04	0·02		6
7	0·01 (w)	–	–	–	–	0·01	0·03	0·62	0·02	0·25	0·03	0·15		7
8	0·21	–	trace (fe)	–	–	trace	0·07	0·01	trace	0·12	trace	0·09		8
9	0·28	0·04	–	–	–	–	–	0·03	0·01	0·26	–	0·39		9
10	0·16	0·07	trace	–	–	0·03	0·04	trace	–	0·01 (w)	0·01 (w)	0·31		10
11	0·39	trace	–	–	–	–	0·01	–	–	trace (w)	0·09	0·12		11
12	0·32	0·02	–	–	trace	trace	trace	0·01	trace (w)	0·07	0·01	0·05		12
13	0·46	0·21	–	–	–	–	–	–	0·01 (fe)	0·14	0·09	–		13
14	0·21	0·08	trace (w+x)	–	0·51	–	–	0·03	0·02	–	0·02	0·09		14
15	trace	0·24	trace (w)	–	0·02	–	0·18	trace	–	0·06	0·04	0·05		15
16	0·25	0·03	0·07	–	0·01	–	0·01	0·04	–	0·17	0·10	0·45		16
17	0·01	0·28	0·01 (fe)	–	0·35	–	–	–	0·01	0·06	0·02	–		17
18	0·08	–	0·01	trace	0·06	trace	–	–	0·41	0·02	0·49	–		18
19	trace	–	–	–	trace	trace	–	0·02	0·01	trace (w)	0·24	0·01		19
20	–	0·01	–	–	0·07	–	trace (w)	–	0·40	–	0·35	0·25		20
21	0·10	–	trace (w)	0·02	–	–	–	trace	0·25	–	0·03	0·10		21
22	0·01 (fe)	–	trace (fe)	0·01	–	0·05	–	0·17	–	–	0·33	0·13		22
23	0·02	trace (x)	0·01 (fe)	0·02	–	–	–	–	trace	trace (w)	0·14	–		23
24	–	0·01 (w)	0·12	trace	0·01	trace	–	–	0·03	trace (w)	0·17	0·20		24
25	0·10	–	0·37	0·09	0·14	–	0·03	–	0·14	0·02	0·78	–		25
26	0·48	0·12	0·09	0·05	–	0·01	0·05	0·01	0·35	0·23	0·01 (w)	0·50		26
27	0·04	0·09	trace	–	0·55	0·14	0·27	–	0·48	0·34	0·27	–		27
28	0·05	0·06	–	–	0·33	0·02	–	0·69	0·21	0·01 (w)	0·02	–		28
29	0·26	×	trace (w)	0·05	0·25	0·02	–	trace (w)	–	–	0·01	0·26		29
30	0·05	×	trace (w)	0·41	0·28	trace	trace (w)	–	0·06	0·02	0·27	–		30
31	0·15	×	trace (w)	×	0·11	×	–	–	×	0·08	×	0·08		31
TOTAL	3·88	1·29	0·69	0·74	2·85	0·64	2·16	1·82	2·82	3·49	3·77	3·53	Year's Total 27·68	
* Days with .01 in. or more.	24	16	8	8	16	9	15	12	17	22	26	22	195	
* Days with .04 in. or more.	19	9	4	5	11	4	10	5	10	16	16	20	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A.E. Moon (F.R.Met.Soc.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CLIVE VALE, HASTINGS,

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 328 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·29	–	0·02	0·18	0·17	–	0·08	0·08	0·05	0·09	0·01	0·02		1
2	0·01	0·01(x)	0·01	0·02	TRACE	–	–	0·05	0·01	0·13	–	TRACE		2
3	0·23	0·01(w)	–	0·26	–	–	–	0·23	TRACE	TRACE	0·26	0·31		3
4	0·29	0·01(w)	0·47	0·13	–	–	0·05	0·62	0·25	0·83	0·05	0·06		4
5	–	0·01(w)	0·12	0·39	0·07	–	0·12	TRACE(w)	–	0·31	0·66	0·21		5
6	0·17	0·01(w)	0·07	–	–	–	0·03	0·02	–	0·35	0·55	0·05		6
7	0·29	0·05	–	TRACE(w)	–	–	0·06	0·09	TRACE(w)	0·15	0·31	0·09		7
8	–	0·07	0·11	–	–	–	0·01	–	TRACE	0·29	–	0·46		8
9	0·06	0·04	–	–	–	TRACE(w)	–	0·04	–	0·75	0·06	0·14		9
10	0·20	–	TRACE(w)	–	–	0·19	–	0·40	0·04	0·34	0·02	0·01		10
11	0·24	0·02	0·29	–	TRACE	0·11	–	–	–	0·64	TRACE	0·01		11
12	–	TRACE	TRACE	–	0·02	0·08	–	–	TRACE	0·10	–	0·01		12
13	0·54	TRACE	0·02	TRACE	–	0·04	–	–	TRACE	1·54	–	0·19		13
14	0·49	–	0·02	0·01	0·01	0·05	0·15	TRACE(w)	TRACE	0·23	0·54	0·01		14
15	0·12	TRACE	–	TRACE	0·36	0·01	–	TRACE(w)	0·01	0·38	0·13	–		15
16	0·10	0·03	0·17	0·12	0·21	0·32	0·25	–	0·01	0·01	0·53	–		16
17	0·06	0·11	0·07	0·01	TRACE	–	0·01	TRACE(w)	TRACE(w)	–	0·09	–		17
18	0·20	–	0·02	–	TRACE	0·04	0·19	–	0·10	0·25	0·70	–		18
19	0·26	TRACE	0·02	–	–	–	0·29	–	0·05	0·58	TRACE(w)	–		19
20	0·21	TRACE(w)	–	–	–	0·02	TRACE	–	0·06	–	–	0·02		20
21	0·24	–	0·22	–	–	TRACE	0·09	–	0·26	0·14	–	TRACE		21
22	0·23	0·19	0·04	0·01	TRACE (few w)	0·41	0·08	–	0·01	0·01	TRACE	0·01(x)		22
23	0·13	0·04	0·03	0·07	–	0·01	0·20	TRACE(w)	0·01	0·07	0·54	0·01(x)		23
24	0·07	0·05	0·01	0·15	–	TRACE	0·02	–	0·01	0·21	0·43	–		24
25	1·19	0·45	0·27	0·15	TRACE	TRACE	0·30	TRACE(w)	–	–	0·98	0·02		25
26	0·07	TRACE(w)	0·20	TRACE	TRACE(w)	TRACE(w)	TRACE	TRACE(w)	0·09	0·43	0·30	0·01(x)		26
27	0·21	–	0·21	TRACE	–	TRACE	–	TRACE(w)	0·01	0·69	0·25	–		27
28	–	0·50	0·05	TRACE	–	0·17	–	TRACE(w)	–	0·04	0·17	0·15		28
29	–	×	–	0·25	–	0·01	–	TRACE	–	0·12	0·02	–		29
30	–	×	–	0·84	–	0·03	0·01	TRACE	–	0·25	0·05	TRACE		30
31	0·01(x)	×	–	×	–	×	0·04	0·42	×	0·02	×	TRACE		31
TOTAL	5·91	1·60	2·44	2·59	0·84	1·49	1·98	1·95	0·97	8·95	6·65	1·79	Year's Total 37·16	✓
* Days with .01 in. or more.	25	16	21	14	6	14	18	9	15	27	21	19	205	✓
* Days with .04 in. or more.	23	9	13	10	4	9	13	8	8	24	18	9	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A.E. Moon F.R.Met.S. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Ags totals

Kept at CLIVE VALE, HASTINGS
in the County of SUSSEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 328 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	tr	–	0·03	–	–	–	–	–	–	0·08	tr		1
2	–	0·05	–	0·13	0·23	–	0·01	–	–	0·15	0·43	0·01		2
3	–	0·29	–	0·12	–	–	0·02	tr	–	0·30	1·74	0·33		3
4	–	0·09	–	0·05	–	–	0·12	–	–	0·22	0·34	0·30		4
5	tr	0·01	–	–	–	–	0·09	–	–	tr	0·88	0·15		5
6	0·17	0·11	–	–	tr	–	0·20	–	–	0·57	0·24	–		6
7	–	0·10	tr	–	–	–	0·17	–	tr		–	tr		7
8	–	0·01	tr	–	–	–	–	–	0·20	✓	–	0·41		8
9	–	–	–	tr	–	–	–	–	0·01	✓	0·50	0·33		9
10	–	–	tr	–	–	–	0·16	tr	0·04	✓	0·17	tr		10
11	–	0·03	–	–	–	tr	–	–	–	→0·91	0·88	–		11
12	–	0·02	0·14	0·02	–	–	0·10	–	0·03	–	0·02	0·01		12
13	–	0·05	0·35	0·01	–	0·85	–	–	0·16	–	1·25	–		13
14	–	0·02	0·39	–	–	tr	–	–	–	–	tr	0·48		14
15	–	–	tr	0·07	0·36	0·04	0·56	–	–	–	0·42	0·01		15
16	0·31	0·25	0·16	0·04	–	–	0·04	–	0·16	0·51	0·58	0·06		16
17	tr	0·01	0·47	0·07	–	–	0·03	–	–	–	0·09	0·08		17
18	–	0·26	0·29	0·40	–	–	0·07	–	–	0·38	0·04	–		18
19	0·05	0·10	0·02	tr	–	–	–	–	1·07	tr	0·01	0·08		19
20	0·01	0·07	tr	0·03	–	tr	0·02	0·01	0·05	0·02	0·29	–		20
21	0·04	0·01	tr	–	0·32	–	0·06	tr	0·07	0·06	0·18	–		21
22	0·02	–	tr	tr	0·26	0·14	–	–	0·10	tr	0·01	–		22
23	–	0·30	0·03	0·14	–	–	0·05	–	–	0·26	0·04	0·01		23
24	–	tr	tr	0·52	–	–	0·18	–	–	tr	0·01	tr		24
25	–	0·01	0·52	0·01	0·01	–	0·22	tr	–	0·07	0·02	–		25
26	0·67	0·25	0·44	tr	0·06	0·09	0·05	–	–	0·07	–	–		26
27	0·60	0·06	–	0·01	–	–	0·18	–	–	tr	0·03	0·01		27
28	0·26	tr	–	0·02	0·02	–	–	–	–	–	tr	0·01		28
29	0·23	0·08	0·15	tr	0·04	–	–	–	0·01	–	–	0·01		29
30	0·22	✕	–	0·18	–	–	–	–	–	0·07	–	0·31		30
31	0·12	✕	tr	✕	–	✕	–	–	✕	0·35	✕	0·22		31
													Year's Total	
TOTAL	2·70	2·18	2·96	1·85	1·30	1·12	2·33	0·01	1·90	3·94	8·25	2·82	31·36	^
* Days with .01 in. or more.	12	22	11	17	8	4	19	1	11	16	23	18	162	^
* Days with .04 in. or more.	10	14	9	10	6	4	15	–	8	15	17	11	119	^

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A E Moon (F.R.Met.S.)

[P.T.O.

544

Section **A** for the entry of I

AIR MINISTRY.

OPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGIST

544

HASTINGS HALTON

1931 - 1940

780111

Kept at Halton - H

in the County of Suss

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th … *llowing year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·06	·03	·24	–	–	–	·10	–	–	–	–	1
2	·10	·09	–	·34	–	–	–	–	·38	·03	–	–	2
3	·25	·09	·18	·04	·82	–	–	–	·48	–	–	·18	3
4	–	–	–	–	–	–	·02	·02	·07	·04	·10	·02	4
5	–	–	–	·16	–	·38	·09	·62	·02	–	–	·16	5
6	–	·06	–	·09	–	–	–	·06	–	·25	·40	·04	6
7	–	·05	–	·02	·03	·16	–	·09	–	–	·26	–	7
8	–	·08	–	–	–	·14	–	·06	–	–	·20	·29	8
9	·05	·13	–	–	–	·19	–	/	·04	–	·81	–	9
10	–	·10	·07	–	–	·05	·05	·21	–	–	1·00	[illegible]	10
11	·11	·40	–	–	–	–	–	/	–	–	1·20	–	11
12	·25	–	–	–	–	–	–	/	·53	–	–	–	12
13	·20	–	–	–	·05	–	–	·03	–	–	–	–	13
14	–	·12	–	–	–	–	·65	·50	–	–	·02	–	14
15	–	–	–	·15	·05	–	·13	·07	–	–	–	·01	15
16	–	·09	–	·12	·18	–	–	·06	–	–		–	16
17	–	·05	–	·15	–	–	·60	/	·04	–	–	–	17
18	–	·28	–	·32	–	–	·28	·35	–	·04	·35	–	18
19	·07	–	–	·46	–	·05	·40	·85	·16	–	·02	–	19
20	–	·14	–	·12	·05	–	·03	·45	–	–	–	–	20
21	–	·10	–	–	·40	–	–	–	–	–	–	–	21
22	·13	–	·10	–	·01	–	–		·03	–	–	–	22
23	·76	–	·05	–	·08	–	–	–	·04	–	·25	–	23
24	–	–	–	·45	–	·12	–	·34	·01	–	–	–	24
25	·05	·02	–	·39	–	–	·16	·02	–	–	·02	–	25
26	–	·08	–	·08	–	–	·31	–	–	·05	·28	–	26
27	·16	·29	–	·04	·24	–	·05	–	–	–	·41	–	27
28	·10	·07	–	·03	·02	–	–	–	–	·04	·05	·01	28
29	·14	×	–	–	·15		·05	–	–	[illegible]	–	–	29
30	·03	×	–	–	–		·03	–	–	–	–	–	30
31	·28	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	2·73	2·30	·43	3·20	2·08	1·09	2·85	3·83	1·80	·60	5·37	[illegible]	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.	16	19	5	17	12	7	14	16	11	7	15	8	147
*Days with ·04 in. or more.	15	18	4	15	9	7	11	13	8	6	12	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

544

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Halton - Hastings
in the County of Sussex
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft — ins
„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·06	·03	·24	—	—	—	·10	—	—	—	—	1
2	·10	·09	—	·34	—	—	—	—	·38	·03	—	—	2
3	·25	·09	·18	·04	·82	—	—	—	·48	—	—	·18	3
4	—	—	—	—	—	—	·02	·02	·07	·04	·10	·02	4
5	—	—	—	·16	—	·38	·09	·62	·02	—	—	·16	5
6	—	·06	—	·09	—	—	—	·06	—	·25	·40	·04	6
7	—	·05	—	·02	·03	·16	—	·09	—	—	·26	—	7
8	—	·08	—	—	—	·14	—	·06	—	—	·20	·20	8
9	·05	·13	—	—	—	·19	—	—	·04	—	·81	—	9
10	—	·10	·07	—	—	·05	·05	·21	—	—	1·00	·01	10
11	·11	·40	—	—	—	—	—	—	—	—	1·20	—	11
12	·25	—	—	—	—	—	—	—	·53	—	—	—	12
13	·20	—	—	—	·05	—	—	·03	—	—	—	—	13
14	—	·12	—	—	—	—	·65	·50	—	—	·02	—	14
15	—	—	—	·15	·05	—	·13	·07	—	—	—	·06	15
16	—	·09	—	·12	·18	—	—	·06	—	—	—	—	16
17	—	·05	—	·15	—	—	·60	—	·04	—	—	—	17
18	—	·28	—	·32	—	—	·28	·35	—	·04	·35	—	18
19	·07	—	—	·46	—	·05	·40	·85	·16	—	·02	—	19
20	—	·14	—	·12	·05	—	·03	·45	—	—	—	—	20
21	—	·10	—	—	·40	—	—	—	—	—	—	—	21
22	·13	—	·10	—	·01	—	—		·03	—	—	—	22
23	·76	—	·05	—	·08	—	—	—	·04	—	·25	—	23
24	—	—	—	·45	—	·12	—	·34	·07	—	—	—	24
25	·05	·02	—	·39	—	—	·16	·02	—	—	·02	—	25
26	—	·08	—	·08	—	—	·31	—	—	·05	·28	—	26
27	·16	·39	—	·04	·24	—	·05	—	—	—	·41	—	27
28	·10	·07	—	·03	·02	—	—	—	—	·04	·05	·01	28
29	·14	×	—	—	·15	—	·05	—	—	·21	—	—	29
30	·03	×	—	—	—	—	·03	—	—	—	—	—	30
31	·28	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·73	2·30	·43	3·20	2·08	1·00	2·84	3·83	1·80	·60	5·3[illegible]	·44	YEAR'S TOTAL 2[illegible]·[illegible]3
*Days with ·01 in. or more.	16	17	5	14	12	7	14	16	11	4	15	8	14[illegible]
*Days with ·04 in. or more.	15	18	[illegible]	15	9	7	11	13	8	6	12	5	123

40-9999

(*Signed*) P. L.

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HALTON – HASTINGS.

in the County of SUSSEX

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Details of Gauge as previously supplied.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	—	·10	·28	—	·05	—	—	·59	·11	·05	1
2	—	—	—	·30	·01	—	—	—	—	·02	—	·10	2
3	·04	—	—	·19	·14	·69	—	—	·22	—	·01	—	3
4	—	—	—	—	—	·24	—	—	—	—	·02	—	4
5	·36	—	·01	—	·16	·09	·08	—	·08	—	—	—	5
6	·75	—	—	—	·05	—	—	—	·05	—	—	—	6
7	·04	—	—	·05	·16	—	—	—	—	—	—	—	7
8	—	—	·40	·10	·38	—	—	—	·07	1·14	—	—	8
9	·10	·05	—	·17	·57	—	—	—	—	·02	—	—	9
10	·46	—	—	·40	·13	—	—	—	·01	·12	—	—	10
11	·31	—	—	·28	·03	·18	—	—	·05	·02	—	·06	11
12	·18	·12	—	—	—	—	—	·01	·05	·16	—	—	12
13	·07	—	—	·06	·05	—	—	—	·02	·68	—	·02	13
14	·04	—	—	·08	·13	—	—	—	—	·67	—	—	14
15	·02	—	—	·08	·12	—	—	—	—	·08	—	—	15
16	·02	—	—	·27	·15	—	·06	—	—	—	—	·02	16
17	—	—	—	·06	—	—	—	—	—	·05	—	—	17
18	·03	—	—	—	—	—	—	—	·07	—	·15	—	18
19	·01	—	—	—	·02	—	—	—	·02	·22	·25	—	19
20	—	—	—	·10	·15	—	·23	—	·04	1·12	·26	—	20
21	—	—	—	—	·18	—	·05	—	—	·26	—	—	21
22	·03	—	·34	—	·18	—	·53	·23	·42	·07	·50	·02	22
23	—	·06	·10	—	—	—	—	—	·62	1·08	—	·05	23
24	—	·03	—	—	—	—	·84	—	·07	·02	—	—	24
25	—	·02	—	—	—	—	1·67	—	·45	·83	·03	—	25
26	—	—	—	·13	—	—	·10	·43	—	·01	·06	—	26
27	—	—	·21	·21	·06	—	—	—	·04	·83	·02	·02	27
28	—	—	·04	·01	·02	—	·20	—	·04	·10	—	—	28
29	—	—	·45	·01	—	—	—	·28	·19	·53	—	·07	29
30	—	×	·03	—	—	·45	—	·04	·03	—	·09	·02	30
31	—	×	·03	×	—	×	·02	—	×	—	×	·03	31
TOTAL	2·58	·28	1·61	2·60	2·97	1·65	3·83	·99	2·54	8·62	1·50	·45	YEAR'S TOTAL 29·62
*Days with ·01 in. or more.	16	5	9	18	20	5	11	5	19	22	11	11	152
*Days with .04 in. or more.	11	3	6	16	16	5	10	4	15	17	7	5	115

40-9999

*See Instruction 2 (*f*) on other side,

191

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HALTON - HASTINGS

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

„ Ground „ Sea Level ft.

No note that size of gauge as altered from 5"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·56	·15	—	—	—	—	—	—	·02	·30	—		1
2	·14	—	·46	—	·10	—	—	—	—	—	—	—		2
3	·02	·20	·08	—	—	—	—	—	—	—	—	—		3
4	Trace	·04	Trace	—	Trace	—	—	—	—	—	—	—		4
5	·60	—	·09	—	·12	—	—	—	—	—	—	—		5
6	—	·08	·18	—	·54	—	—	—	—	Trace	·08	—		6
7	·34	·05	Trace	—	·09	—	—	—	—	·23	—	·03		7
8	·23	·04	Trace	—	Trace	—	·15	—	—	—	—	—		8
9	—	·02	—	Trace	·16	—	Trace	—	—	—	·40	—		9
10	—	·52	—	—	—	—	·13	—	—	·16	·04	—		10
11	·18	—	—	—	Trace	Trace	·06	·12	·17	·22	—	—		11
12	—	—	—	·04	—	·26	·01	—	·89	—	—	—		12
13	·02	—	—	—	·03	·07	·20	Trace	·59	·10	·24	—		13
14	—	—	—	—	·01	—	—	·03	—	·92	·25	Trace		14
15	·23	—	·07	—	—	—	·30	·12	—	·25	·44	·07		15
16	·10	—	·61	—	—	·22	·47	—	—	·10	·06	·01		16
17	·06	—	·27	—	—	·02	—	·10	·15	—	—	—		17
18	·22	—	·07	Trace	—	·36	—	—	—	—	—	—		18
19	—	·08	·18	·03	—	·15	—	—	·02	—	·01	—		19
20	—	·02	·05	·17	—	·08	—	·07	·14	—	—	Trace		20
21	—	·08	—	Trace	—	—	—	·23	·57	—	—	Trace		21
22	—	·02	—	—	—	Trace	—	·57	·04	·02	—	—		22
23	—	·03	—	·10	—	·03	—	—	·61	—	—	—		23
24	—	·11	—	·37	·02	·03	—	—	·90	Trace	·09	—		24
25	—	—	—	·50	Trace	—	—	—	·01	Trace	·26	·07		25
26	—	·25	—	·01	—	·04	—	—	·03	—	·03	·03		26
27	—	·30	—	·01	·16	—	—	—	—	·21	—	·06		27
28	—	—	—	—	Trace	·02	·07	—	—	·14	—	·28		28
29	·09	×	—	—	·28	—	·07	—	—	·01	—	—		29
30	·10	×	·30	—	—	—	·03	—	·46	·02	—	·16		30
31	—	×	—	×	—	×	—	·03	×	—	×	—		31
TOTAL	2·33	2·40	2·51	1·23	1·51	1·28	1·49 ~~1·59~~	1·27	4·58	2·40 ~~2·60~~	2·20	·71 ~~·70~~	Year's Total 24·24	
*Days with ·01 in. or more.	13	16	12	8	10	11	10	8	13	13	12	8	134	
*Days with ·04 in. or more.	11	12	12	6	7	7	8	6	10	9	10	5	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HALTON RESERVOIRS HASTINGS
in the County of SUSSEX
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 294 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Trace	-	-	-	·36	-	·19	·01	·20	-	·28		1
2	·05	·01	·10	-	-	·01	-	-	·16	·64	·04	·65		2
3	·03	Trace	-	·05	-	-	-	-	·02	·56	·01	·28		3
4	·30	Trace	-	-	-	-	-	-	-	·26	·14	·64		4
5	Trace	-	·06	-	·10	-	-	Trace	-	-	·08	·43		5
6	-	-	·48	·18	·14	·30	-	·02	-	·24	·04	·50		6
7	·01	-	-	·04	-	·01	-	·03	-	·06	-	·25		7
8	-	-	-	·30	·12	Trace	-	Trace	-	-	241	-		8
9	-	-	·09	-	Trace	-	-	Trace	-	-	·09	·19		9
10	-	-	·09	·25	-	-	-	·06	-	·05	·04	-		10
11	1·10	-	·34	·14	-	-	-	·43	-	-	-	·35		11
12	·23	-	·11	-	-	-	·09	·08	-	Trace	·13	·04		12
13	·46	-	-	·01	-	-	·04	·12	-	-	·06	·01		13
14	·33	-	·34	·18	·01	-	Trace	-	-	·06	·41	·36		14
15	-	-	Trace	-	-	-	-	-	-	-	·24	·28		15
16	·18	Trace	·31	·06	·14	-	-	-	-	·01	-	·13		16
17	·19	-	·34	·01	-	-	-	-	·18	·03	·05	·22		17
18	·08	-	-	·15	-	-	-	-	-	-	·03	·62		18
19	-	-	·24	-	-	·01	-	-	·14	-	-	·23		19
20	-	-	·01	-	Trace	·03	·18	-	-	·01	-	-		20
21	-	-	-	·15	Trace	·09	·04	-	-	·01	-	-		21
22	-	Trace	-	-	-	-	·03	·26	·28	·01	-	·05		22
23	-	Trace	Trace	·48	-	·20	-	-	-	·02	-	·63		23
24	-	·01	-	·18	-	·50	·50	-	·06	-	-	-		24
25	·08	Trace	-	·19	-	-	-	-	-	·04	-	·56		25
26	·14	-	-	·06	-	·23	-	-	Trace	·01	-	·01		26
27	·04	Trace	-	·03	-	·44	-	-	-	·01	-	·26		27
28	·01	·13	-	·02	-	·34	-	·43	-	-	-	·22		28
29	-	X	-	-	-	-	Trace	·42	·34	-	·03	Trace		29
30	·12	X	-	-	-	-	-	-	-	-	-	·36		30
31	·01	X	-	X	-	X	-	-	X	·21	X	·33		31
TOTAL	~~2·36~~ 3·36	0·15	2·54	2·48	~~0·41~~ 0·51	2·55	0·88	2·04	1·22	2·49	~~2·83~~ 3·83	4·91	Year's Total. 24·86	
* Days with .01 in. or more.	17	3	12	18	5	12	6	10	8	18	15	25	~~54~~ 148	
* Days with .04 in. or more.	13	1	11	14	4	8	5	8	6	9	12	23	114	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A.W. Simmonds. Meteorologist

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Walton Reservoirs Ore
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ~~12~~ 1 ft. 0 in.
,, Ground ,, Sea Level 294 ft.

> 1 ft 24/5/36

ht. corrd. by Obs. as per

GR

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	tr	·04	·01	-	·08	·01	-	·09	·35	·15	·01		1
2	·15	-	-	·02	-	-	·01	-	-	·46	·04	-		2
3	·23	-	·20	·04	-	tr	-	-	·01	·45	·11	-		3
4	·01	·09	-	·26	-	·10	-	-	·60	·39	·03	·12		4
5	-	·31	-	·15	-	·03	-	-	·14	·28	-	·01		5
6	·02	·23	·02	·38	-	·02	-	-	-	·20	·34	·13		6
7	·16	·04	tr	·25	-	·20	-	-	-	-	·49	·09		7
8	-	-	-	·20	-	-	-	·19	-	·36	·19	·05		8
9	-	-	-	·31	-	·44	-	-	-	·46	·15	·05		9
10	·09	·02	·14	·11	-	·04	-	-	-	·12	·15	·24		10
11	·08	tr	-	-	-	·06	·42	-	-	-	·34	-		11
12	-	·11	-	-	-	·14	-	·44	·02	-	·34	-		12
13	·06	·26	-	·16	-	·01	-	-	-	-	·63	tr		13
14	tr	-	-	-	·24	·14	-	-	-	·01	-	·13		14
15	-	·25	-	·56	-	·01	-	-	·56	·01	·06	·14		15
16	-	·04	·01	·11	-	·09	-	-	·22	·01	·81	·11		16
17	·02	-	·01	·14	-	·41	-	-	·23	-	·55	tr		17
18	-	-	-	·20	-	·09	-	·01	·42	·09	·02	-		18
19	-	-	-	·04	·35	·02	·05	-	·22	·01	·03	-		19
20	tr	·46	-	·15	·12	·06	·03	-	·05	-	·14	-		20
21	·01	·18	-	·02	-	-	-	-	·01	·09	·05	-		21
22	·01	·12	·02	-	-	-	-	·01	·11	-	·03	-		22
23	-	·04	·01	-	tr	-	-	·50	-	-	·03	·16		23
24	·06	·45	-	-	·38	-	-	1·55	·60	·15	-	·42		24
25	·09	1·04	tr	·14	·06	·01	-	tr	-	-	-	·55		25
26	·05	·09	-	-	-	·08	-	·13	·01	·04	·01	·24		26
27	·15	·38	-	-	-	-	-	·15	·15	-	·13	·20		27
28	·06	·12	-	-	·08	-	-	·12	·02	·04	·08	·50		28
29	-	×	-	-	·04	-	-	-	·30	-	·01	·50		29
30	·08	✕	-	·10	·06	-	-	1·68	·52	·11	·15	·25		30
31	-	✕	-	✕	-	✕	-	·08	✕	·26	✕	·50		31
TOTAL	1·66	~~3·23~~ 4·23	0·48	3·44	1·36	2·39	0·52	5·21	4·88	3·92	6·05	4·43	Year's Total 31·54	
* Days with .01 in. or more.	~~5~~ 18	~~4~~ 18	~~8~~ 8	~~5~~ 20	~~8~~ 8	~~6~~ 18	~~8~~ 5	~~8~~ 11	~~5~~ 19	~~4~~ 20	~~6~~ 25	~~2~~ 20	~~48~~ 190	
* Days with .04 in. or more.	13	14	3	14	8	12	2	9	14	16	19	18	148	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~A. W. Simmonds~~ [P.T.O.

S. Little Esq. C.E.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hollow Resr. Ore

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 294 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·31	·06	·30	-	·18	·09	·59	-	-	·10	·07		1
2	·05	·01	-	·35	-	·12	·08	·10	-	-	-	-		2
3	-	-	-	-	-	·07	·14	-	·09	-	·46	-		3
4	·05	-	·09	-	-	·16	·08	-	·30	-	·06	·02		4
5	·13	-	·01	tr	-	-	-	·03	·30	-	·09	·12		5
6	·32	-	·03	-	-	·05	-	·04	·18	·17	·45	·03		6
7	·40	-	·16	-	-	·01	·11	-	-	·02	·42	-		7
8	·44	-	·06	-	-	-	·08	-	-	-	81 ·81	·23		8
9	·39	-	·02	-	-	-	·43	·01	·09	·02	·25	-		9
10	·03	-	·02	-	-	·18	·08	·39	-	·01	1·05	-		10
11	·01	-	-	·05	-	-	tr	·15	·09	-	·08	-		11
12	-	-	-	·09	-	·18	·43	·07	-	-	-	-		12
13	-	-	-	-	-	·04	·01	-	-	-	-	·06		13
14	-	·11	-	·01	-	·06	1·11	-	·22	tr	·11	·28		14
15	-	·06	-	·05	-	-	·37	-	-	-	·18	·28		15
16	·24	·12	-	tr	·01	-	-	-	-	-	·11	·21		16
17	·12	·50	-	-	-	·20	-	tr	·01	-	·16	·58		17
18	·15	·04	-	-	-	·01	·16	-	tr	·04	·09	·05		18
19	·26	·06	tr	·01	-	·27	·27	·05	-	·02	·02	-		19
20	·35	·06	tr	·45	-	-	-	-	·17	-	-	-		20
21	·08	·06	tr	·50	tr	·55	·18	-	·15	-	tr	-		21
22	·13	·40	·04	·03	·01	·04	·05	-	-	-	tr	·06		22
23	-	·05	·06	·15	-	-	·10	-	-	-	-	-		23
24	·07	·15	·04	·17	-	-	-	-	·03	·15	-	-		24
25	·45	·03	·08	·08	tr	·25	-	-	·39	·03	·01	-		25
26	-	·13	·27	tr	tr	·10	-	-	·10	·26	-	-		26
27	·16	·13	·03	-	-	-	·29	tr	·17	·05	·01	-		27
28	·40	-	·05	-	-	·44	·02	-	·04	-	-	·03		28
29	·03	·03	·29	-	-	·32	·45	-	-	·05	·14	·01		29
30	·16	✕	·04	-	·06	·31	-	-	-	·03	-	tr		30
31	·10	✕	·10	✕	·05	✕	·21	-	✕	·63	✕	·10		31
TOTAL	4·76	2·25 ~~2·34~~	1·45	2·24	0·13	3·54	4·74 ~~3·44~~	1·43	2·33	1·48	4·60	2·13 ~~3·03~~	Year's Total 30·77	✓
* Days with .01 in. or more.	24	17	18	13	4	20	20	9	15	13	18	15	~~35~~	186 ✓
* Days with .04 in. or more.	21	14	13	10	2	18	19	4	13	4	16	11	151	✓

40-9999.

† Spare column, no entries required.

(*Signed*) A. W. Simmonds

[P.T.O.

X S. Little Esq C.E. X

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Halton Reservoir

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 294 ft.

Dup.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.81	.01	-	.16	-	-	-	-	trace	-	.30	.48		1
2	-	.23	-	.63	-	-	-	-	-	.03	-	.49		2
3	.04	.10	-	-	-	-	-	-	-	-	-	.12		3
4	.09	1.14	-	-	-	-	-	-	-	-	-	.32		4
5	.09	.15	.40	-	-	-	.18	-	-	.38	-	-		5
6	.03	-	.70	.02	.22	-	.07	-	-	.01	-	.07		6
7	-	1.10	.12	.08	.15	-	-	-	-	.01	-	.23		7
8	-	.08	.26	-	.02	.08	-	-	.01	.01	.10	.29		8
9	-	-	.02	.49	.19	.06	.06	-	.27	-	-	.09		9
10	-	-	.48	-	.14	.73	-	.01	-	-	-	.50		10
11	-	-	1.03	.07	.07	.01	.03	-	-	-	-	-		11
12	.56	.35	.11	.01	.26	.24	-	.47	.22	-	-	.33		12
13	.58	.01	.48	.07	.08	.54	-	.32	.15	-	-	.73		13
14	.08	.03	.01	trace	.27	.02	-	.36	.08	-	-	.44		14
15	.07	.12	-	.25	.03	trace	-	-	.09	-	-	-		15
16	.07	.04	.17	.14	-	.01	.57	.88	.02	-	-	-		16
17	.30	.01	-	.07	-	.23	-	-	.80	-	.26	-		17
18	.27	.13	-	.01	.09	.06	-	-	1.06	-	.23	-		18
19	.05	.14	.07	.20	.09	.01	-	-	.20	-	.06	.11		19
20	.25	trace	.28	.32	.60	.08	-	-	.06	-	trace	-		20
21	.37	.34	.02	.11	-	-	trace	.03	-	-	.01	-		21
22	.20	.11	trace	trace	.02	-	-	-	-	1.27	.18	.07		22
23	.08	trace	-	-	-	.03	.45	-	-	.50	.08	.05		23
24	.56	.29	-	-	-	-	-	-	trace	.09	-	.05		24
25	.11	.34	.34	-	-	-	-	-	.04	.47	-	-		25
26	.02	.68	.01	-	-	-	-	-	-	.53	-	-		26
27	-	.12	-	.29	-	-	-	-	-	.10	-	-		27
28	.06	.15	-	.05	-	.05	-	-	-	trace	-	.05		28
29	-	×	.02	-	-	-	-	-	-	.09	.01	.03		29
30	.23		-	-	-	-	-	-	-	.07	.09	.03		30
31	.26		-		-		-	-		.04		.03		31
TOTAL	5.18	5.67	4.52	2.87	2.23	2.15	1.35	2.06	3.00 ~~2.00~~	3.60	1.32	4.51	Year's Total 37.46	✓
* Days with .01 in. or more.	23 ~~2~~	22 ~~2~~	17 ~~5~~	17 ~~3~~	14 ~~3~~	14 ~~5~~	6 ~~1~~	6 ~~2~~	12 ~~2~~	14 ~~4~~	10 ~~2~~	20 ~~3~~	175 ~~35~~	✓
* Days with .04 in. or more.	21	19	12	14	11	9	5	4	10	10	8	14	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. W. Simmonds

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Walton Reservoir

in the County of Sussex

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 294 ft.

Days. W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	tr	-	-	.10	.27	.11	-	.24	.16	.09	.09		1
2	-	-	-	.08	.01	-	.37	-	-	.39	-	.03		2
3	-	-	tr	-	-	-	.15	-	-	.71	.10	-		3
4	.02	-	-	-	-	.04	.14	.28	-	.15	.02	.09		4
5	-	-	-	-	-	-	.22	.01	-	.46	tr	.02		5
6	.20	-	-	-	-	.01	-	.02	.14	tr	.04	.02		6
7	tr	-	-	-	-	tr	.03	.56	.03	.32	.02	.15		7
8	.22	-	-	-	-	-	.08	-	tr	.14	-	.09		8
9	.35	.03	-	-	-	-	-	.03	tr	.27	-	.42		9
10	.16	.06	-	-	-	-	.02	-	-	-	-	.32		10
11	.37	.01	-	-	-	-	tr	-	-	-	.05	.15		11
12	.38	.02	-	-	-	-	-	-	-	.14	-	.02		12
13	.46	.20	-	-	-	-	-	-	tr	.12	.12	.01		13
14	.21	.04	-	-	.54	-	-	.06	.03	-	.01	.08		14
15	.03	.22	-	-	.01	-	.18	-	-	.07	.07	.06		15
16	.32	.06	.05	-	-	-	-	.04	-	.16	.07	.38		16
17	-	.18	.01	-	.30	-	-	-	.01	.06	.02	-		17
18	.09	-	tr	-	.04	-	-	-	.32	.02	.50	-		18
19	-	-	-	-	-	tr	-	.02	.02	-	.23	-		19
20	-	-	-	-	.07	-	-	-	.38	-	.36	.28		20
21	.08	-	-	.01	-	-	-	-	.24	-	.04	.08		21
22	tr	-	-	tr	-	.05	-	.13	-	-	.37	.12		22
23	.01	-	-	tr	-	-	-	-	-	-	.17	-		23
24	-	-	.19	-	tr	-	-	-	.03	-	.28	.18		24
25	.08	-	.30	.10	.14	-	.03	-	.13	.01	.81	.01		25
26	.50	.14	.09	.04	-	tr	.05	.01	.30	.25	-	.42		26
27	.05	.08	-	-	.56	.15	.30	-	.41	.35	.32	-		27
28	.04	.05	-	-	.28	.03	-	.75	.21	-	.02	-		28
29	.35	X	-	.03	.24	tr	-	-	-	-	.02	.25		29
30	.03	X	-	.42	.29	.03	-	-	.05	.02	.33	-		30
31	.18	X	-	X	.10	X	-	-	X	.10	X	.15		31
TOTAL	4.14	1.09	~~0.54~~ 0.64	0.68	2.68	0.58	1.68	1.86	2.54	3.90	4.09	3.42	Year's Total 29.20 * ✓	
* Days with .01 in. or more.	22	12	5	6	13	7	12	11	15	19	23	23	168 ✓	
* Days with .04 in. or more.	17	9	4	4	11	4	9	6	10	16	17	17	124 * ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) O. W. Simmonds

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hatton Reservoir

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 12 in.

,, Ground ,, Sea Level 294 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	-	·02	·22	·17	-	·10	·09	·03	-	·01	·02		1
2	tr	-	tr	-	-	-	-	·03	·01	·07	-	-		2
3	·42	-	-	·27	-	-	-	·25	·01	·06	·24	·36		3
4	·17	-	·51	·15	-	-	·02	·53	·02	-	·05	·05		4
5	·29	tr	·12	·40	·07	-	·02	tr	-	·82	·62	·22		5
6	-	-	·07	-	-	-	·07	tr	-	·18	·53	-		6
7	·19	·06	-	-	-	-	·01	·08	-	·50	·29	·07		7
8	-	·08	·09	-	-	-	-	-	-	·09	-	·47		8
9	·04	·04	-	-	-	-	-	·03	-	·20	·06	·10		9
10	·20	-	-	-	-	·20	-	·41	·22	·97	·03	-		10
11	·25	-	·27	-	-	·09	-	tr	-	·75	-	·01		11
12	-	-	-	-	·01	·03	-	-	-	·62	-	·02		12
13	·53	-	·02	-	-	·02	-	-	-	·01	-	·16		13
14	·57	-	·01	·01	-	·04	·15	-	-	1·53	·55	tr		14
15	·13	-	-	-	·34	·01	-	-	·01	·23	·15	-		15
16	·10	·01	·16	·12	·27	·34	·28	-	-	·36	·51	-		16
17	·07	·12	·06	·01	·01	-	-	-	-	-	·08	-		17
18	·15	-	-	-	-	·04	·20	-	·10	-	·65	-		18
19	·28	-	·01	-	-	-	·26	-	·04	·03	-	·04		19
20	·28	-	-	-	-	·02	·02	-	·08	·60	-	·02		20
21	·24	-	·22	-	-	-	·08	-	·21	-	-	-		21
22	·24	·20	·04	-	-	·35	·07	-	·01	-	-	-		22
23	·12	·03	·02	·07	-	·02	·03	·01	-	-	·62	-		23
24	·10	·04	tr	·15	-	-	·11	-	-	·05	·11	-		24
25	1·35	·48	·25	·16	-	-	·30	-	-	·22	1·07	·03		25
26	·08	-	·21	-	-	-	tr	-	·07	-	·29	·03		26
27	·21	·07	·19	-	-	-	-	-	-	·43	·24	-		27
28	-	·50	·06	-	-	·18	-	-	-	-	·17	·11		28
29	-		-	·25	-	·01	-	-	-	·06	·02	-		29
30	-		-	·80	-	·03	·01	-	-	·01	·04	-		30
31	-		-		-		·03	·42		·02		tr		31
TOTAL	6 26 ~~5·26~~	1·63	2·33	2·61	0·87 ~~[illegible]~~	1·38	1·76	1·85	0·81 ~~0·71~~	7·81	6·33	1·71	Year's Total 35·25	✓
* Days with .01 in. or more.	~~0~~ 23	2 11	~~5~~ 18	2 12	2 6	~~4~~ 14	~~4~~ 17	~~2~~ 9	~~6~~ 12	~~4~~ 22	~~3~~ 21	~~6~~ 15	178 ~~4~~	✓
* Days with .04 in. or more.	23	9	13	10	4	7	10	6	~~5~~ 7	18	18	9	134 ~~132~~	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) O.W. Simmonds

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 544

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at HALTON RESERVOIR

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 294 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	·09	-		1
2	-	·04	-	·12	·28	-	·02	-	-	·11	·43	-		2
3	-	·26	-	·15	-	-	-	-	-	·31	1·63	·32		3
4	-	·12	-	·02	-	-	·06	-	-	·20	·31	·25		4
5	-	tr	-	-	-	-	·09	-	-	-	89 ·89	·18		5
6	·15	·12	-	-	-	-	·19	-	-	·66	·03	-		6
7	·21	·06	-	-	-	-	·18	-	-	-	-	-		7
8	-	·01	-	-	-	-	-	-	·18	·31	-	·45		8
9	-	-	-	-	-	-	-	-	·01	·09	·50	·33		9
10	-	-	-	-	-	-	·11	-	·03	·56	·21	-		10
11	-	·03	-	-	-	-	-	-	-	-	1·15	-		11
12	-	·02	·12	·01	-	-	·11	-	·01	-	·01	-		12
13	-	·05	·32	-	-	·90	-	-	·64	-	1·14	-		13
14	-	-	·37	·10	-	-	-	-	-	-	-	·47		14
15	·25	-	-	-	·34	·02	·59	-	-	-	·46	tr		15
16	·05	·13	·20	·04	-	·04	·04	-	·13	·50	·54	·04		16
17	·05	-	·42	-	-	-	·02	-	-	-	·04	-		17
18	-	·22	·26	·37	-	-	·05	-	-	·37	·01	·07		18
19	-	·09	·03	-	-	-	-	-	1·06	-	-	·04		19
20	·02	·08	-	·02	-	-	·08	tr	tr	·06	·35	-		20
21	·04	-	-	-	·18	-	·14	-	·09	·06	·20	-		21
22	-	-	·02	-	·44	·11	-	-	·07	-	·02	-		22
23	-	·32	·03	·12	·03	-	·04	-	-	·20	·03	tr		23
24	-	-	-	·50	-	-	·17	-	-	-	tr	-		24
25	-	tr	·42	-	-	-	·20	-	-	·06	·02	-		25
26	·74	·23	·41	-	·04	·08	·01	-	-	-	-	-		26
27	·48	·10	-	tr	-	-	·21	-	-	-	-	-		27
28	·13	·01	-	·01	-	-	-	-	-	-	-	-		28
29	·03	·10	·12	-	·04	-	-	-	-	-	-	·30		29
30	·17	X	-	·15	-	-	-	-	-	·07	-	·01		30
31	·09	X	-	X	-	X	-	-	X	·42	X	·20		31
													Year's Total	
TOTAL	2·41	1·99	2·72	1·61	1·35	1·15	2·31	-	2·22	3·98	8·06	2·66	30·46	
* Days with .01 in. or more.	13 ~~25~~	18 ~~4~~	12 ~~5~~	12 ~~4~~	7 ~~1~~	5 ~~1~~	18 ~~3~~	-	9 ~~3~~	15 ~~0~~	20 ~~6~~	12 ~~1~~	~~28~~	141
* Days with .04 in. or more.	11	14	9	8	6	4	15	-	6	15	14	11	113	

164

† Spare column, no entries required.

(*Signed*) H. W. Simmonds

[P.T.O.

* See Instruction 3 (f) on other side.

545

545

HASTINGS FAIRLIGHT

1931- 1937

780111

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGI 931.

Kept at Fairlight -
in the County of Su

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Sea

THE MORNING MEA **DAY.**

An observer who does not conform *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·06	—	·35	—	—	—	·10	—	—	—	—	1
2	·14	·08	—	·41	—	—	—	—	·42	·03	—	—	2
3	·20	·08	·20	·04	·73	—	—	·02	·38	—	—	·20	3
4	—	—	—	—	—	—	—	·05	·08	·04	·09	·02	4
5	—	—	—	·14	—	·43	·10	·77	—	—	—	·15	5
6	—	·07	—	·08	—	—	—	·07	—	·23	·44	·04	6
7	—	·06	—	·03	·03	·18	—	—	—	—	·27	—	7
8	—	·08	—	—	—	·12	—	·18	—	—	·29	·07	8
9	·05	·12	—	—	—	·23	—	—	·05	—	·54	—	9
10	—	·07	·09	—	—	·06	·05	·21	—	—	1·00	—	10
11	·07	·26	—	—	—	—	—	—	—	—	·77	—	11
12	·19	—	—	—	—	—	—	—	·53	—	—	—	12
13	·20	—	—	—	·06	—	—	·04	—	—	—	—	13
14	—	·12	—	—	—	—	·75	·83	—	—	·04	—	14
15	—	—	—	·11	·05	—	·10	—	—	—	—	·06	15
16	—	·07	—	·08	·18	—	—	·14	—	—	—	—	16
17	—	·06	—	·05	—	—	·27	—	—	—	—	—	17
18	—	·27	—	·25	—	—	·05	·37	—	·08	·42	—	18
19	·05	—	—	·41	—	·02	·37	·87	·20	—	·04	—	19
20	—	·04	—	·14	·05	—	·02	·30	—	—	—	—	20
21	—	·10	~~·15~~	—	·45	—	—	—	—	—	—	—	21
22	·07	—	·15	—	—	—	—	—	·04	—	—	—	22
23	·62	—	·05	—	·10	—	—	—	·05	—	·23	—	23
24	—	—	—	·45	—	·20	—	·31	—	—	—	—	24
25	·03	·04	—	·42	—	—	·20	·06	—	—	·04	—	25
26	—	·07	—	·06	—	—	·38	—	—	·06	·24	—	26
27	·21	·29	—	·03	·23	—	·05	—	—	—	·44	—	27
28	·10	·05	—	·02	·03	—	—	—	—	·02	·08	·03	28
29	·12	X	—	—	·20	—	·06	—	—	·19	—	—	29
30	·09	X	—	—	—	—	·06	—	—	—	—	—	30
31	·29	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	2·48	1·99	·49	3·07	2·11	1·24	2·46	4·32	1·75	·65	4·93	·57	YEAR'S TOTAL 26·06
*Days with ·01 in. or more.	16	19	4	17	11	7	13	15	8	7	15	7	139
*Days with ·04 in. or more.	15	19	4	14	9	6	12	14	8	5	15	5	126

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

545

Section **A** for the entry of Daily Observations. 685283/26 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fairlight - Hastings

in the County of Sussex

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft 0 ins

,, Ground ,, Sea Level 523 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·06	—	·35	—	—	—	·10	—	—	—	—	1
2	·14	·08	—	·41	—	—	—	—	·42	·03	—	—	2
3	·20	·08	·20	·04	·43	—	—	·02	·38	—	—	·20	3
4	—	—	—	—	—	—	—	·05	·08	·04	·09	·02	4
5	—	—	—	·14	—	·43	·10	·47	—	—	—	·15	5
6	—	·07	—	·08	—	—	—	·07	—	·23	·44	·04	6
7	—	·06	—	·03	·03	·18	—	—	—	—	·27	—	7
8	—	·08	—	—	—	·12	—	·18	—	—	·29	·07	8
9	·05	·12	—	—	—	·23	—	—	·05	—	·54	—	9
10	—	·07	·09	—	—	·06	·05	·21	—	—	1·00	—	10
11	·07	·26	—	—	—	—	—	—	—	—	·47	—	11
12	·19	—	—	—	—	—	—	—	·53	—	—	—	12
13	·20	—	—	—	·06	—	—	·04	—	—	—	—	13
14	—	·12	—	—	—	—	·75	·83	—	—	·04	—	14
15	—	—	—	·11	·05	—	·10	—	—	—	—	·06	15
16	—	·07	—	·08	·18	—	—	·14	—	—	—	—	16
17	—	·06	—	·05	—	—	·27	—	—	—	—	—	17
18	—	·27	—	·25	—	—	·05	·37	—	·08	·42	—	18
19	·05	—	—	·41	—	·02	·37	·87	·20	—	·04	—	19
20	—	·04	—	·14	·05	—	·02	·30	—	—	—	—	20
21	—	·10	— ~~·15~~	—	·45	—	—	—	—	—	—	—	21
22	·07	—	·15	—	—	—	—	—	·04	—	—	—	22
23	·62	—	·05	—	·10	—	—	—	·05	—	·23	—	23
24	—	—	—	·45	—	·20	—	·31	—	—	—	—	24
25	·03	·04	—	·42	—	—	·20	·06	—	—	·04	—	25
26	—	·07	—	·06	—	—	·38	—	—	·06	·24	—	26
27	·21	·29	—	·03	·23	—	·05	—	—	—	·44	—	27
28	·10	·05	—	·02	·03	—	—	—	—	·02	·08	·03	28
29	·12	×	—	—	·20	—	·06	—	—	·19	—	—	29
30	·09	×	—	—	—	—	·06	—	—	—	—	—	30
31	·29	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2·48	1·99	·49	3·07	2·11	1·24	2·46	4·32	1·45	·65	4·93	·57	YEAR'S TOTAL 26·06
*Days with ·01 in. or more.	16	19	4	17	11	7	13	15	8	7	15	7	139
*Days with ·04 in. or more.	15	19	4	14	9	6	12	14	8	5	15	5	126

40-9999

(Signed) ....

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 545

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at FAIRLIGHT – HASTINGS

in the County of SUSSEX

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

All Gauge details as previously stated.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	—	·14	·27	—	·35	—	—	·52	·11	·05	1
2	—	—	—	·30	·03	—	—	—	—	·01	—	·12	2
3	·04	—	—	·21	·16	·48	—	—	·25	—	·01	—	3
4	—	—	—	—	—	·26	—	—	—	—	·02	—	4
5	·36	—	·01	—	·09	·10	·08	—	·12	—	—	—	5
6	·53	—	—	—	·22	—	—	—	·07	—	—	—	6
7	·04	—	—	·07	·17	—	—	—	—	—	—	—	7
8	—	—	·41	·07	·40	—	—	—	·08	1·14	—	—	8
9	·09	·05	—	·15	·43	—	—	—	—	·02	—	—	9
10	·53	—	—	·35	·10	—	—	—	·02	·13	—	—	10
11	·29	—	—	·14	·07	·17	—	—	·05	·02	—	·06	11
12	·16	·13	—	—	—	—	—	·02	·05	·15	—	—	12
13	·15	—	—	·06	·05	—	—	—	·02	·52	—	·02	13
14	·04	—	—	·08	·17	—	—	—	—	·59	—	—	14
15	·08	—	—	·03	·16	—	—	—	—	·12	—	—	15
16	·03	—	—	·29	·16	—	·06	—	—	—	—	·02	16
17	—	—	—	·09	—	—	—	—	—	·05	—	—	17
18	·04	—	—	—	—	—	—	—	·08	—	·15	—	18
19	·03	—	—	—	·02	—	—	—	·04	·21	·25	—	19
20	—	—	—	·09	·16	—	·22	—	·06	1·20	·26	—	20
21	—	—	—	·02	·18	—	·11	—	—	·34	—	—	21
22	·06	—	·35	—	·22	—	·09	·13	·55	·11	·50	·04	22
23	—	·07	·11	—	—	—	—	—	·54	1·10	—	·05	23
24	—	·03	—	—	—	—	1·05	—	·13	·03	—	—	24
25	—	·02	—	—	—	—	1·77	—	·42	·85	·03	—	25
26	—	—	—	·16	—	—	·14	·39	—	—	·08	—	26
27	—	—	·24	·22	·07	—	—	—	·02	·98	·04	·02	27
28	—	—	·06	·06	·03	—	·30	—	·04	·07	—	—	28
29	—	—	·42	·02	—	—	—	·26	·18	·57	—	·10	29
30	—	×	·13	—	—	·27	—	·10	·04	—	·12	·04	30
31	—	×	·05	×	—	×	·03	—	×	—	×	·04	31
TOTAL	2·59	·30	1·78	2·55	3·16	1·28	4·20	·90	2·76	8·73	1·57	·56	YEAR'S TOTAL 30·38
*Days with ·01 in. or more.	16	5	9	19	20	5	11	5	19	21	11	11	152
*Days with ·04 in. or more.	14	3	8	16	17	5	10	4	16	17	8	9	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 545

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at FAIRLIGHT - HASTINGS

in the County of SUSSEX

Diameter of Funnel of Gauge 8 in. no note that gauge is altered from 5"

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·63	·15	—	—	—	—	—	—	·02	·30	—		1
2	·12	—	·43	—	·03	—	—	—	—	—	—	—		2
3	·03	·21	·13	—	—	—	—	—	—	—	—	—		3
4	—	·06	Trace	—	Trace	—	—	—	—	—	—	—		4
5	·63	—	·11	—	·13	—	—	—	—	—	—	—		5
6	—	·05	·23	—	·54	—	—	—	—	Trace	·10	—		6
7	·33	·11	Trace	—	·09	—	—	—	—	·22	—	·04		7
8	·30	·04	Trace	—	Trace	—	·11	—	—	·02	—	—		8
9	—	·03	—	Trace	·15	—	Trace	—	—	Trace	·32	—		9
10	—	·41	—	—	—	—	·19	—	—	·17	·13	—		10
11	—	—	—	—	·02	Trace	·06	·14	·16	·16	—	—		11
12	—	—	—	·03	—	·15	—	—	·97	—	—	—		12
13	·03	—	—	—	·03	·15	·22	Trace	·73	·06	·29	—		13
14	—	—	—	—	·03	—	—	·03	—	·97	·16	Trace		14
15	·26	—	·07	—	—	—	·18	·16	—	·19	·79	·07		15
16	·12	—	·61	—	—	·26	·47	—	—	—	·07	·01		16
17	·06	—	·27	—	—	·06	—	·08	·12	—	—	—		17
18	·24	—	·09	Trace	—	·25	—	—	—	—	—	—		18
19	—	·06	·16	·04	—	·28	—	—	·05	—	·01	—		19
20	—	·02	·04	16	—	·08	—	·04	·24	—	—	Trace		20
21	—	·09	—	Trace	—	—	—	·04	·57	—	—	Trace		21
22	—	·02	—	—	—	·02	—	·72	·07	·01	—	—		22
23	—	·03	—	·09	·01	·05	—	—	·70	—	—	—		23
24	—	·12	—	·40	·02	·04	—	—	·75	Trace	·06	—		24
25	—	—	—	·50	Trace	—	—	—	·01	·01	·22	·09		25
26	—	·29	—	·02	—	·06	—	—	·04	—	·03	·07		26
27	—	·03	—	·04	·16	—	—	—	—	·19	—	·05		27
28	—	—	—	—	Trace	·02	·02	—	—	·10	—	·39		28
29	·08	×	—	—	·35	—	·12	—	—	·01	—	—		29
30	·16	×	·20	—	—	—	·01	—	·34	·10	—	·09		30
31	—	×	—	×	—	×	·10	·03	×	—	×	—		31
TOTAL	2·36	2·20	2·49	1·28	1·56	1·42	1·48	1·24	4·75	2·23	2·48	·81	Year's Total 24·30	
*Days with ·01 in. or more.	12	16	12	8	12	12	10	7	13	14	12	8	~~107~~ 136	
*Days with .04 in. or more.	10	11	12	6	6	10	8	6	12	9	10	7	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ......

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 545

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at FAIRLIGHT RESERVOIRS. HASTINGS

in the County of SUSSEX.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 515 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Trace	-	-	-	·32	-	·25	·02	·19	-	·22		1
2	·04	-	·11	-	-	·03	-	-	·16	·65	·01	·82		2
3	·03	·01	-	·08	-	-	-	-	·02	·62	·04	·24		3
4	·33	·01	Trace	-	-	-	-	-	-	·26	·14	·40		4
5	Trace	-	·08	-	·11	-	-	·01	-	-	·04	·39		5
6	-	-	·48	·20	·13	·30	-	·02	-	·34	·08	·52		6
7	·01	-	-	·04	Trace	Trace	-	·03	-	·06	-	·30		7
8	-	-	-	·26	·12	Trace	-	Trace	-	-	2·38	-		8
9	Trace	-	·05	-	Trace	-	-	Trace	-	-	·13	·19		9
10	-	-	·12	·18	-	-	-	·06	-	·05	·06	·01		10
11	·80	-	·29	·19	-	-	-	·40	-	-	-	·30		11
12	·54	-	·16	-	-	-	·08	·05	-	Trace	·10	·14		12
13	·51	-	-	·01	-	-	·02	·18	-	-	·04	·01		13
14	·31	-	·31	·19	·01	-	Trace	-	-	·06	·49	·38		14
15	-	-	·03	-	-	-	-	-	-	-	·24	·29		15
16	·15	Trace	·24	·05	·15	-	-	-	-	·01	-	·15		16
17	·22	-	·40	·02	-	-	-	-	·24	·01	·05	·44		17
18	·09	-	-	·14	-	-	-	-	-	-	·02	·62		18
19	-	-	·19	-	-	·01	-	-	·21	-	-	·39		19
20	-	-	·03	-	·01	·10	·10	-	-	·01	-	-		20
21	-	-	-	·20	Trace	·12	·12	-	-	·02	-	-		21
22		-	-	-	-	-	Trace	·25	·35	·02	-	·01		22
23	-	Trace	Trace	·34	-	·22	Trace	-	-	·02	-	·80		23
24	-	·02	-	·33	-	·22	·54	-	·04	-	-	-		24
25	·08	Trace	-	·14	-	-	-	-	-	·04	-	·60		25
26	·14	-	-	·13	-	·23	-	-	-	·01	-	·01		26
27	·01	Trace	Trace	·03	-	·44	-	-	-	·01	-	·23		27
28	·01	·08	-	·01	-	·13	-	·48	-	-	Trace	·31		28
29	-	-	-	-	-	-	-	·39	·34	-	·02	Trace		29
30	·13	X	-	-	-	-	-	-	-	-	-	·35		30
31	·01	X	-	X	-	X	-	-	X	·12	X	·49		31
TOTAL	3·44	0·12	2·49	2·54	0·53	2·12	0·49	2·12	1·44	2·50	3·90	8·94	Year's Total. 30·96	
* Days with .01 in. or more.	17	4	13	18	6	11	5	11	8	18	15	26	152 ~~39~~	
* Days with .04 in. or more.	12	1	11	14	4	9	4	8	6	10	12	22	113	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A.W. Simmonds Meteorologist

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 545

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fairlight Reservoirs

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 513 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	tr	·04	·01	-	·07	·01	-	·12	·24	·18	·02		1
2	·24	-	-	·05	-	-	·01	-	-	·48	·06	-		2
3	-	-	·16	·06	-	tr	-	-	·01	·45	·10	-		3
4	·01	·08	-	·22	-	·10	-	-	·64	·38	·03	·10		4
5	-	·26	-	·11	-	·01	-	-	·74	·32	-	·01		5
6	·02	·23	·02	·41	-	·04	-	-	-	·33	·38	·11		6
7	·16	·06	tr	·27	-	·22	-	-	-	-	·19	·08		7
8	-	-	-	·23	-	-	-	·19	-	·32	·16	·04		8
9	-	-	-	·21	-	·63	-	-	-	·54	·26	·06		9
10	·09	·02	·14	·11	-	·04	-	-	-	·12	·15	·26		10
11	·12	tr	-	-	-	·09	·45	-	-	-	·35	-		11
12	-	·11	-	-	-	·16	-	·68	·04	-	·37	-		12
13	·05	·34	-	·14	-	·01	-	-	-	-	·68	tr		13
14	tr	-	-	-	·18	·14	-	-	-	·04	-	·13		14
15	-	·31	-	·56	-	·01	-	-	·62	·01	·04	·17		15
16	-	·04	·01	·11	-	·09	-	-	·23	·01	·77	·14		16
17	·02	-	·01	·25	-	·44	-	-	·29	-	·53	tr		17
18	-	-	-	·25	-	·07	-	·02	·50	·09	·02	-		18
19	-	-	-	·09	·41	·02	·05	-	·31	·01	·16	-		19
20	tr	·46	-	·17	·13	·05	·03	-	·06	-	·15	-		20
21	·02	·11	-	·03	-	-	-	-	·01	·09	·10	-		21
22	·01	·19	·02	-	-	-	-	·01	·13	-	·02	-		22
23	-	·01	·01	-	tr	-	-	·40	-	-	·03	·12		23
24	·05	·37	-	-	·37	-	-	1·70	·69	·13	-	·66		24
25	·11	·80	tr	·13	·07	·02	-	tr	-	-	-	·36		25
26	·01	·09	-	-	-	·06	-	·14	·07	·07	·01	·97		26
27	·21	·39	-	-	-	-	-	·15	·15	-	·13	·21		27
28	·05	·17	-	-	·13	-	-	·13	·02	·03	·07	·26		28
29	-	×	-	-	·06	-	-	-	·34	-	·01	·54		29
30	·05	×	-	·08	·06	-	-	1·72	·51	·10	·72	·24		30
31	-	×	-	×	-	×	-	·20	×	·30	×	·55		31
TOTAL	1·35	4·04	0·41	3·47	1·41	2·17	0·55	5·34	4·48	4·06	6·27	4·33	Year's Total 37·88	
* Days with .01 in. or more.	18	18	8	20	8	19	5	11	19	20	25	20	~~40~~ 191	
* Days with .04 in. or more.	12	16	3	17	8	14	2	9	16	16	20	18	151	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~O. W. Simmonds~~ [P.T.O.

S. Little

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 545

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Fairlight Rd Ore
in the County of Sussex
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 515 ft.

Gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·28	·04	·39	-	·18	·09	·39	-	-	·12	·02		1
2	·05	·01	-	·41	-	·12	·11	·13	-	-	-	-		2
3	-	-	-	-	-	·07	·12	-	·11	-	·62	-		3
4	·06	-	·09	-	-	·17	·07	-	·34	-	·20	·09		4
5	·10	-	·01	·01	-	-	-	·04	·37	-	·05	·12		5
6	·31	-	·02	-	-	·05	-	·05	·17	·17	·45	·03		6
7	·47	-	·20	-	-	·01	·12	-	-	·02	·43	-		7
8	·49	-	·07	-	-	-	·07	-	-	-	·68	·35		8
9	·38	-	·03	-	-	-	·22	·01	·09	·02	·23	-		9
10	·02	-	·01	-	-	·18	·07	·27	-	·03	·93	-		10
11	·01	-	-	·04	-	-	tr	·15	·11	-	·15	-		11
12	-	-	-	·05	-	·12	·27	·09	-	-	-	-		12
13	-	-	-	-	-	·05	tr	-	-	-	-	·07		13
14	-	·12	-	·01	-	·08	1·27	-	·30	tr	·14	·28		14
15	-	·09	-	·05	-	-	·28	-	-	-	·16	·17		15
16	·07	·13	-	tr	·01	-	-	-	-	-	·12	·31		16
17	·10	·57	-	-	-	·22	-	tr	·02	-	·15	·68		17
18	·14	·02	-	-	-	tr	·15	-	tr	·04	·11	·05		18
19	·27	·12	tr	·01	-	·33	·15	·05	-	·03	·02	-		19
20	·24	·04	tr	·53	-	-	-	-	·18	-	tr	-		20
21	·17	·05	tr	·51	tr	·48	·18	-	·17	-	tr	-		21
22	·14	·45	·04	·04	·01	·04	·05	-	-	-	tr	·56		22
23	·02	·05	·06	·14	-	-	·15	-	-	-	-	-		23
24	·10	·20	·05	·17	tr	-	-	-	·04	·08	·01	-		24
25	·46	·03	·11	·09	tr	·25	-	-	·41	·09	-	-		25
26	-	·08	·45	tr	-	·08	-	-	·10	·32	~~·11~~	-		26
27	·16	·22	·02	-	-	-	·25	tr	·19	·06	·01	-		27
28	·43	-	·03	-	-	·40	·02	-	·04	-	-	·04		28
29	·04	·03	·32	-	-	·40	·33	-	-	·06	·12	·01		29
30	·17	✕	·02	-	·06	·33	-	-	-	·03	-	tr		30
31	·09	✕	·10	✕	·05	✕	·21	-	✕	·70	✕	·10		31
													Year's Total	
TOTAL	4·99	2·49	1·67	3·45	0·13	3·86	2·99	1·15	2·46	1·65	4·70	2·28	30·85	✓
* Days with .01 in. or more.	26	17	18	14	4	19	X 20	X 9	X 15	13	19	15	~~34~~	189
* Days with .04 in. or more.	23	13	11	11	2	18	19	8	14	8	16	12	155	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. W. Simmonds [P.T.O.

X S. Little Eng c 6 X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 545

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Fairlight Reservoir

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 515 ft.

Days ~~28~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·84	·01	-	·12	-	-	-	-	trace	-	·29	·49		1
2	-	·26	-	·67	-	-	-	-	·01	·05	-	·61		2
3	·03	·13	-	-	-	-	-	-	-	-	-	·14		3
4	·07	1·08	-	-	-	-	-	-	-	-	-	·33		4
5	·27	·19	·43	-	-	-	·15	-	-	·42	-	-		5
6	·12	-	·41	·02	·20	-	·09	-	-	·02	-	·05		6
7	-	1·18	·18	·11	·19	-	-	-	-	·01	-	·22		7
8	-	·10	·32	-	·03	·08	-	-	·01	·01	·12	·25		8
9	-	-	·01	·38	·24	·06	·08	-	·27	-	-	·06		9
10	-	-	·40	-	·10	·90	·05	·01	-	-	-	·38		10
11	-	-	·97	·16	·32	·05	·04	-	-	-	-	-		11
12	·56	·35	·09	·01	·24	·24	-	·47	·22	-	-	·49		12
13	·71	·05	·48	·04	·13	·65	-	·32	·10	-	-	·56		13
14	·10	·02	·08	trace	·30	·03	-	·35	·08	-	-	·44		14
15	·01	·13	-	·27	·06	trace	-	-	·09	-	-	-		15
16	·12	·04	·16	·11	-	·01	·57	1·00	·05	-	-	-		16
17	·27	trace	-	·06	-	·39	-	-	·77	-	·34	-		17
18	·18	·15	-	·01	·14	·08	-	-	·92	-	·23	-		18
19	·04	·15	·08	·24	·09	·01	-	-	·35	-	·05	·11		19
20	·24	trace	·31	·32	·53	·08	-	-	·04	-	trace	-		20
21	·27	·20	·02	·08	·03	-	trace	·05	-	-	·01	-		21
22	·22	·24	trace	trace	·03	-	-	-	-	1·50	·17	·07		22
23	·08	trace	-	-	-	·04	·55	-	-	·47	·02	·06		23
24	·60	·26	-	-	-	-	-	-	trace	·09	-	·07		24
25	·15	·35	·36	-	-	-	-	-	·07	·47	-	-		25
26	·02	·57	·01	-	-	-	-	-	-	·56	-	-		26
27	-	·25	-	·29	-	-	-	-	-	·12	-	-		27
28	·86	·12	-	·09	-	·04	-	-	-	-	-	·05		28
29	-	X	·02	-	-	-	-	-	-	·12	·01	·05		29
30	·21	X	-	-	-	-	-	-	-	·07	·13	·03		30
31	·26	X	-	X	-	X	-	-	X	·04	X	·03		31
TOTAL	5·53	5·83	4·33	2·98	2·63	2·66	1·53	2·20	2·98	3·95	1·37	4·49	Year's Total 40·48	
* Days with .01 in. or more.	23 ~~3~~	21 ~~2~~	17 ~~4~~	17 ~~3~~	15 ~~2~~	14 ~~3~~	7 ~~0~~	6 ~~4~~	13 ~~2~~	14 ~~3~~	10 ~~3~~	20 ~~2~~	177 ~~28~~	
* Days with .04 in. or more.	20	19	13	14	132	11	7	5	11	11	7	18	14~~9~~8	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) A. W. Simmonds

[P.T.O.

HOLLINGTON (HIGH BEEC

545|5

Section **A** **for the entry** Station No. 545|5

AIR MINIST FALL ORGANIZATION.

~~St Leonards~~

FORM 1090. **REG** 932. Sussex | 5

Kept at *The High B*

in the County of *Su*

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING M **DAY.**

An observer who does not conform to this rule should insert the reading *1st of the following year in the space on the right of this paragraph.*

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

545|5

HOLLINGTON HIGH BEECH GDNS

1932 - 1940

1937 A/B

6.K.

78011

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	
1	✓	✓	✓	·15	·27	✓	✓	✓	✓	·19	·11	✓	1
2	·04	✓	✓	·29	·02	✓	✓	·01	·03	·02	·01	·13	2
3	✓	✓	✓	·23	·17	·82	✓	·02	·22	✓	✓	✓	3
4	✓	✓	✓	✓	✓	·20	✓	✓	✓	✓	·01	✓	4
5	·27	·02	✓	✓	·07	·07	·09	✓	·15	✓	✓	✓	5
6	·42	✓	·02	·09	·03	✓	✓	✓	·08	✓	✓	✓	6
7	·03	✓	·03	·06	·17	✓	✓	✓	✓	✓	✓	·05	7
8	✓	✓	·37	·07	·31	✓	✓	✓	·11	·95	✓	✓	8
9	·09	·06	·03	·24	·44	✓	✓	✓	✓	·03	✓	✓	9
10	·67	✓	✓	·28	·14	✓	✓	✓	·02	·12	·01	✓	10
11	·31	·125	✓	·24	·02	·24	·02	✓	·06	·03	✓	·03	11
12	·22	✓	✓	✓	✓	✓	✓	·02	·04	·18	✓	✓	12
13	·10	✓	✓	·09	·04	✓	✓	✓	·02	·98	✓	·06	13
14	·19	·01	✓	·11	·10	✓	✓	✓	✓	·10	✓	✓	14
15	·05	·005	✓	·12	·13	✓	✓	✓	✓	·09	✓	·02	15
16	✓	✓	✓	·27	·07	✓	✓	✓	✓	✓	✓	✓	16
17	·02	✓	✓	·04	✓	✓	·01	✓	✓	·06	✓	✓	17
18	·03	✓	✓	✓	✓	✓	✓	✓	·05	✓	·18	✓	18
19	·05	✓	✓	✓	·02	✓	✓	✓	·02	·26	·18	✓	19
20	✓	✓	✓	·08	·18	·01	·14	·03	·04	1·04	·18	✓	20
21	✓	✓	✓	✓	·19	✓	·09	✓	✓	·26	✓	·02	21
22	·05	·01	·34	✓	·21	·01	·32	·06	·71	·05	·39	✓	22
23	✓	·05	·10	·01	✓	✓	✓	✓	·36	1·36	✓	·08	23
24	✓	·01	✓	✓	·01	✓	1·08	✓	·07	·04	✓	✓	24
25	✓	✓	✓	✓	✓	✓	2·09	✓	·16	·79	·07	✓	25
26	✓	✓	·02	·12	✓	✓	·11	·26	✓	·01	·06	✓	26
27	✓	✓	·22	·22	·07	✓	✓	✓	·03	·73	·03	·02	27
28	✓	✓	·01	✓	·05	✓	·25	✓	✓	·11	✓	✓	28
29	✓	✓	·43	·01	✓	✓	✓	·27	·23	·54	✓	·11	29
30	✓	×	·02	✓	✓	·52	✓	✓	·04	·01	·13	·02	30
31	✓	×	·09	×	✓	×	·13	✓	×	✓	×	·03	31
													YEAR'S TOTAL
TOTAL	2·54	·27	1·68	2·72	2·71	1·87	4·33	·67	2·44	7·95	1·36	·52	29·06
*Days with ·01 in. or more.	~~3~~ 15	~~5~~ 8	~~7~~ 12	~~2~~ 19	~~5~~ 21	~~2~~ 7	~~2~~ 11	~~4~~ 7	~~5~~ 19	~~4~~ 22	~~4~~ 12	~~7~~ 11	164 ~~50~~
*Days with .04 in. or more.	12	3	5	17	16	5	9	3	14	18	8	4	114

40-9999

*See Instruction 2 (*f*) on other side.

N (Signed) R. H. Crockford Esq. P.T.O.

HOLLINGTON (HIGH BEE

Section A **for the entry of Daily Observations.** **Station No.** 545|5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

~~St Leonards~~ FORM 1090. ~~Sussex~~ 15

REGISTER OF RAINFALL IN 1932.

Kept at The High Beech Gardens

in the County of Sussex.

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft — in.

" Ground " Sea Level 400 ft.

C1932

O.K. [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	✓	✓	·15	·27	✓	✓	✓	✓	·19	·11	✓	1
2	·04	✓	✓	·29	·02	✓	✓	·01	·03	·02	·01	·13	2
3	✓	✓	✓	·23	·17	·82	✓	·02	·22	✓	✓	✓	3
4	✓	✓	✓	✓	✓	·20	✓	✓	✓	✓	·01	✓	4
5	·27	·02	✓	✓	·07	·07	·09	✓	·15	✓	✓	✓	5
6	·42	✓	·02	·09	·03	✓	✓	✓	·08	✓	✓	✓	6
7	·03	✓	·03	·06	·17	✓	✓	✓	✓	✓	✓	·05	7
8	✓	✓	·37	·07	·31	✓	✓	✓	·11	·95	✓	✓	8
9	·09	·06	·03	·24	·44	✓	✓	✓	✓	·03	✓	✓	9
10	·67	✓	✓	·28	·14	✓	✓	✓	·02	·12	·01	✓	10
11	·31	·425	✓	·24	·02	·24	·02	✓	·06	·03	✓	·03	11
12	·22	✓	✓	✓	✓	✓	✓	·02	·04	·18	✓	✓	12
13	·10	✓	✓	·09	·04	✓	✓	✓	·02	·98	✓	·01	13
14	·19	·01	✓	·11	·10	✓	✓	✓	✓	·10	✓	✓	14
15	·05	·005	✓	·12	·13	✓	✓	✓	✓	·09	✓	·02	15
16	✓	✓	✓	·27	·07	✓	✓	✓	✓	✓	✓	✓	16
17	·02	✓	✓	·04	✓	✓	·01	✓	✓	·06	✓	✓	17
18	·03	✓	✓	✓	✓	✓	✓	✓	·05	✓	·18	✓	18
19	·05	✓	✓	✓	·02	✓	✓	✓	·02	·26	·18	✓	19
20	✓	✓	✓	·08	·18	·01	·14	·03	·04	1·04	·18	✓	20
21	✓	✓	✓	✓	·19	✓	·09	✓	✓	·26	✓	·02	21
22	·05	·01	·34	✓	·21	·01	·32	·06	·71	·05	·39	✓	22
23	✓	·05	·10	·01	✓	✓	✓	✓	·36	1·36	✓	·08	23
24	✓	·01	✓	✓	·01	✓	1·08	✓	·07	·04	✓	✓	24
25	✓	✓	✓	✓	✓	✓	2·09	✓	·16	·79	·07	✓	25
26	✓	✓	·02	·12	✓	✓	·11	·26	✓	·01	·06	✓	26
27	✓	✓	·22	·22	·07	✓	✓	✓	·03	·73	·03	·02	27
28	✓	✓	·01	✓	·05	✓	·25	✓	✓	·11	✓	✓	28
29	✓	✓	·43	·01	✓	✓	✓	·27	·23	·54	✓	·11	29
30	✓	×	·02	✓	✓	·52	✓	✓	·04	·01	·13	·02	30
31	✓	×	·09	×	✓	×	·13	✓	×	✓	×	·03	31 Proved
TOTAL	2·54	·27	1·68	2·72	2·91	1·87	4·33	·67	2·44	7·95	1·36	·52	YEAR'S TOTAL 29·06
*Days with ·01 in. or more.	~~3~~ 15	~~5~~ 8	~~7~~ 12	~~2~~ 19	~~5~~ 21	~~2~~ 7	~~2~~ 11	~~4~~ 7	~~5~~ 19	~~4~~ 22	~~4~~ 12	~~4~~ 11	164 ~~50~~
*Days with .04 in. or more.	12	3	5	17	16	5	9	3	14	18	8	4	114

40-9999

*See Instruction 2 (*f*) on other side.

N (Signed) R. H. Crockford Esq.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 545/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

anth checked.
Aug Sept ... Dalton

Kept at The High Beech Gardens
in the County of Sussex.
Diameter of Funnel of Gauge 5½ in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 400. ft.

Dupl ✓ Sept. ✓

Aug 12th & 13th obviously wrongly entered for Sept 12th 13th ∴ transferred. Observer not informed
2/3/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·42	·28	—	—	—	—	—	—	—	·04	—		1
2	·17	—	·31	—	·24	—	—	—	—	—	—	—		2
3	·02	·20	·12	—	—	—	—	—	—	·02	·01	—		3
4	·09	·03	—	—	—	—	—	—	—	—	—	—		4
5	·45	—	·17	—	·12	—	—	—	—	—	·01	—		5
6	—	·15	·18	—	·46	—	—	—	—	·01	·60	—		6
7	·35	·03	—	—	·12	—	—	—	—	·23	—	·03		7
8	·22	·03	—	—	·01	—	·15	—	—	·16	—	—		8
9	—	·02	—	—	·20	—	·01	—	—	·01	·32	—		9
10	—	·35	—	—	—	—	·14	—	—	·18	·02	—		10
11	·16	·01	—	—	·01	·01	·15	·11	·13	·08	—	—		11
12	—	—	—	·05	—	·24	—	~~1·10~~	1·10	—	—	—		12
13	·02	—	—	—	·05	·01	·20	·01 ~~·43~~	~~·01~~ ·43	·15	·25	—		13
14	—	—	—	—	·01	—	·11	—	·07	1·07	·32	—		14
15	·38	—	·08	—	—	—	·18	—	·12	·12	·60	—		15
16	·08	—	·46	—	—	·19	·18	—	—	—	·09	—		16
17	·06	—	·20	—	—	·04	—	·07	·15	—	·01	—		17
18	·35	—	·09	·01 ^{8}	—	·24	—	—	—	—	—	—		18
19	·01	·05	·11	·02 ^{6}	—	·11	—	·10	·16	—	·01	·04		19
20	—	—	·06	·12	—	·07	—	·19	—	—	·01	—		20
21	—	·13	—	—	—	—	—	·10	·42	—	—	—		21
22	—	·01	—	—	—	·06	—	·58	·11	·05	·01	—		22
23	—	—	—	·14	·02	·07	—	—	·65	—	—	—		23
24	—	·15	—	·28	·04	·01	—	—	·41	—	·05	—		24
25	—	—	—	·50	—	—	—	—	·03	—	·28	·10		25
26	—	·27	—	·02	—	·04	—	—	—	·03	·01	·10		26
27	—	·01	—	·02	·15	—	—	—	—	·22		·11		27
28	—	—	—	—	—	—	·12	—	—	·08	—	·29		28
29	·11	×	—	—	·54	—	·04	—	—	·01	—	—		29
30	·11	×	·01	—	—	—	·02	—	·50	·01	—	·06		30
31	·08	×	—	×	—	×	—	·04	×	—	×	—		31
TOTAL	2·67	1·86	2·07	1·16	1·97	1·09	1·30	1·20 ~~2·72~~	4·28 ~~2·76~~	2·43	2·64	·73	Year's Total ~~23·40~~ 22·90.	
*Days with ·01 in. or more.	17	15	12	9	13	12	11	9	13	16	17	7	157	
*Days with ·04 in. or more.	13	8	11	5	9	9	9	9	11	10	9	6	109	

40-9999
*See Instruction 2 (f) on other side.

† Spare column, no entries required.
(*Signed*) R. H. Crockford

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 545/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The High Beech Gardens.

in the County of Sussex.

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 400 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·05	—	·15	·04	·25	—	·50		1
2	·06	—	·13	—	—	·05	—	—	·18	·55	·02	·43		2
3	·04	—	—	—	—	—	—	—	—	·39	—	·31		3
4	·29	·01	·01	—	—	—	—	·01	—	·34	·13	·68		4
5	—	—	·04	—	·09	—	—	·02	—	—	·06	·42		5
6	—	—	·45	·18	·17	·27	—	·09	—	·27	·06	·46		6
7	—	—	—	·04	—	—	—	—	—	·05	—	·22		7
8	—	—	—	·26	·13	—	—	·02	—	—	1·64	—		8
9	—	·01	·13	—	—	—	—	—	—	—	·22	·14		9
10	—	—	·15	·21	—	—	—	·07	—	·06	·08	—		10
11	·85	—	·34	·14	—	—	·04	·38	—	—	—	·39		11
12	·12	—	·17	—	—	—	·14	·06	—	—	·24	·13		12
13	·57	—	—	·06	—	—	·03	·10	—	·03	·11	·03		13
14	·35	—	·31	·17	—	—	—	—	—	—	·65	·40		14
15	—	—	—	—	—	—	—	—	—	—	·20	·58		15
16	·20	—	·33	·06	·18	—	—	—	—	·02	—	·03		16
17	·12	—	·29	·03	—	—	—	—	·45	·02	·04	·32		17
18	·04	—	—	·09	—	—	—	—	·01	—	·01	·74		18
19	—	—	·23	—	—	·03	—	—	·23	—	—	·86		19
20	—	—	·02	—	—	·06	·25	—	—	·04	—	—		20
21	—	—	—	·14	—	·09	[illegible]	—	—	·04	—	—		21
22	—	—	—	—	—	—	·26	·19	·31	·03	—	·14		22
23	—	—	—	·42	—	·16	—	—	·00	·02	—	·64		23
24	—	·02	—	·34	—	·55	·53	—	·07	—	—	—		24
25	·10	—	—	·15	—	—	—	—	—	·05	—	·67		25
26	·08	—	—	·11	—	·04	—	—	·01	·03	—	·02		26
27	·03	—	—	·11	—	·32	—	—	—	—	—	·32	·32	27
28	—	·18	—	·04	—	·35	·02	·51	—	—	·01	·20		28
29	—	—	—	—	—	—	—	·43	·39	—	·04	—		29
30	·12	×	—	—	—	—	—	—	—	—	—	·65		30
31	·03	×	—	×	—	×	—	—	×	·19	×	·12		31
TOTAL	3·03	·22	2·60	2·55	·57	1·94	1·27	2·03	1·69	2·38	3·51	8·90	Year's Total. 30·72	Total 30·72
* Days with .01 in. or more.	15	4	13	17	4	11	7	12	9	17	15	25	149	
* Days with .04 in. or more.	13	1	11	16	4	10	5	9	7	11	12	22	121	

40-9999

† Spare column, no entries required.

(*Signed*) R. H. Brockford

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations.

Station No. 545/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The High Beech Gardens

in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

- - GR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·01	·05	—	·17	·15	·01	—	·09	·14	·20	·02		1
2	·21	—	—	·08	—	—	·01	—	—	·66	·07	—		2
3	—	—	·16	·03	—	·02	—	—	·09	·40	·18	—		3
4	—	·10	—	·26	—	·17	—	—	·43	·35	·05	·18		4
5	—	·37	·03	·15	—	—	—	—	·57	·42	—	·02		5
6	·02	·13	·01	·39	—	·06	—	—	—	·26	·33	·05		6
7	·17	·03	—	·25	—	·24	—	—	—	—	·94	·08		7
8	—	—	—	·33	—	—	—	·31	—	·48	·24	·05		8
9	—	—	—	·19	—	·60	—	—	—	·72	·19	·02		9
10	·12	·02	·19	·04	—	·09	—	—	—	·02	·13	·24		10
11	·10	—	—	—	—	—	·38	—	·03	·01	·36	—		11
12	—	·01	—	—	—	·17	—	·30	—	—	·45	—		12
13	·08	·32	—	·15	—	·02	—	—	—	—	·56	·02		13
14	—	—	—	—	·24	·15	—	—	—	·03	—	·16		14
15	—	·29	—	·53	—	·06	—	—	·64	·01	·45	·15		15
16	—	·03	·01	·24	—	·01	—	—	·20	·02	1·04	—		16
17	·01	—	·02	·22	—	·43	—	·04	·22	—	·58	—		17
18	—	—	—	·26	—	·04	—	—	·54	·11	·01	—		18
19	—	—	—	·11	·37	·02	—	—	·19	—	·21	—		19
20	—	·39	—	·10	·01	·06	·01	—	·03	·01	·18	—		20
21	·02	·20	—	—	—	—	—	—	·01	·10	·07	—		21
22	—	·14	—	—	—	—	—	·03	·12	—	—	—		22
23	—	—	—	—	—	—	—	·43	—	—	·02	·27		23
24	·06	·38	·03	—	·60	—	—	1·41	·64	·04	—	·57		24
25	·15	·69	—	·15	·09	·18	—	—	—	·01	—	·45		25
26	·03	·16	—	—	—	·07	—	·24	·07	·06	·02	·14		26
27	·16	·24	—	—	—	—	—	·14	·13	—	·13	·23		27
28	·01	·25	—	—	·06	—	—	·02	—	·04	·05	·22		28
29	—	*	—	—	·11	—	—	—	·53	—	—	·32		29
30	·07	✕	—	—	·06	—	—	1·53	·35	·13	·71	·25		30
31	—	✕	—	✕	·01	✕	—	·02	✕	·21	✕	·47		31
TOTAL	1·34	3·76	·50	3·48	1·72	2·54	·41	4·97	4·88	4·53	7·14	3·91	Year's Total 39·21	✓
* Days with .01 in. or more.	15	18	8	17	10	18	4	11	18	22	24	20	185	
* Days with .04 in. or more.	10	13	3	16	8	14	1	8	15	15	21	16	140	140

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R. H. Crockford

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 545/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The High Beech

in the County of Sussex

Diameter of Funnel of Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·18	·02	·31	—	·43	·10	·43	·01	—	·12	·14		1
2	·03	·03	—	—	—	·20	·12	·12	—	—	·01	—		2
3	·01	—	—	·29	—	·02	·14	·01	·15	—	·68	—		3
4	·05	—	·10	—	—	·22	·06	—	·38	—	·09	·07		4
5	·13	—	·01	—	—	—	—	·08	·68	—	·11	·06		5
6	·47	—	—	—	—	·05	—	·04	·22	—	·44	·04		6
7	·59	—	·24	—	—	·02	·08	·01	—	·15	·46	·02		7
8	·47	—	·05	—	—	—	·08	—	—	·03	·84	·30		8
9	·30	—	·02	—	—	—	·22	·05	·08	·01	·24	—		9
10	·03	—	·01	—	—	·09	·07	·53	·03	·01	·01	·01		10
11	·02	—	—	·11	—	—	—	·10	—	·05	1·05	—		11
12	—	—	—	·02	—	·20	·34	·04	·01	—	·09	·13		12
13	—	—	—	—	—	·09	·02	·01	—	—	·01	·07		13
14	—	·08	—	·02	—	·09	1·10	—	—	·02	·15	·42		14
15	—	·07	—	·01	—	—	·18	—	·20	·02	·16	·26		15
16	Snow ·26	·15	—	·01	·02	—	—	—	—	·01	·14	·24		16
17	·23	·58	—	—	—	·10	·02	—	·03	—	·16	·75		17
18	—	·08	—	—	—	—	·10	—	·02	·05	·14	·08		18
19	$\overset{5}{\cdot 40}$	·09	·01	·02	—	·36	·08	·07	—	·02	·02	—		19
20	·22	·17	·02	·50	—	—	—	—	·20	·04	—	—		20
21	·03	·04	—	·64	—	·46	·47	—	·14	—	—	—		21
22	·08	·38	·05	·01	·02	·05	·09	—	·01	·01	—	·08		22
23	·04	·14	·07	·22	—	—	·10	—	—	·01	—	·01		23
24	·14	·14	—	—	—	—	·02	—	·05	·15	—	—		24
25	·41	·02	·15	·08	·01	·15	·02	—	·40	·07	—	—		25
26	·01	·14	·28	—	—	·09	—	—	·14	·27	·02	·01		26
27	·19	·06	·02	—	—	—	·36	—	·18	·08	·02	—		27
28	·44	—	·16	—	—	·54	·04	—	·05	—	—	·07		28
29	·02	·06	·32	—	—	·08	·37	—	·02	·06	·13	·01		29
30	·15	×	·02	—	·09	·34	—	—	—	·03	—	·02		30
31	·14	×	·14	×	·05	×	·23	—	×	·57	×	·12		31
TOTAL	5·18	2·41	1·70	2·24	·19	3·58	4·41	1·49	3·00	1·66	~~5·07~~ 5·09	2·91	Year's Total 33·84	
* Days with .01 in. or more.	26	17	18	13	5	19	24	12	20	20	22	21	217	
* Days with .04 in. or more.	19	15	10	7	2	17	20	9	13	10	16	15	153	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. H. Crockford

[P.T.O.

HOLLINGTON (HIGH BEECH GDNS)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 545/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at High Beech Gardens

in the County of Sussex /5

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 8" in.

,, Ground ,, above Sea Level 400' ft.

NR 1937

241756/33

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02	—	—	·20	·36	·18	—	—	·09	·10	·06		1
2	—	—	—	·10	·02	—	·52	—	·32	·48	—	·03		2
3	—	·01	—	—	·08	—	·08	—	—	·30	·18	—		3
4	·05	—	—	—	—	—	·18	·26	—	·20	—	·18		4
5	—	—	—	—	—	—	·36	—	—	·04	—	—		5
6	·32	—	—	—	—	—	·08	·28	—	·38	·08	·05		6
7	·02	—	—	—	—	—	·05	·35	·20	·54	·01	·18		7
8	·57	—	—	—	—	—	·17	·03	·04	·14	—	·04		8
9	·45	·04	—	—	—	—	—	·06	—	·40	—	·38		9
10	·16	·06	—	—	—	—	·06	—	—	—	·08	·23		10
11	·46	·01	—	—	—	—	·01	—	—	—	—	·24		11
12	·38	·06	—	—	—	·08	—	—	—	·09	—	·02		12
13	·54	·08	—	—	—	—	—	—	—	·13	·18	·08		13
14	·24	·14 S	—	—	—	—	—	—	·06	—	·02	·07		14
15	·10	·04 S	—	—	·53	—	·18	—	—	—	·12	·14		15
16	·30	·16 S	·04	—	—	—	·03	·04	—	·28	—	·39		16
17	—	·32 S	·01	—	·32	—	—	—	—	·11	·02	—		17
18	·09	—	—	—	·04	—	—	—	·52	·04	·58	—		18
19	—	—	—	—	·01	—	—	·05	·07	—	·30	·22 S		19
20	·01	·01	—	—	—	—	—	—	·47	—	·32	·20 S		20
21	·08	—	—	—	—	—	—	·11	·23	—	·08	—		21
22	—	—	—	—	·06	·06	—	·18	—	—	·48	—		22
23	·02	—	—	·04	—	—	—	—	—	—	·05	·10 S		23
24	—	—	·24	—	—	—	—	—	·03	02	·48	·20 S		24
25	·11	—	—	·16	·32	—	·04	—	·17	—	·64	·24 S		25
26	·58	·14	·10	·04	—	·04	·04	·08	·34	·24	·01	·26		26
27	·09	·08	—	—	·64	·18	·36	—	·58	·39	·43	—		27
28	·04	·06	—	—	·43	—	·02	·65	·27	—	—	·01		28
29	·30		—	—	·30	·06	—	·01	—	—	·03	·28		29
30	·07	✕	—	·42	·26	·07	—	—	·08	·04	·32	—		30
31	·18	✕	—	✕	·32	✕	—	—	✕	·18	✕	·19		31
TOTAL	5·16	1·23	·39	·76	3·48	·85	2·36	2·10	3·38	4·07	4·51	3·79	Year's Total 32·08	
* Days with .01 in. or more.	23	15	4	5	14	7	16	12	14	19	21	23	173	
* Days with .04 in. or more.	20	11	3	5	11	7	13	10	13	18	16	20	147	

Print
[illegible] 10/2/39

* See Instruction 3 (f) on other side. X THE HEAD GARDENER X O

† Spare column, no entries required.

(Signed) G. Bryanton.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 545/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "HIGH BEECH." HOLLINGTON

in the County of SUSSEX.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 8" in.

,, Ground ,, Sea Level ~~340~~ 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.16	–	.04	.18	.18	–	.15	.07	.05	.10	–	.05		1
2	–	.02	–	.02	.03	–	–	.08	–	.10	–	.04		2
3	.43	.01	–	.28	.01	–	–	.06	–	.04	.24	.23		3
4	.11	.01	.46	.12	–	–	.05	.54	–	.96	–	.08		4
5	.02	.01	.15	.48	.14	–	–	.02	–	.54	.62	.34		5
6	.38	–	.11	.01	–	–	.08	.05	–	.24	.66	–		6
7	.13	.12	–	–	–	–	–	.10	–	.22	.34	.20		7
8	–	.11	.11	–	–	–	–	–	–	.40	–	.58		8
9	.05	.05	–	–	–	–	–	.09	–	.76	.24	.18		9
10	.12	–	–	–	–	.25	–	.34	.25	.87	.01	–		10
11	.22	.01	.28	–	–	.02	–	–	–	.62	–	.04		11
12	.01	.01	–	–	.05	.10	–	–	–	–	–	.05		12
13	.20	–	.05	–	–	.08	–	–	–	1.87	–	.20		13
14	.49	–	.02	.01	.01	.05	.14	–	–	.32	.62	.02		14
15	.24	–	–	–	.54	.02	–	–	–	.32	.20	–		15
16	.12	.02	.13	.13	.22	.34	.38	–	–	.01	.58	–		16
17	.08	.12	.08^{6}	.01	.02	–	.01	–	–	–	.08	–		17
18	.34	–	.04	–	–	.08	.20	–	.12	–	.68	–		18
19	.35	–	.02	–	–	–	.43	–	.18	.68	–	.08		19
20	.37	–	–	–	–	.03	.03	–	.17	.04	–	.04		20
21	.18	–	.24	–	–	–	.22	–	.28	–	–	–		21
22	.23	.20	.06	.03	–	.42	.09	–	.01	.08	.02	–		22
23	.13	.04	.01	.07	–	.03	.09	–	–	.24	.67	–		23
24	.22	.09	–	.15	–	–	.08	.03	–	–	.08	–		24
25	1.32	.49	.28	.32	–	–	.32	–	–	–	.50	–		25
26	.06	–	.22	.02	–	–	.01	–	–	.46	.64	.05		26
27	.18	.06	.18	–	–	–	–	–	.03	.46	.24	–		27
28	–	.42	.08	–	–	.21	–	–	–	.02	.22	1.8^{6}		28
29	–		–	.33	–	.01	–	–	–	.06	.08	–		29
30	–	✕	–	.84	–	.03	.01	.04	–	.05	.05	–		30
31	–	✕	–	✕	–	✕	.07	.48	✕	.04	✕	.03		31
TOTAL	6.14	1.79	2.56	3.00	1.20	1.67	2.36	1.90	1.09	9.50	6.77	2.39	Year's Total 40.37	✓
* Days with .01 in. or more.	25	17	19	16	9	14	17	12	8	25	20	17	199	✓
* Days with .04 in. or more.	23	9	16	10	5	8	13	10	6	23	18	15	156	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Bryanton

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 545/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at HIGH BEECH HOLLINGTON

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 9 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·02	·12	—	—	—	—	—	·08	—		1
2	—	·08	—	·18	·24	—	·05	—	—	·10	·50	—		2
3	—	—	—	·16	—	—	—	—	—	·18	1·40	·19		3
4	—	·39	—	·02	—	—	·15	—	—	·28	·17	·24		4
5	—	—	—	—	—	—	·05	—	—	—	·80	·22		5
6	·11	·18	—	—	—	—	·20	·01	—	·68	·10	—		6
7	·23	·09	—	—	—	—	·20	—	—	—	·01	—		7
8	—	—	—	—	·01	—	·01	—	·20	·32	—	·53		8
9	—	·01	—	·03	—	—	—	—	·20	·12	·30	·36		9
10	—	—	·01	—	—	—	·20	—	·04	·45	·28	—		10
11	—	·04^{s}	·02	—	—	—	—	—	—	—	·86	—		11
12	—	—	·18	·04	—	—	·18	—	·10	·02	·04	—		12
13	—	—	·38	—	—	1·12	—	—	·64	—	1·26	—		13
14	—	—	·65^{s}	·06	—	—	—	—	—	—	—	·40		14
15	—	—	—	·02	·38	—	·58	—	·01	—	·30	·20		15
16	·68^{s}	·10^{s}	·30	·04	—	·08	·10	—	·20	·45	·57	·09		16
17	—	—	·36	—	—	—	·04	—	·04	—	·30	—		17
18	—	·32	·38	·44	—	—	·18	—	—	—	·02	·10		18
19	—	·12	—	—	—	—	·02	—	·96	—	·10	·08		19
20	·12^{s}	·08	—	·02	—	—	·04	·01	·02	·20	·25	—		20
21	—	·02	—	—	·52	—	·09	·01	·11	·06	·32	—		21
22	—	—	·06	—	·20	·15	—	—	·09	—	·03	—		22
23	—	·45	·20	·32	·02	—	·05	·01	—	·12	·05	·02		23
24	—	—	—	·42	—	—	·25	—	—	—	—	—		24
25	—	—	·45	—	—	—	·22	—	—	·02	·02	—		25
26	·62^{s}	·34	·38	—	·12	·18	·02	—	—	·09	—	—		26
27	·08^{s}	·13	—	—	—	—	·22	—	—	—	·03	·02		27
28	·28^{s}	·02	—	·04	—	—	—	—	—	—	—	—		28
29	·04	·08	·18	—	·04	—	—	—	·01	—	—	·38		29
30	·03	×	—	·22	—	—	—	—	—	·12	—	—		30
31	·26	×	—	×	—	×	—	—	×	·44	×	·21		31
TOTAL	2·45	2·45	~~3·53~~ 3 55	2·03	1·65	1·53	2·85	·04	2·62	3·65	7·79	3·04	Year's Total 33·63	
* Days with .01 in. or more.	10	16	13	15	9	4	20	4	13	16	23	14	157	
* Days with .04 in. or more.	9	13	11	10	7	4	17	0	10	14	18	12	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. McLean

[P.T.O.